```
Your MySQL connection id is 11
Server version: 9.4.0 MySQL Community Server - GPL

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE habittracker_app;
Query OK, 1 row affected (0.255 sec)
```

Welcome to the MySQL monitor. Commands end with ; or \g.

Enter password: \*\*\*\*

```
mysql> CREATE TABLE habits (
    -> habit_id INT AUTO_INCREMENT PRIMARY KEY,
    -> user_id INT NOT NULL,
    -> habit_name VARCHAR(255) NOT NULL,
    -> description TEXT,
    -> FOREIGN KEY (user_id) REFERENCES users(user_id) ON DELETE CASCADE
    -> );
Query OK, 0 rows affected (0.760 sec)
```

```
mysql> CREATE TABLE habit_logs (
    -> log_id INT AUTO_INCREMENT PRIMARY KEY,
    -> habit_id INT NOT NULL,
    -> log_date DATE,
    -> status VARCHAR(50),
    -> FOREIGN KEY (habit_id) REFERENCES habits(habit_id) ON DELETE CASCADE
    -> );
Query OK, 0 rows affected (0.841 sec)
```

```
mysql> CREATE TABLE streaks (
             streak_id INT AUTO_INCREMENT PRIMARY KEY,
     ->
             user_id INT NOT NULL,
     ->
             habit_id INT NOT NULL,
     ->
             streak_count INT DEFAULT 0,
     ->
             last_updated DATE,
     ->
             FOREIGN KEY (user_id) REFERENCES users(user_id) ON DELETE CASCADE, FOREIGN KEY (habit_id) REFERENCES habits(habit_id) ON DELETE CASCADE
     ->
     ->
     -> );
Query OK, 0 rows affected (0.830 sec)
```

```
mysql> CREATE TABLE rewards (
           reward_id INT AUTO_INCREMENT PRIMARY KEY,
    ->
           user_id INT NOT NULL,
    ->
           reward_type VARCHAR(50),
    ->
           reward_desc VARCHAR(255),
    ->
           FOREIGN KEY (user_id) REFERENCES users(user_id) ON DELETE CASCADE
    ->
    -> );
Query OK, 0 rows affected (0.982 sec)
mysql> CREATE TABLE ai_insights (
    ->
           insight_id INT AUTO_INCREMENT PRIMARY KEY,
    ->
           habit_id INT NOT NULL,
    ->
           insight_text TEXT,
           FOREIGN KEY (habit_id) REFERENCES habits(habit_id) ON DELETE CASCADE
    ->
    -> );
Query OK, 0 rows affected (0.684 sec)
```

```
HabitTrackerBackend.java:287: error: reached end of file while parsing
1 error
D:\Programs\java\APP>javac -cp .;mysql-connector-j-9.4.0.jar HabitTrackerBac
kend.java
D:\Programs\java\APP>java -cp .;mysql-connector-j-9.4.0.jar HabitTrackerBack
end
--- Habit Streak Tracker ---
1. Add User
2. View Users
3. Add Habit
4. View Habits
5. Complete Habit
6. Use Joker Day
7. AI Suggestions
8. Mood Tracking
9. Progress Board
10. Leaderboard
11. Delete User
12. Exit
Choose:
```

```
mysql> SHOW DATABASES;
Database
 habit_streak_tracker
  habit_tracker
 habittracker_app
  habittrackerdb
 information_schema
  mysql
  performance_schema
  sys
8 rows in set (0.173 sec)
mysql> SHOW TABLES;
| Tables_in_habittracker_app
 ai_insights
 habit_logs
  habits
  rewards
```

6 rows in set (0.032 sec)

## mysql> DESCRIBE users;

streaks users

Field	Туре	Null	Key	Default	Extra
user_id   name   email   password   created_at	int   varchar(100)   varchar(255)   varchar(255)   timestamp	YES	PRI	NULL   NULL   NULL   NULL   CURRENT_TIMESTAMP	auto_increment           DEFAULT_GENERATED

5 rows in set (0.258 sec)

```
mysql> SHOW DATABASES;
 Database
  habit_streak_tracker
  habit_tracker
  habittracker_app
  habittrackerdb
  information_schema
 mysql
  performance_schema
 sys
8 rows in set (0.173 sec)
mysql> SHOW TABLES;
 Tables_in_habittracker_app
  ai_insights
  habit_logs
 habits
  rewards
  streaks
 users
6 rows in set (0.032 sec)
mysql> DESCRIBE users;
                              Null | Key | Default
| Field
               Type
                                                                | Extra
 user_id
                                                                 auto_increment
               int
                               NO
                                      PRI
                                            NULL
               varchar(100)
                               NO
                                            NULL
 name
  email
               varchar(255)
                               YES
                                            NULL
               varchar(255)
  password
                               YES
                                            NULL
```

CURRENT\_TIMESTAMP

DEFAULT\_GENERATED

Query OK, 0 rows affected (0.684 sec)

created\_at

mysql>

5 rows in set (0.258 sec)

timestamp

YES