
Floor Plan

Floor Plan — plan: equipment positions



Wall H3000 · Counter H1010 · Driving counter / table · VR360 area · Equipment no. · Pole partition

1	VR360 Simulator	2	43" monitor for VR360
3	VR motion seat (rally experience)	4	3D holographic display (Metavania HoloSync)
5	50" TV (F8VPS, stand side)	6	65" TV (F8VPS wall side, behind hologram)
7	50" TV (ForumSync)	8	32" TV (intro video)
9	85" monitor (presentation)	10	Driving corner (wheel controller + pedals) ×6
11	43" TV (for motion seat)	S	STOCK outlet (network switch etc.)

- mm. Walls H3000, counters H1010, driving counters H1100; dashed: motion seat 800×800. The overhead sign (W5000×H1500) is not drawn.

Source: equipment spec list, 30 Oct 2026 (draft) · Booth 3D: ima2daka2mi-sys.github.io/siggraph-asia-2026-booth


Power List

No.	Equipment	Qty	W / unit	Subtotal W	Outlets	Mounting / location
1	VR360 Simulator	1	2,800	2,800	1	Floor
2	43" monitor for VR360	1	80	80	1	Wall-mounted
3	VR motion seat (rally experience)	1	1,100	1,100	1	Floor
4	3D holographic display (Metavania HoloSync)	1	200	200	1	Floor
5	50" TV (F8VPS, stand side)	1	120	120	1	Wall-mounted
6	65" TV (F8VPS wall side, behind hologram)	1	200	200	1	Wall-mounted
7	50" TV (ForumSync)	1	120	120	1	Wall-mounted
8	32" TV (intro video)	1	50	50	1	Wall-mounted
9	85" monitor (presentation)	1	400	400	1	Wall-mounted
10	Driving corner (wheel controller + pedals)	6	USB-powered from PC	—	—	Tabletop / floor
11	43" TV (for motion seat)	1	80	80	1	Wall-mounted
+	Laptop PCs	13	120	1,560	13	At LAN drops L1 ×2, L2 ×2, L3 ×3, L4 ×3, L5 ×1, L6 ×1, L7 ×1
S	STOCK outlet (network switch etc.)	1	200	200	1	Inside STOCK, floor
	Total			**6,910**	**24**	**≈ 30.0 A at 230 V**

- **Outlet positions are indicative and may be adjusted flexibly to suit site conditions.**
- All outlets at floor level, one per device.
- A dedicated circuit is recommended for the VR360 Simulator (2,800 W ≈ 12.2 A).
- Laptop outlets are at the LAN drops of the PCs they serve (see plan).
- Power figures are catalog estimates; final values will follow once equipment is confirmed.

Source: equipment spec list, 30 Oct 2026 (draft) · Booth 3D: ima2daka2mi-sys.github.io/siggraph-asia-2026-booth

Power List — plan: power at each position




Wall H3000 · Counter H1010 · Driving counter / table · VR360 area · Equipment no.
Laptop outlet (PC) · **W** Power · Pole partition

Total **6,910 W (≈ 30.0 A at 230 V) · 24 outlets, all at floor level. Positions may be adjusted to suit site conditions.**

Wired LAN Locations

Wired LAN Locations — plan: wired LAN drops and ports



Wall H3000 · Counter H1010 · Driving counter / table · VR360 area · Equipment no.
Wired LAN (ports) · Pole partition

Total 9 drops · 17 ports

Wired LAN Locations (cont.)

No.	Location / devices	Ports	Notes
L1	F8VPS stand (2 laptops + iPad)	3	1 for iPad
L2	ForumSync stand (2 laptops + iPad)	3	1 for iPad
L3	Driving corner, 85" side row (3 laptops)	3	
L4	Driving corner, aisle B row (3 laptops)	3	
L5	VR360 Simulator PC	1	
L6	VR motion seat PC (high table beside it)	1	
L7	Presentation corner – presenter (laptop)	1	
L8	Inside STOCK	1	
L9	3D holographic display	1	
	Total	**17**	

- The 17 ports are split from the venue lines with network switches, so fewer incoming lines are needed.
- Drop positions are approximate; route cables along walls or under tabletops.

Source: equipment spec list, 30 Oct 2026 (draft) · Booth 3D: ima2daka2mi-sys.github.io/siggraph-asia-2026-booth

Equipment Specification List

SIGGRAPH Asia 2026 · FORUM8 Booth
Booth B37 · island 6000×6000 / booth drawings A004.1–A009 (4 Nov)
equipment-spec / Issued 2026-11-04 / Draft

No.	Equipment	Qty	Size mm W×D×H	Weight kg	Mounting	Space	Notes
1	VR360 Simulator	1	2047×1250×1960	350	Floor	≈ 2.5×1.3 m	43" monitor wall-mounted behind; pole partition guides visitor flow
2	43" monitor for VR360	1	≈ 960×60×560	9	Wall-mounted		
3	VR motion seat (rally experience)	1	800×800×1600	≈ 110 (max. load 150)	Floor	≈ 1.35×1.4 m	43" TV wall-mounted on the wall behind
4	3D holographic display (Metavania HoloSync)	1	750×750, depth 150	≈ 1.5	Floor		Pole stand, base ≈ Ø500 mm; synced with the 65" TV behind it
5	50" TV (F8VPS, stand side)	1	≈ 1120×65×650	12	Wall-mounted		
6	65" TV (F8VPS wall side, behind hologram)	1	≈ 1450×70×840	≈ 22	Wall-mounted		Changed from 50" to 65". Size, weight and power are typical 65" estimates (update once the model is fixed)
7	50" TV (ForumSync)	1	≈ 1120×65×650	12	Wall-mounted		
8	32" TV (intro video)	1	≈ 720×60×420	5	Wall-mounted		
9	85" monitor (presentation)	1	≈ 1900×70×1100	55	Wall-mounted		
10	Driving corner (wheel controller + pedals)	6	—	—	Tabletop / floor		Driving counters 2200×600 H1100, 2 rows of 3 sets
11	43" TV (for motion seat)	1	≈ 960×60×560	9	Wall-mounted		
+	Laptop PCs	13	—	—	At the LAN drops (see Power List)		
iP	iPad (F8VPS & ForumSync stands)	2	—	—	On the stands, on a holder		Centre of each stand between the two laptops; one wired LAN port each
S	STOCK outlet (network switch etc.)	1	—	—	Inside STOCK, floor		General use (e.g. network switch), 200 W

- Positions: see the Floor Plan. Power: see the Power List.

Source: equipment spec list, 30 Oct 2026 (draft) · Booth 3D: ima2daka2mi-sys.github.io/siggraph-asia-2026-booth


Wall-Mounted Screens

No.	Screen	Wall	Centre height mm	Top edge mm	Size mm	Weight kg
2	43" monitor for VR360	ForumSync wall, VR360 side	1,600	1,883	≈ 960×60×560	9
5	50" TV (F8VPS, stand side)	F8VPS wall, counter side	1,600	1,927	≈ 1120×65×650	12
6	65" TV (F8VPS wall side, behind hologram)	F8VPS wall, hologram side	1,600	2,020	≈ 1450×70×840	≈ 22
7	50" TV (ForumSync)	ForumSync wall, counter side	1,600	1,927	≈ 1120×65×650	12
8	32" TV (intro video)	STOCK, side-B face	1,600	1,816	≈ 720×60×420	5
9	85" monitor (presentation)	ForumSync wall, side-D face	1,700	2,245	≈ 1900×70×1100	55
11	43" TV (for motion seat)	STOCK, front face (side A)	1,600	1,883	≈ 960×60×560	9
	Total: 7 screens					**124**

- Centre height: floor (carpet) to screen centre. Top edge is approximate (screen plus bezel).
- Walls are H3000; reinforcement (backing) is needed at each mounting position.
- One outlet per screen at floor level below it; the cable runs up the wall behind.

Source: equipment spec list, 30 Oct 2026 (draft) · Booth 3D: ima2daka2mi-sys.github.io/siggraph-asia-2026-booth

Wall-Mounted Screens — plan: screen size and position



Wall H3000 · Counter H1010 · Driving counter / table · VR360 area · Equipment no.
Screen width · Pole partition