
Floor Plan

Floor Plan — plan: equipment positions



Wall H2700 | Stand H1000 | Table | VR360 area | Equipment no. | Pole partition

1	VR360 Simulator	2	43" monitor for VR360
3	VR motion seat (rally experience)	4	3D holographic display (Metavania HoloSync)
5	50" TV (F8VPS, stand side)	6	65" TV (F8VPS wall side, behind hologram)
7	50" TV (ForumSync)	8	32" TV (intro video)
9	85" monitor (presentation)	10	Driving corner (wheel controller + pedals) ×6
11	43" TV (for motion seat)	S	STOCK outlet (network switch etc.)

Floor Plan (cont.)

No.	Equipment	Qty
1	VR360 Simulator	1
2	43" monitor for VR360	1
3	VR motion seat (rally experience)	1
4	3D holographic display (Metavania HoloSync)	1
5	50" TV (F8VPS, stand side)	1
6	65" TV (F8VPS wall side, behind hologram)	1
7	50" TV (ForumSync)	1
8	32" TV (intro video)	1
9	85" monitor (presentation)	1
10	Driving corner (wheel controller + pedals)	6
11	43" TV (for motion seat)	1
S	STOCK outlet (network switch etc.)	1
L	Wired LAN: 9 drops / 17 ports (see Wired LAN Locations)	17

- Dimensions in mm. Walls H2700, stands H1000 (tentative).
- Dashed outlines show floor-standing units (VR360 2047×1250, motion seat 800×800).

Source: Exhibition equipment spec list (30 Oct 2026, draft) / Booth 3D: https://ima2daka2mi-sys.github.io/siggraph-asia-2026-booth/

Power List

8,110 W
Total power

≈ 35.3 A
at 230 V


24
Outlets

No.	Equipment	Qty	W / unit	Subtotal W	Outlets	Mounting / location
1	VR360 Simulator	1	2,800	2,800	1	Floor
2	43" monitor for VR360	1	80	80	1	Wall-mounted
3	VR motion seat (rally experience)	1	2,000 220 VAC 9 A	2,000	1	Floor
4	3D holographic display (Metavania HoloSync)	1	200	200	1	Floor
5	50" TV (F8VPS, stand side)	1	120	120	1	Wall-mounted
6	65" TV (F8VPS wall side, behind hologram)	1	200	200	1	Wall-mounted
7	50" TV (ForumSync)	1	120	120	1	Wall-mounted
8	32" TV (intro video)	1	50	50	1	Wall-mounted
9	85" monitor (presentation)	1	400	400	1	Wall-mounted
10	Driving corner (wheel controller + pedals)	6	USB-powered from PC	—	—	Tabletop / floor
11	43" TV (for motion seat)	1	80	80	1	Wall-mounted
+	Laptop PCs	13	120	1,560	13	At LAN drops L1 ×2, L2 ×2, L3 ×3, L4 ×3, L5 ×1, L6 ×1, L7 ×1
S	STOCK outlet (network switch etc.)	1	500	500	1	Inside STOCK, floor
	Total			**8,110**	**24**	**≈ 35.3 A at 230 V**

- All outlets are at floor level.
- Extension cords and power strips are not permitted: each location needs its own outlets (guide: one outlet per device).
- Power figures are catalog estimates; final values will be updated once equipment is confirmed.
- The VR motion seat alone draws 220 VAC 9 A; a dedicated circuit is recommended.
- Laptop outlets are placed at the LAN drops of the PCs they serve (one outlet per laptop), including the presenter's laptop at L7.
- The VR360 Simulator alone draws 2,800 W (≈ 12.2 A at 230 V); a dedicated circuit is recommended.
- The plan page shows the power at each equipment position (red, W) and the laptop outlets (PC).

Source: Exhibition equipment spec list (30 Oct 2026, draft) / Booth 3D: https://ima2daka2mi-sys.github.io/siggraph-asia-2026-booth/

Power List — plan: power at each position (W)



Wall H2700 · Stand H1000 · Table · VR360 area · Equipment no. · Pole partition


1	VR360 Simulator	2,800 W	2	43" monitor for VR360	80 W
3	VR motion seat (rally experience)	2,000 W	4	3D holographic display (Metavania HoloSync)	200 W
5	50" TV (F8VPS, stand side)	120 W	6	65" TV (F8VPS wall side, behind hologram)	200 W
7	50" TV (ForumSync)	120 W	8	32" TV (intro video)	50 W
9	85" monitor (presentation)	400 W	10	Driving corner (wheel controller + pedals)	USB-powered from PC
11	43" TV (for motion seat)	80 W	S	STOCK outlet (network switch etc.)	500 W
PC	Laptop ×2 at L1 – F8VPS stand (2 laptops + iPad)				240 W
PC	Laptop ×2 at L2 – ForumSync stand (2 laptops + iPad)				240 W
PC	Laptop ×3 at L3 – Driving corner, 85" side row (3 laptops)				360 W
PC	Laptop ×3 at L4 – Driving corner, aisle B row (3 laptops)				360 W
PC	Laptop ×1 at L5 – VR360 Simulator PC				120 W
PC	Laptop ×1 at L6 – VR motion seat PC (high table beside it)				120 W
PC	Laptop ×1 at L7 – Presentation corner – presenter (laptop)				120 W

Total 8,110 W (≈ 35.3 A at 230 V) · 24 outlets

Wired LAN Locations

SIGGRAPH Asia 2026 · FORUM8 Booth
Island 6000×6000 / based on floor plan rev. 8
lan-locations / Issued 2026-10-31 / Draft

Wired LAN Locations — plan: wired LAN drops and ports



Wall H2700 · Stand H1000 · Table · VR360 area · Equipment no. · Wired LAN (ports) · Pole partition

L1	F8VPS stand (2 laptops + iPad)	**3 ports**	L2	ForumSync stand (2 laptops + iPad)	**3 ports**
L3	Driving corner, 85" side row (3 laptops)	**3 ports**	L4	Driving corner, aisle B row (3 laptops)	**3 ports**
L5	VR360 Simulator PC	**1 port**	L6	VR motion seat PC (high table beside it)	**1 port**
L7	Presentation corner – presenter (laptop)	**1 port**	L8	Inside STOCK	**1 port**
L9	3D holographic display	**1 port**			

Total 9 drops · 17 ports

Wired LAN Locations (cont.)

9	17	2
Drop locations	Total ports	of which for iPads

No.	Location / devices	Ports	Notes
L1	F8VPS stand (2 laptops + iPad)	3	1 for iPad
L2	ForumSync stand (2 laptops + iPad)	3	1 for iPad
L3	Driving corner, 85" side row (3 laptops)	3	
L4	Driving corner, aisle B row (3 laptops)	3	
L5	VR360 Simulator PC	1	
L6	VR motion seat PC (high table beside it)	1	
L7	Presentation corner – presenter (laptop)	1	
L8	Inside STOCK	1	
L9	3D holographic display	1	
	Total	**17**	

- The 17 ports are provided by splitting the venue lines with network switches; the number of incoming venue lines can be fewer than 17.
- Drop positions are approximate; route cables along walls or under tabletops near stands and tables.


Source: Exhibition equipment spec list (30 Oct 2026, draft) / Booth 3D: https://ima2daka2mi-sys.github.io/siggraph-asia-2026-booth/

Equipment Specification List

No.	Equipment	Qty	Size mm (W×D×H)	Weight kg	Power W	Mounting	Space	Notes
1	VR360 Simulator	1	2047×1250×1960	350	2,800	Floor	approx. 2.5×1.3 m	43" monitor wall-mounted behind; pole partition guides visitor flow
2	43" monitor for VR360	1	approx. 960×60×560	9	80	Wall-mounted		
3	VR motion seat (rally experience)	1	800×800×1600	approx. 110 (max. load 150)	2,000	Floor	approx. 1.35×1.4 m	43" TV wall-mounted on the wall behind
4	3D holographic display (Metavania HoloSync)	1	750×750, depth 150	approx. 1.5	200	Floor		Pole stand, base approx. Ø500 mm; synced with the 65" TV behind it
5	50" TV (F8VPS, stand side)	1	approx. 1120×65×650	12	120	Wall-mounted		
6	65" TV (F8VPS wall side, behind hologram)	1	approx. 1450×70×840	approx. 22	200	Wall-mounted		Changed from 50" to 65". Size, weight and power are typical 65" estimates (update once the model is fixed)
7	50" TV (ForumSync)	1	approx. 1120×65×650	12	120	Wall-mounted		
8	32" TV (intro video)	1	approx. 720×60×420	5	50	Wall-mounted		
9	85" monitor (presentation)	1	approx. 1900×70×1100	55	400	Wall-mounted		
10	Driving corner (wheel controller + pedals)	6	—	—	USB-powered from PC	Tabletop / floor		Bar tables 1800×600 H1000, 2 rows of 3 sets
11	43" TV (for motion seat)	1	approx. 960×60×560	9	80	Wall-mounted		
+	Laptop PCs	13	—	—	120	Near each exhibit		
iP	iPad (F8VPS & ForumSync stands)	2	—	—	—	On the stands, on a holder		Centre of each stand between the two laptops; one wired LAN port each
S	STOCK outlet (network switch etc.)	1	—	—	500	Inside STOCK, floor		General use (e.g. network switch), 500 W

Source: Exhibition equipment spec list (30 Oct 2026, draft) / Booth 3D: https://ima2daka2mi-sys.github.io/siggraph-asia-2026-booth/

Equipment Specification List — plan: equipment positions



Wall H2700 · Stand H1000 · Table · VR360 area · Equipment no. · Pole partition

1	VR360 Simulator	2047×1250×1960 · 350 kg
2	43" monitor for VR360	approx. 960×60×560 · 9 kg
3	VR motion seat (rally experience)	800×800×1600 · approx. 110 (max. load 150) kg
4	3D holographic display (Metavania HoloSync)	750×750, depth 150 · approx. 1.5 kg
5	50" TV (F8VPS, stand side)	approx. 1120×65×650 · 12 kg
6	65" TV (F8VPS wall side, behind hologram)	approx. 1450×70×840 · approx. 22 kg
7	50" TV (ForumSync)	approx. 1120×65×650 · 12 kg
8	32" TV (intro video)	approx. 720×60×420 · 5 kg
9	85" monitor (presentation)	approx. 1900×70×1100 · 55 kg
10	Driving corner (wheel controller + pedals)	—
11	43" TV (for motion seat)	approx. 960×60×560 · 9 kg
S	STOCK outlet (network switch etc.)	—


Wall-Mounted Screens

No.	Screen	Wall	Centre height mm	Top edge mm	Size mm	Weight kg	Power W
2	43" monitor for VR360	ForumSync wall, VR360 side	1,800	2,083	approx. 960×60×560	9	80
5	50" TV (F8VPS, stand side)	F8VPS wall, stand side	1,620	1,947	approx. 1120×65×650	12	120
6	65" TV (F8VPS wall side, behind hologram)	F8VPS wall, hologram side	1,500	1,920	approx. 1450×70×840	approx. 22	200
7	50" TV (ForumSync)	ForumSync wall, stand side	1,620	1,947	approx. 1120×65×650	12	120
8	32" TV (intro video)	STOCK, left face (side C)	1,500	1,716	approx. 720×60×420	5	50
9	85" monitor (presentation)	ForumSync wall, side-B face	1,450	1,995	approx. 1900×70×1100	55	400
11	43" TV (for motion seat)	STOCK, front face (side A)	1,800	2,083	approx. 960×60×560	9	80
	Total: 7 screens					**124**	**1,050**

- Centre height is measured from the floor (carpet) to the screen centre; the top edge is approximate (screen height plus bezel).
- Walls are H2700; reinforcement (backing) is needed at each mounting position.
- One power outlet per screen, at floor level below the screen; the cable runs up the wall behind it.

Source: Exhibition equipment spec list (30 Oct 2026, draft) / Booth 3D: https://ima2daka2mi-sys.github.io/siggraph-asia-2026-booth/

Wall-Mounted Screens — plan: screen size (inch) and width on the wall



Wall H2700 | Stand H1000 | Table | VR360 area | Equipment no. | Screen width | Pole partition

2	43" (W 952) – ForumSync wall, VR360 side	CL 1,800 mm
5	50" (W 1,107) – F8VPS wall, stand side	CL 1,620 mm
6	65" (W 1,439) – F8VPS wall, hologram side	CL 1,500 mm
7	50" (W 1,107) – ForumSync wall, stand side	CL 1,620 mm
8	32" (W 715) – STOCK, left face (side C)	CL 1,500 mm
9	85" (W 1,882) – ForumSync wall, side-B face	CL 1,450 mm
11	43" (W 952) – STOCK, front face (side A)	CL 1,800 mm

CL centre height of the screen above the floor (mm). Thick black lines show each screen's width on its wall.