
Floor Plan

Floor Plan — plan with power (W) and LAN ports



Wall H2700 · Stand H1000 · Table · VR360 area · Equipment no. · Wired LAN (ports) · **0 W** Power at that position · Pole partition

1	VR360 Simulator	2,800 W	2	43" monitor for VR360	80 W
3	VR motion seat (rally experience)	2,000 W	4	3D holographic display (Metavania HoloSync)	200 W
5	50" TV (F8VPS, stand side)	120 W	6	65" TV (F8VPS wall side, behind hologram)	200 W
7	50" TV (ForumSync)	120 W	8	32" TV (intro video)	50 W
9	85" monitor (presentation)	400 W	10	Driving corner (wheel controller + pedals)	USB-powered from PC
11	43" TV (for motion seat)	80 W	L1	F8VPS stand (2 laptops + iPad)	3 ports
L2	ForumSync stand (2 laptops + iPad)	3 ports	L3	Driving corner, 85" side row (3 laptops)	3 ports
L4	Driving corner, aisle B row (3 laptops)	3 ports	L5	VR360 Simulator PC	1 port
L6	VR motion seat PC (high table beside it)	1 port	L7	Presentation corner – presenter	1 port
L8	Inside STOCK	1 port	L9	3D holographic display	1 port
+	Laptop PCs ×12 (near each exhibit, not shown on the plan)				1,440 W

Total 7,490 W (≈ 32.6 A at 230 V) · 22 outlets · 17 LAN ports

No.	Equipment	Qty
1	VR360 Simulator	1
2	43" monitor for VR360	1
3	VR motion seat (rally experience)	1
4	3D holographic display (Metavania HoloSync)	1
5	50" TV (F8VPS, stand side)	1
6	65" TV (F8VPS wall side, behind hologram)	1
7	50" TV (ForumSync)	1
8	32" TV (intro video)	1
9	85" monitor (presentation)	1
10	Driving corner (wheel controller + pedals)	6
11	43" TV (for motion seat)	1
L	Wired LAN: 9 drops / 17 ports (see Wired LAN Locations)	17

- Dimensions in mm. Walls H2700, stands H1000 (tentative).
- Dashed outlines show floor-standing units (VR360 2047×1250, motion seat 800×800).

Power List

7,490 W
Total power

≈ 32.6 A
at 230 V


22
Outlets

No.	Equipment	Qty	W / unit	Subtotal W	Outlets	Mounting / location
1	VR360 Simulator	1	2,800	2,800	1	Floor
2	43" monitor for VR360	1	80	80	1	Wall-mounted
3	VR motion seat (rally experience)	1	2,000 220 VAC 9 A	2,000	1	Floor
4	3D holographic display (Metavania HoloSync)	1	200	200	1	Floor
5	50" TV (F8VPS, stand side)	1	120	120	1	Wall-mounted
6	65" TV (F8VPS wall side, behind hologram)	1	200	200	1	Wall-mounted
7	50" TV (ForumSync)	1	120	120	1	Wall-mounted
8	32" TV (intro video)	1	50	50	1	Wall-mounted
9	85" monitor (presentation)	1	400	400	1	Wall-mounted
10	Driving corner (wheel controller + pedals)	6	USB-powered from PC	—	—	Tabletop / floor
11	43" TV (for motion seat)	1	80	80	1	Wall-mounted
+	Laptop PCs	12	120	1,440	12	Near each exhibit
	Total			**7,490**	**22**	**≈ 32.6 A at 230 V**

- Extension cords and power strips are not permitted: each location needs its own outlets (guide: one outlet per device).
- Power figures are catalog estimates; final values will be updated once equipment is confirmed.
- The VR motion seat alone draws 220 VAC 9 A; a dedicated circuit is recommended.
- Page 2 shows each position's power (red, W) and wired LAN ports (orange).

Source: Exhibition equipment spec list (30 Oct 2026, draft) / Booth 3D: https://ima2daka2mi-sys.github.io/siggraph-asia-2026-booth/

Power List — plan with power (W) and LAN ports



Wall H2700 · Stand H1000 · Table · VR360 area · Equipment no. · Wired LAN (ports) · **0 W** Power at that position · Pole partition


1	VR360 Simulator	2,800 W	2	43" monitor for VR360	80 W
3	VR motion seat (rally experience)	2,000 W	4	3D holographic display (Metavania HoloSync)	200 W
5	50" TV (F8VPS, stand side)	120 W	6	65" TV (F8VPS wall side, behind hologram)	200 W
7	50" TV (ForumSync)	120 W	8	32" TV (intro video)	50 W
9	85" monitor (presentation)	400 W	10	Driving corner (wheel controller + pedals)	USB-powered from PC
11	43" TV (for motion seat)	80 W	L1	F8VPS stand (2 laptops + iPad)	3 ports
L2	ForumSync stand (2 laptops + iPad)	3 ports	L3	Driving corner, 85" side row (3 laptops)	3 ports
L4	Driving corner, aisle B row (3 laptops)	3 ports	L5	VR360 Simulator PC	1 port
L6	VR motion seat PC (high table beside it)	1 port	L7	Presentation corner – presenter	1 port
L8	Inside STOCK	1 port	L9	3D holographic display	1 port
+	Laptop PCs ×12 (near each exhibit, not shown on the plan)				1,440 W

Total 7,490 W (≈ 32.6 A at 230 V) · 22 outlets · 17 LAN ports

Wired LAN Locations

SIGGRAPH Asia 2026 · FORUM8 Booth
Island 6000×6000 / based on floor plan rev. 8
lan-locations / Issued 2026-10-31 / Draft

Wired LAN Locations — plan with power (W) and LAN ports



Wall H2700 · Stand H1000 · Table · VR360 area · Equipment no. · Wired LAN (ports) · **0 W** Power at that position · Pole partition

1	VR360 Simulator	2,800 W	2	43" monitor for VR360	80 W
3	VR motion seat (rally experience)	2,000 W	4	3D holographic display (Metavania HoloSync)	200 W
5	50" TV (F8VPS, stand side)	120 W	6	65" TV (F8VPS wall side, behind hologram)	200 W
7	50" TV (ForumSync)	120 W	8	32" TV (intro video)	50 W
9	85" monitor (presentation)	400 W	10	Driving corner (wheel controller + pedals)	USB-powered from PC
11	43" TV (for motion seat)	80 W	L1	F8VPS stand (2 laptops + iPad)	3 ports
L2	ForumSync stand (2 laptops + iPad)	3 ports	L3	Driving corner, 85" side row (3 laptops)	3 ports
L4	Driving corner, aisle B row (3 laptops)	3 ports	L5	VR360 Simulator PC	1 port
L6	VR motion seat PC (high table beside it)	1 port	L7	Presentation corner – presenter	1 port
L8	Inside STOCK	1 port	L9	3D holographic display	1 port
+	Laptop PCs ×12 (near each exhibit, not shown on the plan)				1,440 W

Total 7,490 W (≈ 32.6 A at 230 V) · 22 outlets · 17 LAN ports

9	17	2
Drop locations	Total ports	of which for iPads

No.	Location / devices	Ports	Notes
L1	F8VPS stand (2 laptops + iPad)	3	1 for iPad
L2	ForumSync stand (2 laptops + iPad)	3	1 for iPad
L3	Driving corner, 85" side row (3 laptops)	3	
L4	Driving corner, aisle B row (3 laptops)	3	
L5	VR360 Simulator PC	1	
L6	VR motion seat PC (high table beside it)	1	
L7	Presentation corner – presenter	1	
L8	Inside STOCK	1	
L9	3D holographic display	1	
	Total	**17**	

- Drop positions are approximate; route cables along walls or under tabletops near stands and tables.


Source: Exhibition equipment spec list (30 Oct 2026, draft) / Booth 3D: https://ima2daka2mi-sys.github.io/siggraph-asia-2026-booth/

Equipment Specification List

No.	Equipment	Qty	Size mm (W×D×H)	Weight kg	Power W	Mounting	Space	Notes
1	VR360 Simulator	1	2047×1250×1960	350	2,800	Floor	approx. 2.5×1.3 m	43" monitor wall-mounted behind; pole partition guides visitor flow
2	43" monitor for VR360	1	approx. 960×60×560	9	80	Wall-mounted		
3	VR motion seat (rally experience)	1	800×800×1600	approx. 110 (max. load 150)	2,000	Floor	approx. 1.35×1.4 m	43" TV wall-mounted on the wall behind
4	3D holographic display (Metavania HoloSync)	1	75×75, depth 150	approx. 1.5	200	Floor		Pole stand, base approx. Ø500 mm; synced with the 65" TV behind it
5	50" TV (F8VPS, stand side)	1	approx. 1120×65×650	12	120	Wall-mounted		
6	65" TV (F8VPS wall side, behind hologram)	1	approx. 1450×70×840	approx. 22	200	Wall-mounted		Changed from 50" to 65". Size, weight and power are typical 65" estimates (update once the model is fixed)
7	50" TV (ForumSync)	1	approx. 1120×65×650	12	120	Wall-mounted		
8	32" TV (intro video)	1	approx. 720×60×420	5	50	Wall-mounted		
9	85" monitor (presentation)	1	approx. 1900×70×1100	55	400	Wall-mounted		
10	Driving corner (wheel controller + pedals)	6	—	—	USB-powered from PC	Tabletop / floor		Bar tables 1800×600 H1000, 2 rows of 3 sets
11	43" TV (for motion seat)	1	approx. 960×60×560	9	80	Wall-mounted		
+	Laptop PCs	12	—	—	120	Near each exhibit		
iP	iPad (F8VPS & ForumSync stands)	2	—	—	—	On the stands, on a holder		Centre of each stand between the two laptops; one wired LAN port each

Source: Exhibition equipment spec list (30 Oct 2026, draft) / Booth 3D: https://ima2daka2mi-sys.github.io/siggraph-asia-2026-booth/

Equipment Specification List — plan with power (W) and LAN ports



Wall H2700 · Stand H1000 · Table · VR360 area · Equipment no. · Wired LAN (ports) · **0 W** Power at that position · Pole partition

1	VR360 Simulator	2,800 W	2	43" monitor for VR360	80 W
3	VR motion seat (rally experience)	2,000 W	4	3D holographic display (Metavania HoloSync)	200 W
5	50" TV (F8VPS, stand side)	120 W	6	65" TV (F8VPS wall side, behind hologram)	200 W
7	50" TV (ForumSync)	120 W	8	32" TV (intro video)	50 W
9	85" monitor (presentation)	400 W	10	Driving corner (wheel controller + pedals)	USB-powered from PC
11	43" TV (for motion seat)	80 W	L1	F8VPS stand (2 laptops + iPad)	3 ports
L2	ForumSync stand (2 laptops + iPad)	3 ports	L3	Driving corner, 85" side row (3 laptops)	3 ports
L4	Driving corner, aisle B row (3 laptops)	3 ports	L5	VR360 Simulator PC	1 port
L6	VR motion seat PC (high table beside it)	1 port	L7	Presentation corner – presenter	1 port
L8	Inside STOCK	1 port	L9	3D holographic display	1 port
+	Laptop PCs ×12 (near each exhibit, not shown on the plan)				1,440 W

Total 7,490 W (≈ 32.6 A at 230 V) · 22 outlets · 17 LAN ports


Wall-Mounted Screens

No.	Screen	Wall	Centre height mm	Top edge mm	Size mm	Weight kg	Power W
2	43" monitor for VR360	ForumSync wall, VR360 side	1,800	2,083	approx. 960×60×560	9	80
5	50" TV (F8VPS, stand side)	F8VPS wall, stand side	1,620	1,947	approx. 1120×65×650	12	120
6	65" TV (F8VPS wall side, behind hologram)	F8VPS wall, hologram side	1,500	1,920	approx. 1450×70×840	approx. 22	200
7	50" TV (ForumSync)	ForumSync wall, stand side	1,620	1,947	approx. 1120×65×650	12	120
8	32" TV (intro video)	STOCK, left face (side C)	1,500	1,716	approx. 720×60×420	5	50
9	85" monitor (presentation)	ForumSync wall, side-B face	1,450	1,995	approx. 1900×70×1100	55	400
11	43" TV (for motion seat)	STOCK, front face (side A)	1,800	2,083	approx. 960×60×560	9	80
	Total: 7 screens					**124**	**1,050**

- Centre height is measured from the floor (carpet) to the screen centre; the top edge is approximate (screen height plus bezel).
- Walls are H2700; reinforcement (backing) is needed at each mounting position.
- One power outlet behind each screen.

Source: Exhibition equipment spec list (30 Oct 2026, draft) / Booth 3D: https://ima2daka2mi-sys.github.io/siggraph-asia-2026-booth/

Wall-Mounted Screens — plan with power (W) and LAN ports



Wall H2700 · Stand H1000 · Table · VR360 area · Equipment no. · Wired LAN (ports) · **0 W** Power at that position · Pole partition

1	VR360 Simulator	2,800 W	2	43" monitor for VR360	80 W
3	VR motion seat (rally experience)	2,000 W	4	3D holographic display (Metavania HoloSync)	200 W
5	50" TV (F8VPS, stand side)	120 W	6	65" TV (F8VPS wall side, behind hologram)	200 W
7	50" TV (ForumSync)	120 W	8	32" TV (intro video)	50 W
9	85" monitor (presentation)	400 W	10	Driving corner (wheel controller + pedals)	USB-powered from PC
11	43" TV (for motion seat)	80 W	L1	F8VPS stand (2 laptops + iPad)	3 ports
L2	ForumSync stand (2 laptops + iPad)	3 ports	L3	Driving corner, 85" side row (3 laptops)	3 ports
L4	Driving corner, aisle B row (3 laptops)	3 ports	L5	VR360 Simulator PC	1 port
L6	VR motion seat PC (high table beside it)	1 port	L7	Presentation corner – presenter	1 port
L8	Inside STOCK	1 port	L9	3D holographic display	1 port
+	Laptop PCs ×12 (near each exhibit, not shown on the plan)				1,440 W

Total 7,490 W (≈ 32.6 A at 230 V) · 22 outlets · 17 LAN ports