

UJIAN TENGAH SEMESTER
PRAKTIKUM SISTEM OPERASI



Disusun oleh:

AFIFAH GH AISANI IMANA

L200190198

PROGRAM STUDI TEKNIK INFORMATIKA
FAKULTAS KOMUNIKASI DAN INFORMATIKA
UNIVERSITAS MUHAMMADIYAH SURAKARTA
TAHUN 2019/2020

1. Buatlah file image floppy baru dengan menggunakan program aplikasi bximage.exe. kemudian lanjutkan hingga menghasilkan output seperti di bawah ini! (20 point)
- Buka folder LAB1, kemudian make fp.disk, lalu buka bximage, pilih fd, 1.44 dan ketik nama image "floppya.img"

```
c:\OS>setpath
c:\OS>Path=C:\OS\Dev-Cpp\bin;C:\OS\Bochs-2.3.5;c:\OS\Perl;C:\Windows\System32
c:\OS>cd lab\lab1
c:\OS\LAB\LAB1>Notepad Makefile
c:\OS\LAB\LAB1>make fp.disk
nasm boot.asm -o boot.bin -f bin
dd if=boot.bin of=floppya.img
rawwrite dd for windows version 0.5.
Written by John Newbigin <jn@it.swin.edu.au>
This program is covered by the GPL. See copying.txt for details
1+0 records in
1+0 records out
c:\OS\LAB\LAB1>bximage
=====
                        bximage
          Disk Image Creation Tool for Bochs
          $Id: bximage.c,v 1.32 2006/06/16 07:29:33 vruppert Exp $
=====

Do you want to create a floppy disk image or a hard disk image?
Please type hd or fd. [hd] fd

Choose the size of floppy disk image to create, in megabytes.
Please type 0.16, 0.18, 0.32, 0.36, 0.72, 1.2, 1.44, 1.68, 1.72, or 2.88.
[1.44] 1.44
I will create a floppy image with
  cyl=80
  heads=2
  sectors per track=18
  total sectors=2880
  total bytes=1474560

What should I name the image?
[a.img] floppya.img

The disk image 'floppya.img' already exists. Are you sure you want to replace it?
Please type yes or no. [no] yes


Writing: [] Done.

I wrote 1474560 bytes to floppya.img.

The following line should appear in your bochsrc:
  floppya: image="floppya.img", status=inserted
<The line is stored in your windows clipboard, use CTRL-U to paste>

Press any key to continue
```

- Ketik Format B: untuk memformat drive B




```
c:\OS\Bochs-2.3.5\dos>cd "C:\os\lab\lab1"
```

```
C:\OS\LAB\LAB1>tDump boots.bin
```

```
Turbo Dump Version 5.0.16.12 Copyright (c) 1988, 2000 Inprise Corporation  
Display of File BOOTS.BIN
```

```
000000: EB 3C 90 4D 53 57 49 4E 34 2E 31 00 02 01 01 00 <.MSWIN4.1....  
000010: 02 E0 00 40 0B F0 09 00 12 00 02 00 00 00 00 00 ...E.....  
000020: 00 00 00 00 00 00 29 E7 0F 15 2C 4E 4F 20 4E 41 .....>....NO NA  
000030: 4D 45 20 20 20 20 46 41 54 31 32 20 20 20 33 C9 ME FAT12 3.  
000040: 8E D1 BC FC 7B 16 07 BD 78 00 C5 76 00 1E 56 16 ....<...x...v...U.  
000050: 55 BF 22 05 89 7E 00 89 4E 02 B1 0B FC F3 A4 06 U."...~...N.....  
000060: 1F BD 00 7C C6 45 FE 0F 38 4E 24 7D 20 8B C1 99 ...!..E...8N$> ...  
000070: E8 7E 01 83 EB 3A 66 A1 1C 7C 66 3B 07 8A 57 FC ~....:f...!f;..W..  
000080: 75 06 80 CA 02 88 56 02 80 C3 10 73 ED 33 C9 FE u....>U.....s.3..  
000090: 06 D8 7D 8A 46 10 98 F7 66 16 03 46 1C 13 56 1E ..>.F...f...F...U..  
0000A0: 03 46 0E 13 D1 8B 76 11 60 89 46 FC 89 56 FE B8 .F....v...^F...U..  
0000B0: 20 00 F7 E6 8B 5E 0B 03 C3 48 F7 F3 01 46 FC 11 .....^.....H...F..  
0000C0: 4E FE 61 BF 00 07 E8 28 01 72 3E 38 2D 74 17 60 N.a....<.r>8-t..  
0000D0: B1 0B BE D8 7D F3 A6 61 74 3D 4E 74 09 83 C7 20 .....>...at=Nt...  
0000E0: 3B FB 72 E7 EB DD FE 0E D8 7D 7B A7 BE 7F 7D AC ;.r....>><...>..  
0000F0: 98 03 F0 AC 98 40 74 0C 48 74 13 B4 0E BB 07 00 .....<...t..Ht...  
000100: CD 10 EB EF BE 82 7D EB E6 BE 80 7D EB E1 CD 16 .....>.....>....  
000110: 5E 1F 66 8F 04 CD 19 BE 81 7D 8B 7D 1A 8D 45 FE ^.f.....>..>...E..  
000120: 8A 4E 0D F7 E1 03 46 FC 13 56 FE B1 04 E8 C2 00 .N....F...U.....  
000130: 72 D7 EA 00 02 70 00 52 50 06 53 6A 01 6A 10 91 r....p.RP.Sj..j..  
000140: 8B 46 18 A2 26 05 96 92 33 D2 F7 F6 91 F7 F6 42 .F..&...3.....B  
000150: 87 CA F7 76 1A 8A F2 8A E8 C0 CC 02 0A CC B8 01 .....v.....  
000160: 02 80 7E 02 0E 75 04 B4 42 8B F4 8A 56 24 CD 13 ..~...u...B...U$..  
000170: 61 61 72 0A 40 75 01 42 03 5E 0B 49 75 77 C3 03 aar.@u.B.^..luw..  
000180: 18 01 27 0D 0A 49 6E 76 61 6C 69 64 20 73 79 73 ..'...Invalid sys  
000190: 74 65 6D 20 64 69 73 6B FF 0D 0A 44 69 73 6B 20 tem disk...Disk  
0001A0: 49 2F 4F 20 65 72 72 6F 72 FF 0D 0A 52 65 70 6C I/O error...Repl  
0001B0: 61 63 65 20 74 68 65 20 64 69 73 6B 2C 20 61 6E ace the disk, an  
0001C0: 64 20 74 68 65 6E 20 70 72 65 73 73 20 61 6E 79 d then press any  
0001D0: 20 6B 65 79 0D 0A 00 00 49 4F 20 20 20 20 20 20 key....IO  
0001E0: 53 59 53 4D 53 44 4F 53 20 20 20 53 59 53 7F 01 SYSMSDOS SYS..  
0001F0: 00 41 BB 00 07 60 66 6A 00 E9 3B FF 00 00 55 AA .A...`fj...;...U..
```

Bochs for Windows - Display



```
CD-ROM Device Driver for IDE (Four Channels Supported)  
(C)Copyright Oak Technology Inc. 1993-1996  
Driver Version      : V340  
Device Name         : OSLAB  
Transfer Mode       : Programmed I/O  
Drive 0: Port= 1F0 (Primary Channel), Slave  IRQ= 14  
Firmware version    : ALPH
```

MSCDEX Version 2.23

Copyright (C) Microsoft Corp. 1986-1993. All rights reserved.

Drive R: = Driver OSLAB unit 0

A:\>Format B:/S


Insert new diskette for drive B:
and press ENTER when ready...

```
Checking existing disk format.  
Formatting 1.44M  
Format complete.  
System transferred
```

Volume label (11 characters, ENTER for none)? _

CTRL + 3rd button enables mouse

A: B: HD:0-M CD:0-S NUM CAPS SCRL




2. Lakukan proses untuk mengubah file pada boot.asm dan kernel.asm sehingga muncul nama dan nimnya masing-masing dan paling bawah muncul tulisan universitas muhammadiyah surakarta!
- Membuat floppiya.img dengan bxiimage.exe

```
c:\OS\LAB\LAB2>dir
Volume in drive C has no label.
Volume Serial Number is 5046-14FD


Directory of c:\OS\LAB\LAB2

19/11/2020  03:43    <DIR>          .
19/11/2020  03:43    <DIR>          ..
03/10/2020  07:07             10.130 bochs.log
15/12/2008  16:18             1.625 bochsrc.bxrc
03/10/2020  06:44            15.932 boot.asm
03/10/2020  06:45             512 boot.bin
15/12/2008  13:52              78 dosfp.bat
19/11/2020  03:43        1.474.560 floppya.img
03/10/2020  07:03             7.959 kernel.asm
03/10/2020  07:04             604 kernel.bin
15/12/2008  16:21             228 Makefile
15/12/2008  12:20              44 s.bat
                10 File(s)          1.511.672 bytes
                2 Dir(s)          1.110.683.648 bytes free

c:\OS\LAB\LAB2>dosfp
c:\OS\LAB\LAB2>cd "..\..\Bochs-2.3.5\dos"
c:\OS\Bochs-2.3.5\dos>..\bochs -q -f bochsrc2.txt
000000000000i[APIC?] local apic in  initializing
=====
                        BochS x86 Emulator 2.3.5
                        Build from CVS snapshot, on September 16, 2007
=====
000000000000i[      ] reading configuration from bochsrc2.txt
000000000000i[      ] installing win32 module as the BochS GUI
000000000000i[      ] using log file bochsout.txt
-
```



- Memasukkan floppy.img dari folder LAB2.



- Ubah tulisan menjadi nama dan nim pada notepad.asm.

```
C:\OS\LAB\LAB2>make fp.disk
nasm boot.asm -o boot.bin -f bin
dd if=boot.bin of=floppya.img
rawwrite dd for windows version 0.5.
Written by John Newbigin <jn@it.swin.edu.au>
This program is covered by the GPL. See copying.txt for details
1+0 records in
1+0 records out

C:\OS\LAB\LAB2>s

C:\OS\LAB\LAB2>..\..\bochs-2.3.5\bochs -q -f bochsrc.bxrc
000000000000i[APIC?] local apic in initializing
=====
Bochs x86 Emulator 2.3.5
Build from CVS snapshot, on September 16, 2007
=====
000000000000i[      ] reading configuration from bochsrc.bxrc
000000000000i[      ] installing win32 module as the Bochs GUI
000000000000i[      ] using log file bochs.log
# In bx_win32_gui_c::exit(void)?
=====
Bochs is exiting with the following message:
[VGUI ] POWER button turned off.
=====


C:\OS\LAB\LAB2>notepad boot.asm

C:\OS\LAB\LAB2>_
```

```
boot.asm - Notepad
File Edit Format View Help
;-- 0x0D akhir baris
;-- 0x0A baris baru
;-- 0x00 Karakter 'NULL' pembatas dengan data di bawahnya
;=====
msgLoading db 0x0D, 0x0A, "Afifah Ghaisani Imana / L200190198", 0x0D, 0x0A, 0x00
msgCRLF db 0x0D, 0x0A, 0x00
msgProgress db \", 0x00
;=====
; Teks yang di tampilkan saat terjadi kesalahan BOOT
;=====
msgFailure db 0x0D, 0x0A, "ERROR : Press Any Key to Reboot", 0x00
;=====
;(4) BLOK BOOT SIGNATURE
;=====
TIMES 510-($-$$) DB 0
DW 0xAA55
*****
```



- Setelah mengedit notepad, make fp.disk lagi, lalu make kernel, kemudian buka winImage dan masukkan file floppy.img dari folder LAB2, kemudian pilih kernel.bin dan save.

```
C:\OS\LAB\LAB2>make kernel
nasm kernel.asm -o kernel.bin -f bin
```



- Buka notepad kernel.asm untuk merubah tulisan dibawah menjadi “Universitas Muhammadiyah Surakarta”

```
C:\OS\LAB\LAB2>notepad kernel.asm
```





- Make kernel lagi, buka winImage lagi, dan masukkan floppy.a.img dan kernel.bin lagi, kemudian tekan s untuk melihat tulisan pada window bochs yang telah dirubah.

```
C:\OS\LAB\LAB2>make kernel
nasm kernel.asm -o kernel.bin -f bin

C:\OS\LAB\LAB2>s

C:\OS\LAB\LAB2>..\..\bochs-2.3.5\bochs -q -f bochsrc.bxrc
000000000000i[APIC?] local apic in  initializing
=====
                Bochs x86 Emulator 2.3.5
                Build from CVS snapshot, on September 16, 2007
=====
000000000000i[      ] reading configuration from bochsrc.bxrc
000000000000i[      ] installing win32 module as the Bochs GUI
000000000000i[      ] using log file bochs.log
# In bx_win32_gui_c::exit(void)?
=====
Bochs is exiting with the following message:
[VGUI ] POWER button turned off.
=====
```




- Program kernel.bin akan terjadi pada alamat '0100:0000'. Lakukanlah break-point pada alamat tersebut(Lakukan dari t=2945013 sampai t=2945020)

```

C:\ OS\LAB\LAB3>s
c:\OS\LAB\LAB3>..\..\bochs-2.3.5\bochsdbg -q -f bochsrc.bxrc
00000000000i[APIC?] local apic in initializing
=====
                Bochs x86 Emulator 2.3.5
            Build from CUS snapshot, on September 16, 2007
=====
00000000000i[      ] reading configuration from bochsrc.bxrc
00000000000i[      ] installing win32 module as the Bochs GUI
00000000000i[      ] using log file bochs.log
Next at t=0
<0> [0xffffffff] f000:ffff <unk. ctxt>: jmp far f000:e05b          ; ea5be000f0
<bochs:1> vb 0x100:0x0000
<bochs:2> c
<0> Breakpoint 2290248, in 0100:0000 <0x00001000>
Next at t=2945013
<0> [0x00001000] 0100:0000 <unk. ctxt>: mov ax, 0x0100          ; b80001
<bochs:3> s
Next at t=2945014
<0> [0x00001003] 0100:0003 <unk. ctxt>: mov ds, ax              ; 8ed8
<bochs:4> s
Next at t=2945015
<0> [0x00001005] 0100:0005 <unk. ctxt>: mov es, ax              ; 8ec0
<bochs:5> s
Next at t=2945016
<0> [0x00001007] 0100:0007 <unk. ctxt>: cli                      ; fa
<bochs:6> s
Next at t=2945017
<0> [0x00001008] 0100:0008 <unk. ctxt>: mov ss, ax              ; 8ed0
<bochs:7> s
Next at t=2945018
<0> [0x0000100a] 0100:000a <unk. ctxt>: mov sp, 0xffff          ; bcffff
<bochs:8> s
Next at t=2945019
<0> [0x0000100d] 0100:000d <unk. ctxt>: sti                      ; fb
<bochs:9> s
Next at t=2945020
<0> [0x0000100e] 0100:000e <unk. ctxt>: push dx                ; 52
<bochs:10> q
# In bx_win32_gui_c::exit(void)!

Bochs is exiting. Press ENTER when you're ready to close this window.

```



4. Dengan menggunakan cmd perintah apa yang digunakan untuk :
- a. Membuat directory → md
 - b. Melihat isi pada directory → dir
 - c. Menghapus directory → del (file)
 - d. Melihat ip address komputer → ipconfig
 - e. Melihat kalender → date
 - f. Melihat versi windows yang digunakan → ver
 - g. Menyediakan informasi bantuan untuk perintah-perintah windows → help
 - h. Menampilkan secara grafis struktur direktori dari sebuah drive → tree (:drive)
 - i. Meng copy sebuah file dari direktori kerja1 ke kerja 2 → copy (file.extensi) :kerja 2
 - j. Mengubah nama file → ren

```
C:\Users\Ghaisani>md baru
```

```
C:\Users\Ghaisani>dir
```

```
Volume in drive C has no label.  
Volume Serial Number is 5046-14FD
```

```
Directory of C:\Users\Ghaisani
```

```
19/11/2020  05:15    <DIR>          .  
19/11/2020  05:15    <DIR>          ..  
15/09/2020  10:43    <DIR>          .android  
16/07/2020  20:55    1.745 .bash_history  
24/02/2019  14:40    <DIR>          .eclipse  
23/11/2019  11:16    73 .gitconfig  
12/09/2019  10:53    <DIR>          .gnome2  
12/09/2019  10:54    1.171 .gvnrgc  
07/11/2019  19:16    <DIR>          .idlerc  
24/02/2019  14:40    <DIR>          .jmc  
09/03/2019  06:06    <DIR>          .LINE  
12/04/2019  15:39    <DIR>          .nbi  
09/03/2019  06:06    <DIR>          .QtWebEngineProcess  
19/09/2019  00:47    218 .recently-used.xbel  
05/11/2020  11:04    <DIR>          .VirtualBox  
24/10/2020  11:27    <DIR>          .vscode  
19/11/2020  05:15    <DIR>          baru  
01/01/2019  07:15    <DIR>          Contacts  
16/10/2020  21:50    <DIR>          Desktop  
06/11/2020  08:40    <DIR>          Documents  
19/11/2020  02:09    <DIR>          Downloads  
01/01/2019  07:15    <DIR>          Favorites  
09/05/2020  21:24    <DIR>          greenfoot  
12/09/2019  10:53    <DIR>          GvR  
30/09/2020  10:55    339 gvr_stderr.log  
30/09/2020  10:55    450 gvr_stdout.log  
03/04/2020  22:08    <DIR>          Links  
24/10/2020  11:29    <DIR>          Music  
05/01/2019  14:25    <DIR>          New folder  
05/01/2019  15:57    <DIR>          New folder (2)  
09/10/2020  06:18    <DIR>          Pictures  
11/01/2019  10:36    9 rstr2.ini  
01/01/2019  07:16    <DIR>          Saved Games  
01/01/2019  07:16    <DIR>          Searches  
03/01/1601  21:26    73.216 uWAd.exe  
06/08/2020  21:16    <DIR>          Videos  
05/11/2020  10:46    <DIR>          VirtualBox VMs  
8 File(s)      77.221 bytes  
29 Dir(s)      1.369.931.776 bytes free
```

```
C:\Users\Ghaisani>del baru
```

```
C:\Users\Ghaisani\baru\*, Are you sure (Y/N)? y
```



```

C:\Users\Ghaisani>ipconfig

Windows IP Configuration


Wireless LAN adapter Wireless Network Connection 2:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Wireless LAN adapter Wireless Network Connection:

    Connection-specific DNS Suffix  . :
    Link-local IPv6 Address . . . . . : fe80::a978:ff8c:463e:8fe9%14
    IPv4 Address. . . . . : 192.168.43.33
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 192.168.43.1


Ethernet adapter Local Area Connection:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Ethernet adapter Bluetooth Network Connection:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Ethernet adapter VirtualBox Host-Only Network:

    Connection-specific DNS Suffix  . :
    Link-local IPv6 Address . . . . . : fe80::987d:76ae:8a70:f15a%25
    Autoconfiguration IPv4 Address. . : 169.254.241.90
    Subnet Mask . . . . . : 255.255.0.0
    Default Gateway . . . . . :

Tunnel adapter isatap.{AE2D8C2C-7A5A-4EF0-BEEE-3E595F430F03}:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Tunnel adapter isatap.{595AE025-C53B-4F70-80C1-61987F9767B2}:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Tunnel adapter isatap.{857A76DC-6A46-4FA7-ACDB-A72467C8A14E}:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

C:\Users\Ghaisani>date
The current date is: 19/11/2020
Enter the new date: <dd-mm-yy>

```

```
C:\Users\Ghaisani>ver
```

```
Microsoft Windows [Version 6.1.7601]
```

```
C:\Users\Ghaisani>help
```

```
For more information on a specific command, type HELP command-name
```

ASSOC	Displays or modifies file extension associations.
ATTRIB	Displays or changes file attributes.
BREAK	Sets or clears extended CTRL+C checking.
BCDEDIT	Sets properties in boot database to control boot loading.
CACLS	Displays or modifies access control lists (ACLs) of files.
CALL	Calls one batch program from another.
CD	Displays the name of or changes the current directory.
CHCP	Displays or sets the active code page number.
CHDIR	Displays the name of or changes the current directory.
CHKDSK	Checks a disk and displays a status report.
CHKNTFS	Displays or modifies the checking of disk at boot time.
CLS	Clears the screen.
CMD	Starts a new instance of the Windows command interpreter.
COLOR	Sets the default console foreground and background colors.
COMP	Compares the contents of two files or sets of files.
COMPACT	Displays or alters the compression of files on NTFS partitions.
CONVERT	Converts FAT volumes to NTFS. You cannot convert the current drive.
COPY	Copies one or more files to another location.
DATE	Displays or sets the date.
DEL	Deletes one or more files.
DIR	Displays a list of files and subdirectories in a directory.
DISKCOMP	Compares the contents of two floppy disks.
DISKCOPY	Copies the contents of one floppy disk to another.
DISKPART	Displays or configures Disk Partition properties.
DOSKEY	Edits command lines, recalls Windows commands, and creates macros.
DRIVERQUERY	Displays current device driver status and properties.
ECHO	Displays messages, or turns command echoing on or off.
ENDLOCAL	Ends localization of environment changes in a batch file.
ERASE	Deletes one or more files.
EXIT	Quits the CMD.EXE program (command interpreter).
FC	Compares two files or sets of files, and displays the differences between them.
FIND	Searches for a text string in a file or files.
FINDSTR	Searches for strings in files.
FOR	Runs a specified command for each file in a set of files.
FORMAT	Formats a disk for use with Windows.
FSUTIL	Displays or configures the file system properties.
FTYPE	Displays or modifies file types used in file extension associations.
GOTO	Directs the Windows command interpreter to a labeled line in a batch program.
GPRESULT	Displays Group Policy information for machine or user.
GRAFTABL	Enables Windows to display an extended character set in graphics mode.
HELP	Provides Help information for Windows commands.
ICACLS	Display, modify, backup, or restore ACLs for files and directories.
IF	Performs conditional processing in batch programs.
LABEL	Creates, changes, or deletes the volume label of a disk.

```

C:\Users\Ghaisani>tree C:
Folder PATH listing
Volume serial number is 00000002 5046:14FD
C:\USERS\GHAISANI
├──.android
├──.eclipse
│   └──com.oracle.jmc_5.5.2_1102905936_win32_win32_x86
│       ├──configuration
│       │   ├──org.eclipse.core.runtime
│       │   │   └──.manager
│       │   ├──org.eclipse.e4.ui.css.swt.theme
│       │   ├──org.eclipse.equinox.app
│       │   │   └──.manager
│       │   ├──org.eclipse.equinox.launcher
│       │   ├──com.jrockit.mc.rcp.application_5.5.2.174165
│       │   └──org.eclipse.osgi
│       │       ├──.manager
│       │       ├──10
│       │       │   ├──0
│       │       │   │   └──.cp
│       │       │   │       └──icons
│       │       ├──152
│       │       │   ├──0
│       │       │   │   └──.cp
│       │       │   │       ├──icons
│       │       │   │       │   └──full
│       │       │   │           └──etool16
│       │       ├──157
│       │       │   ├──0
│       │       │   │   └──.cp
│       │       │   │       ├──icons
│       │       │   │       │   └──full
│       │       │   │           └──ovr16
│       │       ├──183
│       │       │   └──data
│       │       ├──223
│       │       │   └──data
│       │       │       └──1159025394
│       │       ├──250
│       │       │   └──data
│       │       │       └──listener_1925729951
│       │       ├──307
│       │       │   ├──0
│       │       │   │   └──.cp
│       │       │   │       ├──icons
│       │       │   │       │   └──full
│       │       │   │       ├──org
│       │       │   │       │   └──eclipse
│       │       │   │           ├──jface
│       │       │   │           │   └──action
│       │       │   │           │       └──images
│       │       ├──325
│       │       │   ├──0
│       │       │   │   └──.cp
│       │       ├──331
│       │       │   ├──0
│       │       │   │   └──.cp

```

```

C:\Users\Ghaisani>copy Music Documents
Music\1.java
Music\malware.txt
Music\matdisk.mp3
Music\oke.mp3
Music\oke111.mp3
Music\oke222.mp3
        6 file(s) copied.

C:\Users\Ghaisani>cd Music
C:\Users\Ghaisani\Music>ren oke.mp3 oke2.mp3
C:\Users\Ghaisani\Music>

```

5. Dengan menggunakan terminal pada linux apakah perintah untuk
- a. Menampilkan kalimat “UNIVERSITAS MUHAMMADIYAH SURAKARTA” -->
echo UNIVERSITAS MUHAMMADIYAH SURAKARTA
 - b. Mengetahui siapa yang sedang login pada saat itu --> w
 - c. Mengetahui ip address pada jaringan --> hostname -I atau ifconfig
 - d. Menampilkan nama komputer --> hostname
 - e. Menampilkan kalender agustus 2010 --> cal Agustus 2010
 - f. Menampilkan history perintah --> history
 - g. Menampilkan kalender tahun 2017 --> cal 2017
 - h. Menampilkan partisi hardisk --> sudo su <enter> fdisk -l
 - i. Menampilkan hasil penjumlahan 20 --> echo \$((15+5))
 - j. Menampilkan isi direktory dengan lengkap --> ls /etc/

```
user : bash — Konsole
File Edit View Bookmarks Settings Help
user@PC:~$ echo UNIVERSITAS MUHAMMADIYAH SURAKARTA
UNIVERSITAS MUHAMMADIYAH SURAKARTA
user@PC:~$ w
 13:57:06 up 29 min,  3 users,  load average: 1,40, 1,29, 1,10
USER      TTY      FROM            LOGIN@   IDLE   JCPU   PCPU   WHAT
user      tty1     :0              13:28    29:36  1:50   0.06s  /bin/sh /usr/bin/startkd
user      pts/0    :0              13:28    28:32  0.00s  3.92s  kded5 [kdeinit5]
user      pts/1    :0              13:55    0.00s  0.05s  0.00s  w
user@PC:~$ hostname -I
192.168.43.33
user@PC:~$ hostname
PC
user@PC:~$ cal Agustus 2010
      Agustus 2010
Mi Se Se Ra Ka Ju Sa
 1  2  3  4  5  6  7
 8  9 10 11 12 13 14
15 16 17 18 19 20 21
22 23 24 25 26 27 28
29 30 31
user@PC:~$ history
 1 sudo su
 2 startx
 3 sudo libreoffice
 4 firefox
 5 libreoffice
 6 home
 7 pwd
 8 ls
 9 cd
10 cp/4.py
11 pwd
12 mkdir FOSTI
13 ls
14 cd home/FOSTI
15 cd home/FOSTI
16 pwd
17 mkdir Latihan
18 ls
19 cd Latihan
20 ls
21 mkdir aku dia mereka
22 ls
23 cd aku
```



```
user@PC:~$ cal 2017
```

```

          2017
    Januari    Februari    Maret
Mi Se Se Ra Ka Ju Sa Mi Se Se Ra Ka Ju Sa Mi Se Se Ra Ka Ju Sa
 1  2  3  4  5  6  7      1  2  3  4      1  2  3  4
 8  9 10 11 12 13 14    5  6  7  8  9 10 11    5  6  7  8  9 10 11
15 16 17 18 19 20 21    12 13 14 15 16 17 18    12 13 14 15 16 17 18
22 23 24 25 26 27 28    19 20 21 22 23 24 25    19 20 21 22 23 24 25
29 30 31                26 27 28                26 27 28 29 30 31
```

```

    April      Mei        Juni
Mi Se Se Ra Ka Ju Sa Mi Se Se Ra Ka Ju Sa Mi Se Se Ra Ka Ju Sa
      1      1  2  3  4  5  6      1  2  3
 2  3  4  5  6  7  8    7  8  9 10 11 12 13    4  5  6  7  8  9 10
 9 10 11 12 13 14 15    14 15 16 17 18 19 20    11 12 13 14 15 16 17
16 17 18 19 20 21 22    21 22 23 24 25 26 27    18 19 20 21 22 23 24
23 24 25 26 27 28 29    28 29 30 31                25 26 27 28 29 30
30
```

```

    Juli      Agustus    September
Mi Se Se Ra Ka Ju Sa Mi Se Se Ra Ka Ju Sa Mi Se Se Ra Ka Ju Sa
      1      1  2  3  4  5      1  2
 2  3  4  5  6  7  8    6  7  8  9 10 11 12    3  4  5  6  7  8  9
 9 10 11 12 13 14 15    13 14 15 16 17 18 19    10 11 12 13 14 15 16
16 17 18 19 20 21 22    20 21 22 23 24 25 26    17 18 19 20 21 22 23
23 24 25 26 27 28 29    27 28 29 30 31                24 25 26 27 28 29 30
30 31
```

```

    Oktober    November    Desember
Mi Se Se Ra Ka Ju Sa Mi Se Se Ra Ka Ju Sa Mi Se Se Ra Ka Ju Sa
 1  2  3  4  5  6  7      1  2  3  4      1  2
 8  9 10 11 12 13 14    5  6  7  8  9 10 11    3  4  5  6  7  8  9
15 16 17 18 19 20 21    12 13 14 15 16 17 18    10 11 12 13 14 15 16
22 23 24 25 26 27 28    19 20 21 22 23 24 25    17 18 19 20 21 22 23
29 30 31                26 27 28 29 30                24 25 26 27 28 29 30
31
```

Device	Boot	Start	End	Sectors	Size	Id	Type
/dev/sda1	*	2048	206847	204800	100M	7	HPFS/NTFS/exFAT
/dev/sda2		206848	122896383	122689536	58,5G	7	HPFS/NTFS/exFAT
/dev/sda3		122897311	1250258624	1127361314	537,6G	f	W95 Ext'd (LBA)
/dev/sda5		122897313	334264454	211367142	100,8G	7	HPFS/NTFS/exFAT
/dev/sda6		334264518	546900794	212636277	101,4G	7	HPFS/NTFS/exFAT
/dev/sda7		546900858	757271969	210371112	100,3G	7	HPFS/NTFS/exFAT
/dev/sda8		757272033	904901879	147629847	70,4G	7	HPFS/NTFS/exFAT
/dev/sda9		966341943	1112099624	145757682	69,5G	7	HPFS/NTFS/exFAT
/dev/sda10		1112099688	1250258624	138158937	65,9G	7	HPFS/NTFS/exFAT
/dev/sda11		904902656	943964159	39061504	18,6G	83	Linux
/dev/sda12		943966208	947869695	3903488	1,9G	82	Linux swap / Solaris
/dev/sda13		947871744	966340607	18468864	8,8G	83	Linux

```
Partition 3 does not start on physical sector boundary.
Partition 5 does not start on physical sector boundary.
Partition 6 does not start on physical sector boundary.
Partition 7 does not start on physical sector boundary.
Partition 8 does not start on physical sector boundary.
Partition 9 does not start on physical sector boundary.
Partition table entries are not in disk order.
```

```


user@PC:~$ echo $((15+5))
20
user@PC:~$ ls /etc/
acpi                    ImageMagick-6          profile
adduser.conf           init                   profile.d
alternatives           init.d                 protocols
anacrontab             initramfs-tools        pulse
apache2               inputrc                python
apm                    iproute2               python2.7
apparmor               issue                  python3
apparmor.d             issue.net              python3.6
appport                java-11-openjdk        rarfiles.lst
appstream.conf         kde4rc                 rc0.d
apt                    kernel                 rc1.d
avahi                  kernel-img.conf        rc2.d
bash.bashrc            kernelloops.conf       rc3.d
bash_completion        ksysguarddrc           rc4.d
bash_completion.d      kubuntu-default-settings rc5.d
bindresvport.blacklist ldap                    rc6.d
binfmt.d               ld.so.cache            rc5.d
bluetooth              ld.so.conf             resolvconf
ca-certificates        ld.so.conf.d            resolv.conf
ca-certificates.conf   legal                  rmt
calendar               libao.conf             rpc
catdocrc               libaudit.conf          rsyslog.conf
chatscripts            libblockdev            rsyslog.d
clamav                 libnl-3                sane.d
console-setup          libpaper.d             sddm
cracklib               libreoffice            sddm.conf
cron.d                 lighttpd               security
cron.daily             locale.alias            security
cron.hourly            locale.gen              selinux
cron.monthly           localtime              sensors3.conf
crontab                logcheck               sensors.d
cron.weekly            login.defs             services
cryptsetup-initramfs   logrotate.conf         sgml
cups                   logrotate.d            shadow
cupshelpers            lsb-release            shadow-
dbus-1                 ltrace.conf            shells
debconf.conf           machine-id             signond.conf
debian_version         magic                  signon-ui
default                magic.mime             skel
deluser.conf           mailcap                ssh
depmod.d               mailcap.order          ssl
dhcp                   manpath.config         subgid

```



6. Instalasi B.) Sabayon Linux (nim genap : L200190198)

- Buka Virtual Box lalu klik Baru


- Beri nama mesin, Lanjut




- Tentukan ukuran memori, Lanjut
- Pilih Buat hardisk virtual sekarang, Lanjut





- Pilih tipe berkas VDI, Lanjut
- Penyimpanan pada hard disk fisik pilih Dialokasikan secara dinamik, Lanjut



- Beri nama folder dan tentukan lokasi serta ukuran berkas, Buat
- Klik Mulai



- Klik icon folder
- Pilih file iso Linux Sabayon yang sudah didownload, Open, Mulai



- Mulai instalasi

