




A

DOOR PLATE

300 × 200 mm

The stacked lockup, the way the guide sets it for packaging and cartons — mark above type, everything on one optical axis. This is the plate beside the door at A22/A. Drawn here at true 3:2 proportion; the artwork below is the artwork, at scale.



CLEAR SPACE ON SIGNAGE

The guide fixes clear space at one seed diameter, and twice that on packaging faces. At a 44 mm mark the seed is Ø 6.2 mm, so the packaging rule gives 12.4 mm — too tight for a plate a person stands in front of. The 24 mm margin here is roughly four seed diameters and is an extension of the rule, not something the guide states. Hold it as the minimum, not the target.

B

GATE BOARD

900 × 300 mm

The horizontal lockup, which the guide assigns to headers and letterhead — mark left, type right, read from the road. Address sits on one line under the wordmark so the board stays a single horizontal gesture.



C
FINISH

Gold is foil or metal. Never a printed gradient.

Section five holds on a wall exactly as it holds on a page: purple carries the board, gold marks the one thing you want noticed. On the purple plate the gold is the outer ring, the seed and the hairline — about 0.5% of the face, against a ceiling of ten.

SPECIFY THIS Purple field, brass inlay 3mm ACP OR ALUMINIUM MATTE PURPLE #3A1F5C MARK + WORDMARK · BRUSHED BRASS, PANTONE 872 C ADDRESS · HALF WHITE #F4F1EC VINYL Matte, never gloss — a gloss purple picks up the street and the mark disappears into the reflection. Brass is cut and inlaid, not printed; if the shop cannot inlay, use a matched gold vinyl in a single flat tone.	ALTERNATIVE Half white, purple type 6mm ACRYLIC OR SOLID SURFACE MATTE HALF WHITE #F4F1EC RINGS · #3A1F5C AND #7A5CA8 OUTER RING + SEED · GOLD #C2A053 For a light-walled entrance where a purple plate would read as a hole. Note the palette flips: on this ground gold is #C2A053, not #E0C88C — light gold is for dark grounds only, where the darker gold goes muddy.
---	--

D
NUMBERS

Everything a fabricator has to check, in millimetres. Type sizes are given as the drawn height, with the font size that produces it — set the height, then confirm the size, not the other way round.

ELEMENT	DOOR PLATE	GATE BOARD
Board	300 × 200 mm	900 × 300 mm
Thickness	3 mm	4 mm
Margin, all sides	24 mm	36 mm
Mark, outer diameter	44 mm	72 mm
Rings shown	3	3
Wordmark, ascender	20 mm · Fraunces 200 @ 27 mm	42 mm · Fraunces 200 @ 58 mm
Wordmark tracking	.15 em	.15 em
Sub-label, cap height	5 mm · Karla 500 · .2 em	10 mm · Karla 500 · .2 em
Address, cap height	4 mm · Karla 300	7 mm · Karla 300
Gold hairline	0.5 × 102 mm	none
Corner radius	0 – square	0 – square
Fixing	4 × 12 mm brass standoffs	4 × 16 mm brass standoffs
Standoff depth	20 mm off wall	25 mm off wall
Mounting height, plate centre	1500 mm from floor	read from the gate line

WHY STANDOFFS

The board floats 20 mm off the wall and throws its own shadow. That is the same instruction the guide gives photography — single object, soft light, deep shadow — carried onto the building. A flush-glued plate loses it.

E
NEVER

 Never close the gap at the top of the rings to fit a tighter board.	 No backlit or edge-lit acrylic. A glowing purple field breaks 60/30/10 and the mark stops being a mark.	 No gold gradient, no mirror-chrome, no rope light. Flat metal or flat vinyl only.
 Never stretch the board to a wall's proportion. Change the size, hold 3:2 or 3:1.	 No phone number, no QR code, no shutter timings on the plate. The address is all it carries.	 Never drop below 16 mm mark width — the guide's foil and emboss minimum.

SET ON THE BOARD

Monk Manthra Nutrition
A22/A Journalist Colony
Near Akshaya Kalpa Organic, Road No. 70
Jubilee Hills, Hyderabad
Telangana 500033, India

COLOUR REFERENCES

#3A1F5C · RAL 4007 CLOSEST
#C2A053 · PANTONE 872 C
#F4F1EC · MATTE, UNCOATED

BEFORE YOU ORDER

Confirm the registered name and address against the company filing — the board is the one place a wrong line is expensive. The plate carries no phone, no email and no licence number by design; if a municipal or FSSAI display requirement applies at this address, it goes on a separate compliance plate, never on this one.