

UniTime Upstream Sync — Script Schema

Script: sync-upstream.sh (278 lines) | **Purpose:** Automated fork maintenance for DigiPen UniTime deployment | **Repository:** unitime-master/

Overview


sync-upstream.sh keeps DigiPen's forked UniTime repository synchronized with the official upstream (github.com/UniTime/unitime). It detects new upstream commits, archives the current build, merges changes, rebuilds the WAR artifact, and optionally redeploys to a local Docker environment.

Safety guarantees: the script aborts cleanly on merge conflicts, preserves the old version in a dated archive, and never leaves the repository in a dirty state.


Modes of Operation

Mode	Flag	Behavior	Stops After
Sync + Build	(none)	Check upstream, merge, build WAR	Step 6 (Build)
Sync + Deploy	--deploy	Check upstream, merge, build WAR, deploy to Docker	Step 7 (Deploy)
Dry Run	--dry-run	Check upstream, report status only	Step 3 (Compare)

High-Level Flowchart



Detailed Flowchart





Key Artifacts

Artifact	Path	Created When	Contents
Log file	logs/sync-YYYY-MM-DD_HH-MM-SS.log	Every run	Timestamped record of all actions and command output
Archive directory	archives/vVER.BUILD_DATE/	Step 4 (non-dry-run)	Previous WAR + metadata
Archived WAR	archives/.../UniTime.war	Step 4 (if WAR existed)	Pre-update WAR binary for rollback
Version metadata	archives/.../version-info.txt	Step 4	Version, branch, commit, timestamp, reason
Built WAR	target/UniTime.war	Step 6 (build success)	New deployable artifact
Docker WAR copy	../New folder/web/UniTime.war	Step 7 (deploy mode)	WAR placed into Docker build context

Exit Codes

Code	Meaning	When
0	Success or no action needed	--help, already up to date, dry run complete, sync complete
1	Error or manual intervention required	Unknown flag, upstream unreachable, merge conflict, build failure, Docker dir missing

Prerequisites

Requirement	Needed For	How to Verify
upstream git remote configured	Steps 2–5	git remote -v
Internet connection	Steps 2–3	git ls-remote upstream
Maven installed	Step 6	mvn --version
Docker + docker-compose	Step 7 only	docker --version
../New folder/ directory	Step 7 only	ls "../New folder/"
Clean working tree	Steps 5–6	git status

