

Pseudocode untuk tugas No 1

```
#include <iostream>
```

```
using namespace std;
```

```
int main () {
```

```
    int n, k;
```

```
    cout << "masukkan jumlah astronaut : ";
```

```
    cin >> n;
```

```
    cout << "astronaut pertama yang tereliminasi : ";
```

```
    cin >> k;
```

```
    cout << endl;
```

```
    int lingkaran[100000];
```

```
    int sisa_astronaut = n;
```

```
    for (int i = 0; i < n; i++) {
```

```
        lingkaran[i] = i + 1;
```

```
    }
```

```
    for (int i = 0; i < sisa_astronaut; i++) {
```

```
        cout << lingkaran[i] << endl;
```

```
    }
```

```
    cout << endl;
```

```
    int posisi = 0;
```

```
    while (sisa_astronaut > 1) {
```

```
        posisi = (posisi + k - 1) % sisa_astronaut;
```

```
        int nomor_tereliminasi = lingkaran[posisi];
```

```
for (int i = posisi; i < sisa_astronaut - 1; i++) {  
    lingkaran[i] = lingkaran[i + 1];  
}  
  
sisa_astronaut--;  
for (int i = 0; i < sisa_astronaut; i++) {  
    cout << lingkaran[i] << endl;  
}  
cout << endl;  
if (nomor_tereliminasi % 2 == 0) {  
    k = k + 2;  
} else {  
    k = k - 1;  
}  
if (k < 2) {  
    k = 2;  
}  
}  
return 0;  
}
```

Flowchart untuk tugas TLS No 2



