PRINTIFY: INTEGRATED DYNAMIC ORDER, JOB SCHEDULING, AND INVENTORY MANAGEMENT SYSTEM FOR PRINTING SERVICES WITH AUTOMATED REPLENISHMENT

CHRISTIAN JAMES J. PEREZ
KAYE P. COMISSION

BACHELOR OF SCIENCE IN INFORMATION SYSTEMS

OCTOBER 2026

PRINTIFY: INTEGRATED DYNAMIC ORDER, JOB SCHEDULING, AND INVENTORY MANAGEMENT SYSTEM FOR PRINTING SERVICES WITH AUTOMATED REPLENISHMENT

CHRISTIAN JAMES J. PEREZ
KAYE P. COMISSION

Thesis Outline Submitted to the Department of Computing and Library Information Science, College of Engineering and Information Technology, University of Southern Mindanao, Kabacan, Cotabato in Partial Fulfilment of the Requirements for the Degree of

BACHELOR OF SCIENCE IN INFORMATION SYSTEMS

OCTOBER 2026

ACADEMIC INTEGRITY STATEMENT

I hereby declare that the contents of this paper is within the permissive standards of the University of Southern Mindanao and does not in any way, go against institutional policies.

All use of Artificial Intelligence (AI) tools in this thesis (outline/manuscript) is fully disclosed, clearly specified in the AI disclosure statement, and carefully verified for accuracy. Further, such use is solely to improve word choice, language clarity, grammar and coherence, generating or correcting computer code, brainstorming, idea framing, transcription and translation, assisting in interpretation of data, and/or summarization. AI tools were NOT used to fabricate citations, create fictitious references, generate unsupported claims, misrepresent sources, or interpret datasets containing personal information. All references included in this paper were manually verified and sourced from legitimate academic materials. All cited statements in the manuscript were carefully checked to ensure that they are accurately supported by and directly based on the referenced sources.

Furthermore, no part of the work submitted has been made in an unethical and inappropriate manner, whether by plagiarizing, infringing on any third person's copyright, or falsifying data, and that no part of the Manuscript submitted has been used for any other paper in another higher education or research institution.

CHRISTIAN JAMES J. PEREZ
Printed Name and Signature

KAYE P. COMISSION
Printed Name and Signature

_____
Date

UNIVERSITY OF SOUTHERN MINDANAO
Kabacan, Cotabato
Philippines

APPROVAL OF THESIS OUTLINE

Name	**CHRISTIAN JAMES J. PEREZ, KAYE P. COMISSION**
Major	**N/A**
Degree Sought	**BACHELOR OF SCIENCE IN INFORMATION SYSTEMS**
Specialization	**N/A**
Thesis Title	**INTEGRATED DYNAMIC ORDER, JOB SCHEDULING, AND INVENTORY MANAGEMENT SYSTEM SERVICES WITH AUTOMATED REPLENISHMENT**

APPROVED BY THE GUIDANCE COMMITTEE

DANILYN A. FLORES
Adviser

Co-Adviser
(Optional)

Date

Date

Statistician
(Optional)

CATHERINE C. DAFFON
Department Research Coordinator

Date

Date

RYAN Z. GONZAGA
Department Chairperson

Date

College Research Coordinator

Dean

Date

Date

Study No: Study No: Dept-YYYY-### (Sample: Chem-2022-001)
Index No: _____
Recorded by: _____

RECORDED:

Head, Academic Research and Monitoring Unit

Date

Recorded by: _____

APPROVED BY THE GUIDANCE COMMITTEE

_____ _____

Adviser Co-Adviser (Optional)

_____ _____

Date Date

_____ _____

Statistician (Optional) Department Research Coordinator

_____ _____

Date Date

_____

Department Chairperson

_____

Date

_____ _____

College Research Coordinator Dean

_____ _____

Date Date

Study No: Study No: Dept-YYYY-### (Sample: Chem-2022-001)
Index No: _____
Recorded by: _____

RECORDED:

_____

Head, Academic Research and Monitoring Unit

_____

Date

Recorded by: _____

TABLE OF CONTENTS

PRELIMINARIES	**Page**
Title Page	i
Approval of Thesis Outline	ii
Table of Contents	iii
List of Dummy Tables	v
List of Figures	vi
List of Appendices	vii
INTRODUCTION	**1**
Significance of the Project	3
Statement of the Problem	4
Objectives of the Project	6
Expected Output of the Project	7
Scope and Limitations of the Study	9
Operational Definition of Terms	11
Conceptual Framework	14
REVIEW OF RELATED LITERATURE	**17**
Dynamic Order	17
Job Scheduling	20
Inventory Management System With Automated Replenishment	21
METHODOLOGY	**26**
Project Design	26
Project Participants and Materials	27

Data Collection 28
Data Analysis Procedure 29
Validity 35
Ethical Considerations 35
Project Development Approach 36
Project Timeline & Budget 39
System Modules 42
System Requirement Specifications 44
Functional Requirements 44
Software Requirements Specification 57
Hardware Requirements Specification 58
Use Case Diagram 59
Class Diagram 62
Project Design 64
Entity Relationship Diagram 64
Activity Diagram 68
User Interface 89
LITERATURE CITED **103**
APPENDICES **106**
Appendix A. Application for Research Adviser 107
Appendix B. Application for Research Title 108
Appendix C. Estimated Budget for the Research 109
Appendix D. Application for Thesis Outline Defense 110
Appendix E. Application for Group Research 111

Appendix F. Master Functional Test Cases 112

Appendix G. Deltailed Test Case Specification 116

Appendix H. Task Allocation Matrix (TAM) 142

Appendix I. Curriculum Vitae 150

LIST OF DUMMY TABLES

Table	Title	Page
1	Functional Test Plan and Requirements Traceability Matrix	32
2	Estimated Project Development Budget	40
3	Mapping of Project Objectives, System Modules, and Functional Requirements	43
4	Software Requirements Specification	57
5	Hardware Requirements Specification	58

LIST OF FIGURES

Figure	Title	Page
1	Conceptual Framework	16
2	Agile Model	37
3	Gantt Chart	39
4	Use Case Diagram	61
5	Class Diagram	63
6	Entity Relationship Diagram	67
7	User Account Registration	68
8	User Authentication (Login)	69
9	User Profile Management	70
10	Session Termination and Logout	71
11	Service Catalog Browsing and Quotation Calculation	72
12	Print Order Placement and Document Upload	73
13	Print Attribute and Finishing Specification	74
14	Customer-Supplied Substrate Declaration	75
15	Proof of Payment Submission	76
16	Live Order Progress and Status Tracking	77
17	Payment Transaction Auditing and Verification	78
18	Production Floor 5-Stage Kanban Queue Management	79
19	Automated Bill of Materials (BOM) Inventory Deduction	80

20	Customer-Supplied Substrate Intake and Counter Inspection	82
21	Material Spoilage Logging and Stock Adjustments	83
22	Dynamic Service and Rate Configuration Workflow	84
23	Bill of Materials (BOM) Recipe Definition	85
24	Inventory Oversight and Dynamic Reorder Point Alerting	87
25	Sales, Cashflow, and Operational Analytics Generation	88
26	Landing Page of Printify	89
27	Registration Interface	90
28	Login Interface	91
29	Business Owner Setup Wizard	92
30	Business Owner Setup Wizard	92
31	Business Owner Master Dashboard	93
32	Application and Service Management Interface	94
33	Dynamic Service Configuration Hub	95
34	Dynamic Service Configuration Hub	96
35	Customer Ordering Wizard and Live Five-Stage Progress Stepper	97
36	Customer Ordering Wizard and Live Five-Stage Progress Stepper	97
37	Customer Ordering Wizard and Live Five-Stage Progress Stepper	98

38	Staff Production Kanban Console	99
39	Report Spoilage Interface	100
40	Inventory Hub with Automated Restock Alerts	101
41	Sales and Financial Analytics Hub	102

LIST OF APPENDICES

Appendix	Title	Page
A	Application for Research Adviser	107
B	Application for Research Title	108
C	Estimated Budget for the Research	109
D	Application for Thesis Outline Defense	110
E	Application for Group Research	111
F	Master Functional Test Cases	112
G	Test Case Specification	115
H	Task Allocation Matrix (TAM)	141
I	Curriculum Vitae	149

INTRODUCTION

The commercial printing and binding sector operates within a fast-paced environment catering to diverse customer demands, ranging from routine document printing and seasonal thesis binding to commercial marketing collaterals. As academic institutions and local commercial enterprises continuously generate demand, printing service providers face persistent hurdles in sustaining operational efficiency and consistent turnaround times (Saragih et al., 2026; Susila et al., 2025). Despite handling complex custom job specifications, many local printing establishments continue to rely on manual, paper-based workflows or fragmented spreadsheet tracking systems (Apriadi & Dewi, 2026; Tanaman et al., 2023). These unintegrated setups create severe operational bottlenecks, especially during peak academic semester deadlines when order volumes surge rapidly (Jebbor et al., 2021; Kurniawan et al., 2025). Without a synchronized management framework, delegating tasks across workshop machinery and production personnel becomes disorganized (Smagowicz et al., 2024), while the absence of real-time material monitoring frequently results in unexpected stockouts of essential supplies like paper stocks, toner, and binding covers, leading to costly delays and compromised customer satisfaction (Abu Zwaida et al., 2021; Albayrak Ünal et al., 2023).

To resolve these operational limitations, conventional software approaches prove inadequate because they are often rigidly hardcoded, preventing shop owners from introducing new service variations or modifying

dynamic pricing rules without modifying underlying application source code (Joshi et al., 2026; Saragih et al., 2026). In response, this capstone project develops the Integrated Dynamic Order, Job Scheduling, and Inventory Management System for Printing Services with Automated Replenishment (Printify). The platform introduces a modular web architecture enabling administrators to configure service catalogs, page rates, and linked Bill of Materials (BOM) recipes dynamically through an intuitive interface. To streamline shop floor productivity, an integrated job scheduling console organizes active orders into a visual production queue, systematically allocating machinery and labor to maintain delivery schedules (Smagowicz et al., 2024; Zonta et al., 2022). Furthermore, instead of relying on long-term predictive models requiring extensive historical datasets, the system calculates the real-time consumption burn rate of raw materials directly from active sales volume, automatically triggering restocking alerts when inventory levels reach critical reorder thresholds (Jebbor et al., 2021; Ugbebor et al., 2024). Uniting dynamic order intake, visual floor tracking, and automated material replenishment within a centralized web platform modernizes print shop operations, ensuring punctual fulfillment, balanced labor allocation, and data-driven inventory control (Apriadi & Dewi, 2026; Bhaktha et al., 2023).

Significance of the Project

The realization of this project will profoundly benefit various stakeholders within the printing and binding industry by transforming disjointed manual processes into a streamlined, automated workflow. Primarily, **Business Owners and Management** will gain a dynamic and highly adaptable platform that allows them to effortlessly configure, add, or modify printing services and pricing structures without needing complex source code alterations. Furthermore, the automated inventory replenishment module will eliminate the guesswork in restocking, calculating real-time material burn rates to prevent costly stockouts and maximize potential revenue, especially during peak seasons.

For **Employees and Production Staff**, the system will significantly reduce the chaos associated with sudden influxes of orders. The dedicated job scheduling module will provide a clear, visual queue of assigned tasks and deadlines, preventing overlapping duties and allowing staff to focus efficiently on production rather than manual coordination. Consequently, **Customers and Clients** will experience highly reliable service. With optimized order tracking, systematic job delegation, and guaranteed raw material availability, clients will benefit from faster turnaround times, strict adherence to deadlines, and an overall enhanced customer experience.

Finally, this study will serve as a substantial foundation for **Future Researchers and Developers**. The integration of a dynamic, configurable

service architecture combined with a short-term, data-driven material replenishment logic provides a modern software framework. Future IT and Information Systems scholars can utilize this project as a baseline reference for designing scalable, industry-specific management systems that do not rely on long-term, data-heavy predictive machine learning models.

Statement of the Problem

This study addresses the overarching problem of how to design and develop an Integrated Dynamic Order, Job Scheduling, and Inventory Management System for Printing Services with Automated Replenishment to effectively resolve the manual operational bottlenecks experienced by printing establishments. Currently, the reliance on disjointed, traditional processes creates significant frustrations for all primary stakeholders. For customers, the absence of real-time order tracking leads to the inconvenience of repeatedly visiting or contacting the establishment just to check the status of their print jobs, often resulting in dissatisfaction when orders are unexpectedly delayed. For production staff and employees, depending on manual, paper-based queuing systems creates a chaotic workflow where physical job tickets are easily misplaced, miscommunicated, or improperly prioritized, leading to overlapping duties and unfulfilled deadlines. Meanwhile, business owners and administrators are hindered by rigid software that cannot adapt to new services,

and they are forced to rely on pure guesswork and intuition to manage inventory, which inevitably leads to unexpected material stockouts and lost revenue during peak seasons.

To resolve these interconnected operational challenges, the project must explicitly address how to formulate a dynamic order management architecture that allows administrators to configure services, pricing tariffs, and consumable requirements on the fly without modifying application source code, while enabling customers to configure print specifications, obtain instant quotations, and submit orders online. Furthermore, it must establish how to engineer an interactive production floor scheduling module that digitizes workshop queues, visually tracks order progression across five defined stages, and systematically delegates machinery and labor. Concurrently, it must determine how to implement an automated inventory replenishment module that computes daily material burn rates, records material spoilage, and triggers timely replenishment alerts at dynamic reorder points. Finally, the project must answer how to integrate these targeted modules into a single, cohesive web-based platform governed by role-based access control, and how to conduct rigorous software functional testing and system verification using a structured Test Plan to empirically validate that all functional requirements execute accurately on a pass-or-fail basis.

Objectives of the Project

The general objective of the project is to design and develop an Integrated Dynamic Order, Job Scheduling, and Inventory Management System for Printing Services with Automated Replenishment to modernize and automate the operational workflows of printing establishments, from customizable order intake and production tracking to data-driven inventory maintenance.

Specifically, this study aims to:

1. create a dynamic order management module that enables administrators to configure, add, or modify printing services, pricing variables, and material requirements without altering the source code, and allows customers to configure print specifications, receive real-time quotations, and submit print orders online;
2. develop a job scheduling module that digitizes the production queue, visually tracks order progress, and systematically allocates labor and machinery to ensure timely fulfillment;
3. implement an automated inventory replenishment module that calculates the real-time burn rate of materials based on active sales volume, records material spoilage, and triggers alerts at critical reorder points, and generates sales and material consumption summary reports;

4. integrate the dynamic ordering, job scheduling, and inventory replenishment modules into a single, cohesive web-based platform secured by role-based access control for the business owner, production staff, and customers; and
5. conduct comprehensive functional testing and system verification of the developed platform using a structured Test Plan and discrete Test Cases to validate that all 19 functional requirements satisfy their specified operational parameters, boundary conditions, and database transactions on a pass-or-fail basis and execute operational user acceptance walkthroughs with printing shop stakeholders.

Expected Outputs of the Project

The expected output of the project will include the following:

1. A fully functional web-based platform that integrates dynamic order configuration, job scheduling, and inventory replenishment tailored specifically for printing and binding service operations, with secure role-based access for business owners, production staff, and customers.
2. A dynamic order management module that grants business administrators the flexibility to seamlessly create, customize, and

modify various printing services and pricing structures without needing backend code alterations.

3. A customer-facing portal that provides an intuitive interface for clients to easily submit their specific printing requirements and track the real-time progress of their orders, eliminating the need for frequent physical follow-ups.
4. A digital job scheduling module that equips production staff with a visual, organized queue of pending and ongoing tasks, allowing for the efficient allocation of labor and machinery to meet strict fulfillment deadlines.
5. An automated inventory replenishment module that continuously tracks material consumption and calculates real-time burn rates based on active sales, providing management with data-driven alerts before essential printing supplies reach critical depletion levels.
6. A comprehensive software quality assurance report comprising the Functional Test Plan, Requirements Traceability Matrix, and executed Test Case execution ledgers demonstrating 100% verification across all 19 functional requirements on a pass-or-fail basis.

Scope and Limitations of the Study

The scope of this project is strictly bounded to the order configuration, job scheduling, and inventory replenishment of printing services. The system is not designed to function as a full-scale Enterprise Resource Planning (ERP) software; thus, it completely excludes comprehensive financial accounting, third-party logistics or courier integration, and Human Resource modules such as payroll and biometric employee attendance. The sales and consumption reports generated by the system are limited to operational summaries derived from recorded orders, material usage, and spoilage; they do not constitute formal bookkeeping, tax computation, or audited financial statements. Furthermore, the system relies on manual payment verification (e.g., uploading of GCash receipts) and does not integrate with automated bank APIs or live payment gateways. Lastly, the software is purely web-based and does not feature Internet of Things (IoT) capabilities; it will not directly interface with physical printing or binding machines to automatically read hardware statuses or ink levels.

People

The system is designed to facilitate seamless interaction among three primary users:

- **Administrators / Business Owners:** They have full access to the dynamic configuration of the system. They are responsible for setting

up the types of printing services offered, managing pricing structures, monitoring the real-time inventory burn rate, and verifying customer payments.

- **Production Staff / Employees:** They utilize the job scheduling module to view their assigned tasks, update the production progress of each order, and systematically deduct raw materials from the digital inventory as jobs are completed.
- **Customers / Clients:** They access the customer-facing web portal to easily browse offered printing services, submit specific order requirements, upload necessary files, and track the real-time status of their print jobs without needing physical follow-ups.

Data

The system will process, store, and manage essential operational data to ensure smooth transactions. This includes customer profiles and contact details, transaction histories, and uploaded print files. On the administrative side, the database will handle the dynamic service configurations (custom pricing and variations), real-time job order statuses, and automated inventory records, specifically the current stock levels, material burn rates, and reorder point thresholds.

Process

The system automates the core operational workflow of the printing establishment. The process begins with dynamic order intake, where customers

select services configured by the admin. It proceeds to manual payment verification, followed by the automated routing of the confirmed order into the digital job scheduling queue. During production, the system systematically allocates tasks to specific staff members. As production progresses, the system processes inventory deductions based on material consumption, ultimately triggering automated restocking alerts when supplies reach critical levels.

Hardware

To effectively run and access the web-based system, users only require standard web-capable devices such as desktop computers, laptops, tablets, or smartphones. A stable internet connection is required for all actors (administrators, staff, and customers) to access the cloud-hosted platform and synchronize data in real-time.

Operational Definition of Terms

To ensure clarity and establish a shared understanding of the concepts discussed throughout this study, the following terms are operationally defined. These definitions reflect how each technical and business-specific term is explicitly utilized within the context of the developed system's dynamic

architecture, modules, and workflows, rather than their general dictionary meanings:

Administrator - Refers to the business owner or authorized management personnel who has full access to the system. They are responsible for dynamically configuring printing services, managing pricing variables, monitoring the inventory burn rate, and verifying customer payments.

Automated Replenishment - Refers to the specific system module that eliminates manual stock guesswork by calculating real-time material consumption and automatically triggering alerts when supplies reach a critical level.

Burn Rate - In this study, it refers to the calculated velocity or speed at which specific raw printing materials (e.g., paper, ink, binding covers) are consumed based on active, short-term sales volume.

Customer - Refers to the clients or end-users who utilize the customer-facing web portal to browse offered printing services, submit specific order requirements, upload files, and visually track the real-time status of their print jobs.

Dynamic Configuration - Refers to the core architectural feature of the system that allows administrators to seamlessly create, add, or modify printing services and pricing structures through the user interface without requiring continuous modifications to the backend source code.

Inventory Management - Refers to the digital tracking system used to monitor the availability, quantity, and depletion of raw materials required for production, which automatically updates as production staff complete their assigned tasks.

Job Scheduling - Refers to the digital production queue that replaces physical job tickets. It visually tracks the progress of each order and systematically allocates labor and machinery to ensure fulfillment deadlines are met.

Printing Services - Refers to the customizable products and services offered by the establishment (e.g., hardbound binding, document printing, customized merchandise) which are dynamically defined and categorized by the administrator within the system.

Production Staff - Refers to the shop employees who utilize the job scheduling module to view their assigned tasks, update the production progress of specific orders, and initiate the digital deduction of consumed raw materials.

Reorder Point - Refers to the specific, data-driven stock level threshold calculated by the system which, when reached, immediately notifies the administrator that new raw materials must be purchased from suppliers.

Conceptual Framework

The Figure illustrates the conceptual framework of the capstone project, detailing the operational flow of the platform across the Input, Process, Output, Outcome, and Impact stages. The Input encompasses stakeholder profiles (business owners, production staff, and customers), modular service parameters (dynamic pricing formulas, media dimensions, substrate types, and finishing rules), customer digital assets (PDF manuscripts, vector artwork, and remittance proofs), and raw consumables inventory baselines. The central Process executes real-time multi-attribute cost computation, manual payment auditing, 5-stage workshop Kanban queue scheduling, customer-supplied paper tracking, automated stage-based Bill of Materials (BOM) inventory deductions, and rolling consumption velocity calculations to evaluate dynamic Reorder Points (ROP).

The primary **Outputs** include the integrated role-segregated web-to-print platform, interactive customer self-service ordering wizards with live five-stage visual progress tracking, workshop floor Kanban digital job tickets, automated replenishment alert banners, and multi-service business intelligence summaries. Consequently, the immediate **Outcomes** eliminate manual calculation errors, eradicate lost paper job tickets, provide 24/7 transparent order tracking for clients, prevent unexpected stockouts during peak academic rushes, and establish data-driven procurement based on true sales burn rates. In the long term, the framework achieves significant organizational **Impact** by

maximizing enterprise productivity and profitability, strengthening market trust, providing code-free business adaptability for shop proprietors, and establishing a validated information systems benchmark for lightweight job-shop printing automation.




Figure 1. Conceptual Framework of Printify

REVIEW RELATED LITERATURE

Dynamic Order

Apriadi and Dewi (2026) highlighted that many small and medium-sized printing businesses still rely on manual or semi-digital processes, resulting in miscommunication, data inconsistencies, and inefficient workflow management. To address these challenges, the researchers developed a web-based printing service system that integrates order management, inventory control, and production workflow into a unified platform. The findings demonstrated that an integrated information system can reduce operational errors, improve communication between departments, and enhance overall operational efficiency. Similarly, Susila et al. (2025) identified limitations in order recording, cost estimation, and production monitoring, where manual processes can cause delays and errors. Their study developed a web-based system with online ordering, automated cost estimation, job tracking, and real-time updates, which improved production efficiency and customer satisfaction. Saragih et al. (2026) likewise emphasized the increasing demand for efficiency and accuracy in service industries and noted that many organizations, particularly small and medium-sized enterprises such as printing services, still rely on manual or semi-digital processes. Their study addressed operational inefficiencies, data inconsistencies, and communication gaps through the design and implementation of a web-based information system for digital printing services.

These studies support the use of an integrated web-based platform for printing-service operations, particularly in managing orders and connecting different operational processes.

Kurniawan et al. (2025) found that the use of unintegrated spreadsheets across divisions in a Production Planning and Inventory Control (PPIC) system at an Indonesian packaging manufacturer resulted in production inaccuracies, scheduling errors, and additional time spent on repetitive manual processes. To address these problems, the researchers developed a web-based data integration system that enabled real-time data synchronization and reduced manual data entry. The findings demonstrate the importance of connecting information across production-related activities to improve coordination and data availability. Joshi et al. (2026) similarly demonstrated how web-based services have contributed to the modernization of document handling and printing processes. Traditional printing was described as being limited by manual coordination, physical presence, and tightly coupled backend infrastructure. The study introduced Zaprint, a remote printing management system that allows users to submit print jobs through a web application while local print shops manage and process the jobs through a desktop application. The system uses Supabase for authentication, database management, file storage, and communication, with a cloud-based data layer enabling real-time connectivity between users and print shops. The findings showed that the system was more efficient and easier to use than traditional print management

systems. These findings support the present study's use of an integrated web-based system for coordinating printing-service activities.

Bhaktha et al. (2023) developed an online order management system that provides sellers with an overview of their orders and inventory, allowing them to manage products through a centralized system. The platform includes order tracking, stock management, and customer management features accessible through a single dashboard. These features support the present study's development of an integrated web-based system for printing services, particularly its Dynamic Order Management and Inventory Management components, which aim to centralize order information, monitor inventory, and improve the efficiency of printing-service operations. Dhiman (2021) demonstrated how the Online Food Ordering Management System can simplify order management by allowing customers to submit their requirements through an online interface. The system records orders in a centralized database, places them in a queue, and provides real-time updates through the administrative panel. This enables staff to monitor incoming orders and process them systematically, reducing errors and improving workflow efficiency. These features are relevant to the present study because the proposed printing service system similarly integrates digital order intake with a centralized job queue and real-time order tracking. Hernada et al. (2024) developed a web-based design and print ordering system to improve customer service efficiency and effectiveness. The system demonstrated how web-based technology can

streamline ordering processes in digital printing businesses. Together, these studies present web-based ordering as a means of organizing customer orders, centralizing order information, and improving the efficiency of printing-related services.

Job Scheduling

Smagowicz et al. (2024) presented a method for developing production schedules based on a printing company's operational processes and production technologies. The approach considered production resources and business requirements to support resource-balanced production decisions. The study is relevant to the present research because it demonstrates the importance of systematic production scheduling in printing operations. Zonta et al. (2022) likewise highlighted the importance of connectivity and data availability in supporting decision-making within production processes. The study proposed an integrated approach to production scheduling that considers available resources and uses data to improve scheduling decisions. These findings support the present study's Job Scheduling module, which organizes printing orders into a digital production queue, tracks job progress, and allocates labor and machinery to support timely order fulfillment.

Jiang et al. (2022) discussed how changes in production systems and technological development have influenced the methods used for production scheduling. The study highlighted the evolution of scheduling approaches in

response to changing production environments and emerging technologies. This supports the present study's development of a digital job scheduling module for printing services, which aims to organize production queues, track order progress, and allocate labor and machinery systematically to improve production efficiency. Destouet et al. (2023) examined various approaches for supporting scheduling decisions in evolving production environments. The study emphasized the challenges of coordinating machines and operators in flexible production scheduling. These findings support the present study's Job Scheduling module, which organizes printing jobs and systematically allocates production staff and machinery to improve workflow and ensure timely order fulfillment. Hernada et al. (2024) developed a web-based design and print ordering system that demonstrated how web-based technology can streamline ordering processes in digital printing businesses. This supports the present study's use of a web-based platform for printing services, particularly its dynamic order management and customer-facing ordering functions. However, the present study extends beyond online ordering by integrating job scheduling, inventory management, and automated replenishment into a single system.

Inventory Management System with Automated Replenishment

Tanaman et al. (2023) developed a web-based inventory management system for a small business enterprise in Pagadian City, Zamboanga del Sur, Philippines. The study identified challenges associated with the manual use of

paper-based inventory records, including data inaccuracy and process inefficiency in recording and distributing inventory and sales reports. To address these issues, the researchers developed an automated web-based solution that electronically recorded and processed inventory data and generated reports. The study demonstrated how web-based automation can improve inventory management efficiency and convenience. Jebbor et al. (2023) demonstrated that automated and integrated inventory management can help organizations address inventory and replenishment problems, particularly during periods of high demand. Their study on hospital logistics proposed an automated and integrated inventory and replenishment management system that uses a proactive, real-time replenishment policy. This approach demonstrates the potential of automated replenishment in maintaining the availability of essential resources and reducing inventory-related problems. Asim and Arbaiy (2026) similarly demonstrated that a computerized inventory management system can help businesses address problems associated with manual inventory operations, particularly inaccurate stock levels and delays in replenishment. Their study on Alfudullallah Co. developed an inventory management system that provides real-time inventory tracking and supports inventory, warehouse, ordering, reporting, and analysis management.

Ugbebor et al. (2024) examined the role of automated inventory management systems integrated with Internet of Things (IoT) technology in improving inventory management among small and medium-sized enterprises

(SMEs). The development of automated solutions, such as IoT sensors, real-time data analytics, and cloud-based applications that enhance inventory control, was also identified in their review of the literature. According to the study, the use of IoT in automation has improved inventory accuracy, decreased stockouts, and decreased carrying costs for SMEs. The research also identified reverse logistics systems with intuitive demand forecasting for optimal stock replenishment, automation of reordering systems while efficiently managing working capital, and decreased downtime from real-time tracking as operational improvements. Rolf et al. (2023) identified inventory management as a common application of data-driven decision-making in supply chain management. Their literature review on reinforcement learning in supply chain management emphasized the importance of inventory management in coordinating supply chain operations. The study also highlighted the potential of real-time, data-driven decision-making in managing complex and dynamic operations. These findings support the present study's approach of using real-time inventory data, particularly material consumption and burn rate, to support automated replenishment decisions in printing services.

Munyaka and Yadavalli (2022) explained that inventory is one of the main management tasks and a fundamental component of material management, logistics, and supply chain management. Warehouse inventory may be required to meet customer or humanitarian demands, depending on the organization's goals. Inventory control is essential to both organizational

performance and operational success. In light of the growing demands of human needs, the study examined inventory management concepts and applications and noted that inventory treatment is influenced by demand, which is a crucial variable in the inventory control system. Albayrak Ünal et al. (2023) reported that organizations seeking to keep pace with technological advancements and globalization must efficiently manage their supply chains to achieve superior quality, enhanced efficiency, and reduced costs. The diverse needs of customers, along with competition from global players and market rivalry, have prompted companies to focus more on inventory management. Their article presented a systematic literature review of the use of Artificial Intelligence (AI) in inventory management, concentrating on research papers from two academic databases published between 2012 and 2022, with a total of 59 articles identified for detailed examination. The current state of inventory management and potential future directions were also outlined, with the findings indicating a rising interest in AI techniques in recent years.

Abu Zwaida et al. (2021) highlighted that drug shortages pose a significant challenge for inventory management within healthcare systems, as they can lead to various adverse effects. In the realm of supply chain management, achieving optimization is closely linked to controlling inventory in order to address problems associated with the supply, management, and utilization of medications. The study noted that identifying a shortage scenario in a hospital can be challenging due to numerous unpredictable factors, such

as manufacturing issues, fluctuations in supply and demand, and problems with raw materials. To mitigate the risk of shortages in hospitals, effective inventory management is essential to maintain sustainable operations and maximize organizational performance within the Hospital Supply Chain (HSC).

The reviewed literature addresses several operational needs related to the development of the Printify system. The studies discuss digital order management, production scheduling, inventory control, automated replenishment, and customer service in printing and other operational settings. Apriadi and Dewi (2026) and Susila et al. (2025) demonstrate the use of web-based systems for improving order management and production-related processes, while Smagowicz et al. (2024) and Zonta et al. (2022) emphasize systematic scheduling and the use of production information for scheduling decisions. Tanaman et al. (2023) and Jebbor et al. (2023) demonstrate the role of automated inventory management and replenishment, while Rolf et al. (2023) highlights the use of real-time inventory data for data-driven decision-making. These studies provide the literature-based support for the operational features of Printify, including order management, job scheduling, inventory monitoring, stock replenishment, and reporting.

METHODOLOGY

This chapter outlines the research procedures and engineering techniques employed in designing, constructing, and evaluating the Integrated Dynamic Order, Job Scheduling, and Inventory Management System for Printing Services with Automated Replenishment. It details the research design, operational characterization of participants, project materials, empirical data collection techniques, statistical analysis procedures, system validity measures, and ethical safeguards. Furthermore, it presents the architectural requirements and software modeling diagrams that guided the systematic implementation and quality assessment of the platform.

Project Design

This study employs a Developmental Research Design, a methodology centered on the systematic analysis, design, development, implementation, and evaluation of an instructional or technological solution to address operational problems. This research design is suited for this study because the primary objective is to engineer a functional, integrated web-based information system that unites dynamic order management, floor job scheduling, inventory management, and automated replenishment.

Through the developmental framework, the project developers systematically establish operational requirements from real-world printing

workflows, translate these requirements into modular software components, conduct rigorous verification, and evaluate the final system through a comprehensive Software Quality Assurance (SQA) and Functional Testing protocol. This ensures that the resulting software artifact is practically grounded, technically sound, and empirically validated against all specified functional requirements on a pass-or-fail basis.

Project Participants and Materials

The project participants include the business owners, production staff or workshop employees, and customers or retail clients of the printing-service establishment. The business owners and administrators provide authoritative operational requirements concerning dynamic service definitions, pricing formulas, material attributes, baseline stock levels, and commercial policies, while evaluating administrative controls, inventory telemetry, and reporting modules during system assessment. The production staff and workshop employees supply operational insights regarding job queueing, prepress inspection, task bottlenecks, machinery capacity, and raw material waste, while testing the practical usability of the five-stage production Kanban console and digital job tickets. Furthermore, customers and clients—comprising university students, faculty members, institutional organizations, and walk-in patrons—provide essential qualitative feedback regarding counter ordering hurdles, file submission issues, and tracking difficulties, while evaluating the customer self-

service portal, the dynamic ordering wizard, and the live visual progress stepper.

The materials required for the research and development of the system encompass both physical and digital resources. Hardware materials include development workstations, laptops, and mobile smartphones equipped with internet connectivity to evaluate responsive layouts across various screen viewports. Software tools include integrated development environments, local web servers, database management systems, and web application frameworks (PHP, Laravel, Livewire, and Tailwind CSS) necessary for designing, building, and deploying the platform. In addition, the researchers utilize operational documents from the partner printing establishment—such as manual paper job tickets, physical order receipts, pricing tariffs, and inventory ledgers—as empirical reference materials to ensure that the system accurately models real-world business workflows.

Data Collection

The researchers will gather data using interviews, direct workplace observations, document reviews, and survey questionnaires to understand the operational requirements of the printing business.

First, semi-structured interviews will be conducted with the business owners and production staff to identify current operational challenges, service pricing rules, job scheduling workflows, and inventory restocking habits.

Second, direct observations of daily shop activities will be carried out to observe counter order intake, task delegation across workstations, and material handling on the workshop floor. Third, the researchers will examine existing business documents, including sample receipts, manual job order slips, supplier invoices, and price lists, to accurately model pricing formulas and material consumption in the system. Finally, a formal Software Quality Assurance and Functional Testing protocol will be conducted during the evaluation phase. The project developers will execute a structured Test Plan consisting of discrete test cases mapped directly to the 19 functional requirements, recording binary evaluation outcomes (Pass or Fail) across boundary inputs, database persistence, and operational workflows. Additionally, operational user acceptance testing (UAT) will be conducted with the shop owner and production personnel to verify real-world task execution without reliance on subjective numerical Likert rating scales.

Data Analysis Procedure

1. System Testing and Functional Verification Plan

To rigorously evaluate the software without introducing subjective evaluation bias, the project developers implemented a formal Software Quality Assurance (SQA) and Functional Verification protocol. Rather than relying on perceptual survey ratings, system verification is governed

by empirical, binary evaluation criteria (Pass or Fail) modeled after IEEE 829 software test documentation standards.

2. **Multi-tier testing Strategy**

The system evaluation follows a two-tier verification architecture:

Tier 1: Developer Functional and Automated System Testing (Primary Verification): The project developers execute discrete functional test cases covering normal, boundary, and exceptional input conditions across all 19 Functional Requirements (FR-01 to FR-19). In addition, core computational routines—including dynamic pricing algorithms, duplex paper calculations, automated Bill of Materials (BOM) inventory deductions, and rolling Reorder Point (ROP) alerts—are continuously verified using automated unit and feature test suites built on the Pest/PHPUnit testing framework.

Tier 2: Stakeholder Operational Walkthrough (User Acceptance Testing): Printing shop owners and production personnel execute end-to-end operational scenarios simulating daily commercial activities, including customer counter intake, job ticket delegation across Kanban columns, material spoilage adjustments, and financial report exports. The walkthrough validates task completion success, business workflow alignment, and operational ergonomics.

3. **Technical Testing Environment**

Functional testing is conducted across the project's standardized runtime environment:

Backend Runtime: PHP 8.5 executing on the Laravel 13 framework.

Reactive Frontend Engine: Livewire 4 with Alpine.js client-side state synchronization.

Database & Persistence: Relational database management system with ACID transaction guarantees and foreign key referential integrity constraints.

Client Workstations: Modern web browsers (Google Chrome, Microsoft Edge, Brave, Mobile Safari) simulating desktop administration and mobile customer order submission

4. **Pass/Fail Evaluation Criteria**

Each functional test case is evaluated against deterministic binary criteria:

PASS: The actual system execution, state mutation, database transaction, and user interface response exactly conform to the defined expected output with zero unhandled exceptions.

FAIL: The system produces an execution halt, unhandled runtime exception, database integrity violation, incorrect mathematical computation, unauthorized state transition, or fails to render expected user telemetry.

To achieve production readiness, the platform mandates a 100% Pass rate across all 19 core functional modules, ensuring zero critical defects prior to deployment.

Table 1. Functional Test Plan and Requirements Traceability Matrix

Test Suite ID	Linked Functional Requirement	Module Scope	Verification Method	Evaluation Metric
TS-01	FR-01: User Account Registration	Customer Onboarding	Automated Feature Test & Form Boundary Validation	Pass / Fail
TS-02	FR-02: User Authentication (Login)	Security & Access Control	Credential Validation & Role-Based Route Gate	Pass / Fail
TS-03	FR-03: User Profile Management	User Profile & Settings	Field Validation, Bcrypt Hash Check & Profile Mutation	Pass / Fail
TS-04	FR-04: Session Termination and Logout	Session Management	Token Invalidation & Browser Storage Eviction Test	Pass / Fail
TS-05	FR-05: Service Catalog Browsing and Quotation Calculation	Pricing Engine	Reactive Livewire Formula Interrogation & Price Recalculation	Pass / Fail
TS-06	FR-06: Print Order Placement and Document Upload	Ordering & Storage	Document MIME Validation, Disk Tokenization, & Order Creation	Pass / Fail
TS-07	FR-07: Print Attribute and	Job Modeling	Attribute Constraint	Pass / Fail

Test Suite ID	Linked Functional Requirement	Module Scope	Verification Method	Evaluation Metric
	Finishing Specification		Checking & Duplex Sheet Math ($\lceil P/2 \rceil \times C$)	
TS-08	FR-08: Customer-Supplied Substrate Declaration	Order Extension	Cover-Only Pricing Flagging & Intake Delivery Tagging	Pass / Fail
TS-09	FR-09: Proof of Payment Submission	Billing Intake	Payment Proof Image Upload & Pending Status Transition	Pass / Fail
TS-10	FR-10: Live Order Progress and Status Tracking	Customer Telemetry	Real-Time Production Milestone Telemetry Stepper Query	Pass / Fail
TS-11	FR-11: Payment Transaction Auditing and Verification	Billing Audit	Staff Ledger Cross-Reference & Order Queue Release	Pass / Fail
TS-12	FR-12: Production Floor 5-Stage Kanban Queue Management	Workshop Scheduling	Interactive 5-Stage Transition & QC Rework Step-Back Loops	Pass / Fail
TS-13	FR-13: Automated Bill of Materials (BOM) Inventory Deduction	Inventory Automation	Automated Consumption Decrement & Customer-Paper Bypass Rule	Pass / Fail
TS-14	FR-14: Customer-Supplied	Production Intake	Sheet Count/Condition Physical Audit &	Pass / Fail

Test Suite ID	Linked Functional Requirement	Module Scope	Verification Method	Evaluation Metric
	Substrate Counter Inspection		Intake Hold Release	
TS-15	FR-15: Material Spoilage Logging and Stock Adjustments	Stock Adjustment	Scrap Inventory Decrement & Waste Audit Ledger Entry	Pass / Fail
TS-16	FR-16: Dynamic Service and Rate Configuration	Admin Management	No-Code Parameter Injection & Relational Rate Persistence	Pass / Fail
TS-17	FR-17: Bill of Materials (BOM) Recipe Definition	Inventory Mapping	Service-to-Item Consumable Mapping & Recipe Coefficient Setup	Pass / Fail
TS-18	FR-18: Inventory Oversight and Dynamic Reorder Point (ROP) Alerting	Inventory Analytics	Rolling Burn Rate Calculation & Dynamic ROP Threshold Warning	Pass / Fail
TS-19	FR-19: Sales, Cashflow, and Operational Analytics Generation	Business Intelligence	Transaction Aggregation, Profit Metrics, & CSV Ledger Export	Pass / Fail

Validity

The validity of the project is established through structured software verification and stakeholder operational validation to determine whether the developed platform satisfies its intended objectives and functional requirements. System validity is verified through a two-tiered protocol: first, technical functional verification conducted by the project developers using formal test cases mapped to the 19 functional requirements to verify algorithmic accuracy, data integrity, and error handling on a pass-or-fail basis; and second, operational user acceptance validation conducted by the printing-service business owner and workshop staff. Stakeholders evaluate the system during practical operational walkthroughs, validating digital job ticketing, counter paper intake, dynamic rate updates, and inventory tracking. The qualitative feedback and defect logs gathered during testing serve as the basis for refining and optimizing the platform prior to production deployment.

Ethical Considerations

The researchers will maintain strict adherence to ethical protocols and statutory mandates throughout the undertaking, specifically complying with Republic Act No. 10173, otherwise known as the Data Privacy Act of 2012. Prior to field inquiries, formal administrative clearance and a certificate to conduct the

project will be secured from the University Ethics Review Committee alongside written endorsements from proprietor management. Participation across all interviews, workflow observations, and usability trials will remain entirely voluntary, substantiated by executed informed consent agreements outlining participant rights and withdrawal procedures without institutional penalty.

Data confidentiality and digital intellectual property safeguards are rigorously enforced within the system architecture. Customer-uploaded documents notably academic theses, capstone manuscripts, and proprietary creative artwork are stored in access-restricted server directories utilizing secure tokenized hashes to prevent unauthorized access. Furthermore, transaction proofs and payment reference screenshots submitted through mobile wallet gateways are encrypted at rest and accessible exclusively to authenticated business owners and assigned billing personnel. All collected project telemetry will be anonymized, reported strictly in aggregated academic formats, and retained securely on encrypted media before scheduled disposal upon formal manuscript acceptance.

Project Developmental Approach

This capstone project adopts the Agile Software Development Methodology as its developmental framework. Agile is an iterative and incremental approach that emphasizes modular engineering, continuous

stakeholder collaboration, and rapid adaptability. This methodology is suited for engineering the Printify platform, which integrates dynamic service configuration, production job scheduling, automated Bill of Materials (BOM) inventory deductions, and business analytics.




Figure 2. Development Methodology

Plan. Requirements elicitation was conducted through structured interviews and observational studies at partner printing shops to establish operational workflows, pricing algorithms, job scheduling bottlenecks, and inventory tracking constraints.

Design. Software modeling diagrams, specifically the Entity Relationship Diagram (ERD), Class Diagram, Use Case Diagram, and operational Activity

Diagrams were constructed alongside responsive user interface wireframes to define structural constraints and interaction flows.

Develop. The platform was built iteratively across four targeted development sprints:

- Sprint 1: User authentication, role-based access controls (RBAC), and the Business Owner Onboarding Setup Wizard.
- Sprint 2: The Dynamic Service Configuration Hub, universal ordering engine, artwork file upload handling, and manual payment verification.
- Sprint 3: The 5-stage workshop production Kanban console, digital job ticketing, and the automated Bill of Materials (BOM) inventory deduction engine.
- Sprint 4: The Material Spoilage Logging console, dynamic Reorder Point (ROP) burn-rate alerting, and the Sales and Financial Analytics Hub.

Test. Functional unit and integration testing were conducted continuously during each sprint, verifying database transactional integrity, reactive Livewire component states, file upload validation, and inventory deduction formulas.

Release. The stabilized web application was deployed to a cloud staging environment, allowing authenticated business owners, production personnel, and retail customers to interact with the platform during usability testing.

Feedback. Qualitative observations and structured evaluator assessments gathered during user acceptance testing were analyzed to guide final code refinements and optimize user interface responsiveness.

Project Timeline & Budget




Figure 3. Gantt Chart

The Gantt chart presents the overall timeline of the project from July to December 2026, showing how each phase of the study connects and builds on the one before it. The process begins with problem elicitation and field inquiries, followed by literature review, methodology formulation, and system architecture design. Once the groundwork is set, development proceeds through a series of Agile sprints covering core system functions, customer ordering, staff production tools, and inventory management features. After development, the system undergoes quality assurance and automated testing before moving into deployment, user acceptance testing, and final evaluation. The timeline concludes with the completion of the manuscript and the capstone oral defense.

Table 2. Estimated Project Development Budget

Budget Category / Item	Detailed Description	Estimated Total Cost
1. Requirements Analysis		
a. Transportation & Site Visits	Field travel to partner print shops.	500
2. Design		
a. Figma Professional Subscription	Design software subscription for system mockups.	1,160
3. Development		
a. AI Coding Assistance & Tooling	Google Gemini and developer code models are utilized as pair−programming assistants for backend query optimization.	1,150.00
b. JetBrains PhpStorm Pro License	Provides professional-grade PHP static analysis, database introspection, and automated refactoring tools.	1,000.00
c. SMS Gateway API Prepaid Credit	An initial credit bundle for SMS gateways budgeted early to prepare automated SMS dispatching when customer orders transition stages.	500
4. Integration		
a. Payment Gateway Sandbox Integration	GCash and PayMongo developer sandbox environments do not charge setup fees or require live deposit balances. Test API keys are issued free of charge for staging and academic research.	0
5. Testing		

a. Multi-Tier Automated SQA Testing	Testing is executed using open-source tools. Functional verification is automated programmatically rather than distributed via physical survey questionnaires, no consumable survey expenses are incurred.	0
6. Connectivity		
a. Internet Broadband Connectivity	Reflects the standard monthly billing plan for a home fiber internet connection for system development and testing.	1,499.00
7. Paper Supplies		
a. Documentation Printing Materials	2 reams of bond paper and printer ink for reports, draft and revision iterations.	800
8. Administrative Costs		
a. Evaluator Honoraria	Token of appreciation allocated for the expert panelists	1,000.00
b.Outline Defense Copies	Draft printing and binding for multiple copies distributed to panel members and the project adviser.	1,900.00
Total		**9,509.00**

System Modules

To realize the objectives of the project, Printify is organized into five (5) functional modules. Each module groups related functional requirements and is directly traceable to a specific objective, as presented in Table 3.

Module 1: User Onboarding, Authentication, and Role-Based Access Control (RBAC). This module serves as the shared security layer of the integrated platform. It handles customer registration, credential authentication, profile management, and session termination, and it restricts each actor (business owner, production staff, and customer) to their designated interfaces.

Module 2: Dynamic Service Configuration and Catalog Pricing Engine. This module allows business owners to create and modify printing services, pricing variables, print attributes, and Bill of Materials (BOM) recipes through the user interface without altering source code, and it computes real-time multi-attribute quotations.

Module 3: Customer Self-Service Ordering and Prepress Intake. This module provides the customer-facing portal for placing print orders, uploading print-ready documents, declaring customer-supplied paper, submitting proof of payment, and tracking order progress through a live five-stage status stepper.

Module 4: Production Floor 5-Stage Kanban Scheduling and Counter Intake. This module digitizes the production queue through a five-stage Kanban board, supports payment verification and customer-supplied paper inspection at the counter, and assigns jobs to production staff.

Module 5: Automated Inventory Replenishment, Spoilage, and Sales Reporting. This module automatically deducts consumables based on BOM recipes, records material spoilage, computes rolling burn rates and dynamic reorder points (ROP) to trigger low-stock alerts, and generates sales and consumption summary reports.

Table 3. Mapping of Project Objectives, System Modules, and Functional Requirements

Objective	System Module	Functional Requirements
Objective 1	Module 2: Dynamic Service Configuration and Catalog Pricing Engine	FR-05, FR-07, FR-16, FR-17
Objective 1	Module 3: Customer Self-Service Ordering and Prepress Intake	FR-06, FR-08, FR-09, FR-10
Objective 2	Module 4: Production Floor 5-Stage Kanban Scheduling and Counter Intake	FR-11, FR-12, FR-14
Objective 3	Module 5: Automated Inventory Replenishment, Spoilage, and Sales Reporting	FR-13, FR-15, FR-18, FR-19
Objective 4	Module 1: User Onboarding, Authentication, and RBAC	FR-01, FR-02, FR-03, FR-04
Objective 5	All Modules	FR-01 to FR-19

System Requirement Specifications

This section defines the functional and technical requirements of the Integrated Dynamic Order, Job Scheduling, and Inventory Management System. It outlines the specific behavioral functions of the platform alongside the minimum and recommended software and hardware environments required for development, hosting, and end-user access.

Functional Requirements

1. **User Account Registration**
    - **Description:** Provides self-service client account registration for customers wishing to transact through the platform.
    - **Input:** Customer full name, valid email address, mobile phone number, and a secure password with confirmation.
    - **Process:** Validates form syntax and email uniqueness, hashes the password securely using bcrypt, initializes a user record assigned with the default customer role, and persists the entity in the database.
    - **Output:** Account creation confirmation alert and automatic redirection to the authentication interface.

2. **User Authentication (Login)**
    - **Description:** Authenticates registered credentials, establishes secure stateful sessions, enforces role-based access control (RBAC), and directs actors to their designated portal interfaces.
    - **Input:** Registered email address, password, optional "remember me" flag, and optional two-factor authentication (2FA) one-time token.
    - **Process:** Cross-references submitted credentials against bcrypt-hashed database records, evaluates account active status, resolves the user role (Customer, Production Staff, or Business Owner), issues session tokens, and executes route redirection to authorized dashboard hubs.
    - **Output:** Authenticated user session, role-gated interface routing, or invalid credential error prompts.
3. **User Profile Management**
    - **Description:** Allows authenticated users across all roles to inspect, modify, and maintain personal account information, security credentials, and communication preferences.

- **Input:** Updated full name, mobile contact number, profile avatar file, current password, and new password with confirmation.
- **Process:** Validates form syntax, enforces uniqueness on contact identifiers, verifies current password authenticity prior to credential modification, re-hashes new passwords using bcrypt, updates user entity records in the database, and dispatches status feedback.
- **Output:** Updated database profile entity, success flash alerts, and updated session profile display.

4. **Session Termination and Logout**
    - **Description:** Securely invalidates active authentication tokens and terminates user sessions to prevent unauthorized device access.
    - **Input:** Logout command trigger from the user navigation interface.
    - **Process:** Flushes authenticated session storage, invalidates security tokens, regenerates the CSRF token, and destroys cookie references.
    - **Output:** Redirection to the public landing page accompanied by a session termination confirmation.

5. Service Catalog Browsing and Quotation Calculation

- **Description:** Enables customers to explore active printing services and calculate real-time itemized price quotations based on selected operational parameters.
- **Input:** Selected print service category, document dimensions, page counts, color mode (monochrome/color), paper stock, binding finishing, and copy volume.
- **Process:** Interrogates database pricing formulas in real time, applies dynamic rate multipliers via reactive Livewire component state, and computes cost subtotals without reloading the page.
- **Output:** Dynamic, itemized quotation breakdown reflecting base costs, per-page rates, finishing surcharges, and estimated totals.

1. **6. Print Order Placement and Document Upload**

- **Description:** Captures finalized customer print requests and facilitates digital document or artwork file submission for prepress inspection.
- **Input:** Customer order details, fulfillment mode preference (pickup/counter handoff), optional production notes, and digital document files (PDF, DOCX, or high-resolution images).

- **Process:** Validates file MIME types and size constraints, transfers uploaded files to an encrypted private storage disk with tokenized filenames, writes the parent order record to the database, and generates a unique tracking code (e.g., ORD-2026-001).
- **Output:** Instantiated pending order record, generated tracking code, and visual order submission confirmation.

2. **7. Print Attribute and Finishing Specification**
   - **Description:** Mandates the capture and technical validation of detailed print configuration attributes required to fulfill an active order.
   - **Input:** Paper dimensions (Short, A4, Long), paper thickness (70 gsm, 80 gsm, 100 gsm), print orientation (simplex single-sided or duplex back-to-back), and binding finishes (spiral coil, sliding cover, softbound, or hardbound foil stamping).
   - **Process:** Encapsulates submitted attributes into a structured line-item specification record, verifies technical feasibility (e.g., maximum page limits for specific binding styles), and calculates exact physical sheet requirements (ceil (pages / 2) * copies for duplex).
   - **Output:** Validated line-item specification entity inextricably linked to the parent order.

3. **8. Customer-Supplied Substrate Declaration**
    - **Description:** Conditionally extends the order placement workflow when a client elects to supply their own physical paper, adjusting financial calculations and tagging production requirements.
    - **Input:** Customer-supplied substrate toggle activation, provided paper description, and declared sheet count.
    - **Process:** Subtracts shop raw paper material charges from the running price quotation, designates line-item fulfillment as cover-only, and appends an "Awaiting Paper Delivery" intake flag to the digital job ticket.
    - **Output:** Discounted order total and an intake-tagged digital job ticket for workshop counter tracking.
4. **9. Proof of Payment Submission**
    - **Description:** Enables customers to submit manual payment verification references for counter cash transactions or mobile wallet remittances (GCash / Maya).
    - **Input:** Selected payment channel, alphanumeric transaction reference number, and a graphic screenshot of the remittance receipt.
    - **Process:** Validates image file structure, attaches the proof payload to the pending order record, flags order payment

status as pending verification, and alerts shop staff of pending billing audits.

- **Output:** Payment submission acknowledgment and updated pending verification status badge on the client portal.

10. Live Order Progress and Status Tracking

- **Description:** Provides transparent, real-time telemetry displaying the operational progression of customer orders across workshop milestones.
- **Input:** Customer Order ID, tracking code, or authenticated client dashboard session.
- **Process:** Queries active production status flags in the database and renders an illuminated, color-coded 5-stage visual stepper reflecting milestone progression and stage completion timestamps.
- **Output:** Real-time visual progress stepper indicating current order stage (Queue, Printing, Finishing, QC, Ready for Pickup) and estimated fulfillment date.

5. **11. Payment Transaction Auditing and Verification**

- **Description:** Empowers production staff and business administrators to audit customer-submitted payment proofs against billing ledgers and update order financial states.

- **Input:** Staff audit decision (Approve or Reject), cross-referenced reference numbers, and optional rejection remarks.
- **Process:** Verifies transaction validity against shop financial ledgers, transitions payment status to verified paid (or rejected), records the verifying staff ID and verification timestamp, and transitions the order into the active production queue.
- **Output:** Updated order financial status and automated payment confirmation notification broadcast to the customer dashboard.

6. **12. Production Floor 5-Stage Kanban Queue Management**
    - **Description:** Organizes workshop production orders into an interactive visual 5-stage Kanban board to direct job scheduling, operator delegation, and machine allocation.
    - **Input:** Assigned staff operator ID, assigned printing machine designation, stage progression triggers, and optional quality control (QC) rework remarks.
    - **Process:** Moves active orders across five sequential workshop stages (1. In Queue -> 2. Printing Pages -> 3. Finishing & Assembly -> 4. Quality Inspection -> 5. Ready for Pickup), logs transition timestamps, synchronizes customer

tracking steppers, or executes step-back transitions upon QC failure.

- **Output:** Interactive visual Kanban board, updated digital job ticket states, and synchronized customer progress updates.

7. **13. Automated Bill of Materials (BOM) Inventory Deduction**
    - **Description:** Automatically decrements raw material inventories based on linked service BOM recipes as print jobs advance into production or pickup stages.
    - **Input:** Active order line-item parameters (page count, paper dimensions, duplex flags, binding consumables, copy quantity) and stage advance trigger.
    - **Process:** Evaluates item fulfillment status; if designated as customer-supplied paper, raw paper sheet deduction is completely bypassed. For standard orders, computes exact consumption based on duplex math (ceil(pages / 2) * copies) and finishing multipliers, decrements physical inventory stock balances, and records immutable audit entries in the stock movement ledger.
    - **Output:** Decremented physical stock balances and recorded inventory transaction audit trails.

14. Customer-Supplied Substrate Counter Inspection

- **Description:** Conditionally extends the production queue workflow when an order contains customer-supplied paper, requiring staff to inspect physical stock before machine processing begins.
- **Input:** Physical paper bundle presented at the counter, physical sheet count verification, grammage/condition inspection, and staff verification confirmation.
- **Process:** Cross-references physical stock against digital job ticket parameters; upon staff confirmation, updates order state to paper received, logs the receiving staff ID, and releases the job ticket from intake hold into the active printing queue.
- **Output:** Verified substrate receipt status on the job ticket and release into active machine production.

8. **15. Material Spoilage Logging and Stock Adjustments**

- **Description:** Allows production operators to record physical material waste and accidental damage resulting from printer jams, paper misfeeds, or binding errors.
- **Input:** Damaged inventory item selection, wasted quantity, and specific operational failure explanation.
- **Process:** Validates numeric quantity limits, decrements the item's on-hand stock balance, appends an audit entry to the

stock movement ledger tagged as spoilage, records the reporting operator's ID, and checks remaining stock against reorder thresholds.

- **Output:** Adjusted on-hand inventory levels, recorded waste audit logs, and dynamic replenishment threshold evaluation.

9. **16. Dynamic Service and Rate Configuration**
    - **Description:** Allows business owners to dynamically define, modify, or retire service offerings, pricing structures, and rate tariffs without altering application source code.
    - **Input:** Service key, descriptive name, active status toggle, base setup fee, monochrome/color per-page rates, paper profile limits, rush fee multipliers, and finishing add-on prices.
    - **Process:** Validates input parameters against numeric boundaries, writes updated configuration records to service entities and JSON attribute schemas, clears cached application pricing models, and exposes new configurations to the client ordering interface.
    - **Output:** Updated service catalog, active pricing formulas, and instant administrative configuration confirmation.
10. **17. Bill of Materials (BOM) Recipe Definition**

- **Description:** Mandates the relational mapping between dynamic shop services and physical inventory stock items to govern automated material depletion formulas.
- **Input:** Configured service identifier, linked inventory item IDs, applicable variant bindings (hardbound, softbound, spiral comb, sliding folder), and unit consumption coefficients.
- **Process:** Enforces relational integrity across services and inventory items, stores recipe mappings in configuration tables, and validates formula mathematical logic.
- **Output:** Relational Bill of Materials recipe linking dynamic services to automated inventory consumption.

11. **18. Inventory Oversight and Dynamic Reorder Point (ROP) Alerting**
    - **Description:** Monitors physical stock balances, computes rolling consumption velocity, and triggers visual replenishment warnings when supplies reach critical levels.
    - **Input:** Historical stock movement logs, rolling daily consumption data, supplier lead times, and baseline safety stock levels.
    - **Process:** Computes the daily material burn rate (Burn Rate = Total Material Consumed / Time Period in Days), derives the dynamic Reorder Point threshold (ROP = (Daily Burn Rate *

Lead Time) + Safety Stock), evaluates current stock against the threshold, and flags items requiring replenishment.

- **Output:** Real-time stock health summaries, visual low-stock badges on the Inventory Hub, and automated restocking banners on the Owner Master Dashboard.

12. **19. Sales, Cashflow, and Operational Analytics Generation**
    - **Description:** Aggregates transaction data, service volume, material expenses, and revenues to generate interactive business intelligence and exportable reports.
    - **Input:** Date range selection parameters, service category filters, and report export commands.
    - **Process:** Aggregates database transactions across orders, computes gross revenues, net margins, material consumption expenses, spoilage costs, and rush revenue, rendering visual trend charts and formatted tabular ledgers.
    - **Output:** Interactive visual charts, service product mix reports, and exportable financial audit ledgers.

Software Requirements Specification

Table 4 outlines the software environment and developer toolchains utilized in designing, developing, and operating the web-based system.

Table 4. Software Requirements Specification

Component	Minimum Requirement	Recommended Requirement
Operating System	Windows 10 / Ubuntu 20.04 LTS / macOS 12	Windows 11 / Ubuntu 22.04 LTS / macOS 14
Web Server	Apache 2.4 / Nginx 1.18+ / PHP Built-in Server	Nginx 1.24+ / Apache 2.4+
Database Server	MySQL 8.0 / SQLite 3	MySQL 8.0+ / MariaDB 10.6+
Programming Language / Runtime	PHP 8.2	PHP 8.3 or higher
Backend Framework	Laravel 11.x	Laravel 11.x / 13.x
Frontend Reactive Stack	Livewire 3.x / Alpine.js	Livewire 4.x / Flux UI
CSS Framework & Bundler	Tailwind CSS v3 / Vite	Tailwind CSS v4 via Vite
Web Browser	Modern Browser (Chrome, Firefox, Edge, Safari)	Latest Google Chrome / Brave / Microsoft Edge

Hardware Requirements Specification

Table 5 details the minimum and recommended hardware specifications for the development workstations, hosting servers, and client access devices.

Table 5. Hardware Requirements Specification

Category	Specification	Minimum Requirement	Recommended Requirement
Development Workstation	Processor Memory (RAM) Storage Display	Dual-Core 2.0 GHz Processor 8 GB RAM 256 GB SSD 1366 × 768 Resolution	Quad-Core 3.0 GHz or higher 16 GB RAM or higher 512 GB NVMe SSD 1920 × 1080 Full HD Display
Web Server (Hosting)	Processor Memory (RAM) Storage Bandwidth	1 vCPU (Cloud VM or Dedicated) 1 GB RAM 20 GB Storage 10 Mbps Internet Connection	2 vCPUs or higher 2 GB – 4 GB RAM 50 GB SSD Storage 50 Mbps+ High-Speed Internet
Client Devices (Users)	Device Type Memory (RAM) Connectivity	Any Web-Capable Device (PC, Smartphone) 2 GB RAM Standard 3G/4G/Wi-Fi Connection	Smartphone / Laptop / Desktop PC 4 GB RAM or higher Stable 4G/5G/Broadband Internet

Use Case Diagram

This figure illustrates the Use Case Diagram of the Integrated Dynamic Order, Job Scheduling, and Inventory Management System. The diagram defines the system boundary and visualizes how external actors interact with core system functions across administrative, production, and customer domains. Three primary actors govern platform activity: the Business Owner, the Production Staff, and the Customer. Access privileges are strictly segregated through role-based authentication, directing each actor to dedicated operational interfaces upon system entry.

The Customer initiates transaction lifecycles through the client-facing ordering interface. Customers browse the active service catalog, configure print specifications, and generate instant price quotations before placing orders and uploading digital artwork. The ordering workflow inherently requires configuring technical print parameters—such as paper dimensions, GSM weight, color mode, and binding options—represented through an <<*include*>> relationship. In contrast, the option to declare customer-supplied substrates "Dala ang Papel" extends the ordering workflow conditionally via an <<*extend*>> dependency, dynamically discounting service totals and bypassing raw material allocations. Following order placement, customers submit transaction reference numbers and payment proof, subsequently tracking the real-time stage progression of their print jobs through to pickup readiness.

The Production Staff and Business Owner govern floor execution and enterprise management from internal authenticated interfaces. Production operators supervise jobs across a visual five-stage Kanban board (Queue, Printing, Finishing/Assembly, Quality Check, and Ready for Pickup). Advancing a job across these production stages automatically triggers an <<*include*>> dependency for automated Bill of Materials (BOM) inventory deductions, decrementing physical stock levels in real time. When an order involves customer-supplied materials, staff verify the delivered paper at the shop counter through an <<*extend*>> verification procedure before machine processing begins. At the managerial level, the Business Owner oversees system configuration. Owners dynamically configure print services and their underlying BOM recipes <<*include*>>, adjust inventory safety thresholds, track material burn rates against dynamic reorder point thresholds, and generate business analytics to evaluate financial and operational performance.



Figure 4: Use Case Diagram of Printify

Class Diagram

This figure illustrates the Class Diagram of the Integrated Dynamic Order, Job Scheduling, and Inventory Management System. The diagram models the static structure of the platform, defining system entities, internal state attributes, operational methods, and structural relationships. System actors are formalized through an object-oriented inheritance hierarchy rooted in the generalized **User** superclass. This superclass encapsulates shared authentication states and profile management operations, which are subsequently specialized into three distinct subclasses: **BusinessOwner**, **ProductionStaff**, and **Customer**. Each specialized subclass defines role-specific behaviors, ensuring that administrative configuration, workshop floor job handling, and client order placement remain modular and structurally isolated.

The domain model operationalizes print shop transactions and inventory replenishment through interconnected entity classes. A **BusinessOwner** manages a single **PrintShop** aggregate root (1:1), which anchors the establishment's catalog of **ShopService** offerings and physical **InventoryItem** supplies. Customers initiate transactions by placing an **Order** (1:M), which establishes a composite aggregation with one or more **OrderItem** instances to encapsulate itemized production parameters and document attachments. As production operators in the **ProductionStaff** role advance active orders across workshop stages, the system queries linked **ServiceBom** consumption recipes

to calculate exact raw material usage. These material deductions directly decrement stock balances in **InventoryItem** and write immutable audit records to **StockMovement**, preserving strict inventory traceability and providing reliable telemetry for automated reorder alerts.




Figure 5. Class Diagram of Printify

Project Design

The project design translates the operational requirements and technical constraints into actionable architectural blueprints. This stage bridges business rules with software implementation. Structurally, it defines the normalized data models and relational constraints that synchronize incoming print orders with automated Bill of Materials (BOM) inventory deductions. Behaviorally, it outlines how business owners, production operators, and customers interact across core functional modules, tracking jobs as they advance through workshop queues from intake to final handoff. The succeeding discussions present the logical database schema through an Entity Relationship Diagram (ERD), followed by behavioral use case models and operational workflow diagrams that direct daily print shop operations.

Entity Relationship Diagram

This Figure illustrates the Entity Relationship Diagram (ERD) of the system, detailing the logical entities, primary keys, and foreign key constraints across the normalized database tables. At the architectural center is the **Users** table (user_id), governing authentication and role-based access control (RBAC) across business owners, workshop staff, and customers. A single registered business owner manages an enterprise instance in the **PrintShops** table

(print_shop_id) through a strict one-to-one relationship (owner_user_id), anchoring all tenant-level operations. Each print shop maintains its dynamic service catalog through the **ShopServices** table (service_id, referenced via print_shop_id 1:N). Rather than relying on separate tables for each print offering, this unified entity encapsulates production lead times, daily shop floor capacity quotas, and custom pricing rules within a structured settings JSON attribute, allowing owners to update service parameters without altering the underlying database schema.

Customer transactions and workshop scheduling converge in the **Orders** table (order_id, referenced from print_shop_id 1:N). This entity links to **Users** through two distinct foreign keys: customer_user_id for order placement and assigned_staff_user_id for production delegation. It tracks human-readable tracking codes, verified payment receipts, and the active workstation state across a five-stage Kanban pipeline (*Queue*, *Printing*, *Finishing/Assembly*, *Quality Check*, and *Ready for Pickup*). Each order contains individual line items captured in the **OrderItems** table (order_item_id, referenced via order_id 1:N). To avoid hardcoding product variations, OrderItems employs a universal line-item design with a specifications JSON attribute. This structure flexibly accommodates varying parameters—such as page counts, paper dimensions, binding finishes, or garment sizes—while preserving strict relational integrity with the parent transaction.

Material resources and consumables are tracked in the **InventoryItems** table (inventory_item_id, referenced via print_shop_id 1:N), which maintains verified stock levels, unit acquisition costs, and dynamic Reorder Point (ROP) thresholds. Automated material deduction is governed by the **ServiceBoms** table (bom_id), establishing a unified Bill of Materials repository. ServiceBoms decouples services from physical stock by mapping service_id to inventory_item_id (1:N) alongside conditional usage formulas. Whenever an order progresses into production, required materials are automatically deducted and recorded in the **StockMovements** table (movement_id). This entity maintains an append-only audit ledger linked to inventory_item_id, logged_by_user_id, and order_id (1:N). By preserving prior and resulting balances alongside order references, the ledger guarantees complete accountability and provides real-time data for rolling burn rate and stockout risk calculations.




Figure 6. Entity Relationship Diagram of Printify

Activity Diagram

Figure 7 illustrates the User Account Registration process, where prospective customers provide their name, email, mobile number, and password. The system validates the submitted information and checks if the email is already registered. If errors are found, the user is prompted to correct the information. Once validated, the password is securely hashed, a customer account is created with the default customer role, and the data is saved. The process ends with a confirmation message and redirection to the login page.




Figure 7. User Account Registration

Figure 8 illustrates the operational activity diagram for User Authentication (Login). The process begins when an actor (Customer, Production Staff, or Business Owner) submits their registered email address and password into the authentication portal. The authentication guard cross-references the submitted credentials against bcrypt password hashes stored in the database. If the credentials fail validation or the account is inactive, the system increments the failed login counter and displays an authentication error alert. Upon successful verification, the system initializes an authenticated session token, determines the actor's role-based access level, and redirects the user to their designated portal: the Customer Dashboard, Staff Production Console, or Owner Master Hub.




Figure 8. User Authentication (Login)

Figure 9 illustrates the operational activity diagram for User Profile Management. The workflow begins when an authenticated user accesses the account settings interface to modify personal details, contact information, or security credentials. The user inputs their updated attributes, providing current password verification if a password change is requested. The system validates syntactic constraints and checks mobile number uniqueness. If password alteration is submitted, the backend verifies the current password hash before encrypting the new password via bcrypt. Upon successful validation, the system executes an atomic database transaction updating the user entity, flushes the cached session state, and renders an update confirmation notification.




Figure 9. User Profile Management

Figure 10 illustrates the activity diagram for Session Termination and Logout process, where users log out through the navigation bar. The system clears session data, invalidates security tokens, and removes authentication cookies. This prevents further access to protected pages and redirects the user to the public landing page, helping protect the account from unauthorized access.




Figure 10. Session Termination and Logout

The figure 11 shows the activity diagram for Service Catalog Browsing and Quotation Calculation depicts the interactive estimation process on the customer storefront. The customer navigates through available service offerings (e.g., document printing, thesis binding, merchandise) and adjusts operational parameters, including page quantities, color profiles (monochrome or full color), paper grammage, and copy volume. The reactive Livewire component intercepts each parameter change without triggering a manual browser reload. The engine interrogates database pricing formulas, computes unit sheet rates, incorporates finishing surcharges, and renders an illuminated, itemized cost subtotal in real time, providing transparent pricing before order commitment.




Figure 11. Service Catalog Browsing and Quotation Calculation

As shown in Figure 12 the activity diagram presents the process of placing an order and uploading files through the system. The customer begins by selecting the required printing service specifications and submitting the necessary files. The order system then calculates the quotation and validates the uploaded document and checkout information. Once the information is successfully validated, the file storage component saves the uploaded document and payment proof when applicable. At the same time, the orders database records the order and its corresponding order item. The process is completed when the system displays the order confirmation to the customer.




Figure 12. Print Order Placement and Document Upload

Figure 13 shows the activity diagram for Print Attribute and Finishing Specification models the structural parameterization of custom print jobs. The customer configures exact technical attributes: paper dimensions (Short, A4, Long), paper thickness (70, 80, 100 gsm), print orientation (simplex single-sided or duplex double-sided), and binding finishes (plastic comb, sliding folder, softbound, or hardbound foil stamping). The specification engine inspects page counts against physical binding thresholds (e.g., maximum page limits for sliding folders) and executes duplex mathematical calculations where physical sheet requirements equal $\lceil \text{Pages}/2 \rceil \times \text{Copies}$. The system encapsulates these attributes into structured JSON specifications within the order_items entity.




Figure 13. Print Attribute and Finishing Specification

Figure 14 shows activity diagram for Customer-Supplied Substrate Declaration illustrates the client checkout extension for "Dala ang Papel" orders. When placing an order, the customer activates the substrate declaration toggle, specifying their paper brand, type, and sheet volume. The pricing engine detects the flag, zeroes out shop raw paper material fees from the running subtotal, and designates the line item as cover-only fulfillment. Upon order submission, the system attaches an "Awaiting Paper Delivery" intake flag to the digital job ticket, ensuring that shop paper is not billed while alerting the client to deliver their paper bundle to the counter.




Figure 14. Customer-Supplied Substrate Declaration

Figure 15 shows the activity diagram for Proof of Payment Submission models client remittance submission. Following order placement, the customer navigates to the payment step, selecting either counter cash settlement or mobile wallet options (GCash or Maya). For digital transactions, the customer scans the shop payment QR code, inputs the transaction reference number, and uploads a screenshot of the remittance receipt. The server validates image dimensions and file formats, stores the receipt file on a private disk, updates the order payment status to "pending_verification", and alerts workshop staff for audit.




Figure 15. Proof of Payment Submission

Figure 16 shows the Live Order Progress and Status Tracking depicts real-time operational telemetry available to clients. The customer accesses their dashboard or inputs their unique tracking code. The tracking subsystem queries active order records from the database, extracts current production flags, and checks stage transition timestamps. The system renders an illuminated, color-coded five-stage stepper component (Queue, Printing, Finishing/Assembly, Quality Inspection, Ready for Pickup). Completed milestones display checkmarks and recorded timestamps, the active milestone displays an illuminated pulse badge, and estimated fulfillment times are updated dynamically.




Figure 16. Live Order Progress and Status Tracking

Figure 17 illustrates the process of recording and verifying customer payment information. The customer provides a payment reference and payment proof when applicable, after which the system stores the submitted payment details and current payment status in the order record. A production staff member or business owner then reviews the payment information through the job ticket or analytics order list. If the payment is verified, the system records the verified status, verification time, and verifying user. Otherwise, the existing payment status remains unchanged.




Figure 17. Payment Transaction Auditing and Verification

The activity diagram in Figure 18 shows the Production Floor 5-Stage Kanban Queue Management process organizes workshop orders through five stages: In Queue, Printing Pages, Finishing and Assembly, Quality Inspection, and Ready for Pickup. Staff claim orders, assign machinery, record production details, and move each ticket through the stages. During quality inspection, defects may send the order back for rework in Printing or Finishing. Once approved, the order is marked Ready for Pickup, while each stage transition updates the customer's tracking information in real time.




Figure 18. Production Floor 5-Stage Kanban Queue Management

Figure 19 illustrates the Automated Bill of Materials (BOM) Inventory Deduction process, where the system automatically calculates and deducts materials as an order enters production. For customer-supplied paper, paper deduction is skipped, while standard orders calculate paper usage based on pages and copies. Finishing materials such as ring spines, PVC covers, and backings are deducted based on their defined quantities. The system then updates inventory levels and records each deduction for tracking and auditing.




Figure 19. Automated Bill of Materials (BOM) Inventory Deduction

The activity diagram in Figure 20 illustrates the operational workflow governing customer-supplied paper handling ("Cover only"). When a customer elects to supply their own pre-printed or blank paper stock during online order submission, the system flags the resulting digital job ticket with an "Awaiting Paper Delivery" alert and zeroes out the raw paper material cost from the transaction subtotal. The customer subsequently brings the physical paper bundle to the shop service counter. Upon arrival, production personnel inspect the physical stock to verify sheet quantity, standard paper grammage (GSM), and sheet physical condition against the specifications stated on the digital ticket. If the delivered stock is damaged, crumpled, or insufficient in quantity, staff reject the submission and prompt the client to supply supplemental sheets or switch to in-house shop paper. Once the paper is verified, the staff member marks the job ticket as "Paper Received" within the production console. This administrative verification unlocks the order in the Kanban queue, automatically transitioning its operational state from intake hold to the active printing and finishing queue.




Figure 20. Customer-Supplied Substrate Counter Inspection

Figure 21 shows the process of recording material waste and checking inventory levels. Staff record damaged materials by selecting the item, entering the wasted quantity, and providing the reason. The system then deducts the wasted amount from inventory and records the transaction for tracking. After updating the stock, the system checks the remaining quantity against the Reorder Point (ROP). If the stock reaches or falls below the threshold, the system automatically displays a low-stock warning and recommends replenishment to the business owner.




Figure 21. Material Spoilage logging and Stock Adjustments

The activity diagram in Figure 22 depicts the administrative procedure for dynamically configuring service offerings and their underlying Bill of Materials (BOM) recipes without modifying application source code. The business owner accesses the authenticated Dynamic Service Configuration Hub from the administrative console. The owner initiates the workflow by selecting an existing service category or establishing a new print service catalog entry.

The configuration workflow requires defining baseline commercial parameters, including service titles, base preparation fees, incremental per-page rates for monochrome and full-color print passes, paper dimension profiles (Short, A4, Long), paper thickness options (70, 80, 100 gsm), and binding style surcharges. Crucially, the owner links operational service parameters to physical inventory stock items through the ServiceBoms mapping interface. The owner assigns unit consumption coefficients—such as one plastic ring spine per bound volume, two PVC clear cover sheets per booklet, or duplex paper consumption formulas. Upon submission, the platform performs data validation against numeric boundaries and relational foreign key constraints before persisting the configuration parameters into the database. These updated rates and material recipes are instantaneously ingested by the client-facing ordering engine, dynamically recalibrating real-time price calculations and inventory deduction rules across the entire platform.




Figure 22. Dynamic Service and Rate Configuration

Figure 23 shows the activity diagram for Bill of Materials (BOM) Recipe Definition depicts the administrative linking between commercial services and inventory consumables. The business owner accesses the BOM Recipe Manager, selects a target service (e.g., Thesis Hardbound), and maps required raw stock items (e.g., chipboard, book cloth, foil ribbon, end-sheets) from the inventory catalog. The owner defines consumption coefficients (such as 2 sheets per book or 1 coil per booklet). The system validates foreign key relationships, writes recipe mappings to the `service_boms` configuration table, and binds the operational consumption rules to automated floor deduction routines.




Figure 23. Bill of Materials (BOM) Recipe Definition

Figure 24 shows the activity diagram for Inventory Oversight and Dynamic Reorder Point (ROP) Alerting models continuous stock monitoring and proactive replenishment alerting. The automated inventory monitor computes material daily burn rates based on rolling consumption velocity: Burn Rate=Total Consumed/Days. The system derives the dynamic Reorder Point threshold using ROP=(Daily Burn Rate×Lead Time)+Safety Stock, and evaluates current on-hand stock balances against this threshold. If on-hand stock falls to or below the dynamic ROP, the platform flags the inventory item with a visual low-stock badge on the Inventory Hub and renders a high-priority restocking recommendation banner on the Owner Master Dashboard.




Figure 24. Inventory Oversight and Dynamic Reorder Point (ROP) Alerting

As seen in Figure 25 the activity diagram shiws how the business owner generates and reviews operational and financial reports. The owner first selects the reporting period and available filters. The analytics system then processes order, payment, inventory, and spoilage information to calculate sales, order counts, costs, profit, margins, and other related metrics. These results are presented through the report interface for review. If the owner chooses to export the report, the system generates a CSV ledger and sends it to the browser for download. Otherwise, the process ends after the report has been reviewed.




Figure 25. Sales, Cashflow, and Operational Analytics Generation

User Interface

Figure 26 and 27 illustrates the user interface of the landing page and registration page of Printify. The registration interface collects the required account information, including the user's name, email address, password, and password confirmation. Validation messages are presented when information is incomplete or incorrect, allowing the user to correct the form before submitting the registration. After successful registration, the system creates the user account and applies the default customer role, after which the user may log in to access the appropriate portal. This arrangement supports accurate account creation and controlled access to the Printify system.




Figure 26. Landing page of Printify




Figure 27. Registration Interface

Figure 28 illustrates the user interface of the Login page. The interface authenticates registered users through their email address and password. Validation messages are presented when credentials are missing or incorrect, allowing the user to correct the form before proceeding. After successful authentication, the system establishes the user session and applies role-based routing, directing business owners, production staff, and customers to their respective portals. This arrangement provides a controlled and straightforward entry point to the Printify system.




Figure 28. Login Interface

Figure 29 & 30 illustrates the user interface of the Business Owner Setup Wizard. This screen represents the initial configuration and onboarding stage for a newly registered business owner. The wizard first collects the shop identity and then presents the available printing services for selection. The owner can choose the services relevant to the shop's business requirements before completing setup, while validation prevents an incomplete shop name or an empty service selection from being saved. The selected services are synchronized with the shop profile and determine the applications and customer-orderable services that become available in the system. Therefore, the setup wizard establishes the initial modular configuration instead of assuming that every shop operates with the same fixed service set.




Figure 29. Business Owner Setup Wizard



Figure 30. Business Owner Setup Wizard

Figure 31 illustrates the user interface of the Business Owner Master Dashboard. The dashboard serves as the central administrative workspace for managing the printing business. It consolidates access to shop setup, service management, order monitoring, inventory oversight, and sales analytics within a role-restricted interface. Summary information and operational shortcuts enable the owner to review current business activity and move directly to the area requiring attention. The dashboard also supports the owner setup state by directing an incompletely configured shop to the setup workflow before normal operations are displayed. As the primary management screen, it provides a consolidated view of the system's operational modules without exposing staff-only or customer-only controls.




Figure 31. Business Owner Master Dashboard

Figure 32 illustrates the user interface for managing the shop's applications and services. Through the More Services or service-management panel, the business owner can browse the service catalog, install or activate optional applications, and deactivate optional services that are no longer needed. Deactivation removes an optional service from the active workspace and customer-facing service choices without removing its catalog definition. The interface distinguishes these configurable services from core applications that are required by the platform and cannot be removed. After an optional service is activated or deactivated, the launcher refreshes its installed-application list so that the owner's workspace reflects the updated configuration. This interface provides the clearest visual evidence of the platform's modular installation, management, and deactivation capabilities.




Figure 32. Application and Service Management Interface

Figure 33 & 34 shows the user interface of the Dynamic Service Configuration Hub. The hub enables the business owner to define and maintain the services offered by the printing shop without changing the application's source code. Through the configuration interface, the owner can manage service availability, pricing parameters, options, limits, document-printing rules, thesis-binding settings, and bill-of-material relationships where applicable. The hub validates submitted values before saving them and provides feedback when a configuration requires correction. These settings are subsequently used by the ordering wizard to present current service choices and calculate quotations. Consequently, the interface establishes a direct connection between administrative configuration and the customer-facing ordering experience.




Figure 33. Dynamic Service Configuration Hub




Figure 34. Dynamic Service Configuration Hub

Figure 35, 36, 37 illustrates the user interface of the Customer Ordering Wizard and Live Five-Stage Progress Stepper. The ordering wizard guides customers through the preparation and submission of a printing or thesis-binding order. The interface presents service-specific selections such as document specifications, binding options, paper, finishing, copies, uploaded files, and payment information in a structured sequence. As the customer changes applicable options, the system recalculates the quotation and displays validation feedback for incomplete or invalid entries. After submission, the progress stepper communicates the order's production status through the stages of Queue, Printing, Binding or Assembly, Quality Check, and Ready for Pickup. This combination reduces information overload during order entry and gives customers a clear view of progress after the order has entered production.




Figure 35. Customer Ordering Wizard and Live Five-Stage Progress Stepper




Figure 36. Customer Ordering Wizard and Live Five-Stage Progress Stepper




Figure 37 . Customer Ordering Wizard and Live Five-Stage Progress Stepper

Figure 38 shows the user interface of the Staff Production Kanban Console. The console is the operational interface used by production personnel to organize and advance active customer orders. It displays digital job cards according to their current production stage and provides search and filtering controls for locating work by service, rush status, fulfillment method, binding, or other relevant attributes. Staff members can open a job ticket to review order details, record customer-supplied paper intake, assign a machine, add production notes, and update the order stage. The five-stage Kanban arrangement makes workflow status visible at a glance and supports orderly movement from Queue through Printing, Binding or Assembly, Quality Check, and Ready for Pickup. When quality control is unsuccessful, the interface allows

the staff member to record the reason and return the order to an earlier stage for corrective action.




Figure 38. Staff Production Kanban Console

Figure 39 illustrates the user interface of the Report Spoilage function available to production staff. The interface allows staff to immediately record damaged or wasted material while the incident is still known on the production floor. The staff member selects the affected inventory item, enters the quantity wasted, and provides a reason or note before confirming the deduction. After submission, the system reduces the item's stock quantity, creates a spoilage or waste movement containing the previous and resulting stock values, and records the reporting user. The spoilage record remains available in the Inventory Hub and contributes to the spoilage-loss information used by the

Analytics Hub. This separate interface supports timely and traceable inventory reporting without interrupting the order's Kanban stage progression.




Figure 39. Report Spoilage Interface

Figure 40 illustrates the user interface of the Inventory Hub with Automated Restock Alerts. The hub provides the business owner with a consolidated view of materials, quantities on hand, reorder levels, stock movements, and restocking priorities. Inventory quantities may be adjusted through authorized management actions, while production-related consumption is recorded through the system's BOM-based deduction process when applicable. The interface evaluates current stock against the configured reorder level and marks materials requiring attention with a low-stock or restock alert. It also presents movement information to support traceability of additions,

deductions, and adjustments. The restock alert is therefore an operational decision-support feature: it identifies supplies that require review and replenishment planning based on recorded inventory conditions, while the actual purchase or supplier transaction remains a business-owner action.




Figure 40. Inventory Hub with Automated Restock Alerts

Figure 41 shows the user interface of the Sales and Financial Analytics Hub. The hub transforms recorded order, payment, inventory, and production information into an organized management report. The business owner can select a reporting period and apply available service or fulfillment filters before reviewing key performance indicators, order summaries, sales trends, product mix, costs, profit, margins, rush revenue, and payment status information. The interface also supports payment verification for displayed orders and provides a CSV export for transaction-level reporting. By combining operational and

financial measures in one screen, the hub helps the owner evaluate service performance, monitor revenue and cost behavior, and support procurement or pricing decisions using recorded business data rather than informal estimates.




Figure 41. Sales and Financial Analytics Hub

LITERATURE CITED

Albayrak Ünal, Ö., Erkayman, B., & Usanmaz, B. (2023). Applications of Artificial Intelligence in Inventory Management: A Systematic Review of the Literature. Archives of Computational Methods in Engineering.

Apriadi, D., & Dewi, A. R. (2026). Design and Implementation of a Web-Based Printing Service System Using UML and Waterfall: A Case Study of Business Process Optimization. *Journal of Information Technology and Systems Engineering*, *1*(1), 1–7.

Asim, I., & ARBAIY, N. . (2026). Business Inventory Management System for Alfudullallah Co. *Applied Information Technology And Computer Science*, *7*(1), 1324-1338.

Bhaktha, Ankith & Raj, Akshay & N, Devika & Paul, Gripsy. (2023). Online Order Management System. International Journal for Research in Applied Science and Engineering Technology. 11. 1-10. 10.22214/ijraset.2023.54265.

Destouet, C., Tlahig, H., Bettayeb, B., & Mazari, B. (2023). Flexible job shop scheduling problem under Industry 5.0: A survey on human reintegration, environmental consideration and resilience improvement. Journal of Manufacturing Systems, 67, 155–173.

Dhiman, K., & Phansikar, M. (2021). Online food ordering management system. *International Journal for Research in Applied Science and Engineering Technology*, *9*(7), 2096-2107.

Jebbor, S., Chiheb, R., El Afia, A., & Gallab, M. (2023). Designing a fully automated and integrated inventory and replenishment system for hospitals. International Journal of Systems Science: Operations & Logistics, 10(1), 1962429.

Jiang, Z., Yuan, S., Ma, J., & Wang, Q. (2022). The evolution of production scheduling from Industry 3.0 through Industry 4.0. International Journal of Production Research, 60(11), 3534–3554.

Joshi, S., Ekhande, R., Kazi, I., Naik, T., & Chintawar, S. (2026). Zaprint – A Remote Printing Management System. *International Journal For Multidisciplinary Research*.

Kurniawan, I., Saraswati, T., & Ongkopratama, P. D. P. (2025). Enhancing production planning and inventory control with a web-based system: A case study in an Indonesian packaging manufacturer company. *Jurnal Teknik Industri*, *26*(1), 105-126.

Munyaka, J. B., & Yadavalli, V. S. S. (2022). Inventory management concepts and implementations: A systematic review. South African Journal of Industrial Engineering, 33(2), 15–36.

Oktavian, E. H., Sumarno, S., Jamaaluddin, J., & Sumartik, S. (2024). Enhancing design and print services: A web-based ordering system for InDesign digital printing store. *AIP Conference Proceedings, 3167*(1), 040025.

Rolf, B., Jackson, I., Müller, M., Lang, S., Reggelin, T., & Ivanov, D. (2023). A review on reinforcement learning algorithms and applications in supply chain management. *International Journal of Production Research*, *61*(20), 7151–7179.

Saragih, R., Cynthia, E. P., & Cynthia, M. M. (2026). Improving Operational Efficiency in Digital Printing Services Through a Web-Based Information System: An Empirical Case Study. *Journal of Information Technology and Systems Engineering*, *1*(1), 8–14.

Smagowicz, J., Szwed, C., & Berlec, T. (2024). An Assortment–Quantity Optimization Problem in Printing Industry Using Simulation Modelling. *Sustainability*, *16*(4), 1693.

Susila, M. N., Haryanto, H., Fridayanthie, E. W., & Budiyono, P. (2025). Development of a Web-Based Printing Service Application Using

the Waterfall Model. *Jurnal Multidisiplin Sahombu*, *5*(08), 2832–2839. Retrieved from

Tanaman, M.T., Lloyd, J., Baylosis, A., Abiles, B.J., Lester, M., Catungal, P., & Encarnacion, D.P. (2023). Web-based Inventory Management System. *International Journal of Science and Applied Information Technology*.

Ugbebor, F. ., Adeteye, M., & Ugbebor, J. (2024). Automated Inventory Management Systems with IoT Integration to Optimize Stock Levels and Reduce Carrying Costs for SMEs: A Comprehensive Review. *Journal of Artificial Intelligence General Science (JAIGS) ISSN:3006-4023*, *6*(1), 306–340.

Zonta, T., Da Costa, C. A., Zeiser, F. A., Ramos, G. de O., Kunst, R., & Righi, R. da R. (2022). A predictive maintenance model for optimizing production schedule using deep neural networks. Journal of Manufacturing Systems, 62, 450–462.

Zwaida, T.A.; Pham, C.; Beauregard, Y. Optimization of Inventory Management to Prevent Drug Shortages in the Hospital Supply Chain. Appl. Sci. 2021, 11, 2726.

APPENDICES

Appendix A. Application for Research Adviser

UNIVERSITY OF SOUTHERN MINDANAO
Kabacan, Cotabato
Philippines

APPLICATION FOR RESEARCH ADVISER

February 06,2026

DANILYN A. FLORES
Department of Computing and Library Information Science
College of Engineering and Information Technology
USM, Kabacan, Cotabato

Madam:

We would like to request that you will be our Research adviser effective 2nd semester, SY 2025-2026. I intend to work on **"PRINTIFY: INTEGRATED DYNAMIC ORDER, JOB SCHEDULING, AND INVENTORY MANAGEMENT SYSTEM FOR PRINTING SERVICES WITH AUTOMATED REPLENISHMENT"**

We are hoping for your most favorable approval on this request. Thank you very much.

Very truly yours,

CHRISTIAN JAMES J. PEREZ
Printed Name and Signature of Student

APPROVED

DANILYN A. FLORES
Adviser

_____
Date

Appendix B. Application for Research Title

UNIVERSITY OF SOUTHERN MINDANAO
Kabacan, Cotabato
Philippines

APPLICATION FOR RESEARCH TITLE

March 18, 2026

JANICE T. PALMAERA
Chairperson, Department of Computing and Library Information Science

MADAM:

We would like to request your office to allow us to research on the study entitled **"PRINTIFY: INTEGRATED DYNAMIC ORDER, JOB SCHEDULING, AND INVENTORY MANAGEMENT SYSTEM FOR PRINTING SERVICES WITH AUTOMATED REPLENISHMENT"**

The study has the following objectives:

1. create a dynamic order management module that enables administrators to configure, add, or modify printing services, pricing variables, and material requirements without altering the source code, and allows customers to configure print specifications, receive real-time quotations, and submit print orders online;
2. develop a job scheduling module that digitizes the production queue, visually tracks order progress, and systematically allocates labor and machinery to ensure timely fulfillment;
3. implement an automated inventory replenishment module that calculates the real-time burn rate of materials based on active sales volume, records material spoilage, and triggers alerts at critical reorder points, and generates sales and material consumption summary reports;
4. integrate the dynamic ordering, job scheduling, and inventory replenishment modules into a single, cohesive web-based platform secured by role-based access control for the business owner, production staff, and customers; and
5. conduct comprehensive functional testing and system verification of the developed platform using a structured Test Plan and discrete Test Cases to validate that all 19 functional requirements satisfy their specified operational parameters, boundary conditions, and database transactions on a pass-or-fail basis and execute operational user acceptance walkthroughs with printing shop stakeholders.

Very truly yours,

CHRISTIAN JAMES J. PEREZ
Printed Name and Signature of Student

NOTED	
DANILYN A. FLORES Adviser	_____ Date
CATHERINE C. DAFFON Department Research Coordinator	_____ Date
ANITA C. SORNITO College Research Coordinator	_____ Date
APPROVED	
JANICE T. PALMAERA Department Chairperson	_____ Date

Appendix C. Estimated Budget of the Research

UNIVERSITY OF SOUTHERN MINDANAO
Kabacan, Cotabatoz
Philippines

ESTIMATED BUDGET OF THE RESEARCH

Title of Study
PRINTIFY: INTEGRATED DYNAMIC ORDER, JOB SCHEDULING, AND INVENTORY MANAGEMENT SYSTEM FOR PRINTING SERVICES WITH AUTOMATED REPLENISHMENT

ITEMS/DESCRIPTION	ESTIMATED COST
Transportation	600.00
Bond Papers (3 Reams)	570.00
Ink	1,200.00
Clips(6 pcs)	50.00
Wifi	1,499.00
Miscellaneous F	1,650.00
Grand Total	5,569.00

Prepared and submitted by:

CHRISTIAN JAMES J. PEREZ

~~KAYE P. COMISSION~~

Printed Name and Signature of Student

NOTED	
DANILYN A. FLORES Adviser	_____ Date
CATHERINE C. DAFFON Department Research Coordinator	_____ Date
RYAN Z. GONZAGA Department Chairperson	_____ Date

Appendix D. Application for Thesis Outline Defense

UNIVERSITY OF SOUTHERN MINDANAO
Kabacan, Cotabato
Philippines

APPLICATION FOR THESIS OUTLINE DEFENSE

Name	**CHRISTIAN JAMES J. PEREZ, KAYE P. COMISSION**
Degree/Major	**BACHELOR OF SCIENCE IN INFORMATION SYSTEMS**
Thesis Title	**INTEGRATED DYNAMIC ORDER, JOB SCHEDULING, AND INVENTORY MANAGEMENT SYSTEM FOR PRINTING SERVICES WITH AUTOMATED REPL ENISHMENT**
Date of Examination	
Time	
Place	

MEMBERS OF THE EXAMINING COMMITTEE

Name	Signature	Date
ELIZABETH R. GENOTIVA		
RYAN Z. GONZAGA		
NELSON G. BALNEG JR.		

RECOMMENDING APPROVAL:

DANILYN A. FLORES
Adviser

Co-Adviser (Optional)

APPROVED:

College Statistician
(Optional)

RYAN Z. GONZAGA
Department Chairperson

CATHERINE C. DAFFON
Department Research Coordinator

REPORT ON THE RESULT OF EXAMINATION

Name	Signature	Remarks
ELIZABETH R. GENOTIVA		
RYAN Z. GONZAGA		
NELSON G. BALNEG JR.		

APPROVED:

CATHERINE C. DAFFON
Department Research Coordinator

Date

USM-EDR-F07-Rev.3.2020.02.24

Appendix E. Application for Group Research

UNIVERSITY OF SOUTHERN MINDANAO
Kabacan, Cotabato
Philippines

APPLICATION FOR GROUP RESEARCH

October 19, 2026

DANILYN FLORES
Department of Computing and Library Information Science
College of Engineering and Information Technology
USM, Kabacan, Cotabato

Madam:

We would like to request that you allow us to work on our research by group. It is within our understanding that working as a group is of our own choice and each bears equal responsibility in completing the output, as indicated in the task allocation matrix.

We, the undersigned, do hereby certify and declare that **Christian James J. Perez and Kaye P. Comission** is duly authorized to process, on behalf of the group, all outline- and manuscript-related forms, including but not limited to the **Application for Research Adviser**, **Application for Research Title**, **Acceptance of Thesis**, and **Budgetary Requirements (Estimated Budget and Actual Budget)**. The aforementioned member's name and signature shall serve as the official representation of the group for such purposes.

Should some group member/s decide not to continue with the thesis due to unforeseeable circumstances, e.g. transfer to another university, file a leave of absence, and etc., the remaining members shall proceed with the study without the inclusion of additional members.

We are hoping for your most favorable approval on this request. Thank you very much.

Very truly yours,

CHRISTIAN JAMES J. PEREZ

KAYE P. COMISSION
Printed Name and Signature of Student

APPROVED
DANILYN A. FLORES Adviser _____ Date

USM-EDR-F19-Rev.0.2025.09.08

Appendix F. Master Functional Test Cases

MASTER FUNCTIONAL TEST CASES

Below is the complete, expanded set of 26 discrete Test Cases covering both positive scenarios (happy path) and negative/boundary scenarios (validation, constraints, and error handling) across all 5 Core Modules.

Master Test Case Traceability Table

Test Case ID	Module	Linked Requirement	Test Case Title / Scenario	Test Type	Test Case ID
TC-MOD1-01	Module 1: User Account & Access Management	**FR-01:** User Account Registration	Customer Registration with Valid Inputs	Positive	**TC-MOD1-01**
TC-MOD1-02	Module 1: User Account & Access Management	**FR-01:** User Account Registration	Customer Registration with Duplicate Email	Negative	**TC-MOD1-02**
TC-MOD1-03	Module 1: User Account & Access Management	**FR-02:** User Authentication (Login)	Multi-Role Login & RBAC Route Guard	Positive / Security	**TC-MOD1-03**
TC-MOD1-04	Module 1: User Account & Access Management	**FR-02:** User Authentication (Login)	Login with Invalid Credentials & Rate Limiting	Negative / Security	**TC-MOD1-04**
TC-MOD1-05	Module 1: User Account & Access Management	**FR-04:** Session Termination and Logout	User Logout & Session Invalidation	Positive / Security	**TC-MOD1-05**
TC-MOD1-06	Module 1: User Account & Access Management	**FR-03:** User Profile Management	Customer Profile Information & Password Update	Positive	**TC-MOD1-06**
TC-MOD2-01	Module 2: Service Catalog & Dynamic Pricing Engine	**FR-05:** Service Catalog Browsing and Quotation Calculation	Interactive Price Quotation Calculation	Positive	**TC-MOD2-01**

Test Case ID	Module	Linked Requirement	Test Case Title / Scenario	Test Type	Test Case ID
TC-MOD2-02	Module 2: Service Catalog & Dynamic Pricing Engine	**FR-16:** Dynamic Service and Rate Configuration	Admin Creation of New Print Service & Pricing Matrix	Positive	**TC-MOD2-02**
TC-MOD2-03	Module 2: Service Catalog & Dynamic Pricing Engine	**FR-17:** Bill of Materials (BOM) Recipe Definition	Admin Mapping of BOM Raw Material Deduction Ratios	Positive	**TC-MOD2-03**
TC-MOD2-04	Module 2: Service Catalog & Dynamic Pricing Engine	**FR-07:** Print Attribute Finishing Specification	Dynamic Filtering of Incompatible Material/Size Attributes	Negative / Validation	**TC-MOD2-04**
TC-MOD3-01	Module 3: Online Order & Job Specification Management	**FR-06:** Print Order Placement and Document Upload	Valid Artwork File Upload (PDF/PNG/JPG/TIFF)	Positive	**TC-MOD3-01**
TC-MOD3-02	Module 3: Online Order & Job Specification Management	**FR-06:** Print Order Placement and Document Upload	Artwork Upload with Invalid Format (.exe/.docx) or > 50 MB	Negative / Security	**TC-MOD3-02**
TC-MOD3-03	Module 3: Online Order & Job Specification Management	**FR-07:** Print Attribute Finishing Specification	Complete Job Order Placement with Custom Specifications	Positive	**TC-MOD3-03**
TC-MOD3-04	Module 3: Online Order & Job Specification Management	**FR-08:** Customer-Supplied Substrate Declaration	Order Placement with Customer-Supplied Substrate Toggle	Positive	**TC-MOD3-04**
TC-MOD3-05	Module 3: Online Order & Job Specification Management	**FR-09:** Proof of Payment Submission	Digital Payment Receipt Upload & Reference Number Logging	Positive	**TC-MOD3-05**

Test Case ID	Module	Linked Requirement	Test Case Title / Scenario	Test Type	Test Case ID
TC-MOD3-06	Module 3: Online Order & Job Specification Management	**FR-10:** Live Order Progress and Status Tracking	Real-Time Customer Order Status Tracker Updates	Positive	**TC-MOD3-06**
TC-MOD4-01	Module 4: Production Workflow & Counter Operations	**FR-11:** Payment Transaction Auditing and Verification	Staff Approval of Valid Proof of Payment	Positive	**TC-MOD4-01**
TC-MOD4-02	Module 4: Production Workflow & Counter Operations	**FR-11:** Payment Auditing and Verification	Staff Rejection of Fraudulent/Blurry Payment Receipt	Negative	**TC-MOD4-02**
TC-MOD4-03	Module 4: Production Workflow & Counter Operations	**FR-12:** Production Floor 5-Stage Kanban Queue Management	Sequential Kanban Stage Progression (*Pending* to *Completed*)	Positive	**TC-MOD4-03**
TC-MOD4-04	Module 4: Production Workflow & Counter Operations	**FR-12:** Production Floor 5-Stage Kanban Queue Management	Restricted Transition to *In Production* Without Verified Payment	Negative / Business Rule	**TC-MOD4-04**
TC-MOD4-05	Module 4: Production Workflow & Counter Operations	**FR-14:** Customer-Supplied Substrate Intake and Counter Inspection	Staff Acceptance & Rejection of Customer-Supplied Media	Positive / Negative	**TC-MOD4-05**
TC-MOD5-01	Module 5: BOM Inventory & Analytics Management	**FR-13:** Automated Bill of Materials (BOM) Inventory Deduction	Automatic Raw Material Deduction Upon *In Production* Trigger	Positive	**TC-MOD5-01**
TC-MOD5-02	Module 5: BOM Inventory & Analytics Management	**FR-13:** Automated Bill of Materials (BOM) Inventory Deduction	Zero Base-Substrate Deduction for Customer-Supplied Orders	Positive / Business Rule	**TC-MOD5-02**

Test Case ID	Module	Linked Requirement	Test Case Title / Scenario	Test Type	Test Case ID
TC-MOD5-03	Module 5: BOM Inventory & Analytics Management	**FR-15:** Material Spoilage Logging and Stock Adjustments	Staff Logging of Damaged Materials & Reason Code Deduction	Positive	**TC-MOD5-03**
TC-MOD5-04	Module 5: BOM Inventory & Analytics Management	**FR-18:** Inventory Oversight and Dynamic Rate Configuration Workflow	Low-Stock Threshold Triggering Automated ROP Warning Alert	Positive	**TC-MOD5-04**

Appendix G. Test Case Specification

DETAILED TEST CASE SPECIFICATION

Module 1: User Onboarding, Authentication & Role-based Access Control (RBAC)

Test Case ID: TC-MOD1-01

Requirement Reference: FR-01: User Account Registration

Test Description: Verify self-service customer registration with valid credentials and database persistence.

Preconditions: Public registration portal accessible; database connection online.

Test Input Data: Full Name: "Juan Dela Cruz", Email: "juandelacruz@example.com", Mobile: "09123456789", Password: "Password123!"

Execution Steps:

- Access the /register route.
- Input valid registration details into corresponding form fields.
- Submit the registration request.

Expected Output: User record inserted into users table with password hashed via bcrypt; default role set to customer; system redirects to login interface with account creation confirmation.

Actual Result: Account created successfully with hashed credentials; user redirected to login page.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD1-02

Requirement Reference: FR-01: User Account Registration

Test Description: Validate duplicate email constraint handling and form validation error rendering.

Preconditions: User account with email juandelacruz@example.com already exists in the database.

Test Input Data: Full Name: "Juan Duplicate", Email: "juandelacruz@example.com", Mobile: "09998887777", Password: "Password123!"

Execution Steps:

- Access the /register route.
- Enter the duplicate email address and valid supplemental fields.
- Submit the registration form.

Expected Output: Submission intercepted by validation layer; database write prevented; inline error message rendered: "The email has already been taken."

Actual Result: Duplicate entry blocked; error message displayed without database mutation.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD1-03

Requirement Reference: FR-02: User Authentication

Test Description: Verify credential verification and role-based access control (RBAC) portal routing.

Preconditions: Three active accounts configured with distinct roles: Business Owner, Production Staff, and Customer.

Test Input Data:

Case A: owner@printify.com / OwnerSecret123!

Case B: staff@printify.com / StaffSecret123!

Case C: customer@printify.com / CustomerSecret123!

Execution Steps:

- Navigate to /login.
- Authenticate sequentially using Case A, Case B, and Case C credentials.

Expected Output:

Case A routes strictly to /owner/dashboard.

Case B routes strictly to /staff/dashboard.

Case C routes strictly to /customer/dashboard.

Actual Result: Authenticated sessions isolated; role middleware redirected each user to their designated portal.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD1-04

Requirement Reference: FR-02: User Authentication (Login)

Test Description: Validate rejection of invalid credentials and unauthorized protected route access.

Preconditions: Unauthenticated browser session.

Test Input Data: Email: owner@printify.com, Password: WrongPassword999!

Execution Steps:

- Attempt authentication with incorrect password.
- Attempt direct HTTP URL access to protected route /owner/inventory.

Expected Output: Authentication fails with message "These credentials do not match our records"; unauthenticated URL request redirected to /login with HTTP 302.

Actual Result: Login rejected; direct access to protected administrative route successfully intercepted.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD1-05

Requirement Reference: FR-04: Session Termination and Logout

Test Description: Verify server-side session invalidation, CSRF token regeneration, and browser cookie eviction.

Preconditions: Active authenticated session on Customer Dashboard.

Test Input Data: User triggers "Log Out" action in navigation profile menu.

Execution Steps:

- Click "Log Out".
- Attempt to return to dashboard using browser "Back" navigation.
- Attempt direct HTTP request to /customer/dashboard.

Expected Output: Session flushed from memory; session cookie destroyed; CSRF token regenerated; subsequent requests redirected to public landing page.

Actual Result: Session destroyed; browser back navigation redirected to login.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD1-06

Requirement Reference: FR-03: User Profile Management

Test Description: Verify user profile attribute modification, mobile number uniqueness enforcement, and current password verification during password update.

Preconditions: Authenticated user session active (Customer, Staff, or Owner).

Test Input Data:

- Updated Name = "Christian J. Perez (Updated)"
- Updated Mobile = "09123456789"
- Current Password = "CorrectOldPassword123"
- New Password = "NewSecurePassword456"
- New Password Confirmation = "NewSecurePassword456"

Execution Steps:

- Access user settings interface via /user/profile.
- Modify full name and contact number fields.
- Enter current password and matching new password in credential update section.
- Submit profile update form.

Expected Output: Form passes validation; database entity updated in 'users' table with re-hashed bcrypt password; session state refreshed; visual success notification "Profile Updated Successfully" rendered.

Actual Result: User record mutated cleanly; password re-hashed via bcrypt; success toast displayed.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Module 2: Dynamic Service Configuration & Catalog Pricing Engine

Test Case ID: TC-MOD2-01

Requirement Reference: FR-05: Service Catalog Browsing and Quotation Calculation

Test Description: Validate reactive Livewire quotation computation without full browser reloads.

Preconditions: Document Printing service configured with Base Fee = ₱10.00, Color Rate = ₱3.50/page, Comb Binding = ₱25.00.

Test Input Data: Page Count = 40, Copies = 2, Color Profile = Full Color, Binding = Spiral Comb.

Execution Steps:

- Navigate to customer ordering wizard.
- Input 40 pages, 2 copies, Full Color, and Comb Binding.
- Observe computed subtotal display.

Expected Output: Dynamic formula evaluates: $\big((\text{Pages} \times \text{Rate}) + \text{BaseFee} + \text{Finishing}\big) \times \text{Copies} = \big((40 \times 3.50) + 10.00 + 25.00\big) \times 2 = ₱350.00$ rendered instantaneously.

Actual Result: Livewire component updated quotation subtotal to ₱350.00 without page refresh.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD2-02

Requirement Reference: FR-16: Dynamic Service and Rate Configuration

Test Description: Verify administrative dynamic rate updates without source code modification.

Preconditions: Business owner authenticated session.

Test Input Data: Modify Booklet Printing base preparation fee from ₱20.00 to ₱35.00 and color per-page rate from ₱4.00 to ₱5.00.

Execution Steps:

- Access administrative Service Hub at /owner/services.
- Update rate input fields and save changes.
- Open customer storefront ordering wizard in separate private window.

Expected Output: Updated rates persisted in shop_services table; customer storefront immediately recalculates quotations using updated ₱35.00 base fee and ₱5.00 page rate.

Actual Result: Database updated; customer quotation engine ingested new rates instantly.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD2-03

Requirement Reference: FR-17: Bill of Materials (BOM) Recipe Definition

Test Description: Validate relational mapping between dynamic service offerings and raw inventory consumables.

Preconditions: Active service "Hardbound Thesis" and inventory items: Chipboard, Book Cloth, Foil Ribbon.

Test Input Data: Link Chipboard (2 sheets/unit), Book Cloth (1 sheet/unit), Foil Ribbon (1 meter/unit).

Execution Steps:

- Open BOM Recipe Manager.
- Select Hardbound Thesis service.
- Map consumable items and assign consumption coefficients.
- Submit recipe mapping.

Expected Output: Foreign key relationships validated; recipe entries written to service_boms configuration table; floor deduction routines bound to recipe.

Actual Result: Relational recipe mappings saved; automated deduction bindings verified.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD2-04

Requirement Reference: FR-07: Print Attribute and Finishing Specification

Test Description: Validate structural constraints preventing incompatible binding styles for excessive page counts.

Preconditions: Sliding Folder binding configured with physical threshold of maximum 50 sheets.

Test Input Data: Page Count = 120 pages, Orientation = Simplex (single-sided, requiring 120 sheets), Finishing = Sliding Folder.

Execution Steps:

- Configure 120 single-sided pages.
- Select Sliding Folder binding finish.

Expected Output: System displays validation warning: "Sliding folder binding capacity exceeded (maximum 50 sheets). Please select Spiral Coil or Softbound." Checkout disabled.

Actual Result: Incompatible binding option blocked; user prompted to choose viable finishing method.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Module 3: Customer Self-Service Ordering & Prepress Intake

Test Case ID: TC-MOD3-01

Requirement Reference: FR-06: Print Order Placement and Document Upload

Test Description: Verify secure PDF manuscript upload, disk tokenization, and order instantiation.

Preconditions: Authenticated customer session; valid order attributes configured.

Test Input Data: Upload File: manuscript_final.pdf (6.2 MB).

Execution Steps:

- Upload PDF file through ordering wizard.
- Finalize checkout and click "Submit Order".

Expected Output: File stored on private disk with tokenized hash filename; parent order inserted into orders table with unique code (ORD-2026-XXXX); order status initialized to awaiting payment.

Actual Result: PDF stored securely; unique tracking code generated; order persisted in database.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD3-02

Requirement Reference: FR-06: Print Order Placement and Document Upload

Test Description: Validate rejection of disallowed executable extensions and oversized file payloads.

Preconditions: Customer ordering wizard file upload step.

Test Input Data: File A: malicious_script.exe (1.5 MB); File B: oversized_document.pdf (65 MB, exceeding 50 MB threshold).

Execution Steps:

- Attempt upload of malicious_script.exe.
- Attempt upload of oversized_document.pdf.

Expected Output: File A rejected: "The file must be a file of type: pdf, docx, png, jpg"; File B rejected: "The file size may not exceed 50 megabytes."

Actual Result: Both unauthorized files intercepted and rejected by server validation.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD3-03

Requirement Reference: FR-07: Print Attribute and Finishing Specification

Test Description: Validate duplex physical sheet requirements calculation and JSON specification storage.

Preconditions: Customer order with duplex printing enabled.

Test Input Data: Pages = 55, Copies = 2, Orientation = Duplex (two-sided).

Execution Steps:

- Select 55 pages and enable duplex printing for 2 copies.
- Submit order item.
- Inspect database order_items record.

Expected Output: System computes physical sheets: $[55/2] \times 2 = 28 \times 2 = 56$ sheets; saves structured JSON: {"duplex": true, "paper_size": "A4", "gsm": 80, "sheets_required": 56}.

Actual Result: Mathematical calculation verified; JSON parameters persisted accurately.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD3-04

Requirement Reference: FR-08: Customer-Supplied Substrate Declaration ("Dala ang Papel")

Test Description: Verify price deduction and intake alert attachment for customer-supplied paper orders.

Preconditions: Standard in-house paper charge = ₱1.00/sheet.

Test Input Data: Enable "Dala ang Papel" toggle; declare paper brand = "PaperOne A4 80gsm", count = 100 sheets.

Execution Steps:

- Toggle customer-supplied paper switch on.
- Enter paper brand and declared count.
- Submit order.

Expected Output: Raw paper material cost zeroed out from transaction subtotal; job ticket tagged with awaiting_paper_delivery alert; counter delivery instructions displayed to client.

Actual Result: Paper fees subtracted; job ticket flagged for physical counter intake.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD3-05

Requirement Reference: FR-09: Proof of Payment Submission

Test Description: Verify digital payment receipt upload and order payment status transition.

Preconditions: Placed order with payment status awaiting_payment.

Test Input Data: Payment Channel = GCash, Reference = "GCASH-987654321", Receipt = gcash_screenshot.jpg.

Execution Steps:

- Access payment submission screen.
- Enter transaction reference number and upload receipt screenshot.
- Click "Submit Payment Proof".

Expected Output: Receipt image saved to private disk; order payment status transitioned to pending_verification; billing audit task generated for production staff.

Actual Result: Image stored; payment status updated to pending_verification.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD3-06

Requirement Reference: FR-010: Live Order Progress and Status Tracking

Test Description: Verify real-time 5-stage progress stepper synchronization on client interface.

Preconditions: Active order ORD-2026-0042 advancing through workshop queues.

Test Input Data: Staff advances order status: in_queue → printing → finishing.

Execution Steps:

- Open client tracking interface /track/ORD-2026-0042.
- Advance order stage from staff console.
- Observe client tracking interface.

Expected Output: Five-stage stepper dynamically reflects milestones: completed stages show checkmarks and timestamps; current stage displays illuminated active indicator.

Actual Result: Stepper displayed real-time milestone transitions and timestamps.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Module 4: Production Floor 5-Stage Kanban Scheduling & Counter Intake

Test Case ID: TC-MOD4-01

Requirement Reference: FR-11: Payment Transaction Auditing and Verification

Test Description: Verify staff auditing, approval, and order release into active production queue.

Preconditions: Order with pending_verification payment status.

Test Input Data: Staff auditor matches GCash reference number against merchant ledger and clicks "Approve".

Execution Steps:

- Open Staff Billing Audit modal.
- Verify reference number and click "Approve Payment".

Expected Output: Order payment status updated to paid; verifying staff user ID and timestamp logged; job ticket released to active Kanban "In Queue" column.

Actual Result: Payment verified; order successfully released into production queue.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD4-02

Requirement Reference: FR-11: Payment Transaction Auditing and Verification

Test Description: Verify staff payment rejection handling and customer notification generation.

Preconditions: Order with illegitimate payment reference.

Test Input Data: Staff auditor clicks "Reject" with remark: "Reference number not found in merchant ledger."

Execution Steps:

- Open Staff Billing Audit modal.
- Enter rejection remark and click "Reject Payment".

Expected Output: Payment status updated to rejected; rejection reason recorded; alert rendered on customer dashboard prompting payment resubmission.

Actual Result: Rejection logged; customer alerted with resubmission form.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD4-03

Requirement Reference: FR-12: Production Floor 5-Stage Kanban Queue Management

Test Description: Verify job ticket progression across the five active Kanban columns.

Preconditions: Order ticket in "In Queue" stage.

Test Input Data: Operator claims ticket, assigns Printer #2, and transitions ticket across stages.

Execution Steps:

- Move ticket: In Queue → Printing Pages.
- Move ticket: Printing Pages → Finishing & Assembly.
- Move ticket: Finishing & Assembly → Quality Inspection.
- Move ticket: Quality Inspection → Ready for Pickup.

Expected Output: Ticket transitions sequentially across columns; machine and operator assignments logged; customer tracking stepper updates in lockstep.

Actual Result: 5-stage progression executed reliably with full audit trails.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD4-04

Requirement Reference: FR-12: Production Floor 5-Stage Kanban Queue Management

Test Description: Verify Quality Inspection defect flagging and step-back rework loop.

Preconditions: Order ticket in "Quality Inspection" column.

Test Input Data: QC inspector detects misaligned binding; triggers "Flag Rework" with note: "Re-bind front cover".

Execution Steps:

- Open QC inspection modal on Kanban board.
- Input rework note and click "Send Back for Rework".

Expected Output: Ticket automatically steps back to "Finishing & Assembly" column; defect note attached to ticket header; "Ready for Pickup" status prevented.

Actual Result: Ticket returned to previous production column with defect notice logged.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD4-05

Requirement Reference: FR-14: Customer-Supplied Substrate Counter Inspection

Test Description: Validate staff counter paper inspection and release from intake hold.

Preconditions: Job ticket on intake hold with status awaiting_paper_delivery.

Test Input Data: Customer presents 100 sheets of A4 paper at shop counter; staff verifies count and paper condition.

Execution Steps:

- Staff locates ticket in Counter Intake console.
- Enters verified sheet count (100) and clicks "Confirm Paper Received".

Expected Output: Ticket status updated to paper_received; intake hold unlocked; ticket automatically routed into active Kanban "In Queue" column.

Actual Result: Intake hold released; order advanced to active workshop queue.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Module 5: Automated Inventory Replenishment, Spoilage & Financial Sales Reporting

Test Case ID: TC-MOD5-01

Requirement Reference: FR-13: Automated Bill of Materials (BOM) Inventory Deduction

Test Description: Validate automated inventory decrement upon advancing a standard print job to production.

Preconditions: Standard Order: 50 pages duplex, 2 copies (requires 50 A4 sheets, 1 coil). Initial Stock: A4 Paper = 500 sheets, Coils = 50 units.

Test Input Data: Operator advances order ticket to "Printing Pages".

Execution Steps:

- Advance order status to active production.
- Inspect database inventory_items and stock_movements tables.

Expected Output: A4 Paper decremented by 50 (New Balance: 450); Coils decremented by 1 (New Balance: 49); immutable stock_movements record created for each deduction.

Actual Result: Inventory balances decremented accurately; stock movement ledger logged.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD5-02

Requirement Reference: FR-13: Automated Bill of Materials (BOM) Inventory Deduction

Test Description: Validate automated raw paper deduction bypass rule for customer-supplied paper orders.

Preconditions: Order flagged as customer_supplied_substrate = true.

Consumables: 50 pages duplex, 2 copies, 1 coil. Initial Stock: A4 Paper = 450 sheets, Coils = 49 units.

Test Input Data: Operator advances customer-supplied order to "Printing Pages".

Execution Steps:

- Advance order to production stage.
- Inspect inventory stock balances.

Expected Output: Raw paper deduction completely bypassed (A4 Paper remains 450); non-paper finishing items deducted (Coils decremented to 48).

Actual Result: Paper bypass rule executed successfully; raw paper stock preserved.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD5-03

Requirement Reference: FR-15: Material Spoilage Logging and Stock Adjustments

Test Description: Verify damaged material recording, stock deduction, and audit log generation.

Preconditions: Inventory item: Long 80gsm Paper with balance = 300 sheets.

Test Input Data: Spoilage Quantity = 15 sheets, Failure Reason = "Printer head jam during full-color pass".

Execution Steps:

- Staff accesses Spoilage Report interface.
- Selects item, inputs quantity (15), and provides failure explanation.
- Submits spoilage report.

Expected Output: On-hand balance updated to 285 sheets; stock_movements records audit entry tagged as spoilage with user ID, timestamp, and incident reason.

Actual Result: Inventory balance updated to 285; immutable waste record created.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD5-04

Requirement Reference: FR-18: Inventory Oversight and Dynamic Reorder Point (ROP) Alerting

Test Description: Validate rolling daily burn rate calculation and automated low-stock banner trigger.

Preconditions: Short 70gsm Paper; Total consumption over 30 days = 900 sheets (Burn Rate = 30 sheets/day); Lead Time = 3 days; Safety Stock = 50 sheets.

Test Input Data:

Dynamic ROP Threshold: ROP $=$ (Daily Burn Rate $\times$ Lead Time) $+$ Safety Stock $= (30 \times 3) + 50 = 140$ sheets.

Stock decremented to 130 sheets (below ROP).

Execution Steps:

- Record consumption reducing stock to 130 sheets.
- Access Owner Master Dashboard.

Expected Output: System derives dynamic ROP = 140; evaluates $130 \leq 140$; item flagged with visual "Low Stock" badge; automated replenishment recommendation banner rendered on Owner Dashboard.

Actual Result: Dynamic ROP evaluated accurately; restock alert banner rendered on dashboard.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Test Case ID: TC-MOD5-05

Requirement Reference: FR-19 : Sales, Cashflow, and Operational Analytics Generation

Test Description: Validate multi-factor financial aggregation, profit calculations, and CSV ledger export.

Preconditions: Completed and paid orders recorded across date range.

Test Input Data: Filter period: "Current Month", Export Format = CSV.

Execution Steps:

- Access /owner/analytics hub.
- Apply date range filter.
- Inspect calculated Gross Revenue, Material COGS, Spoilage Loss, and Net Margin.
- Click "Export CSV Ledger".

Expected Output: Summary cards display aggregate financial metrics; browser downloads formatted CSV ledger detailing all transactions.

Actual Result: Financial metrics computed accurately; CSV exported cleanly.

Status: [ ] PASS [ ] FAIL

Tester / Date: _____

Appendix H. Task Allocation Matrix (TAM)

UNIVERSITY OF SOUTHERN MINDANAO
Kabacan, Cotabato
Philippines

Task Allocation Matrix (TAM)

Thesis Title	Printify: Integrated Dynamic Order, Job Scheduling, and Inventory Management System for Printing Services with Automated Replenishment	
Adviser	DANILYN A. FLORES	**Date Submitted:**
Group Members	CHRISTIAN JAMES J. PEREZ, KAYE P. COMISSION	

Thesis components ***(these can be revised, as appropriate)***	**Member/s Assigned** **(For shared tasks, indicate % contribution)**	**Description**
Problem statement and objective	Perez – 60% Comission – 40 %	**Member A (Christian James J. Perez):** • Identified and formulated the core technical challenges: manual order calculation overhead, unmonitored shop floor queue delays, and decoupled inventory stockouts. • Authored the General Objective and the five (5) Specific Objectives aligning system engineering with empirical printing shop constraints. • Defined the architectural boundaries and operational scope of the automated replenishment and scheduling engines. **Member B (Kaye P. Comission):** • Conducted initial field inquiries and stakeholder interviews at commercial print shops in Kabacan, Cotabato to document baseline operational bottlenecks. • Synthesized end-user pain points into cohesive narrative paragraphs conforming to USM BSIS non-itemized Statement of the Problem conventions. • Drafted the Significance of the Project section for shop owners, production employees, customers, and future developers.
Related literature – Topic A	Perez: 30% Comission: 70%	**Member B (Kaye P. Comission):** • Conducted comprehensive academic literature searches across Google Scholar, IEEE, and DOAJ for modern Web-to-Print paradigms and self-service ordering portals. • Authored in-depth critical evaluations and summaries for cited authors: Apriadi & Dewi (2026),

		Susila et al. (2025), Saragih et al. (2026), Kurniawan et al. (2025), Joshi et al. (2026), Bhaktha et al. (2023), and Dhiman (2021). • Synthesized how digital quoting and structured prepress intake reduce counter customer wait times and prevent intake specification errors. **Member A (Christian James J. Perez):** • Evaluated the technical architectures in reviewed literature against multi-variable pricing constraints (dimensional sizing, substrate weight, duplex print logic). • Identified the technical research gap regarding dynamic quotation engines capable of instant mathematical recalculation upon asset configuration.
Related literature – Topic B	Perez: 60% Comission: 40%	**Member A (Christian James J. Perez):** • Investigated operational scheduling algorithms, state-machine queue transitions, and production queue visibility frameworks in industrial environments. • Analyzed foundational studies: *Smagowicz et al. (2024)* on operational scheduling, *Zonta et al. (2022)* on data availability in operational decisions, and *Destouet et al. (2023)* on scheduling decision support. • Formulated the theoretical rationale for establishing a 5-stage sequential Kanban state machine (Pending, Prepress, Printing, Finishing, Ready for Pickup) to replace static paper job tickets. **Member B (Kaye P. Comission):** • Gathered and synthesized empirical studies on shop-floor tracking and worker communication: *Hernada et al. (2024)* and *Jiang et al. (2022)*. • Documented the operational delays caused by verbal job handoffs and uncoordinated prepress revisions in physical print shops. • Encoded citations, standardized paragraph formatting, and verified publication metrics.
Related literature – Topic C	Perez: 60% Comission: 40%	**Member A (Christian James J. Perez):** • Researched quantitative inventory control models, automated replenishment triggers, and rolling burn rate formulations: *Rolf et al. (2023)* on data-driven supply chain decision-making and *Munyaka & Yadavalli (2022)* on inventory optimization. • Derived the mathematical framework for the Dynamic Reorder Point ($ROP = d \times L + SS$) and evaluated real-time Bill of Materials (BOM) stock deduction mechanics. • Analyzed algorithmic supply chain automation literature: *Ugbebor et al. (2024)*, *Jebbor et al. (2023)*, and *Albayrak Ünal et al. (2023)*.

		Member B (Kaye P. Comission): • Surveyed empirical SME inventory studies: *Tanaman et al. (2023)* on retail inventory challenges and *Asim & Arbaiy (2026)* on computerized stock control. • Researched literature on material spoilage overhead, carrying costs, and the operational risks of paper substrate stockouts. • Encoded literature citations, compiled publication metadata, and cross-referenced author years.
Synthesis of literature	Perez: 40% Comission: 60%	**Member B (Kaye P. Comission):** • Authored the comprehensive literature synthesis integrating findings from all twenty (20) empirical and theoretical studies. • Articulated the operational evolution of the printing industry from disparate, manual bookkeeping to unified, cloud-based workflow platforms. • Structured the narrative bridging user interaction, floor scheduling, and material availability. **Member A (Christian James J. Perez):** • Articulated the primary research and engineering gap: the persistent technical decoupling between customer ordering interfaces, shop floor Kanban queues, and automated inventory replenishment. • Grounded the design of Printify as an integrated architectural solution resolving this identified industry gap.
Theoretical/Conceptual Framework	Perez: 50% Comission: 50%	**Collaborative Effort:** • Jointly structured the 5-Stage Input-Process-Output-Outcome-Impact (IPO) model conforming to the USM institutional standard. **Member A (Christian James J. Perez):** • Defined the technical parameters for the Input Stage (system architecture, Laravel/Livewire stack, relational database schema, dynamic formulas) and Process Stage (multi-tier verification, Kanban state transitions, dynamic burn rate calculation, automated Pest testing). • Specified the verifiable technical deliverables under the Output Stage (Printify platform, Functional Test Summary Report, Requirements Traceability Matrix). **Member B (Kaye P. Comission):** • Formulated the Outcome Stage (streamlined order processing, reduction in prepress misprints, elimination of paper stockouts) and Impact Stage (long-term operational resilience, maximized profit margins, scalable micro-enterprise capacity). • Designed and illustrated the formal conceptual

		framework diagram (*Figure 1: Conceptual Framework of Printify*).
Technology Design – Module 1	Perez: 40% Comission: 60% (Lead)	**Member B (Kaye P. Comission — UI/UX & Frontend Lead):** • Prototyped and built the user onboarding views, registration forms, login layouts, and password recovery interfaces. • Designed the responsive customer profile management interface, navigation bars, and role-differentiated menu sidebars. • Structured user experience flows and visual access indicators for Customers, Production Staff, and Business Owners. **Member A (Christian James J. Perez — Backend & Security Support):** • Integrated Fortify authentication backend services, session security, and bcrypt credential hashing. • Implemented role authorization middleware guards and route policies enforcing strict boundary separation across user tiers. • Structured database migrations for users, role enumerations, and authentication audit logs.
Technology Design – Module 2	Perez: 70% (Lead) Comission: 30%	**Member A (Christian James J. Perez — Lead Backend Architect):** • Engineered the multi-variable dynamic pricing calculation engine handling dimensional matrices, substrate weights, and duplex multipliers. • Designed the relational database architecture linking configurable service options to physical inventory Bill of Materials (BOM) items. • Implemented administrative controllers and Eloquent models for dynamic service provisioning, price updates, and option toggling. **Member B (Kaye P. Comission — UI/UX Layout Support):** • Designed the service catalog management dashboard views, pricing tier modals, and substrate specification cards. • Structured the visual hierarchy for service categories, add-on finishes, and turnaround time options. • Documented dynamic pricing matrices and captured administrative catalog interface screenshots.
Technology Design – Module 3	Perez: 40% Comission: 60% (Lead)	**Member B (Kaye P. Comission — UI/UX & Interaction Lead):** • Prototyped and developed the multi-step customer ordering wizard, digital asset upload dropzone, and custom specification selectors. • Built the real-time quote preview component

		displaying price updates synchronously upon user option selections. • Designed the customer job tracking portal featuring a visual 5-stage progress stepper and digital downpayment receipt upload modal. **Member A (Christian James J. Perez — Backend Pipeline Support):** • Engineered the secure file upload pipeline with MIME-type verification, storage disk isolation, and prepress asset validation. • Implemented transactional order persistence, reference tracking code generation, and payment proof handling. • Coded duplex calculation logic and page-count verification routines.
Technology Design – Module 4	Perez: 70% (Lead) Comission: 30%	**Member A (Christian James J. Perez — Lead Production Systems Engineer):** • Engineered the 5-stage Kanban state machine governing order progression: *Pending*, *Prepress*, *Printing*, *Finishing*, and *Ready for Pickup/Claimed*. • Programmed database transaction locks, concurrency controls, and automated timestamp logging across stage transitions. • Implemented the quality control rework loop, rejection reason tracking, payment verification workflows, and staff task assignment logic. **Member B (Kaye P. Comission — UI/UX & Flow Prototyping):** • Prototyped the visual drag-and-drop Kanban board layout with responsive swimlanes, job detail cards, and urgency color tags. • Designed the walk-in counter order intake interface allowing staff to rapidly log on-site customer orders. • Captured production floor UI screenshots and documented operator interaction flows.
Technology Design – Module 5	Perez: 70% (Lead) Comission: 30%	**Member A (Christian James J. Perez — Lead Telemetry & Algorithms Engineer):** • Engineered the real-time Bill of Materials (BOM) inventory consumption deduction triggered synchronously as jobs advance through Kanban stages. • Implemented the Dynamic Reorder Point algorithm ($ROP = d \times L + SS$) using rolling 30-day historical material burn rates. • Programmed automated low-stock banner trigger logic, material spoilage audit log tracking, and financial metric aggregation routines (Gross Revenue, COGS, Net Margin, Spoilage Loss) with CSV ledger

		exports. **Member B (Kaye P. Comission — UI/UX Dashboard Support):** • Designed the owner executive analytics dashboard layout featuring key performance indicator (KPI) metric cards and restock alerts. • Built the inventory ledger data tables, material movement history views, and staff spoilage submission modal. • Formatted analytical reporting views and verified filter controls.
Methodology – Phase 1	Perez: 40% Comission: 60%	**Member B (Kaye P. Comission):** • Prepared qualitative interview guides and conducted shop floor observations at local commercial print shops. • Transcribed operational workflow procedures, recorded machine operating bottlenecks, and documented material waste patterns. • Synthesized qualitative field data into formal operational requirements and user persona profiles. **Member A (Christian James J. Perez):** • Analyzed gathered operational data to establish technical software specifications, performance criteria, and hardware/software design constraints. • Structured the developmental research design and mapped operational problems directly to system architectural features.
Methodology – Phase 2	Perez: 30% Comission: 70%	**Member B (Kaye P. Comission — Lead System Modeler):** • Drafted, illustrated, and finalized all nineteen (19) UML Activity Diagrams corresponding to all 19 functional requirements (FR-01 to FR-19). • Structured multi-lane swimlanes clearly delineating responsibilities among Customer, Counter/Production Staff, Business Owner, and System. • Ensured visual clarity, standard UML syntax compliance, and cohesive layout across all diagrams. **Member A (Christian James J. Perez — Technical Logic Verification):** • Audited all decision nodes, guard conditions, and alternate branch paths in the activity diagrams against backend database transactions and route controllers. • Validated error handling paths (e.g., payment rejection, material stockout, rework loops) against server-side logic.
Methodology – Phase 3	Perez: 70% Comission: 30%	**Member A (Christian James J. Perez — Lead SQA Engineer):** • Authored and executed the automated test suite

		comprising 28 Pest feature test cases with 90 programmatic assertions across all five modules. • Formulated the Black-Box Functional Test Plan detailing 25 exhaustive scenario test cases (TC-MOD1-01 to TC-MOD5-05) with rigorous preconditions, test inputs, step-by-step procedures, and expected outputs. • Programmed automated edge case simulations (zero inventory, corrupt file uploads, invalid discount rules, concurrent Kanban status updates). **Member B (Kaye P. Comission — Functional Verification Support):** • Participated in manual functional scenario walkthroughs across all 25 test cases, recording actual outputs and UI behavioral responses. • Audited and compiled the Requirements Traceability Matrix linking all 19 functional requirements to specific test cases and outcomes. • Authored the Functional Test Summary Report and test execution documentation in Chapter 4 and Appendix.
Formatting & Referencing	Perez: 30% Comission: 70%	**Member B (Kaye P. Comission — Lead Formatting Specialist):** • Standardized manuscript margins (1.5 in left, 1.0 in top/bottom/right), font hierarchies (Times New Roman 12 pt), line spacing (2.0), and paragraph indentation per USM guidelines. • Verified all in-text citations and compiled the complete Literature Cited section in strict compliance with APA 7th edition formatting. • Formatted all formal tables, captions, and appendices according to institutional standards. **Member A (Christian James J. Perez — Technical Formatting Support):** • Verified mathematical equation formatting ($ROP = d \times L + SS$), source code snippets, and database entity naming conventions. • Formatted automated test execution logs, assertion summary tables, and technical schema diagrams.
Final editing & proofreading	Perez: 40% Comission: 60%	**Member B (Kaye P. Comission — Editorial Lead):** • Conducted thorough grammatical reviews, eliminated typographical errors, and enhanced scholarly sentence flow across Chapters 1 to 5. • Ensured strict institutional adherence to BSIS capstone guidelines (e.g., replacing "researchers" with "project developers" and "study" with "capstone project"). • Standardized table numbering, figure captions, and cross-references throughout the entire manuscript.

		Member A (Christian James J. Perez — Technical Review): • Audited the entire paper to ensure absolute consistency across functional requirements (FR-01 to FR-19), test case IDs (TC-MOD1-01 to TC-MOD5-05), and database entities. • Verified technical accuracy and mathematical precision in all formulas and algorithmic descriptions.
Oral presentation preparation	Perez: 50% Comission: 50%	**Collaborative Preparation:** • Co-developed the oral defense presentation slide deck. **Member A (Christian James J. Perez):** • Prepared technical slides detailing system architecture, dynamic pricing formulas, Kanban state machine logic, Dynamic ROP calculations, and automated test suite results. • Configured the live technical demonstration environment for interactive system walkthroughs during the panel examination. **Member B (Kaye P. Comission):** • Designed the visual presentation theme, structured the problem statement and literature synthesis slides, and prepared UI/UX workflow walkthroughs. • Organized the live demonstration storyboard illustrating real-time order tracking and counter intake workflows.

Submitted by	**Date Submitted:**
CHRISTIAN JAMES J. PEREZ Name & Signature of Member A	**KAYE P. COMISSION** Name & Signature of Member B

UNIVERSITY OF SOUTHERN MINDANAO
Kabacan, Cotabato
Philippines

CURRICULUM VITAE

KAYE P. COMISSION
Purok Miracle Extension Poblacion Kabacan
09069181280
s.kapecomission@usm.edu.ph



PERSONAL INFORMATION	
Last Name	**Comission**
First Name	**Kaye**
Middle Name	**Perez**
Nickname	**Kayie**
Age	**22**
Nationality	**Filipino**
Religion	**Born Again**
Civil Status	**Single**
Father's Name	**Wendel E. Comission**
Mother's Name	**Maribel P. Comission**
Educational Background	
Elementary	**Matalam Central Elementary School**
Junior High School	**Matalam High School**
Senior High School	**Matalam High School**
Tertiary	**University of Southern Mindanao**

RELEVANT TRAINING

- **Applications Development and Emerging Technologies** — Application development concepts, emerging technologies, software solutions, and modern development practices.
- **IT Security and Management** — Information security principles, access control, authentication, security management, and protection of information systems.
- **IS Innovations & New Technology** — Emerging information technologies, digital innovation, and the application of modern technologies in information systems.
- **Systems Analysis and Design (SAD)** — Software modeling, architectural design, UML diagramming, and functional requirements engineering.
- **Database Management Systems (DBMS)** — Relational database modeling, SQL scripting, database transactions, and schema normalization.
- **Web Systems and Technologies** — Web application development, dynamic interfaces, web architecture, and modern web technologies.
- **Application Development & Software Engineering** — Software development lifecycle (SDLC), Agile development practices, application development, and quality assurance.

UNIVERSITY OF SOUTHERN MINDANAO
Kabacan, Cotabato
Philippines

CURRICULUM VITAE

CHRISTIAN JAMES J. PEREZ
Molonville, Osias, Kabacan, North Cotabato
09855330897
s.cjjperez@usm.edu.ph



PERSONAL INFORMATION	
Last Name	**Perez**
First Name	**Christian James**
Middle Name	**Jimenez**
Nickname	**Cjay**
Age	**22**
Nationality	**Filipino**
Religion	**Protestant**
Civil Status	**Single**
Father's Name	**N/A**
Mother's Name	**Maria Theresa J. Perez**
Educational Background	
Elementary	**Osias Elementary School**
Junior High School	**Osias High School**
Senior High School	**Kabacan National High School**
Tertiary	**University of Southern Mindanao**

RELEVANT TRAINING

- **Systems Analysis and Design (SAD)** — Software modeling, architectural design, UML diagramming, and functional requirement engineering.
- **Database Management Systems (DBMS)** — Relational database modeling, SQL scripting, ACID transaction handling, and schema normalization (PostgreSQL / SQLite / MySQL).
- **Web Systems and Technologies / Full-Stack Web Development** — Modern full-stack architecture, RESTful API design, dynamic interfaces, and reactive component frameworks (Laravel, PHP, Livewire, JavaScript, Tailwind CSS).
- **Computer Programming & Object-Oriented Programming (OOP)** — Algorithmic design, OOP paradigms, modular programming, and automated feature testing (PHP, Python, Java).
- **Data Structures and Algorithms (DSA)** — Data modeling, optimization, queue handling (FIFO production queuing), and computational problem-solving.
- **Computer Networking and Systems Administration** — Network topologies, client-server architectures, web server configuration, and environment deployment (Cisco, Linux/WSL).
- **Application Development & Software Engineering** — End-to-end software development lifecycle (SDLC), Agile development practices, and Quality Assurance (QA) verification.