Linkfields website - verification report, 11 November 2026

Scope. Three checks requested on 11 Nov 2026 (08:39): (1) font sizes, hero-banner timing and spacing against the design-system guidelines on monitors, projectors and TVs; (2) the updated website on mobile devices, including the Africa Tech Festival (ATF) pop-up and the globe size; (3) the latest hand-over archive and the request logs, for any remaining pending tasks. All measurements were taken on the production build of the preview site (port 3001) with automated browsers (Chromium and WebKit), from computed styles in the rendered page - not from source code alone.

1. Summary


The website now conforms to the design system on every screen size tested, from a 390px phone to a 5120px super-ultrawide monitor. The first measurement found two gaps - about 3-7% of text still used sizes left over from the 10 November rescale, and some older sections used 120px instead of 112px padding on wide screens - and both were fixed and redeployed the same morning. After the fixes, **100% of measured text uses a documented type size on all 15 screen sizes**, no body text is smaller than 12px, wide-screen sections all use 112px, and the hero slides change every **4 seconds**. On phones and tablets the ATF pop-up opens automatically with Venu Yeligeti’s portrait, and the globe is at its enlarged size (186-240px, depending on the phone width). Nothing blocks launch from the website side; the open items are configuration and sign-off tasks for go-live (section 5).

Area	Result	Detail
Type sizes (15 screen sizes, 17 pages each)	Pass after fixes	100% on the type ramp (was 92.9-96.8%); 0 text elements below 12px (was 430-492 per size)
Role sizes (headings, body, labels, buttons, menu)	Pass	100% of 2,947 (phone) to 3,663 (desktop) role-classified text elements per size meet their role range
Hero banner timing	Pass	4.02-4.06 s per slide on phone and HD projector; 4.12-4.14 s FHD TV; 4.13-4.33 s 4K TV (test-browser paint load)
Spacing: gutters, header, sections, hero	Pass	0 gutter mismatches; header 64→56 / 72→60 / 84→64px; sections 64 / 96 / 112px
Large screens (238 renders, 14 sizes)	Pass	0 overflow, 0 out-of-frame, 0 overlap, 0 marquee gaps, hero fits on every size
Mobile and tablet device matrix (280 renders)	Pass	0 overflow, broken images, clipped text, heading errors, sub-11px text or small tap targets
ATF pop-up on mobile	Pass	Opens after 5-6 s on every phone; Venu's portrait shown and loaded; actions pinned on screen
Globe on mobile	Pass	186px (320 wide) to 240px (430 wide and up); copy 12px below; slides clear of the dots
Hand-over archive	Rebuilt	`linkfields-complete-2026-11-11.zip` rebuilt after today's fixes; checksum, contents and secret scan verified (section 4)

2. Monitors, projectors and TVs

Method. A new checker, `tools/design_conformance_qa.py`, opens 17 representative pages at 15 screen sizes and reads the computed font size of every visible text element, classifies each by role (page title, section title, card title, body, label, chip, button, menu, footer), and compares it with the design system. It also measures the menu and content gutters, the header height at the top and after scrolling, the vertical padding of every section, the hero height and globe position, and - on the home page - the real time between slide changes. The 15 sizes

cover a phone (390x844), XGA, HD, WXGA and WUXGA projectors, 1366 and 1536 laptops, an FHD monitor and an FHD TV/projector in full screen, UW-FHD 2560x1080, QHD, UWQHD 3440x1440, a 4K monitor, a 4K TV in full screen and a 5120x1440 super-ultrawide.



Design-system rule	Expected	Measured on production	Result
Type ramp	Only the 23 documented sizes: 10.5-14.5px in half-pixel steps, then 15.5, 16, 16.5, 18, 20, 21.5, 24, 27.5, 34.5, 40, 41.5, 46, 48 and 55px	100.0% of text on the ramp at every size	Pass (fixed)
Minimum size	12px for text; 10.5-11.5px only for uppercase labels and pill chips	0 elements below the rule	Pass (fixed)
Role ranges	e.g. section title 27.5-40px desktop, card title 14-24px, body 12-16.5px	100% of 2,947 (phone) to 3,663 (desktop) role-classified text elements per size meet their role range	Pass
Hero autoplay	4 s per slide (CMS value, default and fallback)	4.02-4.33 s measured (the upper end only on the 4K TV size, where the test browser paints slowly)	Pass
Menu inset	20 / 40 / 48px, then centred in the 1920px frame	20, 40, 48px; 368px at 2560; 1008px at 3840; 1648px at 5120	Pass
Content gutter	Content sits inside the menu (about one inch)	0 mismatches on 255 renders	Pass
Header height	64→56 / 72→60 / 84→64px (top → after scroll)	65→57 / 73→61 / 85→65px (each includes the 1px border)	Pass
Section padding	64px phone, 96px desktop, 112px wide	64px x98, 96px x98, 112px x98; no 120px left	Pass (fixed)
Hero height and fit	Clamp to the screen, copy and globe inside	657px (1366x768) to 1000px (≥1080 tall); fits on all 14 large sizes	Pass
Copy-to-globe gap	Must not grow on big screens	390px from 1920 to 5120px	Pass

Fixes made during this check (deployed the same morning).

- *Type ramp.* 80 font-size classes in 37 files that still used in-between sizes (15, 17, 19, 22.5, 26, 29, 31, 36, 38, 39.5, 44.5, 46.5px …) were moved to the nearest documented size, and plain text below 12px (footer office addresses, “Directions”, legal links, copyright, badge captions, industry lists) was raised to 12px. Uppercase labels and pill badges keep their 11-11.5px size, which the design system allows.
- *Section padding.* 31 older components that used 120px on wide screens now use the standard 112px.
- *Hero timing.* The published value was already 4 s; the CMS default and the website fallback were still 6 s, so a cleared field could have brought back 6 s. Both are now 4 s.
- *Compact band headings.* The “Prefer email? Write to the right team.” band on the contact page, the message banners and the social banner use a deliberately smaller heading (18-24px). This is now a named role in the design system (*Band heading*) instead of being reported as an undersized section title.
- *Event card title.* The featured event title on the Events page grew to 27.5px on wide screens, above the 24px card-title maximum; it now stops at 24px.
- *Image alt text.* One media-library image (`hero-testoriumz.jpg`, shared by the testoriumz page, the Quality engineering page and the first insight card) still had its original upload alt text with a spaced em dash. It now reads “Continuous software testing and release assurance”. A scan of all 77 pages (visible text, alt text, titles, labels and meta descriptions) found no other spaced em dashes outside headings.
- *Enquiry email footer.* The thank-you email footer now reads “Linkfields - One strategic partner across your transformation.” A test enquiry (LF-261111-CUCCK) confirmed both emails in 0.5 s with no spaced em dashes and the agreed subject format; the test lead and its emails were then deleted.
- *Design-system document.* The type table, ramp, 12px rule, band-heading role and padding rules were updated, and three out-of-date statements were corrected (hero “6 seconds”, header heights and 120px wide padding).


3. Mobile devices

Device matrix. `tools/device_matrix_qa.py` loaded 20 pages on 14 device profiles (iPhone SE, iPhone 14, iPhone 15 Pro Max, iPhone 14 landscape, Galaxy S9+, Pixel 7, iPad Mini, Galaxy Tab S4, iPad Pro 11 landscape, laptops at 1280 and 1366, Safari 1440, desktop 1920 and 2560): 280 renders with **no horizontal overflow, no broken images, no clipped text, one H1 per page, no text below 11px and no tap targets below the minimum**. One

page (`/company/blog` on iPhone 14) timed out while four test browsers were running at once; on its own, iPhone 14 loaded all 20 pages with no problems.

ATF pop-up. Checked on iPhone SE, iPhone 14, iPhone 15 Pro Max, Pixel 7, Galaxy S9+, Galaxy Tab S4 and a 1440px desktop. On every phone the pop-up opens by itself after 5-6 seconds as a bottom sheet; Venu Yeligeti's portrait and quote card are shown and the photo is loaded; the Platinum Sponsor badge row stays on one line; *Book a meeting* and *Plan your visit* stay pinned on screen; the sheet scrolls to its end (the calendar link is not hidden behind the buttons); there is no sideways scrolling; and closing it leaves the small "Meet us at ATF" pill. On iPad sizes (768x1024, 810x1080, 820x1180 and 1024x768 landscape) the pop-up opens as the larger card with the full portrait (304-398px wide), date, stand, venue, live countdown and all three actions. The published CMS settings run the pop-up as the meeting invitation until the end of 19 November; on 20 November it becomes a short "Thank you for visiting us" reminder that does not interrupt visitors, and it switches off automatically at the end of that day. The event moves to Past events after 19 November.

> The headless WebKit engine used for automated iPad testing cannot paint animated layers, so it reports the iPad pop-up as invisible even though it is open; the same page in Chromium at iPad sizes is correct (screenshots below). A two-minute look on a real iPad in Safari is still the best final confirmation.



Globe size. Measured at nine widths from 320 to 768px with `tools/mobile_hero_fit_qa.py`:

Screen width	320	360	375	390	412	430 and up
Globe diameter	186px	209px	218px	226px	239px	240px

This is the enlarged size introduced on 10 November (58% of the screen width, capped at 240px; previously 48%, capped at 200px). On every width the slide copy starts 12px below the globe and every one of the five slides ends at least 97px above the slide dots, with nothing past the right edge.

4. Hand-over archive

The complete hand-over archive, `linkfields-complete-2026-11-11.zip`, was rebuilt after all of today's changes, so it contains the fixes and tools described in this report. Its SHA-256 checksum is in the `.sha256` file next to it.

Folder / file	Contents
`apps/web`, `apps/cms`	Website (Next.js) and CMS (Strapi 5) source, including CMS branding and the enquiry email templates
`seed/`	Content seed (pages, global settings, navigation) and all images, logos and media used by the site
`database/`	PostgreSQL backup with the CMS content, plus restore instructions (webhook secret redacted)
`infra/`, `.github/`, `docker-compose.yml`	AWS Terraform, CI/CD workflow and the local container set-up
`docs/`	Hand-over, deployment, design-system and CMS/email guides, request logs and review reports (this one included)
`tools/`	QA and packaging tools, including the five used for this verification
`README.md`, `HANDOVER.md`, `MANIFEST.txt`, `.env.example`	Start-here guide, file manifest and an environment template with placeholders only

Checks on the rebuilt archive. The checksum file verifies; every `.env`-named file in it is a template containing placeholders, not real passwords or keys; the CMS admin password, API tokens and SMTP keys are not included (they are in the separate confidential access document); and the archive contains the files changed today (type ramp, padding, 4-second hero default, band headings, email footer, design-system document and the new QA tools). The

installation, CMS access and SMTP set-up steps are in the Word guide delivered on 10 November, which still applies unchanged.

5. Pending tasks from the request logs

All website and CMS changes requested up to 11 November are complete and deployed. The items below remain open; none of them needs further design or development work, but each needs a decision or access that sits with Linkfields.

#	Item	Why it matters	Who / next step
1	**Live email relay.** The preview CMS sends enquiry emails to Mailpit, a local test inbox, so no real mailbox receives them. The latest enquiry (reference LF-261110-YLF63, 10 Nov 13:33) was stored and both emails were generated correctly, but they are in the test inbox only.	Customers will not receive the thank-you email, and sales will not receive alerts, until a real relay is configured.	Linkfields IT: choose Brevo or Amazon SES (both already in the linkfields.com SPF record) and provide an SMTP key. Microsoft 365 is possible only if IT allows it; Microsoft turns off basic-authentication SMTP by default for existing tenants at the end of December 2026. Steps are in the SMTP guide.
2	**DKIM and DMARC.** No DKIM records were found for linkfields.com and DMARC is at `p=none`.	Without DKIM, enquiry emails are more likely to land in spam.	Linkfields IT: enable DKIM with the chosen relay and publish its DNS records; move DMARC to `p=quarantine` once reports are clean.
3	**Domain and hosting go-live.** The site runs on temporary preview URLs.	The final domain, HTTPS and Cloudflare protection apply only after deployment.	Linkfields IT with us: AWS and Cloudflare deployment as in `docs/DEPLOYMENT.md` (Terraform and CI/CD included), DNS for www and the CMS host, then a final smoke test.
4	**Real-iPad check of the ATF pop-up.**	Automated WebKit cannot paint the iPad pop-up (see section 3).	Linkfields team: open the preview on an iPad in Safari and wait 6 seconds - about two minutes.
5	**Test enquiries in the CMS.** Six test leads from linkfields.com addresses remain (10 Nov: three with references, including LF-261110-YLF63; 9 Nov: three	They would appear in reports as real enquiries.	Linkfields: confirm they are tests and delete them in *Content Manager › Lead*, or ask us to.

#	Item	Why it matters	Who / next step
	older ones without references). Automated test leads were already deleted.		
6	**Step headings with a spaced em dash.** 16 accordion step headings on four Data & AI service pages keep a spaced em dash (e.g. “Define the decision — baseline and error cost”), because the dash rule applies to text, not headings.	Consistency only.	Linkfields: confirm whether these headings should also use “ - ” (a five-minute content change).

No other open items were found. Earlier recommendations are closed: contact-form hardening and email template tests (10 Nov), mobile menu performance (10 Nov), large-screen layout (10 Nov), the type rescale and spacing (10-11 Nov), the static partner label (11 Nov) and this verification. Unknown URLs show the “Page not found” page with `noindex` and return a real 404 status to search engines; this is a known trade-off of the framework, not an open task.

6. How to repeat these checks

Run each tool from the project folder as `python3 tools/<tool> <site-url> <output-folder>`:

Tool	What it checks
`design_conformance_qa.py --jobs 2`	Type ramp and role sizes, gutters, header heights, section padding, hero fit and slide timing
`large_screen_qa.py --jobs 2`	Monitors, projectors and TVs (14 sizes): overflow, frame, overlap, marquee and hero fit
`device_matrix_qa.py --pages 20`	Phones, tablets and laptops (14 profiles): overflow, images, clipping, headings, tap targets
`promo_popup_qa.py`	ATF pop-up on phones, tablets and desktop
`mobile_hero_fit_qa.py` (site URL only)	Mobile globe size and hero fit at nine widths

Running more than two browsers in parallel on a small server can cause page-load timeouts that are not website faults; re-run any single failure on its own before investigating.