

Widget Guide

From design tokens to Flutter widgets

01 Component to Widget Map

A direct translation

Mapping table

Design component to Flutter widget

Component	Flutter widget	Notes
Button	FilledButton / OutlinedButton	ElevatedButton.styleFrom, minimumSize 48
Card	Card + Container	BorderRadius 20, elevation per level
Chip	Chip / InputChip	shape StadiumBorder, 44dp height
Toggle	Switch	activeColor #2FAE66
Input	TextField	filled: true, outlineInputBorder radius 16
Bottom nav	NavigationBar	NavigationDestination, 5 items
App bar	Custom AppBar	gradient container 64dp
Progress ring	CircularProgressIndicator	strokeCap round, custom painter
Donut	CustomPaint	pie slices with rounded caps
Avatar	CircleAvatar	initials with theme colour
Badge	Badge widget	smallLabel, child icon
Snackbar	SnackBar	behavior floating, rounded


02 Widget Trees

Structure before paint



Dashboard widget tree

How a child dashboard is composed



Keep screens shallow: one stateful screen builds stateless child widgets. Data flows down, callbacks flow up. Nothing reaches into the coin service

03 & Structure

Consistency at the file level

Folders and files

Scalable from day one

lib/

screens/ <name>_screen.dart

widgets/ <name>_widget.dart

theme/ app_theme.dart, tokens.dart

models/ task_model.dart, reward_model.dart

services/ coin_service.dart, pin_service.dart

data/ local_store.dart

assets/icons/ sch_icon_*.svg

assets/illustrations/ sch_ill_*.svg

Naming: UpperCamelCase classes, snake_case files,

constants UPPER_SNAKE_CASE, tokens sch_ prefixed.

04 Theming

Tokens become ThemeData



Token to Theme mapping

One source of truth

ColorScheme.fromSeed(seedColor: Color(0xFF4F6BF5))

primary = tokens.primary

secondary = tokens.secondary

tertiary = tokens.tertiary

surface, surfaceVariant, outline, error … all mapped

TextTheme: display – Baloo 2, body – Nunito

fontFamily for numerals – Quicksand (tabularFigures)

CardTheme: shape RoundedRectangleBorder(20), elevation 1-3

NavigationBarTheme: indicator pill 0.14 alpha primary

05

Coins

Coins are the reward engine

Coin flow

Where value lives

1. Task approved Parent taps Approve on the pending screen.

2. CoinService grants A CoinLedger entry is appended (+value, reason, child).

3. UI reacts Snackbar shows “Task approved +10 coins”; balance animates.

4. Goals check Milestones and badges evaluate; confetti may fire.

5. Offline sync Everything is written to the local store first.

06 Packages

A minimal, offline-friendly stack



Recommended packages

Small and dependable

google_fonts	Loads Baloo 2, Quicksand, Nunito at runtime.
flutter_animate	Declarative entrance, coin-fly and confetti.
flutter_riverpod	Predictable state for tasks, coins and approvals.
flutter_secure_storage	Parent PIN and child PIN storage.
path_provider + sqlite	Local, offline-first persistence.
confetti / custom_paint	Celebration particles.

The app runs 100% offline. No analytics, no accounts, no network permissions required at runtime.