



Configure

- General
- Advanced Project Options
- Pipeline

General

Enabled ☒

Description

Texte brut [Prévisualisation](#)

- ☐ Ce build a des paramètres
- ☐ Do not allow concurrent builds
- ☐ Do not allow the pipeline to resume if the controller restarts
- ☐ GitHub project

GitLab Connection

GitLab

- ☐ Use alternative credential
- ☐ Pipeline speed/durability override

- ☐ Preserve stashes from completed builds
- ☐ Supprimer les anciens builds
- ☐ Throttle builds

Build Triggers

- ☐ Construire après le build sur d'autres projets
- ☐ Construire périodiquement

Build when a change is pushed to GitLab. GitLab webhook URL:
http://localhost:8090/project/TP_Imane_Amahrach

Enabled GitLab triggers

- ☐ Push Events
- ☐ Push Events in case of branch delete
- ☐ Opened Merge Request Events
- ☐ Build only if new commits were pushed to Merge Request
- ☐ Accepted Merge Request Events
- ☐ Closed Merge Request Events

Rebuild open Merge Requests

Never

- ☐ Approved Merge Requests (EE-only)
- ☐ Comments

Comment (regex) for triggering a build

Jenkins please retry a build

- ☐ GitHub hook trigger for GITScm polling
- ☐ Scrutation de l'outil de gestion de version
- ☐ Période d'attente

☐ Déclencher les builds à distance (Par exemple, à partir de scripts)

Advanced Project Options

Avancé ▾

Pipeline

Definition

Pipeline script from SCM

SCM ☐

Git

Repositories ☐

Repository URL ☐

http://e1aefd47d16a/root/imate_amahrach_tic-tac-toe.g

Credentials ☐

root/*****

+ Ajouter ▾

Sauvegarder

Appliquer

Add Repository

Branches to build ☐

Branch Specifier (blank for 'any') ☐


*/main

Add Branch

Navigateur de la base de code ☐

(Auto)

Additional Behaviours

Ajouter 

Script Path ☐

Jenkinsfile

Lightweight checkout ☐

Pipeline Syntax