## **Bibliography**

- [1] Mettler Toledo. Polymerization reactions. URL https://www.mt.com/au/en/home/applications/L1\_AutoChem\_Applications/L2\_ReactionAnalysis/L2\_Polymerization.html#publications.
- [2] Wikipedia. Liposome. URL https://en.wikipedia.org/wiki/Liposome.
- [3] Schoonen, L. & van Hest, J. C. M. Functionalization of protein-based nanocages for drug delivery applications. *Nanoscale* **6**, 7124–7141 (2014). URL http://xlink.rsc.org/?DOI=C4NR00915K.
- [4] A Blair, J. M., Webber, M. A., Baylay, A. J., Ogbolu, D. O. & V Piddock, L. J. Molecular mechanisms of antibiotic resistance. *Nature Publishing Group* 13 (2014). URL https://www.nature.com/nrmicro/journal/v13/n1/pdf/nrmicro3380.pdf.
- [5] Kim, J. Phage as a therapeutic agent. URL https://medium.com/ @thryve/phage-as-a-therapeutic-agent-ed4c466302e5.
- [6] Torres, M. D., Sothiselvam, S., Lu, T. K. & de la Fuente-Nunez, C. Peptide Design Principles for Antimicrobial Applications. *Journal of Molecular Biology* (2019). URL https://www.sciencedirect.com/science/article/pii/S0022283618312890.
- [7] Nguyen, L. T., Haney, E. F. & Vogel, H. J. The expanding scope of antimicrobial peptide structures and their modes of action. *Trends in Biotechnology* **29**, 464-472 (2011). URL https://www.sciencedirect.com/science/article/pii/S0167779911000886?via{%}3Dihub.

[8] Castelletto, V. et al. Structurally plastic peptide capsules for synthetic antimicrobial viruses. Chem. Sci. 7, 1707–1711 (2016). URL http://xlink.rsc.org/?DOI=C5SC03260A.

- [9] Masaoka, Y., Tanaka, Y., Kataoka, M., Sakuma, S. & Yamashita, S. Site of drug absorption after oral administration: Assessment of membrane permeability and luminal concentration of drugs in each segment of gastrointestinal tract. European Journal of Pharmaceutical Sciences 29, 240–250 (2006). URL https://www.sciencedirect.com/science/article/pii/S0928098706001709?via{%}3Dihub.
- [10] Mitragotri, S., Burke, P. A. & Langer, R. Overcoming the challenges in administering biopharmaceuticals: formulation and delivery strategies. Nature Reviews Drug Discovery 13, 655–672 (2014). URL http://www.nature.com/articles/nrd4363.
- [11] Krol, S. Challenges in drug delivery to the brain: Nature is against us. Journal of Controlled Release 164, 145-155 (2012). URL https://www.sciencedirect.com/science/article/pii/S0168365912003999.
- [12] Pattni, B. S. & Torchilin, V. P. Targeted Drug Delivery Systems: Strategies and Challenges. 3–38 (Springer, Cham, 2015). URL http://link.springer.com/10.1007/978-3-319-11355-5{\_}1.
- [13] Jain, S. & Edwards, M. J. Advances and challenges in the development of drug delivery systems A European perspective (2016). URL https://www.semanticscholar.org/paper/Advances-and-challenges-in-the-development-of-drug-Jain-Edwards/51a16060d641078aac675e3a9c2ab8e7b1effbfa.
- [14] Hughes, G. A. Nanostructure-mediated drug delivery. Nanomedicine: Nanotechnology, Biology and Medicine 1, 22-30 (2005). URL https://www.sciencedirect.com/science/article/pii/S1549963405000122?via{%}3Dihub.
- [15] Singh, P. et al. Gold Nanoparticles in Diagnostics and Therapeutics for Human Cancer. International journal of molecular sciences 19 (2018). URL http://www.ncbi.nlm.nih.gov/pubmed/29986450.

[16] Boisselier, E. & Astruc, D. Gold nanoparticles in nanomedicine: preparations, imaging, diagnostics, therapies and toxicity. *Chemical Society Reviews* 38, 1759 (2009). URL http://xlink.rsc.org/?DOI=b806051g.

- [17] Erol, O. et al. Recent Advances in Bioactive 1D and 2D Carbon Nanomaterials for Biomedical Applications. Nanomedicine: Nanotechnology, Biology and Medicine (2017). URL http://linkinghub.elsevier.com/retrieve/pii/S1549963417300898.
- [18] Depan, D., Shah, J. & Misra, R. Controlled release of drug from folate-decorated and graphene mediated drug delivery system: Synthesis, loading efficiency, and drug release response. *Materials Science and Engineering: C* 31, 1305–1312 (2011). URL https://www.sciencedirect.com/science/article/pii/S0928493111001159.
- [19] Lammers, T. et al. Simultaneous delivery of doxorubicin and gemcitabine to tumors in vivo using prototypic polymeric drug carriers. Biomaterials 30, 3466–3475 (2009). URL https://linkinghub.elsevier.com/retrieve/pii/S0142961209002324.
- [20] Liechty, W. B., Kryscio, D. R., Slaughter, B. V. & Peppas, N. A. Polymers for drug delivery systems. Annual review of chemical and biomolecular engineering 1, 149-73 (2010). URL http://www.ncbi.nlm.nih.gov/pubmed/22432577.
- [21] Kawakatsu, T. Statistical Physics of Polymers: an Introduction (Springer Berlin Heidelberg, 2004).
- [22] Nicolas, J., Mura, S., Brambilla, D., Mackiewicz, N. & Couvreur, P. Design, functionalization strategies and biomedical applications of targeted biodegradable/biocompatible polymer-based nanocarriers for drug delivery. Chem. Soc. Rev. 42, 1147–1235 (2013). URL http: //xlink.rsc.org/?DOI=C2CS35265F.
- [23] Nair, L. S. & Laurencin, C. T. Biodegradable polymers as biomaterials. Progress in Polymer Science 32, 762-798 (2007). URL https://www.sciencedirect.com/science/article/pii/S0079670007000664.

[24] Rao, S. H., Harini, B., Shadamarshan, R. P. K., Balagangadharan, K. & Selvamurugan, N. Natural and synthetic polymers/bioceramics/bioactive compounds-mediated cell signalling in bone tissue engineering. *International journal of biological macromolecules* 110, 88–96 (2018). URL http://www.ncbi.nlm.nih.gov/pubmed/28917940.

- [25] Yoo, J.-W., Irvine, D. J., Discher, D. E. & Mitragotri, S. Bio-inspired, bioengineered and biomimetic drug delivery carriers. *Nature Reviews Drug Discovery* **10**, 521–535 (2011). URL http://www.nature.com/articles/nrd3499.
- [26] Yingchoncharoen, P., Kalinowski, D. S. & Richardson, D. R. Lipid-Based Drug Delivery Systems in Cancer Therapy: What Is Available and What Is Yet to Come. *Pharmacological reviews* **68**, 701–87 (2016). URL http://www.ncbi.nlm.nih.gov/pubmed/27363439.
- [27] Bunker, A., Magarkar, A. & Viitala, T. Rational design of liposomal drug delivery systems, a review: Combined experimental and computational studies of lipid membranes, liposomes and their PEGylation. *BBA Biomembranes* 1858, 2334–2352 (2016). URL http://dx.doi.org/10.1016/j.bbamem.2016.02.025.
- [28] Pattni, B. S., Chupin, V. V. & Torchilin, V. P. New Developments in Liposomal Drug Delivery. *Chemical Reviews* **115**, 10938–10966 (2015). URL http://pubs.acs.org/doi/10.1021/acs.chemrev.5b00046.
- [29] Jain, S. & Pillai, J. Bacterial membrane vesicles as novel nanosystems for drug delivery. *International journal of nanomedicine* **12**, 6329–6341 (2017). URL http://www.ncbi.nlm.nih.gov/pubmed/28919737.
- [30] Linko, V., Ora, A. & Kostiainen, M. A. DNA Nanostructures as Smart Drug-Delivery Vehicles and Molecular Devices. *Trends in Biotechnology* **33**, 586–594 (2015). URL https://www.sciencedirect.com/science/article/pii/S0167779915001614.
- [31] Douglas, S. M., Bachelet, I. & Church, G. M. A Logic-Gated Nanorobot for Targeted Transport of Molecular Payloads. *Science* **335**, 831–

- 834 (2012). URL http://www.sciencemag.org/cgi/doi/10.1126/science.1214081.
- [32] Zhang, Q. et al. DNA Origami as an <i>In Vivo</i> Drug Delivery Vehicle for Cancer Therapy. ACS Nano 8, 6633-6643 (2014). URL http://pubs.acs.org/doi/10.1021/nn502058j.
- [33] Jiang, Q. et al. DNA Origami as a Carrier for Circumvention of Drug Resistance. Journal of the American Chemical Society 134, 13396–13403 (2012). URL http://pubs.acs.org/doi/10.1021/ja304263n.
- [34] Lobo, F. P. et al. Virus-Host Coevolution: Common Patterns of Nucleotide Motif Usage in Flaviviridae and Their Hosts. PLoS ONE 4, e6282 (2009). URL http://dx.plos.org/10.1371/journal.pone. 0006282.
- [35] Lauer, K. B., Borrow, R. & Blanchard, T. J. Multivalent and Multipathogen Viral Vector Vaccines. Clinical and Vaccine Immunology 24, e00298–16 (2017). URL https://cvi.asm.org/content/24/1/e00298-16.
- [36] Daya, S. & Berns, K. I. Gene therapy using adeno-associated virus vectors. *Clinical microbiology reviews* **21**, 583–93 (2008). URL http://www.ncbi.nlm.nih.gov/pubmed/18854481.
- [37] Büning, H. & Schmidt, M. Adeno-associated Vector Toxicity-To Be or Not to Be? *Molecular therapy: the journal of the American Society of Gene Therapy* 23, 1673–1675 (2015). URL http://www.ncbi.nlm.nih.gov/pubmed/26606658.
- [38] Smalley, E. First AAV gene therapy poised for landmark approval. *Nature Biotechnology* **35**, 998–999 (2017). URL http://www.nature.com/articles/nbt1117-998.
- [39] Wu, W., Hsiao, S. C., Carrico, Z. M. & Francis, M. B. Genome-free viral capsids as multivalent carriers for taxol delivery. *Angewandte Chemie* (International ed. in English) 48, 9493-7 (2009). URL http://www.ncbi.nlm.nih.gov/pubmed/19921725.

[40] Ma, Y., Nolte, R. J. & Cornelissen, J. J. Virus-based nanocarriers for drug delivery. Advanced Drug Delivery Reviews 64, 811-825 (2012). URL https://www.sciencedirect.com/science/article/pii/S0169409X12000087.

- [41] Fan, T., Yu, X., Shen, B. & Sun, L. Peptide Self-Assembled Nanostructures for Drug Delivery Applications. *Journal of Nanomaterials* **2017**, 1–16 (2017). URL https://www.hindawi.com/journals/jnm/2017/4562474/.
- [42] Habibi, N., Kamaly, N., Memic, A. & Shafiee, H. Self-assembled peptide-based nanostructures: Smart nanomaterials toward targeted drug delivery. *Nano Today* **11**, 41–60 (2016). URL https://www.sciencedirect.com/science/article/pii/S1748013216300081.
- [43] Yan, X., Zhu, P. & Li, J. Self-assembly and application of diphenylalanine-based nanostructures. *Chemical Society Reviews* **39**, 1877 (2010). URL http://xlink.rsc.org/?DOI=b915765b.
- [44] Silva, R. F., Araújo, D. R., Silva, E. R., Ando, R. A. & Alves, W. A. l-Diphenylalanine Microtubes As a Potential Drug-Delivery System: Characterization, Release Kinetics, and Cytotoxicity. *Langmuir* 29, 10205–10212 (2013). URL http://pubs.acs.org/doi/10.1021/1a4019162.
- [45] King, N. P. et al. Accurate design of co-assembling multi-component protein nanomaterials. Nature 510 (2014). URL https://www.nature.com/nature/journal/v510/n7503/full/nature13404.html.
- [46] Berman, H. M. et al. The protein data bank. Nucleic Acids Research, 28: 235-242 (2000). URL http://www.rcsb.org/.
- [47] Yeates, T. O. Protein assembles into Archimedean geometry. *Nature* **569**, 340-342 (2019). URL http://www.nature.com/articles/d41586-019-01407-z.
- [48] Malay, A. D. *et al.* An ultra-stable gold-coordinated protein cage displaying reversible assembly. *Nature* **569**, 438–442 (2019). URL http://www.nature.com/articles/s41586-019-1185-4.

[49] Santos, R. et al. A comprehensive map of molecular drug targets. Nature Reviews Drug Discovery 16, 19-34 (2017). URL http://www.nature.com/articles/nrd.2016.230.

- [50] Gordon, E., Mouz, N., Duée, E. & Dideberg, O. The crystal structure of the penicillin-binding protein 2x from Streptococcus pneumoniae and its acyl-enzyme form: implication in drug resistance. *Journal of Molecular Biology* **299**, 477–485 (2000). URL https://www.sciencedirect.com/science/article/pii/S0022283600937409?via{%}3Dihub.
- [51] Kapoor, G., Saigal, S. & Elongavan, A. Action and resistance mechanisms of antibiotics: A guide for clinicians. *Journal of anaesthesiology, clinical pharmacology* **33**, 300–305 (2017). URL http://www.ncbi.nlm.nih.gov/pubmed/29109626.
- [52] Birkegård, A. C., Halasa, T., Toft, N., Folkesson, A. & Græsbøll, K. Send more data: a systematic review of mathematical models of antimicrobial resistance. *Antimicrobial resistance and infection control* 7, 117 (2018). URL http://www.ncbi.nlm.nih.gov/pubmed/30288257.
- [53] Niewiadomska, A. M. et al. Population-level mathematical modeling of antimicrobial resistance: a systematic review. BMC Medicine 17, 81 (2019). URL https://bmcmedicine.biomedcentral.com/articles/ 10.1186/s12916-019-1314-9.
- DRUG-RESISTANT [54]O 'neill, J. TACKLING INFECTIONS GLOBALLY: FINAL REPORT AND RECOMMENDA-TIONS THEREVIEW ON ANTIMICROBIAL RESISTANCE (2016).URL https://amr-review.org/sites/default/files/ 160525{\_}Finalpaper{\_}withcover.pdf.
- [55] Delcour, A. H. Outer membrane permeability and antibiotic resistance. Biochimica et Biophysica Acta (BBA) Proteins and Proteomics 1794, 808-816 (2009). URL https://www.sciencedirect.com/science/article/pii/S1570963908003592?via{%}3Dihub.
- [56] Vargiu, A. V. & Nikaido, H. Multidrug binding properties of the AcrB efflux pump characterized by molecular dynamics simulations. *Proceedings of the National Academy of Sciences of the United States of America*

- 109, 20637-42 (2012). URL http://www.ncbi.nlm.nih.gov/pubmed/23175790.
- [57] Kojima, S. & Nikaido, H. Permeation rates of penicillins indicate that Escherichia coli porins function principally as nonspecific channels. *Proceedings of the National Academy of Sciences* **110**, E2629–E2634 (2013). URL http://www.pnas.org/cgi/doi/10.1073/pnas.1310333110.
- [58] Tran, Q.-T., Williams, S., Farid, R., Erdemli, G. & Pearlstein, R. The translocation kinetics of antibiotics through porin OmpC: Insights from structure-based solvation mapping using WaterMap. *Proteins:* Structure, Function, and Bioinformatics 81, 291–299 (2013). URL http://doi.wiley.com/10.1002/prot.24185.
- [59] Tamber, S. & Hancock, R. E. W. On the mechanism of solute uptake in Pseudomonas. Frontiers in bioscience: a journal and virtual library 8, s472–83 (2003). URL http://www.ncbi.nlm.nih.gov/pubmed/12700103.
- [60] Baroud, M. et al. Underlying mechanisms of carbapenem resistance in extended-spectrum β-lactamase-producing Klebsiella pneumoniae and Escherichia coli isolates at a tertiary care centre in Lebanon: role of OXA-48 and NDM-1 carbapenemases. International Journal of Antimicrobial Agents 41, 75–79 (2013). URL https://linkinghub.elsevier.com/retrieve/pii/S0924857912003470.
- [61] Lavigne, J.-P. et al. An adaptive response of Enterobacter aerogenes to imipenem: regulation of porin balance in clinical isolates. *International Journal of Antimicrobial Agents* 41, 130–136 (2013). URL https://linkinghub.elsevier.com/retrieve/pii/S0924857912004219.
- [62] Poulou, A. et al. Outbreak Caused by an Ertapenem-Resistant, CTX-M-15-Producing Klebsiella pneumoniae Sequence Type 101 Clone Carrying an OmpK36 Porin Variant. Journal of Clinical Microbiology 51, 3176–3182 (2013). URL http://jcm.asm.org/cgi/doi/10.1128/JCM. 01244-13.
- [63] Wozniak, A. et al. Porin alterations present in non-carbapenemaseproducing Enterobacteriaceae with high and intermediate levels of car-

bapenem resistance in Chile. *Journal of Medical Microbiology* **61**, 1270–1279 (2012). URL http://jmm.microbiologyresearch.org/content/journal/jmm/10.1099/jmm.0.045799-0.

- [64] Novais, Â. et al. Spread of an OmpK36-modified ST15 Klebsiella pneumoniae variant during an outbreak involving multiple carbapenem-resistant Enterobacteriaceae species and clones. European Journal of Clinical Microbiology & Infectious Diseases 31, 3057-3063 (2012). URL http://www.ncbi.nlm.nih.gov/pubmed/22706513http://link.springer.com/10.1007/s10096-012-1665-z.
- [65] Tangden, T., Adler, M., Cars, O., Sandegren, L. & Lowdin, E. Frequent emergence of porin-deficient subpopulations with reduced carbapenem susceptibility in ESBL-producing Escherichia coli during exposure to ertapenem in an in vitro pharmacokinetic model. *Journal of Antimicrobial Chemotherapy* 68, 1319–1326 (2013). URL http://www.ncbi.nlm.nih.gov/pubmed/23478794.
- [66] Floyd, J. L., Smith, K. P., Kumar, S. H., Floyd, J. T. & Varela, M. F. LmrS Is a Multidrug Efflux Pump of the Major Facilitator Superfamily from Staphylococcus aureus. *Antimicrobial Agents and Chemotherapy* 54, 5406-5412 (2010). URL http://aac.asm.org/cgi/doi/10.1128/AAC.00580-10.
- [67] Hu, R.-M., Liao, S.-T., Huang, C.-C., Huang, Y.-W. & Yang, T.-C. An Inducible Fusaric Acid Tripartite Efflux Pump Contributes to the Fusaric Acid Resistance in Stenotrophomonas maltophilia. *PLoS ONE* 7, e51053 (2012). URL https://dx.plos.org/10.1371/journal.pone.0051053.
- [68] Kim, C. et al. The Mechanism of Heterogeneous Beta-Lactam Resistance in MRSA: Key Role of the Stringent Stress Response. PLoS ONE 8, e82814 (2013). URL http://dx.plos.org/10.1371/journal.pone. 0082814.
- [69] Ogawa, W., Onishi, M., Ni, R., Tsuchiya, T. & Kuroda, T. Functional study of the novel multidrug efflux pump KexD from Klebsiella pneumoniae. *Gene* 498, 177–182 (2012). URL https://linkinghub.elsevier.com/retrieve/pii/S0378111912002107.

[70] Dolejska, M., Villa, L., Poirel, L., Nordmann, P. & Carattoli, A. Complete sequencing of an IncHI1 plasmid encoding the carbapenemase NDM-1, the ArmA 16S RNA methylase and a resistance-nodulation-cell division/multidrug efflux pump. *Journal of Antimicrobial Chemotherapy* 68, 34–39 (2013). URL https://academic.oup.com/jac/article/68/1/34/672511.

- [71] Abouzeed, Y. M., Baucheron, S. & Cloeckaert, A. ramR mutations involved in efflux-mediated multidrug resistance in Salmonella enterica serovar Typhimurium. *Antimicrobial agents and chemotherapy* **52**, 2428–34 (2008). URL http://www.ncbi.nlm.nih.gov/pubmed/18443112.
- [72] Baucheron, S. et al. Bile-mediated activation of the acrAB and tolC multidrug efflux genes occurs mainly through transcriptional derepression of ramA in Salmonella enterica serovar Typhimurium. Journal of Antimicrobial Chemotherapy 69, 2400–2406 (2014). URL http://www.ncbi.nlm.nih.gov/pubmed/24816212.
- [73] Nikaido, E., Shirosaka, I., Yamaguchi, A. & Nishino, K. Regulation of the AcrAB multidrug efflux pump in Salmonella enterica serovar Typhimurium in response to indole and paraquat. *Microbiology* **157**, 648–655 (2011). URL http://mic.microbiologyresearch.org/content/journal/micro/10.1099/mic.0.045757-0.
- [74] Hirakawa, H., Inazumi, Y., Masaki, T., Hirata, T. & Yamaguchi, A. Indole induces the expression of multidrug exporter genes in Escherichia coli. *Molecular Microbiology* 55, 1113–1126 (2004). URL http://doi.wiley.com/10.1111/j.1365-2958.2004.04449.x.
- [75] Billal, D. S., Feng, J., Leprohon, P., Légaré, D. & Ouellette, M. Whole genome analysis of linezolid resistance in Streptococcus pneumoniae reveals resistance and compensatory mutations. BMC Genomics 12, 512 (2011). URL http://bmcgenomics.biomedcentral.com/articles/10.1186/1471-2164-12-512.
- [76] Gao, W. et al. Two Novel Point Mutations in Clinical Staphylococcus aureus Reduce Linezolid Susceptibility and Switch on the Stringent Response to Promote Persistent Infection. *PLoS Pathogens* 6, e1000944 (2010). URL http://dx.plos.org/10.1371/journal.ppat.1000944.

[77] Shore, A. C. et al. Detection of Staphylococcal Cassette Chromosome <i>mec</i> Type XI Carrying Highly Divergent <i>mecA</i> , <i>mecI</i> , <i>mecR1</i> , <i>blaZ</i> , and <i>ccr</i> Genes in Human Clinical Isolates of Clonal Complex 130 Methicillin-Resistant <i>Staphylococcus aureus</i> . Antimicrobial Agents and Chemotherapy 55, 3765–3773 (2011). URL http://www.ncbi.nlm.nih.gov/pubmed/21636525.

- [78] Katayama, Y., Ito, T. & Hiramatsu, K. A new class of genetic element, staphylococcus cassette chromosome mec, encodes methicillin resistance in Staphylococcus aureus. *Antimicrobial agents and chemotherapy* 44, 1549–55 (2000). URL http://www.ncbi.nlm.nih.gov/pubmed/10817707.
- [79] Kumar, N. et al. Crystal structure of the transcriptional regulator Rv1219c of <i>Mycobacterium tuberculosis</i>. Protein Science 23, 423-432 (2014). URL http://doi.wiley.com/10.1002/pro.2424.
- [80] Long, K. S., Poehlsgaard, J., Kehrenberg, C., Schwarz, S. & Vester, B. The Cfr rRNA Methyltransferase Confers Resistance to Phenicols, Lincosamides, Oxazolidinones, Pleuromutilins, and Streptogramin A Antibiotics. *Antimicrobial Agents and Chemotherapy* **50**, 2500–2505 (2006). URL http://aac.asm.org/cgi/doi/10.1128/AAC.00131-06.
- [81] Vetting, M. W. et al. Structure of QnrB1, a Plasmid-mediated Fluoroquinolone Resistance Factor. Journal of Biological Chemistry 286, 25265-25273 (2011). URL http://www.jbc.org/lookup/doi/10.1074/jbc.M111.226936.
- [82] Abraham, E. P. & Chain, E. An enzyme from bacteria able to destroy penicillin. 1940. Reviews of infectious diseases 10, 677-8 (1988). URL http://www.ncbi.nlm.nih.gov/pubmed/3055168.
- [83] Livermore, D. Defining an extended-spectrum β-lactamase. Clinical Microbiology and Infection 14, 3–10 (2008). URL https://linkinghub.elsevier.com/retrieve/pii/S1198743X14604717.
- [84] Nordmann, P., Poirel, L., Walsh, T. R. & Livermore, D. M. The emerging NDM carbapenemases. Trends in Microbiology 19, 588–

- 595 (2011). URL https://linkinghub.elsevier.com/retrieve/pii/S0966842X11001776.
- [85] Voulgari, E., Poulou, A., Koumaki, V. & Tsakris, A. Carbapenemase-producing <i>Enterobacteriaceae</i> : now that the storm is finally here, how will timely detection help us fight back? *Future Microbiology* 8, 27–39 (2013). URL https://www.futuremedicine.com/doi/10.2217/fmb.12.130.
- [86] Woodford, N., Turton, J. F. & Livermore, D. M. Multiresistant Gramnegative bacteria: the role of high-risk clones in the dissemination of antibiotic resistance. *FEMS Microbiology Reviews* **35**, 736–755 (2011). URL http://www.ncbi.nlm.nih.gov/pubmed/21303394.
- [87] Woodford, N. & Johnson, A. P. Global spread of antibiotic resistance: the example of New Delhi metallo-β-lactamase (NDM)-mediated carbapenem resistance. *Journal of Medical Microbiology* **62**, 499–513 (2013). URL http://www.microbiologyresearch.org/content/journal/jmm/10.1099/jmm.0.052555-0.
- [88] Lynch, J. P., Clark, N. M. & Zhanel, G. G. Evolution of antimicrobial resistance among Enterobacteriaceae (focus on extended spectrum β-lactamases and carbapenemases). Expert Opinion on Pharmacotherapy 14, 199–210 (2013). URL http://www.tandfonline.com/doi/full/10.1517/14656566.2013.763030.
- [89] Wright, G. Bacterial resistance to antibiotics: Enzymatic degradation and modification. Advanced Drug Delivery Reviews 57, 1451–1470 (2005). URL https://linkinghub.elsevier.com/retrieve/pii/S0169409X05000980.
- [90] Norris, A. L. & Serpersu, E. H. Ligand promiscuity through the eyes of the aminoglycoside <i>N</i> 3 acetyltransferase IIa. *Protein Science* 22, 916–928 (2013). URL http://doi.wiley.com/10.1002/pro.2273.
- [91] Qin, S. et al. Identification of a Novel Genomic Island Conferring Resistance to Multiple Aminoglycoside Antibiotics in Campylobacter coli. Antimicrobial Agents and Chemotherapy 56, 5332 (2012). URL https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3457361/.

[92] Mantravadi, P., Kalesh, K., Dobson, R., Hudson, A. & Parthasarathy, A. The Quest for Novel Antimicrobial Compounds: Emerging Trends in Research, Development, and Technologies. *Antibiotics* 8, 8 (2019). URL http://www.ncbi.nlm.nih.gov/pubmed/30682820.

- [93] Bahar, A. A. & Ren, D. Antimicrobial peptides. *Pharmaceuticals (Basel, Switzerland)* 6, 1543-75 (2013). URL http://www.ncbi.nlm.nih.gov/pubmed/24287494.
- [94] Mahlapuu, M., Håkansson, J., Ringstad, L. & Björn, C. Antimicrobial Peptides: An Emerging Category of Therapeutic Agents. Frontiers in Cellular and Infection Microbiology 6, 194 (2016). URL http://www.ncbi.nlm.nih.gov/pubmed/28083516.
- [95] Zhang, L.-j. & Gallo, R. L. Antimicrobial peptides. *Current Biology* **26**, R14-R19 (2016). URL https://www.sciencedirect.com/science/article/pii/S0960982215014098{#}!
- [96] Ebbensgaard, A. et al. Comparative Evaluation of the Antimicrobial Activity of Different Antimicrobial Peptides against a Range of Pathogenic Bacteria. PLOS ONE 10, e0144611 (2015). URL http://dx.plos.org/10.1371/journal.pone.0144611.
- [97] Brogden, K. A. Antimicrobial peptides: pore formers or metabolic inhibitors in bacteria? *Nature Reviews Microbiology* **3**, 238-250 (2005). URL http://www.nature.com/articles/nrmicro1098.
- [98] Hancock, R. E. W. & Sahl, H.-G. Antimicrobial and host-defense peptides as new anti-infective therapeutic strategies. *Nature Biotechnology* **24**, 1551–1557 (2006). URL http://www.nature.com/articles/nbt1267.
- [99] Malmsten, M. Interactions of Antimicrobial Peptides with Bacterial Membranes and Membrane Components. Current topics in medicinal chemistry 16, 16–24 (2016). URL http://www.ncbi.nlm.nih.gov/pubmed/26139113.
- [100] Zhang, L., Rozek, A. & Hancock, R. E. Interaction of cationic antimicrobial peptides with model membranes. *The Journal of biological chemistry*

- **276**, 35714-22 (2001). URL http://www.ncbi.nlm.nih.gov/pubmed/11473117.
- [101] Schmitt, P., Rosa, R. D. & Destoumieux-Garzón, D. An intimate link between antimicrobial peptide sequence diversity and binding to essential components of bacterial membranes. *Biochimica et Biophys*ica Acta (BBA) - Biomembranes 1858, 958-970 (2016). URL http: //linkinghub.elsevier.com/retrieve/pii/S0005273615003430.
- [102] Lin, T.-Y. & Weibel, D. B. Organization and function of anionic phospholipids in bacteria. Applied Microbiology and Biotechnology 100, 4255-4267 (2016). URL http://link.springer.com/10.1007/ s00253-016-7468-x.
- [103] Glukhov, E., Stark, M., Burrows, L. L. & Deber, C. M. Basis for selectivity of cationic antimicrobial peptides for bacterial versus mammalian membranes. The Journal of biological chemistry 280, 33960-7 (2005).
  URL http://www.ncbi.nlm.nih.gov/pubmed/16043484.
- [104] Spector, A. A. & Yorek, M. A. Membrane lipid composition and cellular function. *Journal of lipid research* **26**, 1015–35 (1985). URL http://www.ncbi.nlm.nih.gov/pubmed/3906008.
- [105] van Meer, G., Voelker, D. R. & Feigenson, G. W. Membrane lipids: where they are and how they behave. *Nature reviews. Molecular cell biology* 9, 112–24 (2008). URL http://www.ncbi.nlm.nih.gov/pubmed/18216768.
- [106] Yeaman, M. R. & Yount, N. Y. Mechanisms of Antimicrobial Peptide Action and Resistance. *Pharmacological Reviews* 55, 27-55 (2003). URL http://pharmrev.aspetjournals.org/cgi/doi/10.1124/pr.55.1.2.
- [107] Lai, Y. & Gallo, R. L. AMPed up immunity: how antimicrobial peptides have multiple roles in immune defense. *Trends in Immunology* **30**, 131–141 (2009). URL https://www.sciencedirect.com/science/article/pii/S1471490609000052.
- [108] Zasloff, M. Antimicrobial peptides of multicellular organisms. *Nature* 415, 389-395 (2002). URL http://www.ncbi.nlm.nih.gov/pubmed/11807545http://www.nature.com/articles/415389a.

[109] Matsuzaki, K. Control of cell selectivity of antimicrobial peptides. Biochimica et Biophysica Acta (BBA) - Biomembranes 1788, 1687–1692 (2009). URL https://www.sciencedirect.com/science/article/pii/S0005273608003076.

- [110] Ebenhan, T., Gheysens, O., Kruger, H. G., Zeevaart, J. R. & Sathekge, M. M. Antimicrobial peptides: their role as infection-selective tracers for molecular imaging. *BioMed research international* 2014, 867381 (2014). URL http://www.ncbi.nlm.nih.gov/pubmed/25243191.
- [111] Chan, D. I., Prenner, E. J. & Vogel, H. J. Tryptophan- and arginine-rich antimicrobial peptides: Structures and mechanisms of action. Biochimica et Biophysica Acta (BBA) - Biomembranes 1758, 1184—1202 (2006). URL http://linkinghub.elsevier.com/retrieve/pii/S0005273606001404.
- [112] Toke, O. Antimicrobial peptides: New candidates in the fight against bacterial infections. *Biopolymers* **80**, 717–735 (2005). URL http://doi.wiley.com/10.1002/bip.20286.
- [113] Yang, L., Harroun, T. A., Weiss, T. M., Ding, L. & Huang, H. W. Barrel-stave model or toroidal model? A case study on melittin pores. Biophysical journal 81, 1475–85 (2001). URL http://www.ncbi.nlm.nih.gov/pubmed/11509361.
- [114] Bertelsen, K., Dorosz, J., Hansen, S. K., Nielsen, N. C. & Vosegaard, T. Mechanisms of Peptide-Induced Pore Formation in Lipid Bilayers Investigated by Oriented 31P Solid-State NMR Spectroscopy. *PLoS ONE* 7, e47745 (2012). URL http://dx.plos.org/10.1371/journal.pone. 0047745.
- [115] Lee, M.-T., Chen, F.-Y. & Huang, H. W. Energetics of Pore Formation Induced by Membrane Active Peptides <sup></sup>. Biochemistry 43, 3590–3599 (2004). URL http://www.ncbi.nlm.nih.gov/pubmed/15035629.
- [116] Spaar, A., Münster, C. & Salditt, T. Conformation of peptides in lipid membranes studied by x-ray grazing incidence scattering. *Biophysi*-

- cal journal 87, 396-407 (2004). URL http://www.ncbi.nlm.nih.gov/pubmed/15240474.
- [117] Matsuzaki, K., Murase, O., Fujii, N. & Miyajima, K. An Antimicrobial Peptide, Magainin 2, Induced Rapid Flip-Flop of Phospholipids Coupled with Pore Formation and Peptide Translocation <sup></sup>. Biochemistry 35, 11361–11368 (1996). URL http://www.ncbi.nlm.nih.gov/pubmed/8784191.
- [118] Hallock, K. J., Lee, D.-K. & Ramamoorthy, A. MSI-78, an analogue of the magainin antimicrobial peptides, disrupts lipid bilayer structure via positive curvature strain. *Biophysical journal* 84, 3052–60 (2003). URL http://www.ncbi.nlm.nih.gov/pubmed/12719236.
- [119] He, K., Ludtke, S. J., Huang, H. W. & Worcester, D. L. Antimicrobial peptide pores in membranes detected by neutron in-plane scattering. *Biochemistry* 34, 15614-8 (1995). URL http://www.ncbi.nlm.nih.gov/pubmed/7495788.
- [120] Matsuzaki, K. et al. Relationship of Membrane Curvature to the Formation of Pores by Magainin 2 <sup></sup>. Biochemistry 37, 11856–11863 (1998). URL https://pubs.acs.org/doi/10.1021/bi980539y.
- [121] Matsuzaki, K., Sugishita, K.-i., Harada, M., Fujii, N. & Miyajima, K. Interactions of an antimicrobial peptide, magainin 2, with outer and inner membranes of Gram-negative bacteria. *Biochim*ica et *Biophysica Acta (BBA) - Biomembranes* 1327, 119-130 (1997). URL https://www.sciencedirect.com/science/article/ pii/S0005273697000515?via{%}3Dihub.
- [122] Shai, Y. Mechanism of the binding, insertion and destabilization of phospholipid bilayer membranes by α-helical antimicrobial and cell non-selective membrane-lytic peptides. Biochimica et Biophysica Acta (BBA) Biomembranes 1462, 55-70 (1999). URL https://www.sciencedirect.com/science/article/pii/S000527369900200X?via{%}3Dihub.
- [123] Ladokhin, A. S. & White, S. H. Detergent-like' permeabilization of anionic lipid vesicles by melittin. *Biochimica et Biophysica Acta*

- (BBA) Biomembranes 1514, 253-260 (2001). URL https://www.sciencedirect.com/science/article/pii/S0005273601003820.
- [124] Oren, Z. & Shai, Y. Mode of action of linear amphipathic α-helical antimicrobial peptides. *Biopolymers* 47, 451–463 (1998). URL http://www.ncbi.nlm.nih.gov/pubmed/10333737.
- [125] Gazit, E., Boman, A., Boman, H. G. & Shai, Y. Interaction of the mammalian antibacterial peptide cecropin P1 with phospholipid vesicles. *Biochemistry* 34, 11479–88 (1995). URL http://www.ncbi.nlm.nih. gov/pubmed/7547876.
- [126] Yamaguchi, S. et al. Orientation and Dynamics of an Antimicrobial Peptide in the Lipid Bilayer by Solid-State NMR Spectroscopy. Biophysical Journal 81, 2203-2214 (2001). URL https://linkinghub.elsevier.com/retrieve/pii/S0006349501758687.
- [127] Tang, M. & Hong, M. Structure and mechanism of β-hairpin antimicrobial peptides in lipid bilayers from solid-state NMR spectroscopy. Molecular BioSystems 5, 317 (2009). URL http://xlink.rsc.org/ ?D0I=b820398a.
- [128] Lehrer, R. I. Primate defensins. *Nature Reviews Microbiology* **2**, 727-738 (2004). URL http://www.nature.com/articles/nrmicro976.
- [129] Fujii, G., Eisenberg, D. & Selsted, M. E. Defensins promote fusion and lysis of negatively charged membranes. *Protein Science* 2, 1301-1312 (1993). URL http://doi.wiley.com/10.1002/pro.5560020813.
- [130] Kagan, B. L., Selsted, M. E., Ganz, T. & Lehrer, R. I. Antimicrobial defensin peptides form voltage-dependent ion-permeable channels in planar lipid bilayer membranes. *Proceedings of the National Academy of Sciences* 87, 210–214 (1990). URL http://www.pnas.org/cgi/doi/10.1073/pnas.87.1.210.
- [131] Takeuchi, K. et al. Channel-forming membrane permeabilization by an antibacterial protein, sapecin: determination of membrane-buried and oligomerization surfaces by NMR. The Journal of biological chemistry 279, 4981–7 (2004). URL http://www.ncbi.nlm.nih.gov/pubmed/14630928.

[132] Dathe, M. & Wieprecht, T. Structural features of helical antimicrobial peptides: their potential to modulate activity on model membranes and biological cells. *Biochimica et biophysica acta* **1462**, 71–87 (1999). URL http://www.ncbi.nlm.nih.gov/pubmed/10590303.

- [133] Yonezawa, A., Kuwahara, J., Fujii, N. & Sugiura, Y. Binding of tachyplesin I to DNA revealed by footprinting analysis: significant contribution of secondary structure to DNA binding and implication for biological action. *Biochemistry* 31, 2998–3004 (1992). URL http://pubs.acs.org/doi/abs/10.1021/bi00126a022.
- [134] Gifford, J. L., Hunter, H. N. & Vogel, H. J. Lactoferricin. Cellular and Molecular Life Sciences 62, 2588-2598 (2005). URL http://link. springer.com/10.1007/s00018-005-5373-z.
- [135] Tomita, M., Takase, M., Bellamy, W. & Shimamura, S. A review: the active peptide of lactoferrin. *Acta paediatrica Japonica: Overseas edition* **36**, 585–91 (1994). URL http://www.ncbi.nlm.nih.gov/pubmed/7825467.
- [136] Hwang, P. M., Zhou, N., Shan, X., Arrowsmith, C. H. & Vogel, H. J. Three-Dimensional Solution Structure of Lactoferricin B, an Antimicrobial Peptide Derived from Bovine Lactoferrin <sup></sup>. Biochemistry 37, 4288–4298 (1998). URL http://www.ncbi.nlm.nih.gov/pubmed/9521752.
- [137] Schibli, D. J., Hwang, P. M. & Vogel, H. J. The structure of the antimicrobial active center of lactoferricin B bound to sodium dodecyl sulfate micelles. *FEBS Letters* **446**, 213–217 (1999). URL http://doi.wiley.com/10.1016/S0014-5793{%}2899{%}2900214-8.
- [138] Nguyen, L. T., Schibli, D. J. & Vogel, H. J. Structural studies and model membrane interactions of two peptides derived from bovine lactoferricin. *Journal of Peptide Science* 11, 379–389 (2005). URL http://doi.wiley.com/10.1002/psc.629.
- [139] Peschel, A. & Sahl, H.-G. The co-evolution of host cationic antimicrobial peptides and microbial resistance. *Nature Reviews Microbiology* 4, 529–536 (2006). URL http://www.nature.com/articles/nrmicro1441.

[140] Juhas, M. Horizontal gene transfer in human pathogens. *Critical Reviews in Microbiology* 41, 101–108 (2015). URL http://www.tandfonline.com/doi/full/10.3109/1040841X.2013.804031.

- [141] Joo, H.-S., Fu, C.-I. & Otto, M. Bacterial strategies of resistance to antimicrobial peptides. *Philosophical transactions of the Royal Society of London. Series B, Biological sciences* **371** (2016). URL http://www.ncbi.nlm.nih.gov/pubmed/27160595.
- [142] Sieprawska-Lupa, M. et al. Degradation of human antimicrobial peptide LL-37 by Staphylococcus aureus-derived proteinases. Antimicrobial agents and chemotherapy 48, 4673–9 (2004). URL http://www.ncbi.nlm.nih.gov/pubmed/15561843.
- [143] Teufel, P. & Götz, F. Characterization of an extracellular metalloprotease with elastase activity from Staphylococcus epidermidis. *Journal of Bacteriology* 175, 4218 (1993). URL https://www.ncbi.nlm.nih.gov/pmc/articles/PMC204852/.
- [144] Schmidtchen, A., Frick, I.-M., Andersson, E., Tapper, H. & Björck, L. Proteinases of common pathogenic bacteria degrade and inactivate the antibacterial peptide LL-37. *Molecular Microbiology* 46, 157–168 (2002). URL http://doi.wiley.com/10.1046/j.1365-2958.2002.03146.x.
- [145] Barańska-Rybak, W., Sonesson, A., Nowicki, R. & Schmidtchen, A. Glycosaminoglycans inhibit the antibacterial activity of LL-37 in biological fluids. *Journal of Antimicrobial Chemotherapy* 57, 260–265 (2006). URL http://academic.oup.com/jac/article/57/2/260/804780/Glycosaminoglycans-inhibit-the-antibacterial.
- [146] Nelson, D. C., Garbe, J. & Collin, M. Cysteine proteinase SpeB from Streptococcus pyogenes a potent modifier of immunologically important host and bacterial proteins. *Biological Chemistry* **392**, 1077–88 (2011). URL https://www.degruyter.com/view/j/bchm.2011.392.issue-12/bc.2011.208/bc.2011.208.xml.
- [147] Frick, I.-M. *et al.* Constitutive and Inflammation-Dependent Antimicrobial Peptides Produced by Epithelium Are Differentially Processed and Inactivated by the Commensal <i>Finegoldia magna</i>

Pathogen <i>Streptococcus pyogenes</i>. The Journal of Immunology 187, 4300-4309 (2011). URL http://www.jimmunol.org/lookup/doi/10.4049/jimmunol.1004179.

- [148] Selsted, M. E. & Harwig, S. S. Determination of the disulfide array in the human defensin HNP-2. A covalently cyclized peptide. *The Journal of biological chemistry* **264**, 4003–7 (1989). URL http://www.ncbi.nlm.nih.gov/pubmed/2917986.
- [149] Stumpe, S., Schmid, R., Stephens, D. L., Georgiou, G. & Bakker, E. P. Identification of OmpT as the protease that hydrolyzes the antimicrobial peptide protamine before it enters growing cells of Escherichia coli. *Journal of bacteriology* **180**, 4002–6 (1998). URL http://www.ncbi.nlm.nih.gov/pubmed/9683502.
- [150] Biegeleisen, K. The probable structure of the protamineDNA complex. Journal of Theoretical Biology 241, 533-540 (2006). URL https://linkinghub.elsevier.com/retrieve/pii/S0022519305005473.
- [151] Sol, A. et al. Actin enables the antimicrobial action of LL-37 peptide in the presence of microbial proteases. The Journal of biological chemistry 289, 22926–41 (2014). URL http://www.ncbi.nlm.nih.gov/pubmed/ 24947511.
- [152] Groisman, E. A., Parra-Lopez, C., Salcedo, M., Lipps, C. J. & Heffron, F. Resistance to host antimicrobial peptides is necessary for Salmonella virulence. *Proceedings of the National Academy of Sciences of the United States of America* 89, 11939 (1992). URL https://www.ncbi.nlm.nih.gov/pmc/articles/PMC50673/.
- [153] Parra-Lopez, C., Baer, M. T. & Groisman, E. A. Molecular genetic analysis of a locus required for resistance to antimicrobial peptides in Salmonella typhimurium. *The EMBO journal* **12**, 4053–62 (1993). URL http://www.ncbi.nlm.nih.gov/pubmed/8223423.
- [154] Mason, K. M., Munson, R. S., Jr. & Bakaletz, L. O. A Mutation in the sap Operon Attenuates Survival of Nontypeable Haemophilus influenzae in a Chinchilla Model of Otitis Media. *Infection and Immunity*

- **73**, 599 (2005). URL https://www.ncbi.nlm.nih.gov/pmc/articles/PMC538956/.
- [155] Taggart, C. C. et al. Inactivation of Human -Defensins 2 and 3 by Elastolytic Cathepsins. The Journal of Immunology 171, 931-937 (2003). URL http://www.jimmunol.org/cgi/doi/10.4049/jimmunol.171.2.931.
- [156] Bokarewa, M. & Tarkowski, A. Human α-defensins neutralize fibrinolytic activity exerted by staphylokinase. Thrombosis and Haemostasis 91, 991–999 (2004). URL http://www.ncbi.nlm.nih.gov/pubmed/ 15116261.
- [157] Jin, T. et al. Staphylococcus aureus Resists Human Defensins by Production of Staphylokinase, a Novel Bacterial Evasion Mechanism. The Journal of Immunology 172, 1169–1176 (2004). URL http://www.ncbi.nlm.nih.gov/pubmed/14707093.
- [158] Costerton, J. W., Stewart, P. S. & Greenberg, E. P. Bacterial biofilms: a common cause of persistent infections. *Science (New York, N.Y.)* 284, 1318–22 (1999). URL http://www.ncbi.nlm.nih.gov/pubmed/ 10334980.
- [159] Jolivet-Gougeon, A. & Bonnaure-Mallet, M. Biofilms as a mechanism of bacterial resistance. *Drug Discovery Today: Technologies* **11**, 49–56 (2014). URL https://linkinghub.elsevier.com/retrieve/pii/S1740674914000043.
- [160] Nickel, J. C., Ruseska, I., Wright, J. B. & Costerton, J. W. Tobramycin resistance of Pseudomonas aeruginosa cells growing as a biofilm on urinary catheter material. *Antimicrobial agents and chemotherapy* **27**, 619–24 (1985). URL http://www.ncbi.nlm.nih.gov/pubmed/3923925.
- [161] Mah, T. F. & O'Toole, G. A. Mechanisms of biofilm resistance to antimicrobial agents. *Trends in microbiology* **9**, 34–9 (2001). URL http://www.ncbi.nlm.nih.gov/pubmed/11166241.
- [162] Wang, X., Preston, J. F. & Romeo, T. The pgaABCD locus of Escherichia coli promotes the synthesis of a polysaccharide adhesin required

- for biofilm formation. *Journal of bacteriology* **186**, 2724-34 (2004). URL http://www.ncbi.nlm.nih.gov/pubmed/15090514.
- [163] Vuong, C. et al. Polysaccharide intercellular adhesin (PIA) protects Staphylococcus epidermidis against major components of the human innate immune system. Cellular microbiology 6, 269–75 (2004). URL http://www.ncbi.nlm.nih.gov/pubmed/14764110.
- [164] Vuong, C. et al. A crucial role for exopolysaccharide modification in bacterial biofilm formation, immune evasion, and virulence. The Journal of biological chemistry 279, 54881-6 (2004). URL http://www.ncbi.nlm.nih.gov/pubmed/15501828.
- [165] Campos, M. A. et al. Capsule polysaccharide mediates bacterial resistance to antimicrobial peptides. *Infection and immunity* 72, 7107–14 (2004). URL http://www.ncbi.nlm.nih.gov/pubmed/15557634.
- [166] Llobet, E., Tomas, J. M. & Bengoechea, J. A. Capsule polysaccharide is a bacterial decoy for antimicrobial peptides. *Microbiology* 154, 3877– 3886 (2008). URL http://mic.microbiologyresearch.org/content/ journal/micro/10.1099/mic.0.2008/022301-0.
- [167] Batoni, G., Maisetta, G., Lisa Brancatisano, F., Esin, S. & Campa, M. Use of Antimicrobial Peptides Against Microbial Biofilms: Advantages and Limits. Current Medicinal Chemistry 18, 256-279 (2011). URL http://www.eurekaselect.com/openurl/content.php?genre=article{&}issn=0929-8673{&}volume=18{&}issue=2{&}spage=256.
- [168] Strempel, N., Strehmel, J. & Overhage, J. Potential Application of Antimicrobial Peptides in the Treatment of Bacterial Biofilm Infections. *Current Pharmaceutical Design* 21, 67-84 (2014). URL http://www.eurekaselect.com/openurl/content.php?genre=article{&}issn=1381-6128{&}volume=21{&}issue=1{&}spage=67.
- [169] Joo, H.-S. & Otto, M. Molecular Basis of In Vivo Biofilm Formation by Bacterial Pathogens. *Chemistry & Biology* **19**, 1503-1513 (2012). URL https://linkinghub.elsevier.com/retrieve/pii/S1074552112004231.

[170] Di Luca, M., Maccari, G. & Nifosì, R. Treatment of microbial biofilms in the post-antibiotic era: prophylactic and therapeutic use of antimicrobial peptides and their design by bioinformatics tools. *Pathogens and Disease* 70, 257–270 (2014). URL https://academic.oup.com/femspd/article-lookup/doi/10.1111/2049-632X.12151.

- [171] Peschel, A. et al. Inactivation of the dlt operon in Staphylococcus aureus confers sensitivity to defensins, protegrins, and other antimicrobial peptides. The Journal of biological chemistry 274, 8405–10 (1999). URL http://www.ncbi.nlm.nih.gov/pubmed/10085071.
- [172] Fabretti, F. et al. Alanine Esters of Enterococcal Lipoteichoic Acid Play a Role in Biofilm Formation and Resistance to Antimicrobial Peptides. Infection and Immunity 74, 4164–4171 (2006). URL http://www.ncbi.nlm.nih.gov/pubmed/16790791.
- [173] Saar-Dover, R. et al. D-Alanylation of Lipoteichoic Acids Confers Resistance to Cationic Peptides in Group B Streptococcus by Increasing the Cell Wall Density. PLoS Pathogens 8, e1002891 (2012). URL http://dx.plos.org/10.1371/journal.ppat.1002891.
- [174] Moskowitz, S. M., Ernst, R. K. & Miller, S. I. PmrAB, a two-component regulatory system of Pseudomonas aeruginosa that modulates resistance to cationic antimicrobial peptides and addition of aminoarabinose to lipid A. *Journal of bacteriology* **186**, 575–9 (2004). URL http://www.ncbi.nlm.nih.gov/pubmed/14702327.
- [175] Gunn, J. S. et al. PmrA-PmrB-regulated genes necessary for 4-aminoarabinose lipid A modification and polymyxin resistance. Molecular microbiology 27, 1171–82 (1998). URL http://www.ncbi.nlm.nih.gov/pubmed/9570402.
- [176] Wang, X., Karbarz, M. J., McGrath, S. C., Cotter, R. J. & Raetz, C. R. H. MsbA transporter-dependent lipid A 1-dephosphorylation on the periplasmic surface of the inner membrane: topography of francisella novicida LpxE expressed in Escherichia coli. *The Journal of biological chemistry* 279, 49470–8 (2004). URL http://www.ncbi.nlm.nih.gov/pubmed/15339914.

[177] Wang, X., McGrath, S. C., Cotter, R. J. & Raetz, C. R. H. Expression cloning and periplasmic orientation of the Francisella novicida lipid A 4'-phosphatase LpxF. *The Journal of biological chemistry* **281**, 9321–30 (2006). URL http://www.ncbi.nlm.nih.gov/pubmed/16467300.

- [178] Bugg, T. D. H. et al. Molecular basis for vancomycin resistance in Enterococcus faecium BM4147: biosynthesis of a depsipeptide peptidoglycan precursor by vancomycin resistance proteins VanH and VanA. Biochemistry 30, 10408–10415 (1991). URL http://pubs.acs.org/doi/abs/10.1021/bi00107a007.
- [179] Brötz, H. et al. Role of lipid-bound peptidoglycan precursors in the formation of pores by nisin, epidermin and other lantibiotics. *Molecular microbiology* 30, 317–27 (1998). URL http://www.ncbi.nlm.nih.gov/pubmed/9791177.
- [180] Guo, L. et al. Lipid A acylation and bacterial resistance against vertebrate antimicrobial peptides. Cell 95, 189–98 (1998). URL http://www.ncbi.nlm.nih.gov/pubmed/9790526.
- [181] Bishop, R. E. et al. Transfer of palmitate from phospholipids to lipid A in outer membranes of gram-negative bacteria. The EMBO journal 19, 5071-80 (2000). URL http://emboj.embopress.org/cgi/doi/10.1093/emboj/19.19.5071.
- [182] Silhavy, T. J., Kahne, D. & Walker, S. The Bacterial Cell Envelope. Cold Spring Harbor Perspectives in Biology 2, a000414-a000414 (2010). URL http://www.ncbi.nlm.nih.gov/pubmed/20452953.
- [183] Loutet, S. A., Flannagan, R. S., Kooi, C., Sokol, P. A. & Valvano, M. A. A complete lipopolysaccharide inner core oligosaccharide is required for resistance of Burkholderia cenocepacia to antimicrobial peptides and bacterial survival in vivo. *Journal of bacteriology* **188**, 2073–80 (2006). URL http://www.ncbi.nlm.nih.gov/pubmed/16513737.
- [184] Allen, C. A., Adams, L. G. & Ficht, T. A. Transposon-derived Brucella abortus rough mutants are attenuated and exhibit reduced intracellular survival. *Infection and immunity* **66**, 1008–16 (1998). URL http://www.ncbi.nlm.nih.gov/pubmed/9488389.

[185] Peschel, A. et al. <i>Staphylococcus aureus</i> Resistance to Human Defensins and Evasion of Neutrophil Killing via the Novel Virulence Factor Mprf Is Based on Modification of Membrane Lipids with l-Lysine. The Journal of Experimental Medicine 193, 1067–1076 (2001). URL http://www.jem.org/lookup/doi/10.1084/jem.193.9.1067.

- [186] Thedieck, K. et al. The MprF protein is required for lysinylation of phospholipids in listerial membranes and confers resistance to cationic antimicrobial peptides (CAMPs) on Listeria monocytogenes. *Molecular Microbiology* 62, 1325–1339 (2006). URL http://doi.wiley.com/10.1111/j.1365-2958.2006.05452.x.
- [187] Klein, S. et al. Adaptation of <i>Pseudomonas aeruginosa</i>to various conditions includes tRNA-dependent formation of alanyl-phosphatidylglycerol. *Molecular Microbiology* **71**, 551–565 (2009). URL http://doi.wiley.com/10.1111/j.1365-2958.2008.06562.x.
- [188] Band, V. & Weiss, D. Mechanisms of Antimicrobial Peptide Resistance in Gram-Negative Bacteria. *Antibiotics* 4, 18–41 (2014). URL http://www.ncbi.nlm.nih.gov/pubmed/25927010.
- [189] Kumariya, R., Sood, S. K., Rajput, Y. S., Saini, N. & Garsa, A. K. Increased membrane surface positive charge and altered membrane fluidity leads to cationic antimicrobial peptide resistance in Enterococcus faecalis. *Biochimica et biophysica acta* 1848, 1367–75 (2015). URL http://www.ncbi.nlm.nih.gov/pubmed/25782727.
- [190] Raetz, C. R., Reynolds, C. M., Trent, M. S. & Bishop, R. E. Lipid A Modification Systems in Gram-Negative Bacteria. Annual Review of Biochemistry 76, 295-329 (2007). URL http://www.annualreviews. org/doi/10.1146/annurev.biochem.76.010307.145803.
- [191] Wang, G. et al. APD3: the antimicrobial peptide database as a tool for research and education. Nucleic Acids Research 44, D1087-D1093 (2016). URL https://academic.oup.com/nar/article-lookup/doi/ 10.1093/nar/gkv1278.
- [192] Pirtskhalava, M. et al. DBAASP v.2: an enhanced database of structure and antimicrobial/cytotoxic activity of natural and synthetic peptides.

- Nucleic Acids Research 44, 6503-6503 (2016). URL http://www.ncbi.nlm.nih.gov/pubmed/27060142.
- [193] Jhong, J.-H. et al. dbAMP: an integrated resource for exploring antimicrobial peptides with functional activities and physicochemical properties on transcriptome and proteome data. Nucleic Acids Research 47, D285–D297 (2019). URL https://academic.oup.com/nar/article/47/D1/D285/5150231.
- [194] Lata, S., Mishra, N. K. & Raghava, G. P. AntiBP2: improved version of antibacterial peptide prediction. BMC Bioinformatics 11, S19 (2010). URL http://bmcbioinformatics.biomedcentral.com/articles/10. 1186/1471-2105-11-S1-S19.
- [195] Bhadra, P., Yan, J., Li, J., Fong, S. & Siu, S. W. I. AmPEP: Sequence-based prediction of antimicrobial peptides using distribution patterns of amino acid properties and random forest. Scientific Reports 8, 1697 (2018). URL http://www.nature.com/articles/s41598-018-19752-w.
- [196] Fjell, C. D., Hiss, J. A., Hancock, R. E. W. & Schneider, G. Designing antimicrobial peptides: form follows function. *Nature Reviews Drug Discovery* 11, 37 (2011). URL http://www.nature.com/doifinder/10.1038/nrd3591.
- [197] Wiradharma, N. et al. Synthetic cationic amphiphilic α-helical peptides as antimicrobial agents. Biomaterials 32, 2204–2212 (2011). URL https://linkinghub.elsevier.com/retrieve/pii/S0142961210015097.
- [198] Huang, Y., Huang, J. & Chen, Y. Alpha-helical cationic antimicrobial peptides: relationships of structure and function. *Protein & Cell* 1, 143–152 (2010). URL http://link.springer.com/10.1007/s13238-010-0004-3.
- [199] Pag, U. et al. Analysis of in vitro activities and modes of action of synthetic antimicrobial peptides derived from an  $\alpha$ -helical sequence template'. Journal of Antimicrobial Chemotherapy **61**, 341–352

- (2008). URL https://academic.oup.com/jac/article-lookup/doi/10.1093/jac/dkm479.
- [200] Wang, J. et al. High specific selectivity and Membrane-Active Mechanism of the synthetic centrosymmetric α-helical peptides with Gly-Gly pairs. Scientific reports 5, 15963 (2015). URL http://www.nature.com/articles/srep15963.
- [201] Hilpert, K., Volkmer-Engert, R., Walter, T. & Hancock, R. E. W. High-throughput generation of small antibacterial peptides with improved activity. *Nature Biotechnology* **23**, 1008–1012 (2005). URL http://www.nature.com/articles/nbt1113.
- [202] Hilpert, K. et al. Sequence Requirements and an Optimization Strategy for Short Antimicrobial Peptides. Chemistry & Biology 13, 1101–1107 (2006). URL https://linkinghub.elsevier.com/retrieve/pii/S107455210600336X.
- [203] Migoń, D. et al. Alanine Scanning Studies of the Antimicrobial Peptide Aurein 1.2. Probiotics and Antimicrobial Proteins 1-13 (2018). URL http://link.springer.com/10.1007/s12602-018-9501-0.
- [204] Grieco, P. et al. Alanine scanning analysis and structure-function relationships of the frog-skin antimicrobial peptide temporin-1Ta. *Journal of Peptide Science* 17, 358–365 (2011). URL http://doi.wiley.com/10.1002/psc.1350.
- [205] Xie, J. et al. Potent effects of amino acid scanned antimicrobial peptide Feleucin-K3 analogs against both multidrug-resistant strains and biofilms of Pseudomonas aeruginosa. Amino Acids 50, 1471–1483 (2018). URL http://link.springer.com/10.1007/s00726-018-2625-4.
- [206] Radzishevsky, I. S. et al. Effects of acyl versus aminoacyl conjugation on the properties of antimicrobial peptides. Antimicrobial agents and chemotherapy 49, 2412–20 (2005). URL http://www.ncbi.nlm.nih.gov/pubmed/15917541.
- [207] Serrano, G. N., Zhanel, G. G. & Schweizer, F. Antibacterial Activity of Ultrashort Cationic Lipo--Peptides. *Antimicrobial Agents and*

- Chemotherapy **53**, 2215-2217 (2009). URL http://www.ncbi.nlm.nih.gov/pubmed/19237652.
- [208] Avrahami, D. & Shai, Y. A New Group of Antifungal and Antibacterial Lipopeptides Derived from Non-membrane Active Peptides Conjugated to Palmitic Acid. *Journal of Biological Chemistry* 279, 12277–12285 (2004). URL http://www.jbc.org/lookup/doi/10.1074/jbc.M312260200.
- [209] Liu, S., Bao, J., Lao, X. & Zheng, H. Novel 3D Structure Based Model for Activity Prediction and Design of Antimicrobial Peptides. Scientific Reports 8, 11189 (2018). URL http://www.nature.com/articles/ s41598-018-29566-5.
- [210] Jiang, Z., Vasil, A. I., Gera, L., Vasil, M. L. & Hodges, R. S. Rational Design of α-Helical Antimicrobial Peptides to Target Gram-negative Pathogens, Acinetobacter baumannii and Pseudomonas aeruginosa: Utilization of Charge, Specificity Determinants,' Total Hydrophobicity, Hydrophobe Type and Location as Design Para. Chemical Biology & Drug Design 77, 225–240 (2011). URL http://doi.wiley.com/10.1111/j. 1747-0285.2011.01086.x.
- [211] Deslouches, B. et al. De Novo Generation of Cationic Antimicrobial Peptides: Influence of Length and Tryptophan Substitution on Antimicrobial Activity. Antimicrobial Agents and Chemotherapy 49, 316–322 (2005). URL http://www.ncbi.nlm.nih.gov/pubmed/15616311.
- [212] Schmidt, N., Mishra, A., Lai, G. H. & Wong, G. C. Arginine-rich cell-penetrating peptides. FEBS Letters 584, 1806–1813 (2010). URL http://doi.wiley.com/10.1016/j.febslet.2009.11.046.
- [213] Loose, C., Jensen, K., Rigoutsos, I. & Stephanopoulos, G. A linguistic model for the rational design of antimicrobial peptides. *Nature* 443, 867– 869 (2006). URL http://www.nature.com/articles/nature05233.
- [214] Cipcigan, F. et al. Accelerating molecular discovery through data and physical sciences: Applications to peptide-membrane interactions. The Journal of Chemical Physics 148, 241744 (2018). URL http://aip.scitation.org/doi/10.1063/1.5027261.

[215] Bolintineanu, D. S. & Kaznessis, Y. N. Computational studies of protegrin antimicrobial peptides: A review. *Peptides* **32**, 188–201 (2011). URL http://www.ncbi.nlm.nih.gov/pubmed/20946928.

- [216] Khandelia, H. & Kaznessis, Y. N. Molecular dynamics simulations of helical antimicrobial peptides in SDS micelles: What do point mutations achieve? *Peptides* **26**, 2037–2049 (2005). URL https://linkinghub.elsevier.com/retrieve/pii/S0196978105001610.
- [217] Tsai, C.-W. et al. Coupling Molecular Dynamics Simulations with Experiments for the Rational Design of Indolicidin-Analogous Antimicrobial Peptides. Journal of Molecular Biology 392, 837-854 (2009). URL https://linkinghub.elsevier.com/retrieve/pii/ S0022283609008031.
- [218] Farrotti, A. et al. Molecular Dynamics Simulations of the Host Defense Peptide Temporin L and Its Q3K Derivative: An Atomic Level View from Aggregation in Water to Bilayer Perturbation. *Molecules* 22, 1235 (2017). URL http://www.mdpi.com/1420-3049/22/7/1235.
- [219] Walters, W. P. & Goldman, B. B. Feature selection in quantitative structure-activity relationships. *Current opinion in drug discovery & development* 8, 329–33 (2005). URL http://www.ncbi.nlm.nih.gov/pubmed/15892248.
- [220] Gonzalez, M., Teran, C., Saiz-Urra, L. & Teijeira, M. Variable Selection Methods in QSAR: An Overview. Current Topics in Medicinal Chemistry 8, 1606-1627 (2008). URL http://www.eurekaselect.com/openurl/content.php?genre=article{&}issn=1568-0266{&}volume=8{&}issue=18{&}spage=1606.
- [221] Wimley, W. C. Describing the Mechanism of Antimicrobial Peptide Action with the Interfacial Activity Model. *ACS Chemical Biology* 5, 905–917 (2010). URL http://www.ncbi.nlm.nih.gov/pubmed/20698568.
- [222] Lewenza, S. Construction of a mini-Tn5-luxCDABE mutant library in Pseudomonas aeruginosa PAO1: A tool for identifying differentially regulated genes. *Genome Research* **15**, 583–589 (2005). URL http://www.genome.org/cgi/doi/10.1101/gr.3513905.

[223] Cherkasov, A. et al. Use of Artificial Intelligence in the Design of Small Peptide Antibiotics Effective against a Broad Spectrum of Highly Antibiotic-Resistant Superbugs. ACS Chemical Biology 4, 65–74 (2009). URL http://www.ncbi.nlm.nih.gov/pubmed/19055425.

- [224] Lee, E. Y., Lee, M. W., Fulan, B. M., Ferguson, A. L. & Wong, G. C. L. What can machine learning do for antimicrobial peptides, and what can antimicrobial peptides do for machine learning? *Interface Focus* 7, 20160153 (2017). URL http://rsfs.royalsocietypublishing.org/lookup/doi/10.1098/rsfs.2016.0153.
- [225] AB Naafs, M. The Antimicrobial Peptides: Ready for Clinical Trials? Biomedical Journal of Scientific & Technical Research 7, 001–005 (2018). URL https://biomedres.us/fulltexts/BJSTR.MS.ID.001536.php.
- [226] Wipf, P., Xiao, J. & Stephenson, C. R. J. Peptide-Like Molecules (PLMs): A Journey from Peptide Bond Isosteres to Gramicidin S Mimetics and Mitochondrial Targeting Agents. *CHIMIA International Journal for Chemistry* **63**, 764–775 (2009). URL http://www.ncbi.nlm.nih.gov/pubmed/20725595.
- [227] Choudhary, A. & Raines, R. T. An Evaluation of Peptide-Bond Isosteres. ChemBioChem 12, 1801–1807 (2011). URL http://doi.wiley.com/10.1002/cbic.201100272.
- [228] Anguela, X. M. & High, K. A. Entering the Modern Era of Gene Therapy. Annual Review of Medicine 70, 273-288 (2019). URL https://www.annualreviews.org/doi/10.1146/annurev-med-012017-043332.
- [229] Barrangou, R. The roles of CRISPRCas systems in adaptive immunity and beyond. *Current Opinion in Immunology* **32**, 36–41 (2015). URL http://www.ncbi.nlm.nih.gov/pubmed/25574773.
- [230] Zhang, F., Wen, Y. & Guo, X. CRISPR/Cas9 for genome editing: progress, implications and challenges. Human Molecular Genetics 23, R40-R46 (2014). URL http://www.ncbi.nlm.nih.gov/pubmed/24651067.

[231] Hsu, P. D., Lander, E. S. & Zhang, F. Development and applications of CRISPR-Cas9 for genome engineering. *Cell* **157**, 1262–78 (2014). URL http://www.ncbi.nlm.nih.gov/pubmed/24906146.

- [232] Oldfield, E. H. et al. Gene Therapy for the Treatment of Brain Tumors Using Intra-Tumoral Transduction with the Thymidine Kinase Gene and Intravenous Ganciclovir. National Institutes of Health. Human Gene Therapy 4, 39–69 (1993). URL http://www.ncbi.nlm.nih.gov/pubmed/8384892.
- [233] Lawler, S. E., Speranza, M.-C., Cho, C.-F. & Chiocca, E. A. Oncolytic Viruses in Cancer Treatment. *JAMA Oncology* 3, 841 (2017). URL http://www.ncbi.nlm.nih.gov/pubmed/27441411.
- [234] Naldini, L. Ex vivo gene transfer and correction for cell-based therapies. *Nature Reviews Genetics* **12**, 301–315 (2011). URL http://www.nature.com/articles/nrg2985.
- [235] Mingozzi, F. & High, K. A. Therapeutic in vivo gene transfer for genetic disease using AAV: progress and challenges. *Nature Reviews Genetics* 12, 341–355 (2011). URL http://www.nature.com/articles/nrg2988.
- [236] Sánchez, L., Calvo, M. & Brock, J. H. Biological role of lactoferrin. Archives of disease in childhood 67, 657-61 (1992). URL http://www.ncbi.nlm.nih.gov/pubmed/1599309.
- [237] Arnold, R., Cole, M. & McGhee, J. R. A bactericidal effect for human lactoferrin. *Science* **197**, 263–265 (1977). URL http://www.ncbi.nlm.nih.gov/pubmed/327545.
- [238] Arnold, R. R., Brewer, M. & Gauthier, J. J. Bactericidal activity of human lactoferrin: sensitivity of a variety of microorganisms. *Infection and immunity* 28, 893–8 (1980). URL http://www.ncbi.nlm.nih.gov/pubmed/6772569.
- [239] Kirkpatrick, C. H., Green, I., Rich, R. R. & Schade, A. L. Inhibition of Growth of Candida albicans by Iron-Unsaturated Lactoferrin: Relation to Host-Defense Mechanisms in Chronic Mucocutaneous Candidiasis. *Journal of Infectious Diseases* 124, 539–544

- (1971). URL https://academic.oup.com/jid/article-lookup/doi/10.1093/infdis/124.6.539.
- [240] Jahani, S., Shakiba, A. & Jahani, L. The Antimicrobial Effect of Lactoferrin on Gram-Negative and Gram-Positive Bacteria. *International Journal of Infection* 2 (2015). URL http://intjinfection.com/en/articles/14726.html.
- [241] Farnaud, S. & Evans, R. W. Lactoferrin—a multifunctional protein with antimicrobial properties. *Molecular immunology* **40**, 395–405 (2003). URL http://www.ncbi.nlm.nih.gov/pubmed/14568385.
- [242] Shau, H., Kim, A. & Golub, S. H. Modulation of natural killer and lymphokine-activated killer cell cytotoxicity by lactoferrin. *Journal of Leukocyte Biology* **51**, 343–349 (1992). URL http://doi.wiley.com/10.1002/jlb.51.4.343.
- [243] Gahr, M., Speer, C. P., Damerau, B. & Sawatzki, G. Influence of Lactoferrin on the Function of Human Polymorphonuclear Leukocytes and Monocytes. *Journal of Leukocyte Biology* 49, 427–433 (1991). URL http://doi.wiley.com/10.1002/jlb.49.5.427.
- [244] Bellamy, W. et al. Identification of the bactericidal domain of lactoferrin. Biochimica et Biophysica Acta (BBA) - Protein Structure and Molecular Enzymology 1121, 130-136 (1992). URL https://www.sciencedirect.com/science/article/pii/016748389290346F.
- [245] Wakabayashi, H. et al. Cooperative anti-Candida effects of lactoferrin or its peptides in combination with azole antifungal agents. *Microbiology* and immunology 40, 821–5 (1996). URL http://www.ncbi.nlm.nih.gov/pubmed/8985937.
- [246] Aguilera, O., Ostolaza, H., Quirós, L. & Fierro, J. Permeabilizing action of an antimicrobial lactoferricin-derived peptide on bacterial and artificial membranes. FEBS Letters 462, 273-277 (1999). URL https:// www.sciencedirect.com/science/article/pii/S0014579399015458.
- [247] Cochran, A. G., Skelton, N. J. & Starovasnik, M. A. Tryptophan zippers: Stable, monomeric  $\beta$ -hairpins. *Proceedings of the National Academy of*

- Sciences 98, 5578-5583 (2001). URL https://www.pnas.org/content/98/10/5578.
- [248] Tsutsumi, A. et al. Structure and orientation of bovine lactoferrampin in the mimetic bacterial membrane as revealed by solid-state NMR and molecular dynamics simulation. Biophysical journal 103, 1735–43 (2012). URL http://www.ncbi.nlm.nih.gov/pubmed/23083717.
- [249] Arseneault, M., Bédard, S., Boulet-Audet, M. & Pézolet, M. Study of the Interaction of Lactoferricin B with Phospholipid Monolayers and Bilayers. *Langmuir* **26**, 3468–3478 (2010). URL http://pubs.acs.org/doi/abs/10.1021/la903014w.
- [250] Strøm, M. B. et al. Important structural features of 15-residue lactoferricin derivatives and methods for improvement of antimicrobial activity. Biochemistry and cell biology = Biochimie et biologie cellulaire 80, 65-74 (2002). URL http://www.ncbi.nlm.nih.gov/pubmed/11908644.
- [251] Crombez, L. et al. A New Potent Secondary Amphipathic Cellpenetrating Peptide for siRNA Delivery Into Mammalian Cells. Molecular Therapy 17, 95–103 (2009). URL https://www.sciencedirect.com/science/article/pii/S1525001616314800?via{%}3Dihub.
- [252] Bustin, S. A. et al. The MIQE guidelines: minimum information for publication of quantitative real-time PCR experiments. Clinical chemistry 55, 611–22 (2009). URL http://www.ncbi.nlm.nih.gov/pubmed/12142370.
- [253] Elsabahy, M. et al. Surface Charges and Shell Crosslinks Each Play Significant Roles in Mediating Degradation, Biofouling, Cytotoxicity and Immunotoxicity for Polyphosphoester-based Nanoparticles. Scientific Reports 3, 3313 (2013). URL http://www.nature.com/articles/srep03313.