## ScreenShots of Testing:-

## Checking Insertion and 0 ttl:-

```
Problems @ Javadoc  □ Declaration □ Console 
\label{lem:main_file} \begin{tabular}{ll} Main\_File~[Java~Application] C:\Users\Asus\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86\_64\_15.0.1.v20201027-0507\jre\binder and the property of the proper
Enter Your Unique Client ID
Enter 1 to Enter Your Path and 0 for default
Setting Default Path
 >>>Newely created datastore<<<
 >>>New File created<<<
 <<---->>>
Enter 1 to Add Objects
 Enter 2 to Show Elemets
 Enter 3 to Delete Elements
 Enter 4 to Exit
Enter key :
days
Enter Json Object :
day1
Monday
day2
 tuesday
Enter Invalidate time & 0 for no ttl :
>>>Saved Sucessfully<<<
```

## Entering another object with ttl of 10 Seconds and showing response after 5 seconds

```
🧗 Problems 🏿 Javadoc 🚇 Declaration 📮 Console 🖾
Main_File [Java Application] C:\Users\Asus\,p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_15.0.1.v20201027-0507\j
<<---->>>
Enter 1 to Add Objects
Enter 2 to Show Elemets
Enter 3 to Delete Elements
Enter 4 to Exit
Enter key:
today
Enter Json Object:
28/12
Monday
1/1
Friday
Enter Invalidate time & 0 for no ttl :
>>>Saved Sucessfully<<<
<<----->>>
Enter 1 to Add Objects
Enter 2 to Show Elemets
Enter 3 to Delete Elements
Enter 4 to Exit
Enter key:
today
28/12 Monday
1/1 Friday
<<----->>>
Enter 1 to Add Objects
Enter 2 to Show Elemets
Enter 3 to Delete Elements
Enter 4 to Exit
Enter key :
today
28/12 Monday
1/1 Friday
             ... - .. ...
```

#### Showing response after 10 Seconds hence Invalidate

```
Problems @ Javadoc  □ Declaration □ Console ≅
\label{lem:main_File} \begin{tabular}{ll} Main\_File~[Java~Application] C:\Users\Asus\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86\_64\_15.0.1.v20201027-0507\jre\binder{linear} and the property of th
 Enter 1 to Add Objects
 Enter 2 to Show Elemets
 Enter 3 to Delete Elements
 Enter 4 to Exit
 Enter key :
  today
 >>>Key doesn't Exist<<<
 <<----->>>
 Enter 1 to Add Objects
 Enter 2 to Show Elemets
  Enter 3 to Delete Elements
 Enter 4 to Exit
Enter key :
 Akashdeep
 >>>Key doesn't Exist<<<
  <<---->>>
 Enter 1 to Add Objects
 Enter 2 to Show Elemets
 Enter 3 to Delete Elements
 Enter 4 to Exit
 Enter key:
 Akashdeep
 >>>Key doesn't Exist<<<
  Enter 1 to Add Objects
 Enter 2 to Show Elemets
 Enter 3 to Delete Elements
Enter 4 to Exit
Enter key:
 today
>>>Key doesn't Exist<<<
```

# **Depicting The persistence storage:-**

```
🔐 Problems @ Javadoc 🚇 Declaration 📮 Console 🛭
<terminated> Main_File [Java Application] C:\Users\Asus\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_15.0.1.v2020102
Enter Your Unique Client ID
client2
Enter 1 to Enter Your Path and 0 for default
Setting Default Path
>>>Newely created datastore<<<
>>>New File created<<<
<<---->>>
Enter 1 to Add Objects
Enter 2 to Show Elemets
Enter 3 to Delete Elements
Enter 4 to Exit
Enter key:
Akashdeep
Enter Json Object :
akash
deep
singh khanuja
Enter Invalidate time & 0 for no ttl :
>>>Saved Sucessfully<<<
<<----->>
Enter 1 to Add Objects
Enter 2 to Show Elemets
Enter 3 to Delete Elements
Enter 4 to Exit
Enter key:
akashdeep
akash deep
singh khanuja .
<<---->>>
Enter 1 to Add Objects
Enter 2 to Show Elemets
Enter 3 to Delete Elements
Enton 1 to Evit
```

## Again Loading Same client2 to get the saved responses

```
  Problems @ Javadoc  □ Declaration □ Console 
  □
<terminated> Main_File [Java Application] C:\Users\Asus\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_15.0.1.v2020102
Enter Your Unique Client ID
client2
Enter 1 to Enter Your Path and 0 for default
Setting Default Path
Loaded already existed datastore
<<---->>>
Enter 1 to Add Objects
Enter 2 to Show Elemets
Enter 3 to Delete Elements
Enter 4 to Exit
Enter key:
AkAshDEEP
akash deep
singh khanuja .
<<----->>
Enter 1 to Add Objects
Enter 2 to Show Elemets
Enter 3 to Delete Elements
Enter 4 to Exit
```