

```

{
  "nbformat": 4,
  "nbformat_minor": 0,
  "metadata": {
    "colab": {
      "provenance": []
    },
    "kernelspec": {
      "name": "python3",
      "display_name": "Python 3"
    },
    "language_info": {
      "name": "python"
    }
  },
  "cells": [
    {
      "cell_type": "markdown",
      "source": [
        "1. library numpy dan pandas adalah library yg digunakan untuk preprocessing data"
      ],
      "metadata": {
        "id": "NTpmY34qw2Kx"
      }
    },
    {
      "cell_type": "code",
      "execution_count": null,
      "metadata": {
        "id": "RVAVDf4vuFyT"
      },
      "outputs": [],
      "source": [
        "import numpy as np\n",
        "import matplotlib.pyplot as plt\n",
        "import pandas as pd"
      ]
    },
    {
      "cell_type": "markdown",
      "source": [
        "1. datasetnya disimpan dengan nama missing_values.csv\n",
        "print x untuk mencetak nilai atribut dan print y untuk mencetak nilai kelas\n",
        "2. [:, :-1] pilih semua baris dalam dataset, serta semua kolom kecuali kolom terakhir\n",
        "[:, -1] pilih semua baris, kolom terakhir"
      ],
      "metadata": {
        "id": "bYf7w74dx0gJ"
      }
    },
    {
      "cell_type": "markdown",
      "source": [],
      "metadata": {
        "id": "q2w_Fuwu2sof"
      }
    }
  ]
}

```

```

    }
  },
  {
    "cell_type": "code",
    "execution_count": 13,
    "metadata": {
      "id": "WgMp-LktsZQr"
    },
    "outputs": [],
    "source": [
      "dataset = pd.read_csv (\"/content/Dataset_Missing_Values
(1).csv\")\n",
      "x = dataset.iloc[:, :-1].values\n",
      "y = dataset.iloc[:, -1].values"
    ]
  },
  {
    "cell_type": "code",
    "source": [
      "print(x)"
    ],
    "metadata": {
      "colab": {
        "base_uri": "https://localhost:8080/"
      },
      "id": "9BQM8_qb08qU",
      "outputId": "a9dba260-8289-4cd2-84cc-cbbfc1702213"
    },
    "execution_count": 14,
    "outputs": [
      {
        "output_type": "stream",
        "name": "stdout",
        "text": [
          "[['France' 44.0 72000.0]\n",
          " ['Spain' 27.0 48000.0]\n",
          " ['Germany' 30.0 54000.0]\n",
          " ['Spain' 38.0 61000.0]\n",
          " ['Germany' 40.0 nan]\n",
          " ['France' 35.0 58000.0]\n",
          " ['Spain' nan 52000.0]\n",
          " ['France' 48.0 79000.0]\n",
          " ['Germany' 50.0 83000.0]\n",
          " ['France' 37.0 67000.0]\n",
          " ['Germany' 22.0 nan]\n",
          " ['Spain' 30.0 51000.0]\n",
          " ['France' nan 40000.0]\n",
          " ['Germany' 32.0 90000.0]\n",
          " ['France' nan 77000.0]\n",
          " ['Germany' 27.0 nan]\n",
          " ['Spain' 25.0 nan]\n",
          " ['France' 55.0 49000.0]\n",
          " ['Germany' 41.0 88000.0]\n",
          " ['France' nan 63000.0]\n",
          " ['Spain' 33.0 60000.0]\n",
          " ['Germany' 50.0 nan]\n",
          " ['Spain' 28.0 78000.0]\n",
          " ['France' nan 66000.0]\n",

```

```

        " ['Germany' 40.0 50000.0]\n",
        " ['Spain' 39.0 82000.0]\n",
        " ['France' 44.0 72000.0]]\n"
    ]
}
]
},
{
    "cell_type": "code",
    "source": [
        "print(y)"
    ],
    "metadata": {
        "colab": {
            "base_uri": "https://localhost:8080/"
        },
        "id": "bih8R9SK20FT",
        "outputId": "ff6f8acc-6218-47cf-85f1-66796527c275"
    },
    "execution_count": 15,
    "outputs": [
        {
            "output_type": "stream",
            "name": "stdout",
            "text": [
                "['No' 'Yes' 'No' 'No' 'Yes' 'Yes' 'No' 'Yes' 'No' 'Yes' 'no'
'no' 'no'\n",
                " 'yes' 'yes' 'no' 'yes' 'yes' 'no' 'no' 'yes' 'yes' 'no'
'yes' 'no' 'no'\n",
                " 'yes']\n"
            ]
        }
    ]
},
{
    "cell_type": "markdown",
    "source": [
        "1. class SimpleImputer() digunakan untuk mengganti nilai yang
kosong dengan mean kolom\n",
        "2. memasukkan library sklearn\n",
        "3. missing_values digunakan untuk penanda bahwa nilai aslinya
tidak ada (missing)"
    ],
    "metadata": {
        "id": "6TLeoi6n4QCV"
    }
},
{
    "cell_type": "code",
    "source": [
        "from sklearn.impute import SimpleImputer\n",
        "imputer = SimpleImputer(missing_values=np.nan,
strategy='mean')\n",
        "imputer.fit(x[:, 1:3])\n",
        "x[:, 1:3] = imputer.transform(x[:, 1:3])"
    ],
    "metadata": {
        "id": "50QpZK9d22Tz"
    }
}

```

```

    },
    "execution_count": 17,
    "outputs": []
  },
  {
    "cell_type": "code",
    "source": [
      "print(x)"
    ],
    "metadata": {
      "colab": {
        "base_uri": "https://localhost:8080/"
      },
      "id": "SCVtz5cN4FRT",
      "outputId": "4fb5836b-690c-46c9-d9d2-3c45b4772e8a"
    },
    "execution_count": 18,
    "outputs": [
      {
        "output_type": "stream",
        "name": "stdout",
        "text": [
          "['France' 44.0 72000.0]\n",
          " ['Spain' 27.0 48000.0]\n",
          " ['Germany' 30.0 54000.0]\n",
          " ['Spain' 38.0 61000.0]\n",
          " ['Germany' 40.0 65454.545454545456]\n",
          " ['France' 35.0 58000.0]\n",
          " ['Spain' 37.04545454545455 52000.0]\n",
          " ['France' 48.0 79000.0]\n",
          " ['Germany' 50.0 83000.0]\n",
          " ['France' 37.0 67000.0]\n",
          " ['Germany' 22.0 65454.545454545456]\n",
          " ['Spain' 30.0 51000.0]\n",
          " ['France' 37.04545454545455 40000.0]\n",
          " ['Germany' 32.0 90000.0]\n",
          " ['France' 37.04545454545455 77000.0]\n",
          " ['Germany' 27.0 65454.545454545456]\n",
          " ['Spain' 25.0 65454.545454545456]\n",
          " ['France' 55.0 49000.0]\n",
          " ['Germany' 41.0 88000.0]\n",
          " ['France' 37.04545454545455 63000.0]\n",
          " ['Spain' 33.0 60000.0]\n",
          " ['Germany' 50.0 65454.545454545456]\n",
          " ['Spain' 28.0 78000.0]\n",
          " ['France' 37.04545454545455 66000.0]\n",
          " ['Germany' 40.0 50000.0]\n",
          " ['Spain' 39.0 82000.0]\n",
          " ['France' 44.0 72000.0]]\n"
        ]
      }
    ]
  },
  {
    "cell_type": "code",
    "execution_count": 20,
    "metadata": {
      "id": "U-96zCHfzkO3"
    }
  }

```

```

    },
    "outputs": [],
    "source": [
        "from sklearn.compose import ColumnTransformer\n",
        "from sklearn.preprocessing import OneHotEncoder\n",
        "ct = ColumnTransformer(transformers=[('encoder',\n",
OneHotEncoder(), [0])], remainder='passthrough')\n",
        "x = np.array (ct.fit_transform(x))"
    ]
},
{
    "cell_type": "code",
    "source": [
        "print(x)"
    ],
    "metadata": {
        "colab": {
            "base_uri": "https://localhost:8080/"
        },
        "id": "w15YvOYH9jgE",
        "outputId": "c8cc927a-864f-42b9-cad3-0ba2cc166bea"
    },
    "execution_count": 21,
    "outputs": [
        {
            "output_type": "stream",
            "name": "stdout",
            "text": [
                "[[1.0 0.0 0.0 44.0 72000.0]\n",
                " [0.0 0.0 1.0 27.0 48000.0]\n",
                " [0.0 1.0 0.0 30.0 54000.0]\n",
                " [0.0 0.0 1.0 38.0 61000.0]\n",
                " [0.0 1.0 0.0 40.0 65454.545454545456]\n",
                " [1.0 0.0 0.0 35.0 58000.0]\n",
                " [0.0 0.0 1.0 37.04545454545455 52000.0]\n",
                " [1.0 0.0 0.0 48.0 79000.0]\n",
                " [0.0 1.0 0.0 50.0 83000.0]\n",
                " [1.0 0.0 0.0 37.0 67000.0]\n",
                " [0.0 1.0 0.0 22.0 65454.545454545456]\n",
                " [0.0 0.0 1.0 30.0 51000.0]\n",
                " [1.0 0.0 0.0 37.04545454545455 40000.0]\n",
                " [0.0 1.0 0.0 32.0 90000.0]\n",
                " [1.0 0.0 0.0 37.04545454545455 77000.0]\n",
                " [0.0 1.0 0.0 27.0 65454.545454545456]\n",
                " [0.0 0.0 1.0 25.0 65454.545454545456]\n",
                " [1.0 0.0 0.0 55.0 49000.0]\n",
                " [0.0 1.0 0.0 41.0 88000.0]\n",
                " [1.0 0.0 0.0 37.04545454545455 63000.0]\n",
                " [0.0 0.0 1.0 33.0 60000.0]\n",
                " [0.0 1.0 0.0 50.0 65454.545454545456]\n",
                " [0.0 0.0 1.0 28.0 78000.0]\n",
                " [1.0 0.0 0.0 37.04545454545455 66000.0]\n",
                " [0.0 1.0 0.0 40.0 50000.0]\n",
                " [0.0 0.0 1.0 39.0 82000.0]\n",
                " [1.0 0.0 0.0 44.0 72000.0]]\n"
            ]
        }
    ]
}
]

```

```

},
{
  "cell_type": "code",
  "source": [
    "from sklearn.preprocessing import LabelEncoder\n",
    "le = LabelEncoder()\n",
    "y = le.fit_transform(y)"
  ],
  "metadata": {
    "id": "fSn7uatx9vj9"
  },
  "execution_count": 22,
  "outputs": []
},
{
  "cell_type": "code",
  "source": [
    "print(y)"
  ],
  "metadata": {
    "colab": {
      "base_uri": "https://localhost:8080/"
    },
    "id": "-8m6vBjp9-WL",
    "outputId": "1870b1e8-fbf9-45e1-efec-a005c0777e2f"
  },
  "execution_count": 23,
  "outputs": [
    {
      "output_type": "stream",
      "name": "stdout",
      "text": [
        "[0 1 0 0 1 1 0 1 0 1 2 2 2 3 3 2 3 3 2 2 3 3 2 3 2 2 3]\n"
      ]
    }
  ]
},
{
  "cell_type": "code",
  "source": [
    "from sklearn.model_selection import train_test_split\n",
    "x_train, x_test, y_train, y_test = train_test_split(x, y,\n",
    "test_size = 0.2, random_state = 1)"
  ],
  "metadata": {
    "id": "BYdjAUlN-DHK"
  },
  "execution_count": 24,
  "outputs": []
},
{
  "cell_type": "code",
  "source": [
    "print(x_train)"
  ],
  "metadata": {
    "colab": {
      "base_uri": "https://localhost:8080/"
    }
  }
}

```

```

    },
    "id": "0Yam5e2B-e5T",
    "outputId": "b247897e-c159-48ce-e58f-34d3eff166ac"
  },
  "execution_count": 25,
  "outputs": [
    {
      "output_type": "stream",
      "name": "stdout",
      "text": [
        "[[0.0 0.0 1.0 33.0 60000.0]\n",
        " [0.0 1.0 0.0 50.0 65454.545454545456]\n",
        " [0.0 1.0 0.0 40.0 65454.545454545456]\n",
        " [0.0 1.0 0.0 30.0 54000.0]\n",
        " [0.0 0.0 1.0 28.0 78000.0]\n",
        " [0.0 0.0 1.0 37.04545454545455 52000.0]\n",
        " [1.0 0.0 0.0 37.04545454545455 63000.0]\n",
        " [0.0 1.0 0.0 32.0 90000.0]\n",
        " [1.0 0.0 0.0 48.0 79000.0]\n",
        " [0.0 1.0 0.0 40.0 50000.0]\n",
        " [0.0 0.0 1.0 27.0 48000.0]\n",
        " [0.0 0.0 1.0 25.0 65454.545454545456]\n",
        " [1.0 0.0 0.0 44.0 72000.0]\n",
        " [0.0 1.0 0.0 27.0 65454.545454545456]\n",
        " [1.0 0.0 0.0 44.0 72000.0]\n",
        " [0.0 0.0 1.0 39.0 82000.0]\n",
        " [1.0 0.0 0.0 37.0 67000.0]\n",
        " [0.0 1.0 0.0 50.0 83000.0]\n",
        " [1.0 0.0 0.0 37.04545454545455 40000.0]\n",
        " [0.0 0.0 1.0 30.0 51000.0]\n",
        " [1.0 0.0 0.0 35.0 58000.0]]\n"
      ]
    }
  ]
},
{
  "cell_type": "code",
  "source": [
    "print(x_test)"
  ],
  "metadata": {
    "colab": {
      "base_uri": "https://localhost:8080/"
    },
    "id": "NBsiJolG-ijH",
    "outputId": "73512e9d-7572-4ce6-a978-257a3bc6d4e9"
  },
  "execution_count": 26,
  "outputs": [
    {
      "output_type": "stream",
      "name": "stdout",
      "text": [
        "[[1.0 0.0 0.0 55.0 49000.0]\n",
        " [1.0 0.0 0.0 37.04545454545455 77000.0]\n",
        " [0.0 1.0 0.0 41.0 88000.0]\n",
        " [0.0 0.0 1.0 38.0 61000.0]\n",
        " [1.0 0.0 0.0 37.04545454545455 66000.0]\n"
      ]
    }
  ]
}

```

```

        " [0.0 1.0 0.0 22.0 65454.545454545456]]\n"
    ]
}
],
{
    "cell_type": "code",
    "source": [
        "print(y_train)"
    ],
    "metadata": {
        "colab": {
            "base_uri": "https://localhost:8080/"
        },
        "id": "BgObAfak-lqt",
        "outputId": "2b1660c1-f708-4790-e7c3-3af4dc229753"
    },
    "execution_count": 27,
    "outputs": [
        {
            "output_type": "stream",
            "name": "stdout",
            "text": [
                "[3 3 1 0 2 0 2 3 1 2 1 3 0 2 3 2 1 0 2 2 1]\n"
            ]
        }
    ]
},
{
    "cell_type": "code",
    "source": [
        "print(y_test)"
    ],
    "metadata": {
        "colab": {
            "base_uri": "https://localhost:8080/"
        },
        "id": "D_dyz2o--o_m",
        "outputId": "a9302723-8c17-4bbe-ed5c-e3aa3c70cc91"
    },
    "execution_count": 28,
    "outputs": [
        {
            "output_type": "stream",
            "name": "stdout",
            "text": [
                "[3 3 2 0 3 2]\n"
            ]
        }
    ]
},
{
    "cell_type": "code",
    "source": [
        "from sklearn.preprocessing import StandardScaler\n",
        "\n",
        "sc = StandardScaler()\n",
        "x_train[:, 3:] = sc.fit_transform(x_train[:, 3:])\n",

```



```

    "x_test[:, 3:] = sc.transform(x_test[:, 3:])"
],
"metadata": {
    "id": "48FMvXv7ALWN"
},
"execution_count": 31,
"outputs": []
},
{
    "cell_type": "code",
    "source": [
        "print(x_train)"
    ],
    "metadata": {
        "colab": {
            "base_uri": "https://localhost:8080/"
        },
        "id": "HEFQJ8OpAP6t",
        "outputId": "902b0735-a68c-47e8-97d5-7c785c576ced"
    },
    "execution_count": 32,
    "outputs": [
        {
            "output_type": "stream",
            "name": "stdout",
            "text": [
                "[[0.0 0.0 1.0 -0.49749846283207266 -0.37685980735708285]\n",
                " [0.0 1.0 0.0 1.8050076815893192 0.051312742029684597]\n",
                " [0.0 1.0 0.0 0.45059230251791227 0.051312742029684597]\n",
                " [0.0 1.0 0.0 -0.9038230765534948 -0.8478496116825269]\n",
                " [0.0 0.0 1.0 -1.1747061523677762 1.0361096056192494]\n",
                " [0.0 0.0 1.0 0.05042412233772398 -1.0048462131243416]\n",
                " [1.0 0.0 0.0 0.05042412233772398 -0.14136490519436082]\n",
                " [0.0 1.0 0.0 -0.6329400007392133 1.9780892142701376]\n",
                " [1.0 0.0 0.0 1.534124605775038 1.1146079063401568]\n",
                " [0.0 1.0 0.0 0.45059230251791227 -1.1618428145661563]\n",
                " [0.0 0.0 1.0 -1.310147690274917 -1.318839416007971]\n",
                " [0.0 0.0 1.0 -1.5810307660891982 0.051312742029684597]\n",
                " [1.0 0.0 0.0 0.992358454146475 0.5651198012938053]\n",
                " [0.0 1.0 0.0 -1.310147690274917 0.051312742029684597]\n",
                " [1.0 0.0 0.0 0.992358454146475 0.5651198012938053]\n",
                " [0.0 0.0 1.0 0.3151507646107715 1.3501028085028788]\n",
                " [1.0 0.0 0.0 0.044267688796490144 0.17262829768926857]\n",
                " [0.0 1.0 0.0 1.8050076815893192 1.428601109223786]\n",
                " [1.0 0.0 0.0 0.05042412233772398 -1.9468258217752297]\n",
                " [0.0 0.0 1.0 -0.9038230765534948 -1.0833445138452489]\n",
                " [1.0 0.0 0.0 -0.22661538701779127 -0.5338564087988975]]\n"
            ]
        }
    ]
},
{
    "cell_type": "code",
    "source": [
        "print(x_test)"
    ],
    "metadata": {
        "colab": {

```

```
    "base_uri": "https://localhost:8080/"
  },
  "id": "0NcKiVY_ASv2",
  "outputId": "850a7ed0-1e1c-4498-a731-d11e7c26174c"
},
"execution_count": 33,
"outputs": [
  {
    "output_type": "stream",
    "name": "stdout",
    "text": [
      "[[1.0 0.0 0.0 2.4822153711250228 -1.2403411152870636]\n",
      " [1.0 0.0 0.0 0.05042412233772398 0.957611304898342]\n",
      " [0.0 1.0 0.0 0.5860338404250529 1.821092612828323]\n",
      " [0.0 0.0 1.0 0.17970922670363085 -0.2983615066361755]\n",
      " [1.0 0.0 0.0 0.05042412233772398 0.09412999696836123]\n",
      " [0.0 1.0 0.0 -1.9873553798106203 0.051312742029684597]]\n"
    ]
  }
]
}
```