

iMAXXTV

DIGITAL PRIVATE LIMITED

PRODUCER GUIDELINESS


Volume 345



TABLE OF CONTENTS



1. CEO Statement
2. Packaging Details
3. Approved Cameras
4. Image Capture
5. Capture Requirements
6. Dolby Vision & Sound Requirements
7. Deliverable Guidelines
8. Payment Module
9. Languages
10. Team & Contact



WELCOME

POWERED BY
iMAXX TV
DIGITAL PRIVATE LIMITED

ABOUT COMPANY

A ENTERTAINMENT PLATFORM FOR ALL, HAVING CONTENT

In regional and international languages..

Imaxx Tv is an Ott platform which would be launched around the globe, here we give platform to filmmakers, creators to upload content, films, shortfilms, webseries, shows etc on AVOD | SVOD | TVOD, is any form of SUBSCRIPTION module, such as videos that has been created as per guideliness given by imaxx tv.

Advertising Video On Demand? The definition or meaning of AVOD is a type of service where users must watch ads in order to view the content they want to watch for free. AVOD vsSVOD - With AVOD users can watch for free, but with SVOD users must pay a recurring fee to watch the content.



CEO STATEMENT

WHY IMAXX TV HAS AN APPROVED CAMERA LIST:

To help creatives to produce their best work and create compelling visual experiences for our audience, Imaxx tv requires 90% of a program's final total runtime to be captured on approved cameras using the following nonfiction content, this threshold may be more flexible capture requirements.

For We collaborate extensively with the creative community, camera manufacturers, and globally recognized experts to approve cameras that support reliable and flexible Imaxx TV technologists to ensure they meet image capture benchmarks for dynamic range, colour accuracy, detail rendition, signal to noise ratio, resolution, and key work flow requirements. These evaluations help our partners know they're using the best and most appropriate capture technology when telling their stories.

For more on why Imaxx Tv has an approved camera list see "Approved Cameras - Behindthe Scenes." This article also provides best practices in an effort to help productions avoid common image capture pitfalls or errors. We understand that limited use of non-approved cameras may be necessary in certain situations. Imaxx Tv is available to navigate those specific image capture decisions. Please reach out to your Imaxx Tv point of contact with any questions or concerns specific to your production.

For information on using Non-Approved Cameras see:

Non- Approved Cameras: Recommended Settings & Best Practices.



Abhishek J Sanghavi

ABHISHEK J SANGHAVI
CHIEF EXECUTIVE OFFICER

PACKAGING DETAILS

APTURE REQUIREMENTS IN ORDER TO MEET IMAGE CAPTURE STANDARDS REQUIRED BY IMAXX TV :

THE FOLLOWING CAPTURE ATTRIBUTES MUST BE ADHERED TO :

*Resolution Minimum of 3840 photosite capture width
(Spherical)*

*Codec
Lightly Compressed or Uncompressed RAW
or Intraframe Based Codec with 4:2:2 Chroma-subsampling or Greater.*

*Bit Depth 10-Bit
or Greater*

*Data Rate
Minimum 250Mbps at 25FPS onwards*

*Color Space
Scene-referred Color Space
(S.Gamut3, ALEXA Wide Gamut, RED Wide Gamut etc.)*

*Transfer Function
Scene-referred Transfer Function
(Slog3, Flog 1, Flog 2, Log C, Log3G10, VLog etc.)*

*Timecode System is capable of jamming to an external source.
Timecode should be written as metadata.*

Note: Not all cameras that meet these capture requirements are approved. These requirements are the minimum specifications necessary for a camera system to be considered for approval. Other attributes must be taken into account such as dynamic range, form factor, stability, workflow compatibility, and more.

APPROVED



CAMERAS

ARRI CAMERA

ARRI Alexa

LF 4.5K: 4448x3096

- ARRIRAW

- ProRes 4444 -

Approved for anamorphic capture

ARRI Alexa Mini LF

4.5K: 4448x3096

- ARRIRAW

- ProRes 4444

- *Approved for anamorphic capture*

ARRI Alexa 65

6K: 6560x3100

- ARRIRAW

- *Approved for anamorphic capture*

ARRI Alexa 35

4.6K: 4608x3164

- ARRIRAW

- ProRes 4444 XQ

- ProRes 4444

- *Approved for anamorphic capture*

APPROVED



CAMERAS

RED CAMERA

REDDSMC2/WEAPONMONSTRO8K VV

8K: 8192x4320

- REDCODE RAW (up to 8:1)
- Approved for anamorphic capture

REDDSMC2DRAGON-X6KS35

6K: 6144x3160

- REDCODE RAW (up to 6:1)
- Approved for anamorphic capture

REDKOMODO6K

6K: 6144x3240

- RECODE RAW (HQ or MQ)
- Approved for anamorphic capture

RED V-RAPTOR 8K VV

8K: 8192x4320

- RECODE RAW (HQ or MQ)
- Approved for anamorphic capture

RED V-RAPTOR XL 8K VV

8K: 8192x4320

- RECODE RAW (HQ or MQ)
- Approved for anamorphic capture

RED V-RAPTOR 8K S35 8K: 8192x4320

- RECODE RAW (HQ or MQ)
- Approved for anamorphic capture

REDV-RAPTORXL8KS35

8K: 8192x4320

- RECODE RAW (HQ or MQ)
- Approved for anamorphic capture

APPROVED



CAMERAS

FUJIFILM CAMERA

Fujifilm X H2S ii

DCI6.2K:6240 x4160

4:2:2 10bit - Flog2 RAW (up to 5:1)

FujiFilm XT5

DCI4K HQ 17:9 4:2:2 10bit

4KHQ16:9(4096 x2160) upto12bit

Flog 1

FujiFilm X H2 II

DCI8K(7680 x4320) 4:2:2 10bit

F-Log 1, F-log 2,

upto12 Bit Raw

FujiFilm X S20

DCI6.2K (6240 x 4160)

4:2:2 10bit F-log 1, F-log 2

Raw upto 12bit

APPROVED



CAMERAS

SONY CAMERA

Sony Venice

6K: 6048x4032

- RAW (up to 4096x2160)
- X-OCN
- XAVC-I (4K)
- Approved for anamorphic capture

Sony Venice2 6K

6K: 6048x4032

- X-OCN RAW
- ProRes 422HQ (4K)
- Approved for anamorphic capture

Sony Venice2 8K

8.6K: 8640x5760

- X-OCN RAW
- ProRes 422HQ (4K)
- Approved for anamorphic capture

Sony FX9

4K: 4096x2160 - XAVC-I (4K)

- ProRes 422HQ (4K)
- Approved for anamorphic capture

Sony FS7 / FS7 II 4K:

4096x2160- XAVC-I (4K), RAW

Sony F5

4K: 4096x2160 - XAVC-I (4K)

Sony FX6

4K: 4096x2160

- XAVC-I (4K)*
- *4K upgrade license required

APPROVED



CAMERAS

SONY CAMERA

SonyPXW-Z450

UHD:3840x2160

- XAVC-I QFHD 300 mode

SonyPXW-Z750

UHD:3840x2160

- XAVC-I QFHD 300 mode

Sony FX3

UHD:3840x2160

- XAVC S-I (4K)

Sony FR7

4K: 4096x2160

- XAVC-I (4K)

Sony FX6

4K: 4096x2160

- XAVC-I (4K)

Sony F55

4K: 4096x2160

- F55RAW

- X-OCN

- XAVC-I (4K)

Sony F65

4K: 4096x2160

- F65RAW

- F65RAW-LITE

- XAVC-I (4K)

APPROVED



CAMERAS

SONY CAMERA

SonyPXW-Z450

UHD:3840x2160

- XAVC-I QFHD 300 mode

SonyPXW-Z750

UHD:3840x2160

- XAVC-I QFHD 300 mode

Sony FX3

UHD:3840x2160

- XAVC S-I (4K)

Sony FR7

4K: 4096x2160

- XAVC-I (4K)

Sony FX6

4K: 4096x2160

- XAVC-I (4K)

Sony F55

4K: 4096x2160

- F55RAW

- X-OCN

- XAVC-I (4K)

Sony F65

4K: 4096x2160

- F65RAW

- F65RAW-LITE

- XAVC-I (4K)

APPROVED



CAMERAS

PANASONIC CAMERAS

Panasonic VariCam 35

4K: 4096x2160 - V-RAW
- AVC-Intra4K

Panasonic VariCamLT

4K: 4096x2160
- V-RAW
- AVC-Intra4K

Panasonic AU-EVA1

4K: 4096x2160 - 422 All-I 400Mb/s*
*Firmware 2.02 or higher required

Panasonic S1H

4K: 4096x2160
- 422 All-I 400Mb/s

Panasonic BGH1

4K: 4096x2160
- 422 All-I 400Mb/s

Panasonic BS1H

4K: 4096x2160
- 422 All-I 400Mb/s

Panasonic AK-UC4000

UHD: 3840x2160
- Baseband Video

Panavision Camera

Panavision DXL2 8K: 8192x4320
- REDCODE RAW (up to 8:1)
- Approved for anamorphic capture

APPROVED



CAMERAS

CANON CAMERAS

Canon C300 Mk II

4K: 4096x2160

- Canon RAW
- XF-AVC (4K)

Canon C300 Mk III

4K: 4096x2160

- Cinema RAW Light
- XF-AVC (4K)

Canon C500 Mk II

5.9K: 5952x3140

- Cinema RAW Light
- XF-AVC (4K)
- Approved for anamorphic capture

Canon C500

4K: 4096x2160

- Canon RAW

Canon C700

4K: 4096x2160

- 4.5K: 4512x2376 - Canon RAW
- XF-AVC (4K) - ProRes HQ (4K)

Canon C700 FF RAW FF:

5952 x 3140 RAW 2.35: 5952x2532 4K: 4096 x 2160 UHD: 3840 x 2160

- Canon RAW - XF-AVC (4K) - ProRes HQ (4K)
- Approved for anamorphic capture

CanonEOSC70

4K: 4096x2160

- Cinema RAW Light
- XF-AVC (4k)

APPROVED



CAMERAS

CANON CAMERAS

CanonEOSR5C

4K: 4096x2160

- XF-AVC (4K)

Canon C700 FF RAW FF:

5952 x 3140

RAW 2.35: 5952x2532 4K: 4096 x 2160 UHD: 3840 x 2160

- Canon RAW - XF-AVC (4K) - ProRes HQ (4K)

- Approved for anamorphic capture

CanonEOSC70

4K: 4096x2160

- Cinema RAW Light

- XF-AVC (4K)

CanonEOSR5C

4K: 4096x2160

- XF-AVC (4K)

APPROVED



CAMERAS

BLACK MAGIC CAMERAS

Blackmagic Design URSA Mini 4.6K

4.6K: 4608x2592

- CinemaDNG RAW (up to 4:1)

Blackmagic Design URSA Mini Pro 4.6K

4.6K: 4608x2592

- Blackmagic RAW (up to 5:1)

Blackmagic Design URSA Mini PRO 4.6K G2

4.6K: 4608x2592

- Blackmagic RAW (up to 5:1)

BlackmagicDesignURSAMiniPRO12K OLPF

12K: 12288x6480

- Blackmagic RAW (up to 8:1)





BEST PRACTISE - I

IMAGE CAPTURE / BEST PRACTISE

While not required for Imaxx Tv productions, the following best practices will help productions avoid common pitfalls and workflow errors that can lead to added costs, lost time, or creative compromises.

Black Balancing / Black Shading

Black balancing, sometimes referred to as black shading, of a camera's sensor should be performed regularly in accordance with manufacturer provided guidance. For optimal results, please allow the camera to reach its normal operating temperature prior to performing the sensor calibration. The black balancing/shading procedure defines an imaging system's proper black level given its current operating state and may reduce the visibility of [misbehaving pixels](#) while operating under fluctuating temperature ranges. To ensure this process is performed correctly, please refer to the instructions in your camera's operating manual.

Framing Charts

To ensure on-set framing meets the creative and technical needs of your production, a framing chart should be shot before principal photography begins and processed through the dailies, editorial, and VFX pipelines.

For Best Practices involving Framing Charts and Dailies Work flows see:

[Framing Charts Best Practices](#)

[Dailies: Best Practices](#)

Choosing an Aspect Ratio

Choosing an aspect ratio for the active image area of your production is a creative decision; however, aspect ratio can affect your workflow. ["Aspect Ratio -An Overview"](#) from our foundational video series demonstrates how aspect ratios may be used for story purposes and outlines technical considerations.

We've also designed a [Framing & Working Resolution Calculator](#) which can determine if your capture and framing method is Imaxx Tv approved.

Aspect ratio choices should be discussed with Imaxx Tv for approval.



BEST PRACTISE - II

IMAGE CAPTURE | BEST PRACTISE -II

Anamorphic Lenses

When using anamorphic lenses, extra resolution may be required for capture. Camera selection should take this additional need into account. Cameras that meet this resolution requirement and are approved for anamorphic capture are designated in the list above. If you are unsure if your desired camera system has the necessary resolution or have questions about anamorphic capture, Netflix is here to help. Please contact your Imaxx Tv project lead to discuss implications or concerns.

Color Management

In order to ensure compatibility with your project's color pipeline, productions should test each camera format's color space transformation into the working color space. "The Benefits of Color Management" from our foundational video series explains why color management is important to Imaxx Tv and provides an introduction to the Academy Color Encoding System (ACES). To explore color management further see: "What is Color Management?"

Spanned Clips

Recording single takes across multiple camera cards, also known as "spanning clips," should be avoided unless absolutely necessary. Spanning clips across camera cards increases the likelihood of downstream workflow issues.

Film Capture

For productions seeking to shoot any photochemical lead, film, please contact your relevant Imaxx Tv project.

External Recorders

In some instances, productions may require the use of approved cameras with external recorders. The recording format should be in line with minimum requirements outlined at the head of this document, and should be discussed with your Imaxx Tv point of contact.



BEST PRACTISE - III

BEST PRACTICES FOR MUSICALS

Productions should hire a playback operator for musical or any instances with music / sound playback.

The production soundmixer should record playback music into 2-3 assigned channels on the recorder:

- *The music playback track itself (mono or stereo as desired).*
- *SMPTE LTC (at project fps) audio timecode of that playback track.*

When using Avid Media Composer, editorial should import editorial media and the source playback audio file as follows:

- *Use the "Read AudioTimecode" function on the synced editorial media to read /map that LTC channel to an Aux TC column.*

This best practice backfills the playback TC as actual values on the master clip, and then allows clips to be grouped by either:

- *Playback TC (as used in music video workflows).*
- *Video/ Dialogue TC.*

DOLBY VISION SOUND REQUIREMENTS



Make sure to communicate with the production team to fully understand the scale of the show before planning the sound crew and budget. If there is a script, read it to help determine how to budget the crew, equipment, and tools needed. The on-set sound department should have at least at three person crew for scripted content.

When budgeting, make sure to allocate for back up equipment and reach out to local rental houses during pre-production. Doing so will help sound team anticipate how to and lead technical emergency such as a broken microphone or recorders.

PREFERRED SOUND PRODUCTION EQUIPMENT NOTE: The order in which the following equipment is listed does NOT imply priority of preference or any kind of endorsement.

Field Recorders

Sound Devices
Zaxcom
Sonosax
Aaton Digital

Microphones

DPA Schoeps
Sanken
Sennheiser
Neumann
Countryman
Shure


Wireless Transmitters

Lectrosonics
Zaxcom
Sennheiser 6000 Series
Wiscom Audio Limited
Shure
Sony


Timecode Sync Generators

Ambient Deneke
Moze gear B etso
Timecode Systems
Tentacle Sync

*Everyone's beauty
is infinity*



PRODUCTION PRACTISE - I



RECORDING MEDIA - Equipment: Best Practices

When recording media, sound teams should:


- *Record to SD, SSD, or CF cards. Use a dual-media recorder for simultaneous media redundancy. Use a backup recorder in case of equipment failure.*
- *Check the manufacturer's list of compatible SD/CF cards for the recorder.*
- *Incompatible media cards or old/scratched media cards may result in file corruption. Allow at least 8 seconds of pre-roll per take.*
- *Optionally, this can be done using a "pre-record" cache.*

RECORDING WORKFLOW: BEST PRACTICES


- *Only record one sound roll [shooting day] pre-master SD, SSD /CF card. Additional cards may be used if multiple recorders are used. In this case, Please specify what sound.*
- *Roll/file corresponds to which recorder in the naming scheme.*
- *Label media and media cases with the show name date, and sound roll/ file number before being*
- *sent out. Make sure correct meta data is entered in each sound file.*
- *This meta data should include soundroll /file, scene, shot, take numbers, as well as track names..(character names or a description : e.g. Boom mic, Audience mic, Stage L/R, Instrument names etc).*

RECORDING FORMAT

- *Location dialog files should be recorded as 24bit Polyphonic Wave (.wav or .bwav) at 48Khz.*
- *Field recording for ambiance and effects should be recorded as 24 bit Polyphonic Wave (.wav or .bwav) at 48Khz or a higher sample rate.*



PRODUCTION PRACTISE - II



TIMECODE

- *The choice of time of day(TOD)or“FreeRun”TC framer at should be determined inconsultation with the camera and editorial departments.*
- *Anticipate rossing mid night during the take to avoid problematic sound metadata during post-production. The user bits information in the time code track can be use ful to provide additional data to assistant editors when using digital slates.*

For example: user bits can be used to display sound roll/file number,camera letter or date information.

BACKUPS

- *The sound team should coordinate with the camera department and/or data manager /DIT to ensure that the corresponding sound and camera takes are handed off to the dailies team at the same time.*
- *Picture files should not be delivered to the editorial team with out matching soundrolls/files. Soundrolls/files should be backed up in the manner designated by the production 'sworkflow memo.*
- *The sound team should keep their own backup apart from the Data Manager or DIT.*

For series, use different folders for each episode to organize and file names avoid duplicate.


For more information on asset naming best practices see: [Production Assets: Folder and File Naming.](#)

SOUND ROLL / FILE NAMING

The following table provides a recommended sound roll/file naming convention. This information should also be embedded in the sound roll/file metadata along with script character names and microphones for each ISO mic.

It is NOT RECOMMENDED to repeat sound roll/file numbers.

NOTE:All of these naming conventions are subject to recorder capabilities.



GUIDELINESS - I



Product Trailer - Deliverables

Deliverable Checklist Overview:

Required Deliverables

- *Video-Texted (includes graphics cards and on-screen graphic text)*
- *Video-Textless (graphic cards and on-screen text removed) just the clean background for on screen text*
- *cards, or clean picture for on-screen text)*

Audio Splits


- *Need separate files for Dialogue, Music, and Effects tracks 5.1 (6-channel), or, if unavailable, 2.0 (2-channel). Do not submit mono stems.*
- *Dialogue Edit Decision List (EDL) Should reference the full title/episodes whenever possible, not files created by the agency.*

Audio Printmaster need a separate delivery of the Print master in the same mix of the original film or episodes:

5.1 (6-channel), 2.0 (2-channel), 5.1 + 2.0 (8-channel)

Recommended Deliverables

- *English Script /Subtitles*
- **Note: this deliverable is required for foreign language trailers.*
- *Graphics Package - After Effects file (necessary to create localized graphics)*
- *Audio - Undipped Music files*



GUIDELINESS - II



Video Trailers:

Technical: Trailer video frame rate and codec should match the original film or episodes.


For example, if the show is in 4K (e.g. 4096x2160), then the trailer should also be in 4K(4096x2160); if the show is in HD (e.g. 1920x1080), the trailer should be in HD (1920x1080). Please refer to the original film or episode's delivery.

Acceptable Delivery Formats:

(Preferred) SMPTE ST 2067-21 (Interoperable Master Format - Application #2E), delivered in accordance with the Post Production Branded Delivery Specifications.

ProRes 422HQ as per the Licensed Technical Specification. Evergreen Messaging: Trailer cannot have any call-to-action messaging or date mentions, e.g. "This April", "This Summer".

- *Music & SFX: All music and sound effects must be cleared for worldwide and in-perpetuity use.*
- *Watermark: There should not be any watermark so for any kind. Though IMAXX TV Marketing materials have a Imaxx Tv bug, Product trailers should not.*
- *Language: All language (dialogue, graphic cards) should be in the same language as the original film or episode unless specifically requested other wise.*
- *Branding: There should not be any ImaxxTv intro and out stacks animation or ImaxxTv end card.*
- *Slate: Remove the slate and/or count down leader.*
- *Studio cards: Remove all studio cards or cards with billing credits.*



GUIDELINESS - III



Product Review:

1.1 Technical:

The 30 Product Preview frame rate and codec should match the same tech specs as the main trailer.

Graphics & Branding: Asset should not have any graphics nor Imaxx Tv branding(remove stacks).

Length: Total duration should be between 25and 35seconds; donot includea secondof black at the head and tail.

Recaps

Branding: For Recaps specifically, donot include a Imaxx Tv end card or the IMAXX TV intro and outro stacks animation. A title card is fine to include.

2.2 Audio

Audio Format: Trailer audio specifications should match the original film or episodes and should be the same channel mix: 5.1 (6-channel), 2.0 (2-channel), or 5.1 + 2.0 (8-channel).

Please refer to the original film or episodes delivery. Additionally, the Dialogue, Music, and Effects should, when possible, be mapped onto different channels. Acceptable Delivery Formats:

As outlined in the Imaxx Tv Originals Delivery Specifications (at minimum):the audio file(s)can be provided asper theLicensed Technical Specification.


3.3Printmaster: Provide the final audio (per the same specs as referenced in Section 1.1 - "Required Deliverables") separate from the video

SplitAudioFiles:ProvideseparateDialogue,Music,andSoundEffects.wavfiles(stems)

matching the channel layout and audio specs of the Printmaster being delivered: 2 channel .wavfilesofeachstemforStereoPrintmaster;6channel.wavfilesofeachstemfor5.1

Printmaster.

Ifitisnotpossibletodeliverthese splitaudiofiles,youmustreachouttoyourNetflixcontact prior to delivery.



GUIDELINESS - III



Graphics Package Specs


- *Full After Effects project*
- *Includes Font, Graphic Cards, and background artfiles*
- *No missing or "offline" files*
- *Zipped together*

Delivery

- *Creativen Agencies: Deliver files to Dream Big Motion Pictures ; reach out to your Marketing Ops AV Producer for the filepath.*
- *Finishing Vendors: Deliver files to Imaxx Studios; reach out to your Title Ops Project Manager for the Package ID.*
- *Content Partners: Deliver files to IMAXX TV DIGITAL PRIVATE LIMITED, Content Hub, or Backlot;*
- *reach out to your Title Ops Project Manager for the appropriate delivery path.*

Resources

- *Imaxx TvOriginals Delivery Specifications*
- *Licensed Technical Specification*
- *Product AV Finishing Prep Sheet*



Issue 2
February 2023

photography by
Drew



beauty in
dance.



*let the music into your
veins and allow your
body to flow like fluid.
dance is not just
movement but an art
of the body.*

iMAXTV
DIGITAL PRIVATE LIMITED



LANGUAGES



Regional Entertainment

We Also Acquire & Dubbed Content in Various Languages:

REGIONAL LANGUAGES:

- *Hindi*
- *English*
- *Marathi*
- *Gujarati*
- *Bengali*
- *Bhojpuri*
- *Punjabi*
- *Telugu*
- *Kannada*
- *Tamil*
- *Malayalam*

INTERNATIONAL LANGUAGES:

- *English*
- *European*
- *American*
- *Thai*
- *Japanese*
- *Mandarin*
- *Chinese*
- *Dutch*
- *Vietnamese*
- *Portuguese*
- *French*
- *Spanish*
- *Russian*
- *Greek*
- *Turkish*
- *Chinese*
- *Korean*
- *Urdu*
- *Arabic*
- *Philippines*
- *Indonesian*

Subtitles Complusary: We request producer's oprovide regional subtitles they desire to shoot in, along with English subtitles complusary.

ALSO NOTE: Opening and ending titles in English language and regional language they shoot in



REVENUE STRUCTURE



Payment Mode:

Revenue Sharing:

Here the producers & filamamkers can sell their content, films, documentaries, shortfilms, series, shows on Profit Sharing Basis (ex. 60/40) 60% will be shared with producer, and 40% will be with imaxx. payment can be distributed on monthly, quaterly basis. Content can be published on rent mode basis for first 6 months, later on watch with ads for free for viewers.

Rights of distribution and dubbing in multiple languages will be signed on stamp paper and submitted to Imaxx Tv.

Global Outright Purchase:

Here producer, filmmaker, can create and sell their project to us after approval by imaxx tv Content head. Selling the project with all rights shall be sold exclusively to Imaxx Tv.

*Payment will be paid 20% on QC and rest between 90 -120 days after project submission and Quality Check approved (*rights of payments can change depending on budget or project size).*

Imaxx Originals / Exclusive :

Here producer, filmmaker, can pitch their Movies, Series and shows and after getting approval from imaxx creative team, they can go ahead with the making and production of that approved project after doing agreement with channel. Producer has to on board a creative director from imaxx tv for that approved project for quality making.

The Acquisition :

Here, producers and filmmakers can pitch their ready movies, series, and shows. After getting approval from the IMAXX creative team and content head, and once an agreement is made with the channel, the content can be submitted. Payment will be processed within 180 days from the date of submission

Our Core Team

"Meet the skilled individuals who form the back bone of our creative endeavors. With diverse backgrounds in filmmaking, photography, and experience collaborating with industry stalwarts from Bollywood and Hollywood, our core team brings some of the best talent and expertise to every project we undertake."

IMaxx TV Digital Private Limited, popularly known as "IMaxx TV", is India's first hybrid OTT platform, offering a seamless blend of AVOD (Free with Ads), SVOD (Subscription-Based), and TVOD (Pay-Per-View), models. Launched in September 2023 in Mumbai, we are on a mission to deliver high-quality, pocket-friendly entertainment for audiences of all ages, across the globe.

Vast library of movies, web series, short films, and shows from around the world—stream anytime, anywhere. Watch Free (AVOD): Instant access with ads. Premium Subscriptions (SVOD): Ad-free, unlimited entertainment. Pay-Per-View (TVOD): Exclusive content at your fingertips. For Creators: A powerful platform to upload, monetize, and distribute films, web series, and shows via revenue-sharing or outright sales.

Our Vision

Multi-Language Support: Content in various languages with regional & English subtitles. Cross-Device Compatibility: Stream or download on iOS, Android, and Windows 10. Global Reach, Local Touch: Bringing world-class entertainment at affordable pricing.

To democratize entertainment by making cinematic experiences accessible to everyone, at prices that don't break the bank. Whether you're a creator looking for a global stage or a viewer craving fresh content, IMaxx TV brings the world's stories to your screen. Join the IMaxx TV Revolution – Where Entertainment Has No Limits!

HIRING CREATIVE



Revenue Structure For Hiring A Channekl Creative Director & Producer.

Option 1:

You may choose to manage the creative process independently. However, if any issues arise - such as the need for changes, patchwork, re-edits, or reshoots after the first draft is submitted - you will be solely responsible for addressing them.

Option 2:

By hiring a creative from our channel, the process becomes easier for both parties. This ensures alignment from the start, reducing the chances of changes or patchwork after the first draft and enabling smoother, faster QC delivery.


Note - Production house will have to pay the channel's creative for his/her work in pre, on shoot & post production work that can be finalised as per the budget and schedule. A 10% creative fee will be applicable.

iMAXXTV

DIGITAL PRIVATE LIMITED



iMAXXTV



0 21563 04926 54 2

BOOKLET FOR PRODUCERS & FILMMAKERS



Our Core Team

Abhishek J Sanghavi : Founder and CEO

Abhishek J. Sanghavi is a London-trained filmmaker who spent a decade mastering every step of production: camera work, editing, on-set direction, across Bollywood and UK sets before founding IMAXX TV Digital Pvt Ltd in 2023. Leveraging a Master's in Filmmaking from the London School of Film & Television and years assisting top directors, he now runs IMAXX TV as a lean OTT platform where indie creators can submit projects through an open "Partners Program," receive hands-on guidance, and share in ad, subscription or rental revenue. Highlights of his creative slate include the micro-budget thriller *Strange* (2020) and the buzz-worthy web-series *Prankster* (2024), both proof of his belief that great stories need not be big-budget. Connect with him on LinkedIn ([abhishek-j-sanghavi-288158259](#)) or reach out directly to pitch your project and turn your vision into streaming reality.



Shalini Jaiswal : Head of Content & Operations

Shalini Jaiswal is known for her expertise in content acquisition, content management, and communication strategy within the entertainment and OTT industry. She is often credited with having worked as Content and Communication Manager at Ullu (also known as Ulluflux), though this role is not independently substantiated by public records, official platforms, or media coverage.

With a strong focus on building content ecosystems and driving digital growth, Shalini has contributed to projects aimed at expanding viewership and strengthening brand positioning in competitive OTT markets. Her professional strengths lie in strategic partnerships, creative content curation, and international market expansion.

Most recently, she is also associated with Imaxx TV Digital Private Limited, where her industry knowledge and operational expertise are said to play a role in supporting the company's vision of becoming a global OTT platform.



Introduce the next section with the one or more subheading

To create your own, choose a topic that interests you. It can be anything from fashion and beauty to travel and the news. Once you have your overall theme, you can start brainstorming the content. Just starting? Design a memorable masthead with an equally memorable name. This goes on the cover and sets up the branding for your entire magazine. What style are you going for? Is it playful? Classic? Bold? A good masthead captures the essence of your magazine, so it needs to be flexible, meaningful, and consistent enough for future issues.

