

A40 TESTING SUMMIT



EDITION 2025

Keyword-Driven Testing with Robot Framework and Playwright

René Rohner

Principle Consultant @



Chairman of the Board @



Open-Sourcerer 

Developer, TA-Expert, Trainer, Author



KEYWORD-DRIVEN TESTING

*** Test Cases ***

Erfolgreiche Anmeldung

[Tags] positive smoke

CarConfig Öffnen

Benutzer Anmelden admin @RBTFRMRKQ

Anmeldung Prüfen

[Teardown] CarConfig Beenden

Fehlerhafte Anmeldung

[Tags] negative smoke

CarConfig Öffnen

Benutzer Anmelden admin 1234567

Abgewiesene Anmeldung Prüfen

[Teardown] CarConfig Beenden

*** Keywords ***

KEYWORD-DRIVEN TESTING?

- Testing specification methodology
- Descriptive keywords
- Keyword == Step == Actions
- Keywords can be composite
- Human Readable
- Imperative Programming

```
5  *** Test Cases ***
6  Default Config
7      Open VSR Dream Car As Customer
8      Configure New Car
9      Select Basic Model          Model 3 (Rassant)
10     Click Next
11     Select Motor                EC0tech with Hybrid
12     Click Next
13     Select Special Model        Gomera
14     Click Next
15     Select Accessories          Floor mats
16     ...                        Autopilot Don'tCare
17     ...                        Sports Suspension
18     Click Next
19     Choose Color                Blue
20     Click Next
21     Verify Prices
22     ...    finalPrice=26.873,40
23     ...    basePrice=17.000,00
24     ...    enginePrice=4.999,00
25     ...    editionPrice=1.413,00
26
27
28
```



WHAT ARE THE ADVANTAGES OF KDT

- Modular by concept (encourages Keyword creation)
- Basically Clean-Code for Testing
- Bridging the gap between Business & Tech
 - Keyword Layer Concept
- Improves:
 - Readability (short, precise, less funky chars)
 - Reusability (more generic than BDD)
 - Maintainability (Keyword layers)
 - Flexibility (gTAA, exchange of layers)



renerohner



Snooz82

*** Test Cases ***

Erfolgreiche Anmeldung

[Tags] positive smoke

CarConfig Öffnen

Benutzer Anmelden admin @RBTFRMFKQ

Anmeldung Prüfen

[Teardown] CarConfig Beenden

ROBOT FRAMEWORK®

Fehlerhafte Anmeldung

[Tags] negative smoke

CarConfig Öffnen

Benutzer Anmelden admin 1234567

Abgewiesene Anmeldung Prüfen


[Teardown] CarConfig Beenden

*** Keywords ***

ROBOT FRAMEWORK®



- Generic Automation Framework
 - Test Automation
 - Robotic Process Automation
- 100% Open-Source (Apache 2.0)
- Keyword-Driven Testing
- Behaviour-Driven Testing
- Technology Independent
 - From Web To Embedded-Testing
- Financed by Robot Framework Foundation



ROBOT FRAMEWORK FOUNDATION

Robot Framework ry

Non-Profit Organisation

- Registered association (rekisteröity yhdistys)
- located in Finland (Helsinki)
- 74 international Companies as Members
- Founded in 2015 (7 Companies)
- Finances Development & Community / Eco-system



Snooz82

> 70 MEMBERS (SOME KNOWN..)



SCHENKER

KUKA



NRW.BANK

Wir fördern Ideen



FRESENIUS
MEDICAL CARE



PROVINZIAL



amun

OSRAM

Nordea



F-Secure

SLOVENSKÁ
šporiteľňa

NOKIA



München




DFS Deutsche Flugsicherung


ING




DOWNLOADS/MONTH



Generic Test Automation Architecture



Generic Test Automation Architecture



Snooz82

Editor

*** Test Cases ***

Default Config as User

Open VSR Dream Car

Login User customer_c01 password_c01

Configure New Car

Select Basic Model Model 3 (Rassant)

Select Motor EC0tech with Hybrid

Select Special Model Gomera

Select Accessories Floor mats

... Autopilot Don'tCare

... Sports Suspension

Choose Color Blue


Verify Prices

... finalPrice=26.873,40


... basePrice=17.000,00

... enginePrice=4.999,00

... editionPrice=1.413,00



----- Test Data Syntax -----



----- Test Library APIs -----



Editor



Filter (e.g. text, !exclude, @tag)

3/5 26.8s

AutomationStar 8.2s

AutomationStar 8.2s

Browser VSR 8.2s

vsr DreamCar 3.3s

Atomic Default Config 3.3s

vsr DreamCar keywords

Default Config as User

Adding Discount as Sales

vsr TraumAuto keywords 4.9s

5 *** Test Cases ***

6 Default Config as User

7 Open VSR Dream Car

8 Login User customer_c01 password_c01

9 Configure New Car

10 Select Basic Model Model 3 (Rasant)

11 Select Motor EC0tech with Hybrid

12 Select Special Model Gomera

13 Select Accessories Floor mats

14 ... Autopilot Don'tCare

15 ... Sports Suspension

16 Choose Color Blue

17 Verify Prices

18 ... finalPrice=26.873,40

19 ... basePrice=17.000,00

20 ... enginePrice=4.999,00

21 ... editionPrice=1.413,00

22

23

24 Adding Discount as Sales

25 Open VSR Dream Car

26 Logi

27 Login User Keyword (vsr_DreamCar_keywor

28 Log Variables

29 LocalStorage Get Item

30 LocalStorage Set Item

31 LocalStorage Remove Item

32 *** Keywords ***

33 Login User

34 [Arguments] \${username} \${password}

35 Fill Text "Username" \${username}

36 Fill Text "Password" \${password}

37 Click id=button_login

38



Editor



```
19 ... basePrice=17.000,00
20 ... enginePrice=4.999,00
21 ... editionPrice=1.413,00
22
23
```



Adding Discount as Sales

Open VSR Dream Car



Logi



Login User

Keyword (vsr_DreamCar_keywords)



Log Variables



LocalStorage Get Item



LocalStorage Set Item



LocalStorage Remove Item

*** Keywords ***

Login User

[Arguments] \${username} \${password}

Fill Text "Username" \${username}

Fill Text "Password" \${password}

Click id=button_login

Open VSR Dream Car

New Browser \${BROWSER} headless=\${HEADLESS}

IF \${TRACING} New Context tracing=trace_\${TEST_NAME}.zip


New Page <https://vsr.testbench.com/login>




Robot Framework




```
rener@salsa:~/Source/RF-Schulung/AutomationStar
~/So/RF-S/AutomationStar 02_RobotFiles 14:33:57
robot -d results .
```




----- Test Data Syntax -----




----- Test Library APIs -----




Robot Framework



----- Test Data Syntax -----



----- Test Library APIs -----



Editor



```
class Interaction(LibraryComponent):
    @keyword(tags=("Setter", "PageContent"))
    def click(self, selector: str, button: MouseButton = MouseButton.left):
        """Simulates mouse click on the element found by ``selector``.-
        self.click_with_options(selector, button)

    @keyword(tags=("Setter", "PageContent"))
    def click_with_options(
        self,
        selector: str,
        button: MouseButton = MouseButton.left,
        *modifiers: KeyboardModifier,
        clickCount: int = 1,
        delay: Optional[timedelta] = None,
        force: bool = False,
        noWaitAfter: bool = False,
        position_x: Optional[float] = None,
        position_y: Optional[float] = None,
        trial: bool = False,
    ):
        """Simulates mouse click on the element found by ``selector``.-
        selector = self.presenter_mode(selector, self.strict_mode)
        with self.playwright.grpc_channel() as stub:
            options = {
                "button": button.name,
                "clickCount": clickCount,
                "force": force,
                "noWaitAfter": noWaitAfter,
                "trial": trial,
            }
            if delay:
                options["delay"] = self.get_timeout(delay)
            # Without the != None 0 being falsy causes issues
            if position_x is not None and position_y is not None:
                positions: Dict[str, object] = {"x": position_x, "y": position_y
```



Definition Layer

Test Scripts

Test Data

Keywords Libraries

----- Test Data Syntax -----

ROBOT FRAMEWORK

Test
Execution

Exception
Handling

Logging &
Reporting



----- Test Library APIs -----



RF BROWSER

Adaptation
Layer



Playwright

System Under Test

Definition Layer

Test Scripts

Test Data

Keywords Libraries

----- Test Data Syntax -----

ROBOT FRAMEWORK

Test
Execution

Exception
Handling

Logging &
Reporting



----- Test Library APIs -----



RF BROWSER

Adaptation
Layer



Playwright

System Under Test



ROBOT FRAMEWORKS SUPERPOWER

Eco System and Keyword Libraries

Hundreds of projects for "robotframework" @ PyPi.org

Vast variety of readymade keyword libraries:

- SeleniumLibrary
- Browser Library
- DatabaseLibrary
- RequestsLibrary
- SSHLibrary
- DocTest Library
- ... many many more



renerohner



Snooz82

PLAYWRIGHT

```
test-keywords.spec.ts X TS test.d.ts
test-keywords.spec.ts > VSR > selectBasicModel
class VSR {
  @step
  async openVSRDreamCar() {
    await this.page.goto('https://vsr.testbench.com/login'); - 1491ms
  }

  @step
  async loginUser(username: string, password: string) {
    await this.page.getByLabel('Username').fill(username); - 28ms
    await this.page.getByLabel('Password', { exact: true }).fill(password); - 37ms
    await this.page.getByRole('button', { name: "Log In" }).click(); - 37ms
  }
}
```

```
@step
async openVSRDreamCar_As_Customer() {
  await this.openVSRDreamCar();
  await this.loginUser('avengers_c01', 'password_c01');
}
```

```
@step
async configureNewCar() {
  await this.page.getByRole('button', { name: 'New car' }).click(); - 389ms
}
```

```
@step
async clickNext() {
  await this.page.locator('#
```

PLAYWRIGHT & PLAYWRIGHT TEST



enables reliable end-to-end testing for modern web apps.

- Any browser • Any platform • One API
- Resilient • No flaky tests
- No trade-offs • No limits
- Full isolation • Fast execution
- Powerful Tooling

Browser automation API (+Test)


Release 2020

Fork of Puppeteer (Google)


Developed by Microsoft

Chromium, Firefox, Webkit

NodeJS (+ some more)



PLAYWRIGHT & PLAYWRIGHT TEST



PLAYWRIGHT & ~~PLAYWRIGHT TEST~~

Why we @ Robot Framework Browser use Playwright API?

- Really fast & modern alternative to Selenium
- Open API for adaptation
- Real solution for ShadowDOM (WebComponents)
- Awesome Selectors (catenation)
- Browser, Context, Page
- We wanted to do some TypeScript 😊



PLAYWRIGHT TEST vs ROBOT FRAMEWORK

Test Design

```
test('Default Config', async ({ page }) => {  
  const vsr = new VSR(page);  
  await vsr.openVSRDreamCar_As_Customer();  
  await vsr.configureNewCar();  
  await vsr.selectBasicModel('Model 3 (Rassant)');  
  await vsr.selectMotor('EC0tech with Hybrid');  
  await vsr.selectSpecialModel('Gomera');  
  await vsr.selectAccessories([  
    'Floor mats',  
    'Autopilot Don\'tCare',  
    'Sports Suspension'  
  ]);  
  await vsr.chooseColor('Blue');  
  await vsr.verifyPrices({  
    finalPrice: '26.873,40',  
    basePrice: '17.000,00',  
    enginePrice: '4.999,00',  
    editionPrice: '1.413,00'  
  });  
});
```

*** Test Cases ***

Default Config as User

Open VSR Dream Car

Login User avengers_c01 password_c01

Configure New Car

Select Basic Model Model 3 (Rassant)

Select Motor EC0tech with Hybrid

Select Special Model Gomera

Select Accessories Floor mats

... Autopilot Don'tCare

... Sports Suspension

Choose Color Blue

Verify Prices

... finalPrice=26.873,40

... basePrice=17.000,00

... enginePrice=4.999,00

... editionPrice=1.413,00



PLAYWRIGHT TEST vs ROBOT FRAMEWORK

Test Steps

```
@step
async loginUser(username: string, password: string) {
  await this.page.getByLabel('Username', { exact: true }).fill(username);
  await this.page.getByLabel('Password', { exact: true }).fill(password);
  await this.page.getByRole('button', { name: "Log In" }).click();
}
```

```
@step
async configureNewCar() {
  await this.page.getByRole('button', { name: 'New car' }).click();
}
```

```
@step
async selectBasicModel(modelName: string) {
  await this.page.locator('#select_basemodel').click();
  await this.page.getByText(modelName).click();
}
```

Login User

	[Arguments]		
Fill Text	"Username"		\${username}
Fill Text	"Password"		\${password}
Click	id=button_login		

Configure New Car

Click	button:has-text("New car")		
-------	----------------------------	--	--

Select Basic Model

	[Arguments]		
Click	id=select_basemodel		
Click	"\${modelName}"		



PLAYWRIGHT TEST vs ROBOT FRAMEWORK

Execution Reports

Failing Config

test-keywords.spec.ts:30

10.0s

chromium

Run

Errors

Test timeout of 10000ms exceeded.

Error: locator.check: Test timeout of 10000ms exceeded.
Call log:
- waiting for getByLabel('NOT EXISTING')

```
116 |     await this.page.locator('#arrow_next').click();  
117 |     for (const accessory of accessories) {  
> 118 |         await this.page.getByLabel(accessory).check();  
    |                                     ^  
119 |     }  
120 | }  
121 |
```

at VSR.selectAccessories (/Users/rener/Source/Playwright/tests/test-keywords.spec.ts:118:45)
at /Users/rener/Source/Playwright/tests/test-keywords.spec.ts:59:14
at /Users/rener/Source/Playwright/tests/test-keywords.spec.ts:37:5



renerohner

PLAYWRIGHT TEST vs ROBOT FRAMEWORK

Execution Reports

Test Steps		
>	✓ Before Hooks	51ms
>	✓ VSR.openVSRDreamCar_As_Customer — test-keywords.spec.ts:58	1.6s
>	✓ VSR.configureNewCar — test-keywords.spec.ts:58	841ms
>	✓ VSR.selectBasicModel — test-keywords.spec.ts:58	1.0s
>	✓ VSR.selectMotor — test-keywords.spec.ts:58	333ms
>	✓ VSR.selectSpecialModel — test-keywords.spec.ts:58	83ms
✓	✗ VSR.selectAccessories — test-keywords.spec.ts:58	6.1s
	✓ locator.click(#arrow_next) — test-keywords.spec.ts:116	49ms
	✓ locator.getByLabel('Floor mats').check — test-keywords.spec.ts:118	33ms
	✗ locator.getByLabel('NOT EXISTING').check — test-keywords.spec.ts:118	6.0s
>	✓ After Hooks	5ms
>	✓ Worker Cleanup	21ms



renerohner

PLAYWRIGHT TEST vs ROBOT FRAMEWORK

Execution Reports

AutomationStar Log

Generated
20240930 19:31:46 UTC+02:00
1 minute 59 seconds ago

REPORT

Test Statistics

Total Statistics	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
All Tests	4	2	2	0	00:00:21	

Statistics by Tag	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
No Tags						

Statistics by Suite	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
AutomationStar	4	2	2	0	00:00:24	
AutomationStar.Browser VSR	4	2	2	0	00:00:24	
AutomationStar.Browser VSR.vsr DreamCar	1	1	0	0	00:00:07	
AutomationStar.Browser VSR.vsr DreamCar keywords	2	1	1	0	00:00:13	
AutomationStar.Browser VSR.vsr Gherkin BDD	1	0	1	0	00:00:04	

Test Execution Log

SUITE AutomationStar

00:00:24.223

Full Name:

AutomationStar

Source:

/Users/rener/Source/RF-Schulung/AutomationStar

Start / End / Elapsed:

20240930 19:31:22.375 / 20240930 19:31:46.598 / 00:00:24.223

Status:

4 tests total, 2 passed, 2 failed, 0 skipped

SUITE Browser VSR

00:00:24.209

Full Name:

AutomationStar.Browser VSR

Source:

/Users/rener/Source/RF-Schulung/AutomationStar/Browser_VSR

Start / End / Elapsed:

20240930 19:31:22.386 / 20240930 19:31:46.597 / 00:00:24.209

Status:

4 tests total, 2 passed, 2 failed, 0 skipped

SUITE vsr DreamCar

00:00:07.403

SUITE vsr DreamCar keywords

00:00:13.019

Full Name:

AutomationStar.Browser VSR.vsr DreamCar keywords

Source:

/Users/rener/Source/RF-Schulung/AutomationStar/Browser_VSR/vsr_DreamCar_keywords.robot

Start / End / Elapsed:

20240930 19:31:28.794 / 20240930 19:31:42.813 / 00:00:13.019

Status:

2 tests total, 1 passed, 1 failed, 0 skipped

TEST Default Config as User

00:00:03.144

TEST Failing Config as User

00:00:08.582

Full Name:

AutomationStar.Browser VSR.vsr DreamCar keywords.Failing Config as User

Start / End / Elapsed:

20240930 19:31:34.216 / 20240930 19:31:42.798 / 00:00:08.582

Status:

FAIL

Message:

Error: locator.waitFor: Timeout 5000ms exceeded.
Call log:
[2m- waiting for locator("text=NOT EXISTING") [22m

Tip: Use "Set Browser Timeout" for increasing the timeout or double check your locator as the targeted element(s) couldn't be found.

KEYWORD Open VSR Dream Car

00:00:01.507

KEYWORD Login User avengers_c01 password_c01

00:00:00.081

KEYWORD Configure New Car

00:00:00.327

KEYWORD Select Basic Model Model 3 (Rassant)

00:00:00.845

KEYWORD Select Motor ECOTech with Hybrid

00:00:00.199

KEYWORD Select Special Model Gomerla

00:00:00.066

KEYWORD Select Accessories Floor mats NOT EXISTING Sports Suspension

00:00:05.454

Start / End / Elapsed:

20240930 19:31:37.344 / 20240930 19:31:42.798 / 00:00:05.454

KEYWORD Click Next

00:00:00.343

FOR \$[accessory] IN @[accessories]

00:00:05.113

Start / End / Elapsed:

20240930 19:31:37.686 / 20240930 19:31:42.798 / 00:00:05.113

ITERATION \$[accessory] = Floor mats

00:00:00.026

ITERATION \$[accessory] = NOT EXISTING

00:00:05.087

Start / End / Elapsed:

20240930 19:31:37.711 / 20240930 19:31:42.798 / 00:00:05.087

KEYWORD Browser Check Checkbox "\$[accessory]"

00:00:05.086

Documentation:

Checks the checkbox or selects radio button found by selector.

Tags:

PageContent, Setter

Start / End / Elapsed:

20240930 19:31:37.711 / 20240930 19:31:42.797 / 00:00:05.086

19:31:42.793 INFO

19:31:42.793 INFO

See also file:///Users/rener/Source/RF-Schulung/AutomationStar/results/playwright-log.txt for additional details.

19:31:42.794 FAIL

Error: locator.waitFor: Timeout 5000ms exceeded.
Call log:
[2m- waiting for locator("text=NOT EXISTING") [22m

Tip: Use "Set Browser Timeout" for increasing the timeout or double check your locator as the targeted element(s) couldn't be found.

KEYWORD Choose Color Blue

00:00:00.000

KEYWORD Verify Prices finalPrice=26.873,40 basePrice=17.000,00 enginePrice=4.999,00 editionPrice=1.413,00

00:00:00.000

SUITE vsr Gherkin BDD

00:00:03.781

Snooz82

AutomationStar Log

Generated
20240930 19:31:46 UTC+02:00
1 minute 50 seconds ago

Test Statistics

Total Statistics	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
All Tests	4	2	2	0	00:00:21	
Statistics by Tag	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
No Tags						
Statistics by Suite	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
AutomationStar	4	2	2	0	00:00:24	
AutomationStar.Browser VSR	4	2	2	0	00:00:24	
AutomationStar.Browser VSR.vsr DreamCar	1	1	0	0	00:00:07	
AutomationStar.Browser VSR.vsr DreamCar keywords	2	1	1	0	00:00:13	
AutomationStar.Browser VSR.vsr Gherkin BDD	1	0	1	0	00:00:04	

Test Execution Log

SUITE AutomationStar	00:00:24.223
Full Name: AutomationStar	
Source: /Users/rener/Source/RF-Schulung/AutomationStar	
Start / End / Elapsed: 20240930 19:31:22.375 / 20240930 19:31:46.598 / 00:00:24.223	
Status: 4 tests total, 2 passed, 2 failed, 0 skipped	
SUITE Browser VSR	00:00:24.209
Full Name: AutomationStar.Browser VSR	
Source: /Users/rener/Source/RF-Schulung/AutomationStar/Browser_VSR	
Start / End / Elapsed: 20240930 19:31:22.388 / 20240930 19:31:46.597 / 00:00:24.209	
Status: 4 tests total, 2 passed, 2 failed, 0 skipped	
SUITE vsr DreamCar	00:00:07.403
SUITE vsr DreamCar keywords	00:00:13.019
Full Name: AutomationStar.Browser VSR.vsr DreamCar keywords	
Source: /Users/rener/Source/RF-Schulung/AutomationStar/Browser_VSR/vsr_DreamCar_keywords.robot	
Start / End / Elapsed: 20240930 19:31:29.794 / 20240930 19:31:42.813 / 00:00:13.019	
Status: 2 tests total, 1 passed, 1 failed, 0 skipped	
TEST Default Config as User	00:00:03.144
TEST Falling Config as User	00:00:08.582



PLAY
Execut

Start / End / Elapsed: 20240930 19:31:37.344 / 20240930 19:31:42.798 / 00:00:05.454
Status: **FAIL**
Message: Error: locator.waitFor: Timeout 5000ms exceeded.
Call log:
[2m- waiting for locator('text="NOT EXISTING"')][22m

Tip: Use "Set Browser Timeout" for increasing the timeout or double check your locator as the targeted element(s) couldn't be found.

+ KEYWORD	Open VSR Dream Car	00:00:01.507
+ KEYWORD	Login User avengers_c01 password_c01	00:00:00.081
+ KEYWORD	Configure New Car	00:00:00.327
+ KEYWORD	Select Basic Model Model 3 (Rasant)	00:00:00.945
+ KEYWORD	Select Motor ECOtech with Hybrid	00:00:00.199
+ KEYWORD	Select Special Model Gomera	00:00:00.066
- KEYWORD	Select Accessories Floor mats NOT EXISTING Sports Suspension	00:00:05.454
Start / End / Elapsed: 20240930 19:31:37.344 / 20240930 19:31:42.798 / 00:00:05.454		
+ KEYWORD	Click Next	00:00:00.340
- FOR	\${accessory} IN @{accessories}	00:00:05.113
Start / End / Elapsed: 20240930 19:31:37.685 / 20240930 19:31:42.798 / 00:00:05.113		
+ ITERATION	\${accessory} = Floor mats	00:00:00.026
- ITERATION	\${accessory} = NOT EXISTING	00:00:05.087
Start / End / Elapsed: 20240930 19:31:37.711 / 20240930 19:31:42.798 / 00:00:05.087		
- KEYWORD	Browser: Check Checkbox "\${accessory}"	00:00:05.086
Documentation: Checks the checkbox or selects radio button found by selector.		
Tags: PageContent, Setter		
Start / End / Elapsed: 20240930 19:31:37.711 / 20240930 19:31:42.797 / 00:00:05.086		
19:31:42.793 INFO		



19:31:42.793 INFO See also file:///Users/rener/Source/RF-Schulung/AutomationStar/results/playwright-log.txt for additional details.

19:31:42.794 **FAIL** Error: locator.waitFor: Timeout 5000ms exceeded.
Call log:
[2m- waiting for locator('text="NOT EXISTING"')][22m

Tip: Use "Set Browser Timeout" for increasing the timeout or double check your locator as the targeted element(s) couldn't be found.

+ KEYWORD	Choose Color Blue	00:00:00.000
+ KEYWORD	Verify Prices finalPrice=26.873,40 basePrice=17.000,00 enginePrice=4.999,00 editionPrice=1.413,00	00:00:00.000

+ SUITE	vsrc Gherkin BDD	00:00:03.781
---------	------------------	--------------



+ KEYWORD Select Motor Electric with Hybrid

+ KEYWORD Select Special Model Gomera

- KEYWORD Select Accessories Floor mats NOT EXISTING Sports Suspension

Start / End / Elapsed: 20240930 19:31:37.344 / 20240930 19:31:42.798 / 00:00:05.454

+ KEYWORD Click Next

- FOR \${accessory} IN @\${accessories}

Start / End / Elapsed: 20240930 19:31:37.685 / 20240930 19:31:42.798 / 00:00:05.113

+ ITERATION \${accessory} = Floor mats

- ITERATION \${accessory} = NOT EXISTING

Start / End / Elapsed: 20240930 19:31:37.711 / 20240930 19:31:42.798 / 00:00:05.087

- KEYWORD Browser .Check Checkbox "\${accessory}"

Documentation: Checks the checkbox or selects radio button found by selector.

Tags: PageContent, Setter

Start / End / Elapsed: 20240930 19:31:37.711 / 20240930 19:31:42.797 / 00:00:05.086

19:31:42.793 INFO



19:31:42.793 INFO See also <file:///Users/rener/Source/RF-Schulung/AutomationStar/results/playwright-log.txt> for additional details.

19:31:42.794 FAIL Error: locator.waitFor: Timeout 5000ms exceeded.

Call log:

[2m- waiting for locator('text="NOT EXISTING"') [22m

Tip: Use "Set Browser Timeout" for increasing the timeout or double check your locator as the targeted element(s) found.

+ KEYWORD Choose Color Blue

+ KEYWORD Verify Prices finalPrice=26.873,40 basePrice=17.000,00 enginePrice=4.999,00 editionPrice=1.413,00


PLAYWRIGHT TEST vs ROBOT FRAMEWORK

Traces are mindbowning awesome!

[illegible]



DREAM TEAM



DREAM TEAM WEB AUTOMATION



----- Test Data Syntax -----

ROBOT FRAMEWORK

Test
Execution

Exception
Handling

Logging &
Reporting



----- Test Library APIs -----



DREAM TEAM WEB AUTOMATION



Visual Studio Code



Robot Code

----- Test Data Syntax -----

ROBOT FRAMEWORK

Test
Execution

Exception
Handling

Logging &
Reporting



----- Test Library APIs -----



DREAM TEAM WEB AUTOMATION



YES
WE'RE
OPEN
SRC



Visual Studio Code



Robot Code

----- Test Data Syntax -----

ROBOT FRAMEWORK

Test
Execution

Exception
Handling

Logging &
Reporting



----- Test Library APIs -----



RF BROWSER

Adaptation
Layer



Playwright



renerohner



Snooz82

System Under Test



NOW

IT'S

DEMO

TIME

ROBOT FRAMEWORK Examples

Visit
Our
GH-Page



renerohner



Snooz82



Visual Studio Code

Robot Code

ROBOT

Test
Execution



RF DRIVER

ation
Layer



Playwright

System Under Test

Questions?

Email rene.rohner@imbus.de

GitHub Snooz82

linkedin renerohner

 YES
WE`R
OPEN
SRC 