Daily Attendance Calculator

1. Introduction

The Daily Attendance Calculator is a simple web application designed to help students calculate their attendance percentage and check whether they meet the minimum attendance requirement. The application allows students to enter the total number of classes conducted and the number of classes attended.

The project is developed using HTML, CSS, and JavaScript.

2. Problem Statement

Students often find it difficult to calculate their attendance percentage and determine how many more classes they need to attend to meet the required attendance percentage. This project provides a simple solution by calculating attendance percentage and showing whether the student has sufficient attendance.

3. Technologies Used

- HTML

HTML is used to create the structure of the application, including headings, input fields, buttons, and the result section.

- CSS

CSS is used to design the application. It provides colors, spacing, buttons, and the overall appearance of the webpage.

- JavaScript

JavaScript is used to calculate attendance percentage, validate user input, and display the result.

4. Advantages

- Simple and easy to use.
- Useful for college students.
- Calculates attendance percentage automatically.
- Shows whether attendance meets the 75% requirement.
- Helps students plan their future attendance.
- Works directly in a web browser.
- No database or additional software is required.

5. CODE

```
<html>
<head>
  <title>Daily Attendance Calculator</title>

  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f2f6ff;
      margin: 0;
      text-align: center;
    }

    header {
      background-color: #2563eb;
      color: white;
      padding: 30px;
    }

    main {
      width: 80%;
      max-width: 600px;
      margin: 30px auto;
    }

    .box {
      background-color: white;
      padding: 25px;
      margin-bottom: 25px;
      border-radius: 10px;
      box-shadow: 0 3px 10px #ccc;
    }
```

```
      .box h2 {
        color: #2563eb;
      }

      input {
        padding: 10px;
        width: 80%;
        margin-top: 10px;
      }

      button {
        padding: 10px 20px;
        margin: 5px;
        border: none;
        border-radius: 5px;
        background-color: #2563eb;
        color: white;
        cursor: pointer;
      }

      button:hover {
        background-color: #1d4ed8;
      }

      #result {
        color: #2563eb;
        line-height: 1.6;
      }

      footer {
        background-color: #111827;
        color: white;
        padding: 15px;
      }
    </style>
</head>

<body>

    <header>
      <h1>Daily Attendance Calculator</h1>
      <p>Calculate your attendance percentage</p>
```

```
</header>

<main>
  <section class="box">
    <h2>Check Your Attendance</h2>

    <label>Total Classes:</label><br>
    <input type="number" id="total" min="1"><br><br>

    <label>Classes Attended:</label><br>
    <input type="number" id="attended" min="0"><br><br>

    <button onclick="calculate()">Calculate</button>

    <h3 id="result"></h3>
  </section>
</main>

<footer>
  <p>Daily Attendance Calculator</p>
</footer>

<script>
  function calculate() {
    var total = Number(document.getElementById("total").value);
    var attended = Number(document.getElementById("attended").value);

    if (document.getElementById("total").value == "" ||
      document.getElementById("attended").value == "" ||
      total <= 0 || attended < 0 || attended > total) {

      document.getElementById("result").innerHTML =
        "Enter valid class numbers";
      return;
    }

    var percentage = (attended / total) * 100;

    var message = "Attendance: " + percentage.toFixed(2) + "%<br>";

    if (percentage >= 75) {
      message += "Attendance is sufficient.";
    } else {
```

```
        var needed = Math.ceil(
          (75 * total - 100 * attended) / 25
        );

        message += "Attendance is below 75%.<br>";
        message += "Attend the next " + needed +
          " classes continuously to reach 75%.";
      }

      document.getElementById("result").innerHTML = message;
    }
  </script>

</body>
</html>
```

6.OUTPUT

