Filip Minić 138/17

Dokumentacija

https://mediumsocialnetwork.000webhostapp.com/index.php?page=pocetna

Smer: Internet Tehnologije

Modul:Web programiranje

Predmet:Praktikum PHP

Beograd, Jun 2019

Sadrzaj

1.	ι	Jvod:	. 5
	1.1	. Korišćeni programski jezici	. 5
	1.2	. Opis funkcionalnosti	. 5
	1.3	. Templates	. 5
2.	(Organizacija	. 6
	2.1	. Organizaciona šema	. 6
	2.2	. Sitemap	. 7
	2.3	. Sema Baze	. 9
	2.4	. Editor Slike	10
	2.5	. Opis stranica sajta	14
	I	ndex.php	14
	F	Page=pocetna	16
	F	Page=profilUser	17
	F	Page= editProfile	19
	F	Page=editPost	20
	F	Page=comment	21
	F	Page=adminPanel	22
	F	Page=autor	23
3.	k	Kodovi	24
	I	ndex.php2	24
	3.1	. config	25
		env2	25
	(Config.php	25
	(Connection.php	25
	3.2	. Models	27
	3	3.2.1.adminPanel	27
	F	Functions.php	27
	3	3.2.2. comments	30
	c	deleteComm.php	30
	F	Functions.php	30
	٤	getComments.php	31
	٤	getOneComment.php	32
	i	nsertComment.php	32
	ι	updateComment.php	33
	3	3.2.3. posts	35

	deltePost.php	. 35
	Functions.php	. 35
	getAllCategories.php	. 37
	getAllPosts.php	. 37
	getAllPostsProfile.php	. 38
	getAllPostsUser.php	. 38
	getOnePost.php	. 38
	insertPost.php	. 39
	searchPost.php	. 41
	updatePost.php	. 41
	3.2.4 users	. 44
	deleteUser.php	. 44
	exportExcel.php	. 44
	exportWord.php	. 45
	Functions.php	. 46
	Login.php	. 49
	Logout.php	. 51
	Registration.php	. 51
	searchUser.php	. 52
	updateBackgroundPhoto.php	. 53
	updatePassword.php	. 54
	updateProfile.php	. 55
	updateProfilePhoto.php	. 56
	updateRole.php	. 58
	zabranaUser.php	. 60
3.	3. Views	. 61
	3.3.1 Fixed	. 61
	Footer.php	. 61
	Head.php	. 61
	Nav.php	. 62
	3.3.2. Pages	. 63
	Admin.php	. 63
	Autor.php	. 66
	Comments.php	. 67
	editPost.php	. 67
	editProfile.php	. 69

	loginRegister.php	74
	Postovi.php	75
	Postovi2.php	76
	Profile_details.php	77
	Profile_info.php	78
	Profile_user_info.php	80
3	3.4 JavaScript	82

1. Uvod:

1.1. Korišćeni programski jezici

Za izradu sajta korišćeni su sledeći programski jezici:

- PHP
- PhpMyAdmin
- HTML
- CSS
- JavaScript
- jQuery
- Toastr
- Bootstrap

Kod je pisan u PHPStorm-u.

1.2. Opis funkcionalnosti

Sajt sadrži sledeće funkcionalnosti:


- Vise obkila filtriranja(search, kategorije)
- CRUD za korisnike(AJAX)
- CRUD za postove
- CRUD za komentare postova(AJAX)
- Paginaciju koja je radjena AJAX-om prilikom dolaska na kraj stranice
- Serverska i klijentska provera
- Login/Register korisnika
- Slanje maila korisniku ako neko pogresno ukuca sifru prilikom logovanja
- Upisivanje gresaka nad bazom u fajl
- Export u Word i Excel
- Racunanje aktivnosti korisnika u poslednja 24h u procentima
- Zapisivanje broja i podataka o aktivnim korisnicima
- Resize slike pomocu koda
- Zabrana prisupa preko url admin panelu i profilu korisnika(licni podaci)

1.3. Templates

Template je koricen na celom sajtu.

2. Organizacija


2.1. Organizaciona šema




2.2. Sitemap


```
3. <?xml version="1.0" encoding="UTF-8" ?>
   <urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
      <url>
         <loc>https://mediumsocialnetwork.000webhostapp.com/index.php</loc>
         <lastmod>2019-14-06</lastmod>
         <changefreq>montly</changefreq>
         <priority>0.95</priority>
      </url>
      <url>
   <loc>https://mediumsocialnetwork.000webhostapp.com/index.php?page=pocetn
   a</loc>
         <lastmod>2019-14-06
         <changefreq>montly</changefreq>
         <priority>0.95</priority>
      </url>
      <url>
   <loc>https://mediumsocialnetwork.000webhostapp.com/index.php?page=profil
   User</loc>
         <lastmod>2019-14-06
         <changefreq>montly</changefreq>
         <priority>0.75</priority>
      </url>
      <url>
   <loc>https://mediumsocialnetwork.000webhostapp.com/index.php?page=editPr
   ofile</loc>
         <lastmod>2019-14-06
         <changefreq>montly</changefreq>
         <priority>0.75</priority>
      </url>
      <url>
   <loc>https://mediumsocialnetwork.000webhostapp.com/index.php?page=editPo
   st</loc>
         <lastmod>2019-14-06
         <changefreq>montly</changefreq>
         <priority>0.75</priority>
      </url>
      <url>
   <loc>https://mediumsocialnetwork.000webhostapp.com/index.php?page=commen
   t</loc>
         <lastmod>2019-14-06
         <changefreq>montly</changefreq>
         <priority>0.75</priority>
      </url>
      <url>
   <loc>https://mediumsocialnetwork.000webhostapp.com/index.php?page=autor
```


2.3. Sema Baze




2.4. Editor Slike











2.5. Opis stranica sajta Index.php




Pocetna stranica sajta sa koje se korisnik loguje ili kreira nalog za pristup sadrzaju sajta.

Page=pocetna




Strana sajta na kojoj su izistani svi postovi koji su na sajtu kreirani. Nakon spustanja na kraj strane ucitavaju se nova 3 posta i tako dok se ne dodje do poslednjg. Search u navigaciji sluzi za pretragu postova na osnovu imena korisnika, ili kljucnih reci iz naslova ili opisa posta. Sa leve strane se nalaze podaci o ulogovanom korisniku i koliko je ukupno on postova kreirao. Takodje se nalazi pretraga korrisnika sajta. Ispod toga se nalazi filtriranje na osnovu kategorija.

Page=profilUser




Svaki korisnik ima svoj profil na kome se nalaze samo postovi koje je on okacio. Takodje korisnik moze menjati svoju porfilnu i naslovnu sliku, kao i osnovne podatke o sebi. Moze i brisati svoje postove ili ih editovati.

Page= editProfile




Strana na kojoj korisnik menja podatke o sebi i samo on ima pristup ovim podacima.

Page=editPost




Strana na kojoj korisnik edituje ili brise svoje postove, samo on ima pristup ovoj strani.

Page=comment



Strana na kojoj se nalaze komentari za post na kom smo kliknuli na "See comments". Korisnik moze editovati ili brisati svoje komentare.


Page=adminPanel



Adminpanel je strana na kojoj se nalazi Export u excel korisnika sajta i export podataka o autoru u word. Statistika pristupa stranicama u poslednja 24 casa izrazena u %. Kao i Broj trenutno ulogovanih korisnika, imena i uloga korisnika.

Admin ima pristup svim stranicama sajta i manipulacijom sadrzaja na sajtu.

Moze editovati, brisati korisnike, kao i svacije postove i komentare.



Powered by 🏀 000webhost

Slika autora sajta i podaci iz baze o njemu.

3. Kodovi

Index.php

```
include "config/connection.php";
   include "models/users/functions.php";
   include "models/adminPanel/functions.php";
  require_once "views/fixed/head.php";
// moras staviti !isset kada budes zavrsio sajt!!!
  if(!isset($_SESSION['user'])){
      include "views/pages/loginRegister.php";
   }else{
      include "views/fixed/nav.php";
      if(isset($_GET['page'])){
           switch($_GET['page'])
                    include "views/pages/profile info.php";
                    include "views/pages/postovi.php";
                   break;
               case 'profilUser':
                   include "views/pages/profile user info.php";
                    include "views/pages/profile_details.php";
                    include "views/pages/postovi2.php";
                   break;
                    include "views/pages/editProfile.php";
                   break:
               case 'editPost':
                    include "views/pages/editPost.php";
                   break;
                    include "views/pages/profile_info.php";
                    include "views/pages/comments.php";
                    break;
               case 'adminPanel':
                    include "views/pages/admin.php";
                   break;
                    include "views/pages/autor.php";
                   break;
               default:
                    include "views/pages/profile info.php";
                    include "views/pages/postovi.php";
                   break;
       } else{
           include "views/pages/profile_info.php";
           include "views/pages/postovi.php";
```

```
}
include "views/fixed/footer.php";

?>
```

3.1. config

.env

```
DBNAME=sajt_php_praktikum
SERVER=localhost
USERNAME=root
PASSWORD=
```

Config.php

```
<?php
// Osnovna podesavanja
define("ABSOLUTE PATH", $ SERVER["DOCUMENT ROOT"]."/Medium");
//define("RELATIVE_PATH", $_SERVER["DOCUMENT_ROOT"]."/labphp/termin7");
// Ostala podesavanja
define("ENV_FAJL", ABSOLUTE_PATH."/config/.env");
define("LOG_FAJL", ABSOLUTE_PATH."/data/log.txt");
define("ERROR_FILE", ABSOLUTE_PATH."/data/errors.txt");
define("LOGGING_FAJL", ABSOLUTE_PATH."/data/logging.txt");
// Podesavanja za bazu
define("SERVER", env("SERVER"));
define("DATABASE", env("DBNAME"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));
function env($naziv){
      $podaci = file(ENV FAJL);
      $vrednost = "":
      foreach($podaci as $key=>$value){
            $konfig = explode("=", $value);
            if($konfig[0]==$naziv){
                 $vrednost = trim($konfig[1]); // trim() zbog \n
      return $vrednost;
```

Connection.php

```
<?php
@session_start();
require_once "config.php";</pre>
```

```
try {
    $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8",
USERNAME, PASSWORD);
    $conn->setAttribute(PDO::ATTR DEFAULT FETCH MODE, PDO::FETCH OBJ);
    $conn->setAttribute(PDO::ATTR ERRMODE, PDO::ERRMODE EXCEPTION);
catch(PDOException $ex){
    echo $ex->getMessage();
function executeQuery($query){
    return $conn->query($query)->fetchAll();
function zabeleziPristupStranici(){
    $open = fopen(LOG_FAJL, "a");
    if($open){
        $date = date('d-m-Y H:i:s');
        @fwrite($open,
"{$_SERVER['REQUEST_URI']}\t{$date}\t{$_SERVER['REMOTE_ADDR']}\t
{$_SESSION['user']->first_name}-{$_SESSION['user']->last_name}\n");
        fclose($open);
function catchErrors($error){
    @$open = fopen(ERROR_FILE, "a");
    $unos = $error."\t".date('d-m-Y H:i:s'). "\n";
    @fwrite($open, $unos);
    @fclose($open);
```

3.2. Models

3.2.1.adminPanel

Functions.php

```
<?php
function pristumStranamaUprocentima(){
    $array = [];
    $loginRegister = 0;
    $profil = 0;
    $editProfil = 0;
    $editPost = 0;
    $comment = 0;
    admin = 0;
    autor = 0;
    $poslednja24h = strtotime("1 day ago");
    //var_dump($poslednja24h);
    @$file = file(LOG_FAJL);
    if(count($file)){
        foreach ($file as $f){
            //var_dump($f);
            $delovi = explode("\t", $f);
$url = explode(".php", $delovi[0]);
            $page = explode("&", $url[1]);
            //var dump($delovi);
            $time = trim(strtotime($delovi[1]));
            //var_dump($time);
            //print_r($delovi[3]);
            if($time >= $poslednja24h){
                 switch ($page[0]){
                     case "":
                         $loginRegister++;$ukupno++;
                         break;
                     case "?page=pocetna":
                         $pocetna++;$ukupno++;
                     case "?page=profilUser":
                         $profil++;$ukupno++;
                         break;
                         $editProfil++;$ukupno++;
                         break;
                         $editPost++;$ukupno++;
                         break;
                     case "?page=comment":
                         $comment++;$ukupno++;
                         break;
                     case "?page=adminPanel":
                         $admin++;$ukupno++;
                         $autor++;$ukupno++;
```

```
break;
                    default:
                        $pocetna++;$ukupno++;
                        break;
        if($ukupno >0){
            $array[] = round($loginRegister*100/$ukupno, 2);
            $array[] = round($pocetna*100/$ukupno, 2);
            $array[] = round($profil*100/$ukupno, 2);
            $array[] = round($editProfil*100/$ukupno, 2);
            $array[] = round($editPost*100/$ukupno, 2);
            $array[] = round($comment*100/$ukupno, 2);
            $array[] = round($admin*100/$ukupno, 2);
            $array[] = round($autor*100/$ukupno, 2);
    return $array;
function loggingCount($id){
    @$open = fopen(LOGGING_FAJL, "a");
    $unos = $id. "\n";
@fwrite($open, $unos);
    @fclose($open);
function loggedCount(){
    return count(file(LOGGING_FAJL));
function deleteLoggingCount($id){
    $id = (int)$id;
    @$file = file(LOGGING_FAJL);
    if(count($file)){
        foreach ($file as $f){
            $fId = trim((int)$f);
            if($fId != $id){
                $unos .= $fId. "\n";
    @$open = fopen(LOGGING_FAJL, "w");
    @fwrite($open, $unos);
    @fclose($open);
function nameUser($id){
```

```
global $conn;
    $upit = "SELECT u.first_name, u.last_name, r.role_name FROM users u JOIN
roles r ON u.id_role = r.id_role WHERE id_user = ?";
    $priprema = $conn->prepare($upit);
    $priprema->execute([$id]);

    return $priprema->fetch();
}

function autor(){
    global $conn;
    $upit = "SELECT * FROM autor WHERE id_autor = 1";
    $rezultat = $conn->query($upit);

    return $rezultat->fetch();
}
```

3.2.2. comments

deleteComm.php

Functions.php

```
<?php
function getAllComments($idPost){
   global $conn;
    $upit = "SELECT * FROM comments c JOIN users u ON c.id_user = u.id_user
c.comment created at DESC";
   $priprema = $conn->prepare($upit);
   $priprema->execute([$idPost]);
   $rezultat = $priprema->fetchAll();
   return $rezultat;
function insertComment($comment, $vremeComm, $idUser, $idPost){
   $upit = "INSERT INTO comments (id comment, text, comment created at,
id user, id_post) VALUES(NULL,?, ?, ?, ?)";
   $priprema = $conn->prepare($upit);
   $priprema->execute([$comment, $vremeComm, $idUser, $idPost]);
   return $priprema;
function deleteComm($idComm){
   global $conn;
   $upit = "DELETE FROM comments WHERE id comment = ?";
   $priprema = $conn->prepare($upit);
```

```
$priprema-> execute([$idComm]);

return $priprema;
}

function getOneComm($idComm){
    global $conn;
    $upit = "SELECT * FROM comments WHERE id_comment = ?";
    $priprema = $conn->prepare($upit);
    $priprema->execute([$idComm]);

return $priprema->fetch();
}

function updateComm($comment, $vremeComm, $idComm, $idPost){
    global $conn;
    $upit = "UPDATE comments SET text = ?, comment_updated_at = ? WHERE
id_comment = ? AND id_post = ?";
    $priprema = $conn->prepare($upit);
    $priprema - >execute([$comment, $vremeComm, $idComm, $idPost]);

return $priprema;
}
```

getComments.php

```
<?php
header("Content-type: application/json");
if(isset($_POST['idPost'])){
    require "../../config/connection.php";
    require "functions.php";
    $idComment = $ POST['idPost'];
    try{
        $select = getAllComments($idComment);
        http_response_code(200);
        echo json encode($select);
    } catch (PDOException $ex){
        http_response_code(500);
        echo json_encode(['greska'], $ex->getMessage());
        catchErrors("getComments.php ->".$ex->getMessage());
}else{
    http_response_code(400);
```

getOneComment.php

insertComment.php

```
<?php
session_start();
header("Content-type: application/json");
if(isset($_POST['btnComment'])){
    require "functions.php";
    $idPost = $ POST['idPost'];
    $comment = $_POST['textOpis'];
    $idUser = $ SESSION['id user'];
    $vremeComm = date("Y-m-d H-i-s", time());
    reComment = "/^(.|\s)*[a-zA-Z]+(.|\s)*$/";
    $greske = [];
    if(!preg_match($reIdPost, $idPost)){
        $greske[] = "Id mora biti unet";
    if(!preg_match($reComment, $comment)){
        $greske[] = "Text komentara";
    if(count($greske) > 0){
        http_response_code(422);
        echo json_encode($greske);
    }else{
```

updateComment.php

```
<?php
session_start();
header("Content-type: application/json");
if(isset($_POST['btnComment'])){
    $idComm = $_POST['idComm'];
    $idPost = $_POST['idPost'
    $comment = $_POST['textOpis'];
    $vremeComm = date("Y-m-d H-i-s", time());
    reId = "/^d*$/";
    reComment = "/^(.|s)*[a-zA-Z]+(.|s)*$/";
    $greske = [];
    if(!preg_match($reId, $idPost)){
        $greske[] = "Id mora biti unet";
    if(!preg_match($reId, $idComm)){
        $greske[] = "Id mora biti unet";
    if(!preg match($reComment, $comment)){
        $greske[] = "Text komentara";
    if(count($greske) > 0){
        http_response_code(422);
        echo json_encode($greske);
    }else{
        try{
            $insert = updateComm($comment, $vremeComm, $idComm, $idPost);
            http_response_code(204);
            echo json_encode($insert);
        }catch (PDOException $ex){
            http_response_code(500);
            echo json encode(['Greska', $ex->getMessage()]);
```

```
catchErrors("updateComment.php ->".$ex->getMessage());
}
}
}else{
    http_response_code(400);
}
```

3.2.3. posts

deltePost.php

```
??php
if(isset($_POST['idPost'])){
    header("Content-type: application/json");
    require "../../config/connection.php";
    require "functions.php";
    $idPost = $_POST['idPost'];
    try{
        $rezultat = deletePost($idPost);
        http_response_code(204);
        echo json_encode($rezultat);
    } catch (PDOException $ex){
        http_response_code(500);
        echo json_encode(["Greska", $ex->getMessage()]);
        catchErrors("deletePost.php ->".$ex->getMessage());
    }
}else{
    http_response_code(400);
}
```

Functions.php

```
<?php
function getCategories(){
    return executeQuery("SELECT * FROM categories");
function insertNewPost($naslov, $opis, $putanja, $novaPutanja, $putanjaMala,
$datumKreiranja, $idCategory, $idUser){
    global $conn;
    $upit = "INSERT INTO posts (id post, title, post description,
    $priprema = $conn->prepare($upit);
    $priprema->execute([$naslov, $opis, $putanja, $novaPutanja, $putanjaMala,
$datumKreiranja, $idCategory, $idUser]);
    return $priprema;
function getAllPosts($br){
    return executeQuery("SELECT * FROM user_photo up JOIN users u ON
up.id user = u.id user JOIN posts p ON u.id user = p.id user JOIN categories c
ON p.id_category = c.id_category ORDER BY p.post_created_at DESC LIMIT $br");
function getAllPostsCategory($category, $br){
    return executeQuery("SELECT * FROM user photo up JOIN users u ON
ON p.id_category = c.id_category WHERE c.id_category = $category ORDER BY
p.post_created_at DESC LIMIT $br");
```

```
//function getAllPostsUser($idUser){
      global $conn;
JOIN user photo up ON u.id user = up.id user WHERE p.id user = ? ORDER BY
p.post_created_at DESC";
      $priprema = $conn->prepare($upit);
      $priprema->execute([$idUser]);
      $rezultat = $priprema->fetchAll();
      return $rezultat;
//}
function getAllPostsUser($idUser, $br2){
    return executeQuery("SELECT * FROM user photo up JOIN users u ON
p.post_created_at DESC LIMIT $br2");
function searchPosts($title){
    global $conn;
user_photo up ON u.id_user = up.id_user WHERE LOWER(p.title) LIKE ? OR
LOWER(p.post_description) LIKE ? OR LOWER(u.first name) LIKE ? ORDER BY
p.post created at DESC";
    $priprema = $conn->prepare($upit);
    $priprema->execute([$title, $title, $title]);
    $rezultat = $priprema->fetchAll();
    return $rezultat;
function getAllPostsProfile($idUser){
    global $conn;
    $upit = "SELECT * FROM posts p JOIN categories c ON p.id category =
    $priprema = $conn->prepare($upit);
    $priprema->execute([$idUser]);
    $rezultat = $priprema->fetchAll();
   return $rezultat;
function getOnePost($idPost){
    global $conn;
    $priprema = $conn->prepare($upit);
    $priprema->execute([$idPost]);
    $rezultat = $priprema->fetch();
    return $rezultat;
function updatePost($title, $desc, $realPhotoPath, $photoPath, $malaPath,
```

```
$updated, $idCat, $idUser){
    global $conn;
    $upit = "UPDATE posts SET title = ?, post_description = ?, real_photo_path
= ?, photo_path = ?, photo_mala_path = ?, updated_at = ?, id_category = ?
WHERE id_post = ?";
    $priprema = $conn->prepare($upit);
    $priprema->execute([$title, $desc, $realPhotoPath, $photoPath, $malaPath,
$updated, $idCat, $idUser]);
    return $priprema;
}

function deletePost($idPost){
    global $conn;
    $upit = "DELETE FROM posts WHERE id_post = ?";
    $priprema = $conn->prepare($upit);
    $priprema->execute([$idPost]);
    return $priprema;
}
```

getAllCategories.php

```
<?php
header("Content-type: application/json");
require "../../config/connection.php";
require "functions.php";

try {
    $categories = getCategories();
    http_response_code(200);
    echo json_encode($categories);
}catch (PDOException $ex){
    http_response_code(500);
    catchErrors("getAllCategories.php ->".$ex->getMessage());
}
```

getAllPosts.php

```
}catch (PDOException $ex){
   http_response_code(500);
   catchErrors("getAllPosts.php ->".$ex->getMessage());
}
```

getAllPostsProfile.php

```
<?php
session_start();
header("Content-type: application/json");
require "../../config/connection.php";
require "functions.php";
try {
    $idUser = $_SESSION['userStrana'];
    $postovi = getAllPostsProfile($idUser);

    echo json_encode($postovi);
}catch (PDOException $ex){
    http_response_code(500);
    catchErrors("getAllPostsProfile.php ->".$ex->getMessage());
}
```

getAllPostsUser.php

```
<?php
session_start();

header("Content-type: application/json");
require "../../config/connection.php";
require "functions.php";

try {
    $idUserSession = $_SESSION['userStrana'];
    $br2 = $_POST['brojac'];
    $posts = getAllPostsUser($idUserSession, $br2);
    unset($idUserSession);
    http_response_code(200);
    echo json_encode($posts);

} catch (PDOException $ex){
    http_response_code(500);
    catchErrors("getAllPostsUser.php ->".$ex->getMessage());
}
```

getOnePost.php

```
<?php
header("Content-type: application/json");

if(isset($_POST['idPost'])){
    require "../../config/connection.php";
    require "functions.php";

$idPost = $_POST['idPost'];</pre>
```

insertPost.php

```
session_start();
if(isset($_POST['btnPost'])) {
   header("Content-type: application/json");
   $fajl naziv = $ FILES['postPhoto']['name'];
   $fajl_tmpLokacija = $_FILES['postPhoto']['tmp_name'];
   $fajl_tip = $_FILES['postPhoto']['type'];
   $fajl velicina = $_FILES['postPhoto']['size'];
   $naslov = $_POST['tbTitle'];
   $opis = $_POST['textOpis'];
   $category = $_POST['ddlCategories'];
   $greske = [];
   $dozvoljeni_tipovi = ['image/jpg', 'image/jpeg', 'image/png'];
   if(!in_array($fajl_tip, $dozvoljeni_tipovi)){
        array_push($greske, "Pogresan tip fajla. - Profil slika");
    if($fajl velicina > 3000000){
        array_push($greske, "Maksimalna velicina fajla je 3MB. - Profil
slika");
    if(strlen($opis) == 0){
        array_push($greske, "Mora se neki opis napisati");
    if(strlen($naslov) == 0){
       array_push($greske, "Mora se neki opis napisati");
    if(count($greske) == 0){
        list($sirina, $visina) = getimagesize($fajl_tmpLokacija);
        $postojecaSlika = null;
        switch($fajl_tip){
```

```
$postojecaSlika = imagecreatefromjpeg($fajl_tmpLokacija);
                break;
            case 'image/png':
                $postojecaSlika = imagecreatefrompng($fajl_tmpLokacija);
        $novaVisina = 303:
        $novaSirina = ($novaVisina/$visina) * $sirina;
        $novaMalaVisina = 50;
        $novaMalaSirina = 50;
        $novaSlika = imagecreatetruecolor($novaSirina, $novaVisina);
        $novaSlikaMala = imagecreatetruecolor($novaMalaSirina,
$novaMalaVisina);
        imagecopyresampled($novaSlika, $postojecaSlika, 0, 0, 0, 0,
$novaSirina, $novaVisina, $sirina, $visina);
        imagecopyresampled($novaSlikaMala, $postojecaSlika, 0, 0, 0, 0,
$novaMalaSirina, $novaMalaVisina, $sirina, $visina);
        $naziv = time().$fajl naziv;
        $putanjaNovaSlika = 'assets/img/posts/nova_'.$naziv;
        $putanjaNovaSlikaMala = 'assets/img/posts/novaMala_'.$naziv;
        switch($fajl tip){
            case 'image/jpeg':
                imagejpeg($novaSlika, '../../'.$putanjaNovaSlika, 75);
                imagejpeg($novaSlikaMala, '.../.../'.$putanjaNovaSlikaMala, 75);
                break;
                imagepng($novaSlika, '../../'.$putanjaNovaSlika);
                imagepng($novaSlikaMala, '.../../'.$putanjaNovaSlikaMala);
                break;
        $putanjaOriginalnaSlika = 'assets/img/posts/'.$naziv;
        if(move_uploaded_file($fajl_tmpLokacija,
 ../../'.$putanjaOriginalnaSlika)){
            $idUser = $_SESSION['id_user'];
            $vremeUnosa = date("Y-m-d H-i-s", time());
                $isInserted = insertNewPost($naslov, $opis,
$putanjaOriginalnaSlika, $putanjaNovaSlika, $putanjaNovaSlikaMala,
$vremeUnosa, $category, $idUser);
                    header("Location: ../../index.php?page=pocetna");
            } catch(PDOException $ex){
                header("Location: ../../index.php?page=pocetna");
                echo $ex->getMessage();
                catchErrors("isertPost.php ->".$ex->getMessage());
```

```
}
}

imagedestroy($postojecaSlika);
imagedestroy($novaSlika);
imagedestroy($novaSlikaMala);

} else {
    header("Location: ../../index.php?page=pocetna");
}
```

searchPost.php

```
<?php
if(isset($_POST['post'])){
    header("Content-type: application/json");
    require "../../config/connection.php";
    require "functions.php";

    $post = "%".strtolower($_POST['post'])."%";

try{
         $posts = searchPosts($post);
         http_response_code(200);
         echo json_encode($posts);
}catch (PDOException $ex){
         http_response_code(500);
         catchErrors("searchPost.php ->".$ex->getMessage());
}
} else{
         http_response_code(400);
}
```

updatePost.php

```
if(isset($_POST['btnUpdatePost'])) {
   header("Content-type: application/json");
   require "../../config/connection.php";
   require "functions.php";

   $fajl_naziv = $_FILES['postPhoto']['name'];
   $fajl_tmpLokacija = $_FILES['postPhoto']['tmp_name'];
   $fajl_tip = $_FILES['postPhoto']['type'];
   $fajl_velicina = $_FILES['postPhoto']['size'];

   $naslov = $_POST['tbTitle'];
   $opis = $_POST['tbDescription'];
   $category = $_POST['ddlCategories'];
   $idPost = $_POST['hiddenPost'];
```

```
$greske = [];
    $dozvoljeni_tipovi = ['image/jpg', 'image/jpeg', 'image/png'];
    if(!in_array($fajl_tip, $dozvoljeni_tipovi)){
        array push($greske, "Pogresan tip fajla. - Profil slika");
    if($fajl velicina > 3000000){
        array push($greske, "Maksimalna velicina fajla je 3MB. - Profil
slika"):
    if(strlen($opis) == 0){
        array_push($greske, "Mora se neki opis napisati");
    if(strlen($naslov) == 0){
        array push($greske, "Mora se neki opis napisati");
    if(count($greske) == 0){
        list($sirina, $visina) = getimagesize($fajl_tmpLokacija);
        $postojecaSlika = null;
        switch($fajl_tip){
           case 'image/jpeg':
                $postojecaSlika = imagecreatefromjpeg($fajl tmpLokacija);
                break;
            case 'image/png':
                $postojecaSlika = imagecreatefrompng($fajl tmpLokacija);
        $novaVisina = 303;
        $novaSirina = ($novaVisina/$visina) * $sirina;
        $novaMalaVisina = 50;
        $novaMalaSirina = 50;
        $novaSlika = imagecreatetruecolor($novaSirina, $novaVisina);
        $novaSlikaMala = imagecreatetruecolor($novaMalaSirina,
$novaMalaVisina);
        imagecopyresampled($novaSlika, $postojecaSlika, 0, 0, 0, 0,
$novaSirina, $novaVisina, $sirina, $visina);
        imagecopyresampled($novaSlikaMala, $postojecaSlika, 0, 0, 0,
$novaMalaSirina, $novaMalaVisina, $sirina, $visina);
        $naziv = time().$fajl_naziv;
        $putanjaNovaSlika = 'assets/img/posts/nova_'.$naziv;
        $putanjaNovaSlikaMala = 'assets/img/posts/novaMala_'.$naziv;
        switch($fajl tip){
            case 'image/jpeg':
                imagejpeg($novaSlika, '../../'.$putanjaNovaSlika, 75);
```

```
imagejpeg($novaSlikaMala, '../../'.$putanjaNovaSlikaMala, 75);
                break;
            case 'image/png':
                imagepng($novaSlika, '../../'.$putanjaNovaSlika);
                imagepng($novaSlikaMala, '.../../'.$putanjaNovaSlikaMala);
                break;
        $putanjaOriginalnaSlika = 'assets/img/posts/'.$naziv;
        if(move_uploaded_file($fajl_tmpLokacija,
 ../../'.$putanjaOriginalnaSlika)){
            $vremeUnosa = date("Y-m-d H-i-s", time());
                $isInserted = updatePost($naslov, $opis,
$putanjaOriginalnaSlika, $putanjaNovaSlika, $putanjaNovaSlikaMala,
$vremeUnosa, $category, $idPost);
                header("Location: ../../index.php?page=pocetna");
            } catch(PDOException $ex){
                header("Location: ../../index.php?page=pocetna");
                echo $ex->getMessage();
                catchErrors("updatePost.php ->".$ex->getMessage());
        imagedestroy($postojecaSlika);
        imagedestroy($novaSlika);
        imagedestroy($novaSlikaMala);
        header("Location: ../../index.php?page=pocetna");
```

3.2.4 users

deleteUser.php

```
<?php
session_start();
if(isset($_POST['deleteUser'])){
   header("Content-type: application/json");
   require "../../config/connection.php";
   $idUserDelete = $ SESSION['idUserDelete'];
   try{
        $delete = deleteUser($idUserDelete);
       http_response_code(204);
        header("Location:../../index.php?page=pocetna");
    }catch (PDOException $ex){
        http response code(500);
        echo json_encode(['Nije obrsian user', $ex->getMessage()]);
        catchErrors("deleteUser.php ->".$ex->getMessage());
       header("Location:../../index.php?page=pocetna");
} else{
   http response code(400);
   header("Location:../../index.php?page=pocetna");
unset($idUserDelete);
```

exportExcel.php

```
$polje = $sheet->Range("B{$br}");
        $polje->activate;
        $polje->value = $user->first_name;
        $polje = $sheet->Range("C{$br}");
        $polje->activate;
        $polje->value = $user->last name;
        $polje = $sheet->Range("D{$br}");
        $polje->activate;
        $polje->value = $user->email;
        $polje = $sheet->Range("E{$br}");
        $polje->activate;
        $polje->value = $user->description;
        $polje = $sheet->Range("F{$br}");
        $polje->activate;
        $polje->value = $user->created at;
    $polje = $sheet->Range("G{$br}");
    $polje->activate;
    $polje->value = $user->role name;
        $br++;
$workbook->_SaveAs("http://localhost/Medium/models/users/UserInfo.xlsx", -
4143);
$workbook->Save();
$workbook->Saved=true;
$workbook->Close:
$excel->Workbooks->Close();
$excel->Quit();
unset($sheet);
unset($workbook);
unset($excel);
header("Location: ../../index.php?page=pocetna");
```

exportWord.php

```
include '../../config/connection.php';
include "../adminPanel/functions.php";

$autor = autor();
//var_dump($autor);

$word = new COM("Word.Application");
$word->Visible = true;

$word->Documents->Add();
```

```
$word->Selection->TypeText("First Name: $autor->ime \n Last Name: $autor-
>prezime \n Birthday: $autor->datum \n Faculty: $autor->skola \n ID: $autor-
>index \n Born: $autor->mesto");

$word->Documents[1]->SaveAs("Author.doc");

header("Location: ../../index.php?page=autor");
```

Functions.php

```
function userRregister($ime, $prezime, $mail, $password, $created_at){
   global $conn;
   $upitRegister = "INSERT INTO users (id_user, first_name, last_name, email,
password, created at, id role) values (NULL, ?, ?, ?, ?, ?, 2)";
    $priprema = $conn->prepare($upitRegister);
   $priprema->execute([$ime, $prezime, $mail, $password, $created_at]);
   $lastInsertedIdUser = $conn->lastInsertId();
   userPhotoAddReister($lastInsertedIdUser);
   return $priprema;
function userPhotoAddReister($lastUserId){
    $upit = "INSERT INTO user_photo VALUES (NULL,
assets/img/users/1559432200profilna.jpg',
assets/img/users/novaProfilna 1559432200profilna.jpg',
assets/img/users/novaKomentar_1559432200profilna.jpg
 assets/img/users/novaNavigacija_1559432200profilna.jpg',
 assets/img/usersBackground/1559432191backgoiund.jpg'
assets/img/usersBackground/nova 1559432191backgoiund.jpg', ?)";
   $priprema = $conn->prepare($upit);
   $priprema->execute([$lastUserId]);
   return $priprema;
function getMailUser($mail){
   global $conn;
$upitMail = "SELECT * FROM users WHERE email = ?";
   $priprema = $conn->prepare($upitMail);
   $priprema->execute([$mail]);
   return $priprema;
function userLogin($email, $sifra){
   global $conn;
    $upit = "SELECT * FROM users WHERE email = ? AND password = ?";
   $priprema = $conn->prepare($upit);
```

```
$priprema->execute([$email, $sifra]);
    return $priprema;
function userLoginMailer($email, $sifra){
    global $conn;
    $upit = "SELECT * FROM users WHERE email = ? AND password <> ?";
    $priprema = $conn->prepare($upit);
    $priprema->execute([$email, $sifra]);
    $priprema->fetch();
   return $priprema;
function updateBackgroundPhoto($putanjaOriginalna, $putanjaNovaSlika,
$idUser){
    $upit = "UPDATE user_photo SET real_background_path = ?, background_path =
    $priprema = $conn->prepare($upit);
    $priprema->execute([$putanjaOriginalna, $putanjaNovaSlika, $idUser]);
   return $priprema;
function updateProfilePhoto($putanjaOriginalna, $putanjaProfilna,
$putanjaKomentar, $putanjaNavigacija, $idUser){
 global $conn;
 $upit = "UPDATE user photo SET real_profile_path = ?, profile_path = ?,
comment_path = ?, nav_path = ? WHERE id_user = ?";
 $priprema = $conn->prepare($upit);
  $priprema->execute([$putanjaOriginalna, $putanjaProfilna, $putanjaKomentar,
$putanjaNavigacija, $idUser]);
 return $priprema;
function getUser ($idUser){
    global $conn;
    $upit = "SELECT * FROM users WHERE id user = ?";
    $priprema = $conn->prepare($upit);
    $priprema->execute([$idUser]);
   return $priprema->fetch();
function getAllUsers(){
    return executeQuery("SELECT * FROM users u JOIN roles r ON u.id_role =
r.id_role");
function getUserPhoto($idUser){
    global $conn;
    $upit = "SELECT * FROM user photo WHERE id user = ?";
```

```
$priprema = $conn->prepare($upit);
    $priprema->execute([$idUser]);
    return $priprema->fetch();
function updateUserProfile($ime, $prezime, $email, $description, $idUser){
    $upit = "UPDATE users SET first name = ?, last name = ?, email = ?,
description = ? WHERE id_user = ?";
    $priprema = $conn->prepare($upit);
    $priprema->execute([$ime, $prezime, $email, $description, $idUser]);
    return $priprema;
function updateUserPassword($password, $idUser){
    $upit = "UPDATE users SET password = ? WHERE id user = ?";
    $priprema = $conn->prepare($upit);
    $priprema->execute([$password, $idUser]);
   return $priprema;
function searchUser($user){
    $upit = "SELECT * FROM users u JOIN user_photo up ON u.id_user =
BY u.created_at ASC LIMIT 7 ";
    $priprema = $conn->prepare($upit);
    $priprema->execute([$user, $user]);
    $rezultat = $priprema->fetchAll();
    return $rezultat;
function deleteUser($idUser){
    $upit = "DELETE FROM users WHERE id user = ?";
    $priprema = $conn->prepare($upit);
    $priprema->execute([$idUser]);
    return $priprema;
function getRoles(){
    return executeQuery("SELECT * FROM roles");
function updateRole($role, $idUser){
    global $conn;
    $upit = "UPDATE users SET id_role = ? WHERE id_user = ?";
    $piprema = $conn->prepare($upit);
    $piprema->execute([$role, $idUser]);
```

```
return $piprema;
}

function userRole($idUser){
    global $conn;
    $upit = "SELECT r.role_name FROM roles r JOIN users u ON r.id_role =
u.id_role WHERE id_user = ?";
    $piprema = $conn->prepare($upit);
    $piprema->execute([$idUser]);

    return $piprema->fetch();
}
```

Login.php

```
<?php
@session start();
use PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;
if(isset($ POST['btnLogin'])){
    header("Content-type: application/json");
    ob start();
    require "../../config/connection.php";
require "../adminPanel/functions.php";
    require "functions.php";
    // Ucitavanje mailera
    require ABSOLUTE PATH.'/PHPMailer/src/Exception.php';
    $email = $ POST['loginMail'];
    $sifra = $_POST['loginPassword'];
    $greske = [];
    if (!filter var($email, FILTER VALIDATE EMAIL)) {
        $greske[] = "Mail is not in good format!";
    if (strlen($sifra) < 6) {</pre>
        $greske[] = "Password length must be over 6";
    if(count($greske) > 0){
        http_response_code(422);
        echo json_encode($greske);
        header("Location:../../index.php");
    } else{
        $siframd5 = md5($sifra);
```

```
$login = userLogin($email, $siframd5);
   if($login->rowCount() == 1){
        $user = $login->fetch();
        http_response_code(200);
        echo json encode($user);
        $_SESSION['id_user'] = $user->id_user;
        loggingCount($_SESSION['id_user']);
        $_SESSION['user'] = $user;
        $ SESSION['role'] = $user->id_role;
        header("Location:../../index.php?page=pocetna");
    } else{
        $loginMailer = userLoginMailer($email, $siframd5);
        if($loginMailer){
            $mail = new PHPMailer(true);
            $mail->SMTPDebug = 0;
            $mail->isSMTP();
            $mail->Host = 'smtp.gmail.com';
            $mail->SMTPAuth = true;
            $mail->Password = 'Sifra123';
            $mail->SMTPSecure = 'tls';
            $mail->Port = 587;
            $mail->setFrom('mediumteam44@gmail.com', 'Atention');
            $mail->addAddress($email);
            $mail->isHTML(true);
            $mail->Subject= "Atention";
            $mail->Body = "Someone has tried to login in your account,"
            $mail->send();
            header("Location:../../index.php?page=pocetna");
        }else{
            echo json encode(["Greska" => "Wrong Mail AND Password"]);
            http_response_code(409);
            header("Location:../../index.php?page=pocetna");
} catch (PDOException $ex){
   http response code(500);
   echo json_encode(['Greska' => "Greska". $ex->getMessage()]);
   catchErrors("login.php ->".$ex->getMessage());
```

```
}
}
else{
  http_response_code(403);
  echo json_encode("Sta da radim sad!");
}
```

Logout.php

```
<?php
session_start();
require "../adminPanel/functions.php";
require "../../config/connection.php";
if(isset($_SESSION['user'])){
    deleteLoggingCount($_SESSION['id_user']);
    unset($_SESSION['user']);
    header("Location: ../../index.php");
}</pre>
```

Registration.php

```
if(isset($_POST['btnRegister'])) {
    header("Content-type: application/json");
require "../../config/connection.php";
    $ime = $ POST['first name'];
    $prezime = $_POST['last_name'];
    $email = $_POST['tbMail'];
$sifra = $_POST['tbPassword'];
    $reImePrezime = "/^[A-Z][a-z]{2,15}$/";
    $greske = [];
    if (!preg_match($reImePrezime, $ime)) {
        $greske[] = "First Name is not in good format!";
    if (!preg_match($reImePrezime, $prezime)) {
        $greske[] = "Last Name is not in good format!";
    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $greske[] = "Mail is not in good format!";
    if (strlen($sifra) < 6) {</pre>
        $greske[] = "Password length must be over 6";
    if(count($greske) > 0){
        http_response_code(422);
        echo json encode($greske);
```

```
} else{
        $proveraMail = getMailUser($email);
//// provera maila mi nije potrebna zato sto sam to zastitio preko baze
        if($proveraMail->rowCount() > 0){
            http_response code(409);
            echo json encode("Email vec postoji");
        } else{
            $siframd5 = md5($sifra);
            $vremeRegistracije = date("Y-m-d H-i-s", time());
                $register = userRregister($ime, $prezime, $email,
$siframd5,$vremeRegistracije );
                    http_response_code(201);
                    echo json_encode($register);
            } catch (PDOException $ex){
                http_response_code(500);
                echo json encode(['Greska' => "BAZA". $ex->getMessage()]);
                catchErrors("registration.php ->".$ex->getMessage());
 else{
    http response code(403);
```

searchUser.php

```
</php
if(isset($_POST['user'])){
    header("Content-type: application/json");
    require "../../config/connection.php";
    require "functions.php";

try {
    $user = "%" . strtolower($_POST['user']) . "%";

    $users = searchUser($user);
    http_response_code(200);
    echo json_encode($users);
}catch (PDOException $ex){
    http_response_code(500);
    catchErrors("searchUser.php ->".$ex->getMessage());
}
} else{
    http_response_code(400);
}
```

updateBackgroundPhoto.php

```
<?php
session_start();
if(isset($ POST['endUpdateBackground'])){
    require once "functions.php";
    $fajl_naziv = $_FILES['backgroundPhoto']['name'];
    $fajl_tmpLokacija = $_FILES['backgroundPhoto']['tmp_name'];
    $fajl_tip = $_FILES['backgroundPhoto']['type'];
    $fajl_velicina = $_FILES['backgroundPhoto']['size'];
    $idUser = $idUser = $_POST['tbHidden3'];
    $greske = [];
    $dozvoljeni_tipovi = ['image/jpg', 'image/jpeg', 'image/png'];
    if(!in_array($fajl_tip, $dozvoljeni_tipovi)){
        array_push($greske, "Pogresan tip fajla. - Profil slika");
    if($fajl velicina > 3000000){
        array push($greske, "Maksimalna velicina fajla je 3MB. - Profil
slika");
    if(count($greske) == 0){
        list($sirina, $visina) = getimagesize($fajl_tmpLokacija);
        $postojecaSlika = null;
        switch($fajl_tip){
            case 'image/jpeg':
                $postojecaSlika = imagecreatefromjpeg($fajl_tmpLokacija);
            case 'image/png':
                $postojecaSlika = imagecreatefrompng($fajl tmpLokacija);
                break;
        $novaVisina = 400;
        $novaSirina = ($novaVisina/$visina) * $sirina;
        $novaSlika = imagecreatetruecolor($novaSirina, $novaVisina);
        imagecopyresampled($novaSlika, $postojecaSlika, 0, 0, 0, 0,
$novaSirina, $novaVisina, $sirina, $visina);
        $naziv = time().$fajl naziv;
        $putanjaNovaSlika = 'assets/img/usersBackground/nova '.$naziv;
```

```
switch($fajl_tip){
        case 'image/jpeg':
        imagejpeg($novaSlika, '.../.../'.$putanjaNovaSlika, 75);
        case 'image/png':
        imagepng($novaSlika, '../../'.$putanjaNovaSlika);
        break;
        $putanjaOriginalnaSlika = 'assets/img/usersBackground/'.$naziv;
        if(move_uploaded_file($fajl_tmpLokacija,
 ../../'.$putanjaOriginalnaSlika)){
            //echo "Slika je upload-ovana na server!";
        try {
            $isInserted = updateBackgroundPhoto($putanjaOriginalnaSlika,
$putanjaNovaSlika, $idUser);
        if($isInserted){
            //echo "Putanja do slike je upisana u bazu!";
            header("Location: ../../index.php?page=profilUser&user=$idUser");
        } catch(PDOException $ex){
            header("Location: ../../index.php?page=profilUser&user=$idUser");
            echo $ex->getMessage();
            catchErrors("updateBackgroundPhoto.php ->".$ex->getMessage());
        imagedestroy($postojecaSlika);
        imagedestroy($novaSlika);
        header("Location: ../../index.php?page=profilUser&user=$idUser");
```

updatePassword.php

```
<?php

session_start();
if (isset($_POST['btnUpdatePassword'])) {
    header("Content-type: application/json");
    require "../../config/connection.php";
    require "functions.php";

$sifra = $_POST['tbPassword'];
    $idUser = $_POST['tbHidden2'];

$greske = [];</pre>
```

```
if (strlen($sifra) < 6) {</pre>
      $greske[] = "Password length must be over 6";
  $data = null;
  if(count($greske) > 0){
      http_response_code(422);
      $data = $greske;
  } else{
      $md5Sifra = md5($sifra);
      try{
          $update = updateUserPassword($md5Sifra, $idUser);
          if($update){
              http_response_code(204);
              $data = $update;
      } catch (PDOException $ex){
          http_response_code(500);
          $data = ['Greska' => 'Greska sa bazom'. $ex->getMessage()];
          catchErrors("updatePassword.php ->".$ex->getMessage());
  echo json_encode($data);
else{
  http_response_code(400);
```

updateProfile.php

```
<?php
session_start();
if(isset($_POST['btnUpdateProfile'])) {
    header("Content-type: application/json");
    require "./../config/connection.php";
    require "functions.php";

    $ime = $_POST['tbFirstName'];
    $prezime = $_POST['tbLastName'];
    $email = $_POST['tbMail'];
    $opis = $_POST['tbDescription'];
    $idUser = $_POST['tbHidden1'];

    $reImePrezime = "/^[A-Z][a-Z]{2,15}$/";
    $reOpis = "/^(.\\s)*[a-ZA-Z]+(.\\s)*$/";

    $greske = [];

    if (!preg_match($reImePrezime, $ime)) {
        $greske[] = "First Name is not in good format!";
    }
    if (!preg_match($reImePrezime, $prezime)) {
        $greske[] = "Last Name is not in good format!";
    }
    if (!preg_match($reOpis, $popis)) {</pre>
```

```
$greske[] = "Opis is not in good format!";
    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $greske[] = "Mail is not in good format!";
    $data = null;
    if(count($greske) > 0){
        http_response_code(422);
        $data = $greske;
    } else{
        try{
            $update = updateUserProfile($ime, $prezime, $email, $opis,
$idUser);
                http_response_code(204);
        } catch (PDOException $ex){
            http response code(500);
            $data = ["Greska" =>"Update korisnika nije uspeo". $ex-
>getMessage()];
            catchErrors("updateProfile.php ->".$ex->getMessage());
    echo json_encode($data);
} else{
    http_response_code(400);
```

updateProfilePhoto.php

```
<?php
session_start();
if(isset($_POST['endUpdateProfile'])){
    require_once "../../config/connection.php";
    require_once "functions.php";

    // FAJL

    // $fajl = $_FILES['slika'];
    // var_dump($fajl);

    $fajl_naziv = $_FILES['profilePhoto']['name'];
    $fajl_tmpLokacija = $_FILES['profilePhoto']['tmp_name'];
    $fajl_tip = $_FILES['profilePhoto']['type'];
    $fajl_velicina = $_FILES['profilePhoto']['size'];
    $fajl_velicina = $_FILES['profilePhoto']['size'];
    $greske = [];

$dozvoljeni tipovi = ['image/jpg', 'image/jpeg', 'image/png'];</pre>
```

```
if(!in_array($fajl_tip, $dozvoljeni_tipovi)){
        array_push($greske, "Pogresan tip fajla. - Profil slika");
    if($fajl velicina > 3000000){
        array push($greske, "Maksimalna velicina fajla je 3MB. - Profil
slika");
    if(count($greske) == 0){
        list($sirina, $visina) = getimagesize($fajl_tmpLokacija);
        $postojecaSlika = null;
        switch($fajl tip){
            case 'image/jpeg':
                $postojecaSlika = imagecreatefromjpeg($fajl_tmpLokacija);
                break;
            case 'image/png':
                $postojecaSlika = imagecreatefrompng($fajl tmpLokacija);
                break;
        $sirinaProfile = 88;
        $visinaProfile = 88;
        $sirinaKomentar = 50;
        $visinaKomentar = 50;
        $sirinaNavigacija = 25;
        $visinaNavigacija = 25;
        $slikaProfile = imagecreatetruecolor($sirinaProfile, $visinaProfile);
        $slikaKomentar = imagecreatetruecolor($sirinaKomentar,
$visinaKomentar);
        $slikaNavigacija = imagecreatetruecolor($sirinaNavigacija,
$visinaNavigacija);
        imagecopyresampled($slikaProfile, $postojecaSlika, 0, 0, 0, 0,
$sirinaProfile, $visinaProfile, $sirina, $visina);
        imagecopyresampled($slikaKomentar, $postojecaSlika, 0, 0, 0, 0,
$sirinaKomentar, $visinaKomentar, $sirina, $visina);
        imagecopyresampled($slikaNavigacija, $postojecaSlika, 0, 0, 0, 0,
$sirinaNavigacija, $visinaNavigacija, $sirina, $visina);
        $naziv = time().$fajl_naziv;
        $putanjaNovaProfilna = 'assets/img/users/novaProfilna_'.$naziv;
        $putanjaNovaKomentar = 'assets/img/users/novaKomentar_'.$naziv;
        $putanjaNovaNavigacija = 'assets/img/users/novaNavigacija '.$naziv;
        switch($fail tip){
```

```
case 'image/jpeg':
                  imagejpeg($slikaProfile, '../../'.$putanjaNovaProfilna, 75);
imagejpeg($slikaKomentar, '../../'.$putanjaNovaKomentar, 75);
                  imagejpeg($slikaNavigacija, '../../'.$putanjaNovaNavigacija,
75);
                  break:
             case 'image/png':
                  imagepng($slikaProfile, '../../'.$putanjaNovaProfilna);
imagepng($slikaKomentar, '../../'.$putanjaNovaKomentar);
                  imagepng($slikaNavigacija, '../../'.$putanjaNovaNavigacija);
                  break;
         $putanjaOriginalnaSlika = 'assets/img/users/'.$naziv;
         if(move uploaded file($fajl tmpLokacija,
 ../../'.$putanjaOriginalnaSlika)){
             //echo "Slika je upload-ovana na server!";
                  $isInserted = updateProfilePhoto($putanjaOriginalnaSlika,
$putanjaNovaProfilna, $putanjaNovaKomentar, $putanjaNovaNavigacija, $idUser);
                  if($isInserted){
                      header("Location:
../../index.php?page=profilUser&user=$idUser");
             } catch(PDOException $ex){
                  header("Location:
../../index.php?page=profilUser&user=$idUser");
                  echo $ex->getMessage();
                  catchErrors("updateProfilePhoto.php ->".$ex->getMessage());
         imagedestroy($postojecaSlika);
         imagedestroy($slikaProfile);
         imagedestroy($slikaKomentar);
         imagedestroy($slikaNavigacija);
    } else {
         header("Location: ../../index.php?page=profilUser&user=$idUser");
         //var dump($greske);
```

updateRole.php

```
if(isset($_POST['updateRole'])) {
   header("Content-type: application/json");
```

```
require "../../config/connection.php";
   $role = $_POST['ddlRole'];
   $idUser = $_POST['hiddenIdUser'];
   reId = "/^d*$/";
   $greske = [];
   if($role == 0){
        $greske[] = "Role is not in good format!";
   if (!preg_match($reId, $idUser)) {
       $greske[] = "User id is not in good format!";
   $data = null;
   if(count($greske) > 0){
        http_response_code(422);
        $data = $greske;
        header("Location: ../../index.php?page=profilUser&user=$idUser");
   } else{
        try{
           $update = updateRole($role, $idUser);
           http_response_code(204);
           header("Location: ../../index.php?page=profilUser&user=$idUser");
        } catch (PDOException $ex){
           http response code(500);
            $data = ["Greska" =>"Update korisnikove uloge nije uspeo". $ex-
>getMessage()];
            catchErrors("UpdateRole.php ->".$ex->getMessage());
           header("Location: ../../index.php?page=profilUser&user=$idUser");
   echo json encode($data);
} else{
   http_response_code(400);
   header("Location: ../../index.php?page=profilUser&user=$idUser");
```

zabranaUser.php

```
<?php
ob_start();
@session_start();

$rolee = $_SESSION['user']->id_role; //id uloge korisnika koji je ulogovan
$idUserStranaa = $_SESSION['idUserDelete'];
$idUserr = $_SESSION['id_user'];

if($idUserr != $idUserStranaa){
    if($rolee != 1){
      header("Location:index.php?page=pocetna");
    }
}
```

3.3. Views

3.3.1 Fixed Footer.php

Head.php

```
<!DOCTYPE html>
<html lang="en">
<head>
      Title and Meta Tags
      <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <title>Medium - Social Network</title>
        <meta name="viewport" content="width=device-width, initial-scale=1,</pre>
maximum-scale=1">
      <meta http-equiv="X-UA-Compatible" content="IE=edge">
      <meta name="description" content="Add your business website description</pre>
here">
        <meta name="keywords" content="Add your, business, website, keywords,</pre>
here">
        <meta name="author" content="Add your business, website, author here">
      Favicons
          <link rel="shortcut icon" href="assets/img/favicons/favicon.html">
```

Nav.php

```
<body>
ob start();
    $idUser = $ SESSION['id user'];
    $getUserPhoto = getUserPhoto($idUser);
    $getUser = getUser($idUser);
    $categories = getCategories();
Navigation Section
<nav class="navbar navbar-light navbar-toggleable-sm bg-faded justify-content-</pre>
between" id="mainNav-2">
    <button class="navbar-toggler navbar-toggler-right" type="button" data-</pre>
toggle="collapse" data-target="#collapsingNavbar2">
        <span class="navbar-toggler-icon"></span>
    </button>
    <a href="index.php?page=pocetna" class="navbar-brand mr-0">
MEDIUM</a>&nbsp;
    <div class="navbar-collapse collapse justify-content-between"</pre>
id="collapsingNavbar2">
        <div><!--placeholder to evenly space flexbox items and center links-</pre>
```

```
</div>
       @$url = $ GET['page'];
                  if($url == 'pocetna'):
              <form class="top_search clearfix" method="post"</pre>
action="models/posts/searchPost.php">
                  <div class="top_search_con">
                      <input class="s" placeholder="Search Here ..."</pre>
type="text" id="searchPost">
                      <span class="top search icon"><i class="fa fa-</pre>
search"></i></span>
                     <input class="top_search_submit" type="submit">
                  </div>
              </form>
              <?php endif; ?>
          <!-- Search Ends -->
       <a href="index.php?page=profilUser&user=<?= $idUser; ?>">
              <span class="avatar w-32"><img src="<?= $getUserPhoto-</pre>
>nav_path; ?>" width="25" height="25" alt="<?= $getUser->first_name;
?>"></span>
           </a><!-- /navbar-item -->
           <a href="index.php?page=profilUser&user=<?= $idUser; ?>"><?=</pre>
$getUser->first name; ?></a>
          $role = $_SESSION['user']->id_role; //id uloge korisnika koji je
ulogovan
          if($role == 1):
          <a href="index.php?page=autor">Author</a>
          <a href="index.php?page=adminPanel">AdminPanel</a>
          <?php endif; ?>
          <a href="models/users/logout.php">Logout</a>
              <a href="models/users/exportExcel.php"><i class="fa fa-
       <!-- /navbar-nav -->
   </div><!-- /navbar-collapse -->
</nav><!-- /nav -->
```

3.3.2. Pages

Admin.php

```
<?php
zabeleziPristupStranici();
$role = $_SESSION['user']->id_role;
```

```
if($role != 1){
   header("Location: index.php?page=pocetna");
<div class="row">
   <div class="col-md-2 col-lg-2"></div>
   <div class="card col-sm-12 col-md-8 col-lg-8">
       <div class="card-header card-header-info">
          <h4 class="card-title">Usefull links</h4>
      </div>
       <div class="card-body table-responsive">
          <a href="models/users/exportExcel.php"></i>Export</a>
Excel</a>
             <a href="models/users/exportWord.php"></i>Export
Word</a>
             <a href="data/documentaton.pdf"></i>Documentation</a>
          </div>
   </div>
   <div class="col-md-2 col-lg-2"></div>
</div>
<div class="row">
   <div class="col-md-2 col-lg-2"></div>
   <div class="card col-sm-12 col-md-8 col-lg-8">
       <div class="card-header card-header-info">
          <h4 class="card-title">Attendance in the last 24 hours in %</h4>
      </div>
      <div class="card-body table-responsive">
          Page-->
              Login/Reg
                  Index
                  User Profile
                  Edit Profile
                  Edit Post
                  Comment
                  Admin Panel
                  Author
              <?php
             $podaci = pristumStranamaUprocentima();
             //var dump($podaci);
```

```
foreach ($podaci as $podatak):
                   <?= $podatak; ?>
         <?php endforeach; ?>
             </div>
   </div>
   <div class="col-md-2 col-lg-2"></div>
</div>
<div class="row">
   <div class="col-md-2 col-lg-2"></div>
   <div class="card col-sm-12 col-md-8 col-lg-8">
      <div class="card-header card-header-info">
         <h4 class="card-title">Active members: <?php echo</pre>
loggedCount();?></h4>
      </div>
      <div class="card-body table-responsive">
         Page-->
                               %-->
                            </thead>-->
            No.
                First Name
               Last Name
               Role
            $idUlogovanogUsera = @file(LOGGING_FAJL);
            foreach ($idUlogovanogUsera as $id):
            <?= $br++;?>
                <?= nameUser($id)->first name; ?>
                <?= nameUser($id)->last name; ?>
               <?= nameUser($id)->role_name; ?>
            <?php endforeach; ?>
            </div>
   </div>
```

```
<div class="col-md-2 col-lg-2"></div>
</div>
```

Autor.php

```
zabeleziPristupStranici();
<div class="row">
   <div class="col-md-2 col-lg-2"></div>
   <div class="card col-sm-12 col-md-8 col-lg-8">
      <div class="card-header card-header-info">
         <h4 class="card-title">Author's details</h4>
      </div>
      <div class="card-body table-responsive">
         Page-->
            First Name
                Last Name
                Birthday
                Faculty
                ID
                Born
            <?php
                $podaci = autor();
                   <?= $podaci->ime; ?>
                   <?= $podaci->prezime; ?>
                  <?= $podaci->datum; ?>
                 <?= $podaci->skola; ?>
                   <?= $podaci->index; ?>
                   <?= $podaci->mesto; ?>
            </div>
   </div>
   <div class="col-md-2 col-lg-2"></div>
</div>
<div class="row">
   <div class="col-md-2 col-lg-2"></div>
   <div class="card col-sm-12 col-md-8 col-lg-8">
      <div class="card-header card-header-info">
         <h4 class="card-title">Author's Photo</h4>
```

Comments.php

```
<?php zabeleziPristupStranici(); ?>
<div class="col-md-6">
    <div class="box">
        <form action="models/comments/insertComment.php" method="POST"</pre>
id="unosPost" style="border: solid 1px #d8e2e7;">
            <input type="hidden" name="idPost" id="idPost" value="<?=</pre>
$_GET['id']; ?>">
            <input type="hidden" name="idComm" id="idComm" value="">
            <textarea class="form-control no-border" rows="3" name="textOpis"</pre>
id="textOpis" placeholder="Enter Comment"></textarea>
            <input class="btn btn-info pull-right btn-sm" type="button"</pre>
name="btnComment" id="btnComment" value="Post" >
            <input class="btn btn-info pull-right btn-sm" type="button"</pre>
name="btnReset" id="btnReset" value="Reset" style="margin-right: 30px">
        </form>
    </div>
    <section id="sviComments" style="margin-top: 70px;">
    </section>
</div><!-- /.col-md-6 -->
<div class="col-md-1">
</div>
</div><!-- /.container -->
</section><!-- /.section -->
<a id="scrollup">Scroll</a>
```

editPost.php

```
<?php
zabeleziPristupStranici();
$idUserGET = $_GET['user']; //Dohvatam id usera iz url adrese
$getUserGET = getUser($idUserGET);
@$_SESSION['idUserDelete'] = $idUserGET;
include ABSOLUTE_PATH."/models/zabranaUser.php";
?>
```

```
<div class="container">
    <div class="row">
       <div class="col-xs-2 col-md-2"></div>
       <div class="col-xs-8 col-md-8">
           <div class="card-body table-responsive">
               <!-- FORMA ZA UPDATE USER INFO -->
              Edit
               <form action="models/posts/updatePost.php" method="POST"</pre>
enctype="multipart/form-data">
                  <input type="hidden" name="hiddenPost" id="hiddenPost">
                  <div class="input">
                      weight:400;">Title
                      <input class="main-form animated bounceInDown"</pre>
type="text" name="tbTitle" id="tbTitle" required>
                  </div>
                  <div class="input">
                      weight:400;">Description
                         <input class="main-form animated bounceInDown"</pre>
                      <textarea class="form-control no-border" rows="3"</pre>
name="tbDescription" id="tbDescription" required></textarea>
                  </div>
                  <div class="input">
                      weight:400;">Choose Category
                      <select class="btn btn-sm" name="ddlCategories"</pre>
id="ddlCategories" style="background-color: #1ab394;">
                         <?php
                         foreach ($categories as $cat):
                             <option value="<?= $cat->id_category; ?>"><?=</pre>
$cat->naziv; ?></option>
                         <?php endforeach; ?>
                      </select>
                  </div>
                  <div class="input">
                      weight:400;">Photo is required
                      <a class="nav-link" href="#"</pre>
onclick="document.getElementById('postPhoto').click()"><i class="fa fa-camera
text-muted"></i></a>
                      <input type="file" name="postPhoto" id="postPhoto"</pre>
style="display:none;"
onchange="document.getElementById('postPhotoValue').innerHTML=this.value;"
required/>
                      <span id="postPhotoValue"></span>
                  </div>
                  <div class="input">
```

```
<input type="submit" class="btn btn-success"</pre>
value="Save" name="btnUpdatePost" id="btnUpdatePost" />
              </div>
           </form>
           <!--// FORMA ZA UPDATE USER INFO -->
        </div>
     </div>
  </div>
   <div class="row">
     <div class="col-xs-9 col-md-9">
        Photo
              Title
              Description
              Category
           </div>
  </div>
</div>
```

editProfile.php

```
value="<?= $_GET['user']; ?>">
              <div class="input">
                  weight:400;">First Name
                  <input class="main-form animated bounceInDown" type="text"</pre>
name="tbFirstName" id="tbFirstName" value="<?= $getUserGET->first_name; ?>">
              </div>
              <div class="input">
                  weight:400;">Last Name
                  <input class="main-form animated bounceInDown" type="text"</pre>
name="tbLastName" id="tbLastName" value="<?= $getUserGET->last_name; ?>">
              </div>
              <div class="input">
                  weight:400;">Mail
                  <input class="main-form animated bounceInDown" type="text"</pre>
name="tbMail" id="tbMail" value="<?= $getUserGET->email; ?>">
              </div>
              <div class="input">
                  weight:400;">Description
                  <textarea class="form-control animated bounceInDown"</pre>
style="border: 3px solid #a0b3b0;" name="tbDescription" id="tbDescription"><?=</pre>
$getUserGET->description; ?>
                  </textarea>
              </div>
              <div class="input">
                  <input type="button" class="btn btn-success" value="Save"</pre>
name="btnUpdateProfile" id="btnUpdateProfile" />
              </div>
           </form>
           <!--// FORMA ZA UPDATE USER INFO -->
       </div>
   </div>
   <div class="col-md-2 col-lg-2"></div>
</div>
<div class="row">
   <div class="col-md-2 col-lg-2"></div>
   <div class="card col-sm-12 col-md-8 col-lg-8">
       <div class="card-header card-header-info">
           <h4 class="card-title">Change Password</h4>
       </div>
       <div class="card-body table-responsive">
          <!-- FORMA ZA UPDATE USER INFO -->
```

```
<form action="models/users/updatePassword.php" method="POST">
                <input type="hidden" name="tbHidden2" id="tbHidden2"</pre>
value="<?= $_GET['user']; ?>">
               <div class="input">
                   weight:400;">Password
                   <input class="main-form animated bounceInDown"</pre>
type="password" name="tbPassword" id="tbPassword"">
               </div>
               <div class="input">
                   weight:400;">Confirm Password
                   <input class="main-form animated bounceInDown"</pre>
type="password" name="tbPasswordConfirm" id="tbPasswordConfirm"">
                </div>
               <div class="input">
                   <input type="button" class="btn btn-success" value="Save"</pre>
name="btnUpdatePassword" id="btnUpdatePassword" />
               </div>
           </form>
       </div>
    </div>
    <div class="col-md-2 col-lg-2"></div>
</div>
<div class="row">
    <div class="col-md-2 col-lg-2"></div>
    <div class="card col-sm-12 col-md-8 col-lg-8">
        <div class="card-header card-header-info">
            <h4 class="card-title">Change User Role</h4>
       </div>
        <div class="card-body table-responsive">
           <!-- FORMA ZA UPDATE role PHOTO -->
           $role = $ SESSION['user']->id role; //id uloge korisnika koji je
           if($role ==1):?>
                <form action="models/users/updateRole.php" method="post">
                   <input type="hidden" name="hiddenIdUser" value="<?=</pre>
$getUserGET->id user;?>">
                   <select name="ddlRole" class="main-form animated</pre>
bounceInDown">
                       <option value="0">Choose role</option>
                       <?php $roles = getRoles();</pre>
                       foreach ($roles as $role):
                           if($role->id_role == $getUserGET->id_role):
                           <option selected value="<?= $role->id_role;
?>"><?= $role->role_name; ?></option>
                       <?php else: ?>
                       <option value="<?= $role->id_role; ?>"><?= $role-</pre>
>role name; ?></option>
```

```
<?php
                            endforeach;
                    </select>
                    <input type="submit" class="btn btn-success" value="Save"</pre>
name="updateRole" style="margin-left: 100px;" />
                </form>
            <?php endif; ?>
            <!--// FORMA ZA UPDATE Role PHOTO -->
        </div>
    </div>
    <div class="col-md-2 col-lg-2"></div>
</div>
<div class="row">
    <div class="col-md-2 col-lg-2"></div>
    <div class="card col-sm-12 col-md-8 col-lg-8">
        <div class="card-header card-header-info">
            <h4 class="card-title">Change Background Photo</h4>
        </div>
        <div class="card-body table-responsive">
            <!-- FORMA ZA UPDATE BACKGROUND PHOTO -->
            <form action="models/users/updateBackgroundPhoto.php"</pre>
method="POST" enctype="multipart/form-data">
                <input type="hidden" name="tbHidden3" value="<?=</pre>
$ GET['user']; ?>">
                weight:400;">Change Background Photo
                <div class="input-field">
                    <button type="button"</pre>
onclick="document.getElementById('backgroundPhoto').click()" class="btn btn-
info">Choose profile photo</button>
                    <span id="backgroundPhotoValue"></span>
                    <input type="file" name="backgroundPhoto"</pre>
id="backgroundPhoto" style="display:none;"
onchange="document.getElementById('backgroundPhotoValue').innerHTML=this.value
                    <input type="submit" class="btn btn-success" value="Save"</pre>
name="endUpdateBackground" style="margin-left: 30px;" />
                </div>
            </form>
            <!--// FORMA ZA UPDATE BACKGORUND PHOTO -->
        </div>
    </div>
    <div class="col-md-2 col-lg-2"></div>
```

```
</div>
<div class="row">
    <div class="col-md-2 col-lg-2"></div>
    <div class="card col-sm-12 col-md-8 col-lg-8">
        <div class="card-header card-header-info">
            <h4 class="card-title">Change Profile Photo</h4>
        </div>
        <div class="card-body table-responsive">
            <!-- FORMA ZA UPDATE Profiles PHOTO -->
            <form action="models/users/updateProfilePhoto.php" method="POST"</pre>
enctype="multipart/form-data">
                <input type="hidden" name="tbHidden4" value="<?=</pre>
$ GET['user']; ?>">
                weight:400;">Change Profile Photo
                <div class="input-field">
                    <button type="button"</pre>
onclick="document.getElementById('profilePhoto').click()" class="btn btn-
info">Choose profile photo</button>
                    <span id="profilePhotoValue"></span>
                    <input type="file" name="profilePhoto" id="profilePhoto"</pre>
style="display:none;"
onchange="document.getElementById('profilePhotoValue').innerHTML=this.value;"/
                    <input type="submit" class="btn btn-success" value="Save"</pre>
name="endUpdateProfile" style="margin-left: 30px;" />
                </div>
            </form>
            <!--// FORMA ZA UPDATE Profile PHOTO -->
        </div>
    </div>
    <div class="col-md-2 col-lg-2">
        <?php
        $role = $ SESSION['user']->id role; //id uloge korisnika koji je
        if($role ==1):?>
        <form action="models/users/deleteUser.php" method="post">
            <input type="submit" class="btn btn-danger" value="DELETE USER"</pre>
name="deleteUser" style="margin-left: 100px;" />
        </form>
        <?php endif: ?>
```

```
</div>
```

loginRegister.php

```
<?php zabeleziPristupStranici(); ?>
<body>
<div class="container1">
    <div class="row">
        <div class="col-sm-12">
            <a href="#" id="1">LOGIN</a>
                <a href="#" id="2">SIGN UP</a>
            </div>
        <div class="col-sm-12">
            <form action="models/users/login.php" method="POST">
                <div class="form row" id="login">
                    <div class="col-sm-12 container">
                    <div class="input">
                        <input class="main-form animated bounceInDown"</pre>
type="text" name="loginMail" id="loginMail" placeholder=" EMAIL ADDRESS"/>
                    </div>
                    <div class="input">
                        <input class="main-form animated bounceInDown"</pre>
type="password" name="loginPassword" id="loginPassword" placeholder="
PASSWORD"/>
                    </div>
                    <div class="input">
                        <input class="main-form btn animated bounceInDown"</pre>
type="submit" name="btnLogin" id="btnLogin" value = "LOGIN"/>
                    </div>
                </div>
                </div>
            </form>
            <form action="models/users/registration.php" method="POST">
                <div class="form row" id="register" style="display: none;">
                    <div class="col-sm-12 container">
                        <div class="input">
                            <input class="main-form animated bounceInDown"</pre>
type="text" name="first_name" id="first_name" placeholder=" FIRST NAME"/>
                        </div>
                        <div class="input">
                            <input class="main-form animated bounceInDown"</pre>
type="text" name="last_name" id="last_name" placeholder=" LAST NAME"/>
                        </div>
                        <div class="input">
                            <input class="main-form animated bounceInDown"</pre>
type="text" name="tbMail" id="tbMail" placeholder=" EMAIL ADDRESS"/>
```

```
</div>
                         <div class="input">
                             <input class="main-form animated bounceInDown"</pre>
type="password" name="tbPassword" id="tbPassword" placeholder=" PASSWORD"/>
                         </div>
                         <div class="input">
                             <input class="main-form btn animated bounceInDown"</pre>
type="button" name="btnRegister" id="btnRegister" value = "SIGN UP"/>
                         </div>
                     </div>
                 </div>
            </form>
        </div>
    </div>
</div>
</body>
```

Postovi.php

```
<?php zabeleziPristupStranici(); ?>
<div class="col-md-6">
       <div class="box">
       <form action="models/posts/insertPost.php" method="POST"</pre>
enctype="multipart/form-data" id="unosPost" style="border: solid 1px
#d8e2e7;">
            <input class="form-control no-border" type="text" name="tbTitle"</pre>
placeholder="Type title" required>
        <textarea class="form-control no-border" rows="3" name="textOpis"</pre>
placeholder="Type something..." required></textarea>
            <div class="box-footer clearfix">
                weight:400;">Choose Category
                <select class="btn btn-info btn-sm" name="ddlCategories">
                   foreach ($categories as $cat):
                      <option value="<?= $cat->id category; ?>"><?= $cat-</pre>
>naziv; ?></option>
                   <?php endforeach; ?>
                </select>
                weight:400;">Photo is Required
                   <a class="nav-link" href="#"</pre>
onclick="document.getElementById('postPhoto').click()"><i class="fa fa-camera"</pre>
text-muted"></i></a>
```

```
<input class="btn btn-info pull-right btn-sm" type="submit"</pre>
name="btnPost" id="btnPost" value="Post" >
                  <input type="file" name="postPhoto" id="postPhoto"</pre>
style="display:none;"
onchange="document.getElementById('postPhotoValue').innerHTML=this.value;"
required/>
                  <span id="postPhotoValue"></span>
              </div>
          </form>
       </div>
        <section id="sviPostovi">
        </section>
        </div><!-- /.col-md-6 -->
<div class="col-md-1">
</div>
</div><!-- /.container -->
</section><!-- /.section -->
<a id="scrollup">Scroll</a>
```

Postovi2.php

Profile_details.php

```
<section class="posts-2">
    <div class="container">
       <div class="row">
           <div class="col-lg-1">
           </div>
           <div class="col-lg-4">
               <div class="tbl">
                   <div class="tbl-row">
                       <div class="tbl-cell">
                           <?php $brojPostova =</pre>
getAllPostsProfile($idUserSession); ?>
                           <span class="number"><?= count($brojPostova);</pre>
?></span>Total Posts
                       </div>
                           <div class="tbl-cell">-->
                               <span class="number">544</span>Total Likes-->
                           </div>-->
                   </div>
               </div>
               <div class="card about-user">
                   <div class="card-body">
                       <div class="card-block">
                           <h4 class="card-title info">About</h4>
                           <?= $getUserSession-</pre>
>description; ?>
                           <div class="text-left">
                              <strong>Full Name
:</strong> <span class="m-l-15"><?= $getUserSession->first name; ?> <?=</pre>
$getUserSession->last_name; ?></span>
:</strong><span class="m-l-15">(+12) 334 5555 723</span>-->
                                  <strong>Location
```

Profile_info.php

```
<section class="posts-2">
    <div class="container-fluid">
     <div class="row">
       <div class="col-md-1">
       </div>
       <div class="col-md-4">
      <div class="card widget-info-one">
         <div class="card-block">
      <div class="inner">
       <div class="widget-avatar pull-left"><img alt="<?= $getUser-</pre>
>first name; ?>" src="<?= $getUserPhoto->comment path; ?>"></div>
        <h5><?= $getUser->first_name; ?> <?= $getUser->last_name; ?></h5>
        <span class="subtitle"><?= $getUser->description; ?></span>
       </div><!-- /.inner -->
       </div>
         <div class="card-footer">
          <?php
              $brojPostova = getAllPostsProfile($ SESSION['id user']);
              <a href="#"><i class="fa fa-edit"></i></a><?=
count($brojPostova); ?>
          <!-- /.post-view -->
         </div><!-- /.card-footer -->
        </div><!-- /.panel -->
     <div class="card widget-info-two">
       <?php
              $datumJoin = $getUser->created at;
              $datumObrada = date('d-m-Y', strtotime($datumJoin));
```

```
<i class="fa fa-calendar"></i>&nbsp;
Joined <?= $datumObrada; ?>
      </div>
          <section class="box-typical">
             <header class="box-typical-header-sm">People you may
know</header>
             <div class="people-rel-list">
                 <form class="site-header-search">
                    <input placeholder="Search for people" type="text"</pre>
id="textUser" style="border: 1px solid #1ab394;">
                    <button type="submit">
                       <span class="fa fa-search"></span>
                    <div class="overlay"></div>
                 </form>
             </div>
          </section>
          <h3>Categories</h3>
          foreach ($categories as $getCategory):
                 <a class="getCategory"</li>
href="index.php?page=pocetna&category=<?= $getCategory->id category; ?>"
style="color:black;"><?= $getCategory->naziv; ?></a>
             <?php endforeach; ?>
             <?php
             if(isset($_GET['category'])){
                 $_SESSION['id_category'] = $_GET['category'];
             }else{
                 unset($ SESSION['id category']);
          </div>
```

Profile user info.php

```
Header
<?php
zabeleziPristupStranici();
$ SESSION['userStrana'] = $ GET['user']; //kreiranje sesije sa id-em korisnika
na cijem smo profilu
$idUserSession = $ SESSION['userStrana']; // promenljiva koja sadrzi id tog
korisnika na cijoj smo strani
$getUserPhotoSession = getUserPhoto($idUserSession); //dohvatanje slike
korisnika sa zadatim id
$getUserSession = getUser($idUserSession); //dohvatiti korisika sa zadatim id
<header class="profile-bg-picture">
    <img src="<?= $getUserPhotoSession->background path; ?>" alt="<?=</pre>
$getUserSession->first_name; ?>" class="thumb-lg img-circle">
</header><!-- /header -->
<section class="user-section">
    <div class="container">
        <div class="profile-user-box">
            <div class="row">
                <div class="col-sm-6">
                    <img src="<?= $getUserPhotoSession->profile_path; ?>"
alt="<?= $getUserSession->first_name; ?>" class="thumb-lg img-circle">
                    <div class="media-body">
                        <h4 class="m-t-5 m-b-5 ellipsis"><?= $getUserSession-</pre>
>first_name; ?> <?= $getUserSession->last_name; ?></h4>
                       <?php
                       $role = $_SESSION['user']->id_role; //id uloge
korisnika koji je ulogovan
                       if($role ==1):?>
                           User Role: <?= strtoupper</pre>
(userRole($_GET['user'])->role_name); ?>
                       <?php endif; ?>
                            <small>California,
United States</small>-->
                    </div><!-- /media-body -->
                </div><!-- /col-sm-6 -->
                <div class="col-sm-6">
                    <div class="text-right">
                        <?php
                       $role = $_SESSION['user']->id_role; //id uloge
korisnika koji je ulogovan
                        if($idUser == $idUserSession || $role == 1):
```

3.4 JavaScript

```
$(document).ready(function() {
   $('ul.nav li.dropdown').hover(function() {
     $(this).find('.dropdown-menu').stop(true, true).delay(200).fadeIn(500);
   }, function() {
     $(this).find('.dropdown-menu').stop(true, true).delay(200).fadeOut(500);
   });
   Scroll To Top
   $(window).scroll(function(){
      if ($(this).scrollTop() > 250) {
         $('#scrollup').fadeIn(300);
         $('#scrollup').fadeOut(300);
   });
   //On click scroll to top of page t = 1000ms
   $('#scrollup').click(scrollNaTop);
    //Korisnici
   $("#btnRegister").click(userRegister);
   $("#btnLogin").click(userLogin);
   $("#btnUpdateProfile").click(updateUprofile);
   $("#btnUpdatePassword").click(updatePassword);
   if(url.indexOf("pocetna") != -1) {
      getPosts();
      $(document).on("click", ".getCategory", getPosts);
   if(url.indexOf("profilUser") != -1){
      getUserPosts();
   if(url.indexOf("comment") != -1) {
      $("#btnReset").click(clearFormComment);
      $("#btnComment").click(insertComment);
      getComments();
      $(document).on("click", ".deleteComm", function (e) {
         e.preventDefault();
         let idComm = $(this).data("comm");
         $.ajax({
```

```
idComm: idComm
         success: function () {
            getComments();
         error: function (xhr, status, error) {
            console.log(error);
      });
   });
   $(document).on("click", ".updateComm", function (e) {
      e.preventDefault();
      var idComm = $(this).data("comm");
      $("#idComm").val(idComm);
      $.ajax({
         data:{
            idComm: idComm
         success: function (data) {
            fillFormComm(data);
            scrollNaTop();
         error: function (xhr, status, error) {
            console.log(error);
     });
   });
getPostsProfile();
$(document).on("click", ".updatePost", function (e) {
   e.preventDefault();
   let idPost = $(this).data("idpost");
   $.ajax({
    url: "models/posts/getOnePost.php",
      data:{
         idPost: idPost
      success: function (data) {
         fillForm(data);
```

```
error: function (xhr, status, error) {
            console.log(error);
      });
   }); //dohvatam jedan post i punim formu podacima o njemu
   $(document).on("click", ".deletePost", function (e) {
      e.preventDefault();
      let idPost = $(this).data("idpost");
      console.log(idPost);
      $.ajax({
         dataType: "json",
            idPost: idPost
         success: function (data) {
            getPostsProfile(data);
         error: function (xhr, status, error) {
            console.log(error);
   });
   $("#searchPost").keyup(searchPosts);
   $("#textUser").keyup(searchUser);
});
function scrollNaTop(){
   $("html, body").animate({ scrollTop: 0 }, 1000);
   return false;
window.onscroll = function() {
   //console.log(document.body.scrollHeight);
   if ((Math.ceil(window.innerHeight + window.scrollY)) >=
Math.ceil(document.body.scrollHeight)) {
      console.log("Bottom of page");
      setTimeout(getPosts, 300);
      setTimeout(getUserPosts, 300);
$(".tabs a").on("click", function(){
   var id = $(this).attr("id");
   if(id == 2){
      $("#register").css("display","block");
```

```
$("#login").css("display", "none");
   else{
      $("#register").css("display","none");
$("#forgetP").css("display","none");
});
$(".reset").on("click", function(){
   $("#login").css("display","block");
   $("#forgetP").css("display","none");
$("#forgetP").css("display","block");
function animationHover(element, animation){
   element = $(element);
   element.hover(
      function() {
         element.addClass('animated ' + animation);
         //wait for animation to finish before removing classes
         window.setTimeout( function(){
            element.removeClass('animated ' + animation);
         }, 2000);
   );
animationHover("input[type=button]", "shake");
var url = window.location.href;
function userRegister() {
   var ime = $("#first_name").val();
   var prezime = $("#last_name").val();
   var mail = $("#tbMail").val();
   var sifra = $("#tbPassword").val();
   var reImePrezime = /^[A-Z][a-z]{2,15}$/;
   var reMail = /^[A-Za-z\d\!\#\$\%\&\'\*\+\-
   var greske =[];
   if(!reImePrezime.test(ime.trim())){
      greske.push("First Name is not in good format!");
      toastr.error("First Name is not in good format!");
   if(!reImePrezime.test(prezime.trim())){
```

```
greske.push("Last Name is not in good format!");
   toastr.error("Last Name is not in good format!");
if(!reMail.test(mail.trim())){
   greske.push("Mail is not in good format!");
   toastr.error("Mail is not in good format!");
if(sifra.length < 6){</pre>
   greske.push("Password length must be over 6");
   toastr.error("Password length must be over 6");
if(greske.length == 0){
   $.ajax({
         first name : ime,
         last_name : prezime,
         tbMail: mail,
         tbPassword : sifra,
      success: function (data) {
         console.log(data);
         toastr.success("Registration = Done, You can login now <3!");</pre>
      error: function (xhr, status, error) {
         console.log(error);
         var statusniKod = xhr.status;
         switch (statusniKod) {
               toastr.error("Access Denied!");
               break;
            case 409:
               toastr.error("Email already exists!");
               break:
               toastr.error("Not valid format!");
               break;
            case 500:
               toastr.error("Error with DataBase!");
               break;
            default:
               toastr.error("ERROR!!! Contact administrator!");
               break;
```

```
function userLogin() {
  var mail = $("#loginMail").val();
  var sifra = $("#loginPassword").val();
  var reMail = /^[A-Za-z\d\!\#\$\%\&\'\*\+\-
  var greske = [];
   if(!reMail.test(mail.trim())){
     greske.push("Mail is not in good format!");
   if(sifra.length < 6){</pre>
     greske.push("Password length must be over 6");
function updateUprofile() {
  var ime = $("#tbFirstName").val();
  var prezime = $("#tbLastName").val();
  var mail = $("#tbMail").val();
  var opis = $("#tbDescription").val();
  var id = $("#tbHidden1").val();
  var reImePrezime = /^[A-Z][a-z]{2,15}$/;
  var reMail = /^[A-Za-z\d\!\#\$\%\&\'\*\+\-
  var greske =[];
   if(!reImePrezime.test(ime.trim())){
      greske.push("First Name is not in good format!");
     toastr.error("First Name is not in good format!");
   if(!reImePrezime.test(prezime.trim())){
      greske.push("Last Name is not in good format!");
      toastr.error("Last Name is not in good format!");
   if(!reMail.test(mail.trim())){
     greske.push("Mail is not in good format!");
      toastr.error("Mail is not in good format!");
   if(greske.length == 0){
      $.ajax({
```

```
tbFirstName: ime,
            tbLastName : prezime,
            tbMail: mail,
            tbDescription : opis,
            tbHidden1: id,
           btnUpdateProfile: true
         success: function (data) {
            toastr.success("Update = Done");
         error: function (xhr, status, error) {
            var statusniKod = xhr.status;
            switch (statusniKod) {
                  toastr.error("Not valid format");
               case 500:
                  toastr.error("Email already exists!");
                  break;
               case 400:
                  toastr.error("Not possible at the moment");
               default:
                  toastr.error("ERROR!!! Contact administrator!");
                  break;
     })
function updatePassword() {
  var sifra1 = $("#tbPassword").val();
  var sifra2 = $("#tbPasswordConfirm").val();
  var id = $("#tbHidden2").val();
  var greske = [];
  if(sifra1.length < 6){</pre>
     greske.push("Password length must be over 6");
     toastr.error("Password length must be over 6");
  if(sifra1 != sifra2){
     greske.push("Passwords must match");
      toastr.error("Passwords must match!");
  if(greske.length == 0){
      $.ajax({
         dataType: "json",
        data:{
           tbPassword: sifra1,
```

```
tbHidden2: id,
            btnUpdatePassword: true
         success: function (data) {
            toastr.success("Password has been changed successfully!")
         error: function (xhr, status, error) {
            switch (statusniKod) {
               case 422:
                  toastr.error("Not valid format");
                  break;
               case 500:
                  toastr.error("DataBase problem!");
                  break;
                  toastr.error("Not possible at the moment");
                  toastr.error("ERROR!!! Contact administrator!");
if(url.indexOf("pocetna") != -1) {
   function getPosts() {
      if ((Math.ceil(window.innerHeight + window.scrolly)) >=
Math.ceil(document.body.scrollHeight)) {
         br += 3;
         url: "models/posts/getAllPosts.php",
         dataType: "json",
         success: function (data) {
            printPosts(data);
            console.log(br);
         error: function (xhr, status, error) {
            console.log(error);
      });
   function printPosts(data) {
```

```
let html = "";
     if (data != 0) {
        for (let d of data) {
           html += printPost(d);
        html += noPosts();
     $("#sviPostovi").html(html);
function printPost(post) {
   return
       <div class="tr-section feed" style="border: 1px solid #1ab394;">
       <div class="mojCssSlika" >
        <img class="centerSlika" src="${post.photo_path}"</pre>
alt="${post.title}">
        </div><!-- /entry-header -->
        <a href="index.php?page=profilUser&user=${post.id_user}"><img</pre>
class="img-fluid rounded-circle" src="${post.comment path}" alt="Image"></a>
\t\t\t <a href="#">${post.first name} ${post.last name}</a>
\t\t\t ${obradaDatum(post.post created at)} ago
     ${post.naziv}
\t\t\t<h2><a href="#" class="entry-title">${post.title}</a></h2>
\t\t\t${post.post_description}
\t\t\t<div class="read-more">
        <div class="feed pull-left">
\t\t
\t\t\t <a href="index.php?page=comment&id=${post.id_post}"><i class="fa"</pre>
\t\t </div><!-- /.post-content -->
function obradaDatum(time) {
   timeNow = Date.now();
   vremeIzBaze = new Date(time).getTime();
   razlika = timeNow - vremeIzBaze:
```

```
var years = Math.floor(razlika / (1000 * 60 * 60 * 24) / 365);
var days = Math.floor(razlika / (24 * 60 * 60 * 1000) %365);
    var hours = Math.floor((razlika % (1000 * 60 * 60 * 24)) / (1000 * 60 *
60));
    var minutes = Math.floor((razlika % (1000 * 60 * 60)) / (1000 * 60));
    var seconds = Math.floor((razlika % (1000 * 60)) / 1000);
    if(minutes < 60 && hours == 0 && days == 0 && years == 0){
         return minutes + ' minutes ';
    } else if(hours < 24 && days == 0 && years ==0){</pre>
        return hours + ' hours ';
    } else if(days < 30){</pre>
        return days + ' days ';
    } else{
        return "months"
function noPosts() {
   return
if(url.indexOf("profilUser") != -1){
   var brojac = 3;
function getUserPosts() {
   if((Math.ceil(window.innerHeight + window.scrolly)) >=
Math.ceil(document.body.scrollHeight)){
      brojac += 3;
    $.ajax({
        url: "models/posts/getAllPostsUser.php",
           brojac: brojac
        success: function (data) {
            printPostsUser(data);
        error: function (xhr, status, error) {
             console.log(error);
    });
function printPostsUser(data) {
```

```
let html = "";
   if(data !=0){
     for(let d of data){
        html+= printPost(d);
   }else{
      html += noPosts();
   $("#sviPostoviUser").html(html);
function searchPosts() {
  let polje = $(this).val();
  $.ajax({
        post: polje
     success: function (data) {
        printPosts(data);
     erorr: function (xhr, status, error) {
        consle.log(error);
  });
function searchUser() {
   let user = $(this).val();
  $.ajax({
     data:{
        user: user
     success: function (data) {
        printUsers(data);
     erorr: function (xhr, status, error) {
        console.log(error);
  });
function printUsers(data) {
  let html = "";
  for(let d of data){
     html+= printUser(d);
  $("#usersPretraga").html(html);
```

```
function printUser(data) {
return
   ${data.first_name}
${data.last_name}<a href="index.php?page=profilUser&user=${data.id_user}"
><img src="${data.comment_path}" alt="${data.first_name}"></a>
//ispis postova na strani za editovanje
function getPostsProfile() {
   $.ajax({
    url: "models/posts/getAllPostsProfile.php",
      success: function (data) {
         printPostsProfile(data);
     error: function (xhr, status, error) {
         console.log(error);
   });
function printPostsProfile(data) {
   let html = "";
   for(let d of data){
     html += printOnePost(d);
   $("#postoviUser").html(html);
function printOnePost(d) {
   return
         <img src="${d.photo_mala_path}" alt="${d.title}">
         ${d.title}
         ${d.post_description}
         ${d.naziv}
         <a class="updatePost" data-idpost="${d.id_post}">Update</a>
         <a class="deletePost" data-idpost="${d.id_post}">Delete</a>
function fillForm(data) {
  $("#hiddenPost").val(data.id post);
   $("#tbTitle").val(data.title);
  $("#tbDescription").val(data.post_description);
$("#ddlCategories").val(data.id_category);
if(url.indexOf("comment") != -1) {
   function getComments() {
     var array = url.split('=');
```

```
idPost = array[array.length - 1];
      $.ajax({
        url: "models/comments/getComments.php",
        dataType: 'json',
        data: {
            idPost: idPost
         success: function (data) {
           printComments(data);
         error: function (xhr, status, error) {
           console.log(error);
      });
   function printComments(data) {
     let html = "";
      for (let d of data) {
        html += printComment(d);
     $('#sviComments').html(html);
   function printComment(d) {
        <a href="index.php?page=profilUser&user=${d.id_user}"><img</pre>
class="img-fluid rounded-circle" src="${d.comment_path}" alt="Image"></a>
href="index.php?page=profilUser&user=${d.id user}">${d.first name}
${d.last_name}</a>
\t\t\t ${obradaDatum(d.comment created at)} ago
     ${obradaDozvole(d)}
\t\t\t${d.text}
```

```
function obradaDozvole(d) {
      let html = "";
     if(idUser == d.id_user || idRole == 1){
        html += `<a class="updateComm" data-</pre>
comm="${d.id_comment}">Edit</a>
comm="${d.id comment}">Delete</a>`;
     return html;
  function insertComment() {
     var idComm = $("#idComm").val();
     if(idComm === ''){
        var idPost = $("#idPost").val();
        var commnet = $("#textOpis").val();
        var reIdPost = /^\d*$/;
        var reComment = /^{(.|\s)*[a-zA-Z]+(.|\s)*$/;}
        var greske = [];
        if (!reIdPost.test(idPost)) {
           greske.push("Greska sa id");
        if (!reComment.test(commnet)) {
           greske.push("Greska komentar");
           toastr.warning("You should enter comment");
        if (greske.length == 0) {
              dataType: 'json',
                  textOpis: commnet,
                  idPost: idPost,
                 btnComment: true
               success: function () {
                  toastr.success("Comment was added successfully!");
                  getComments();
                 clearFormComment();
                 $("#idPost").val(idPost);
               error: function (xhr, status, error) {
                  console.log(error);
                  let statusniKod = xhr.status;
                  switch (statusniKod) {
                    case 422:
```

```
toastr.error("Enter valid comment");
                         break;
                      case 500:
                         toastr.error("Error with DataBase");
                         break;
                         toastr.error("Something went wrong, contact
Administrator!");
                         break;
            });
      }else{
            var idComm = $("#idComm").val();
var idPost = $("#idPost").val();
            var textOpis = $("#textOpis").val();
            //("#idComm").val(idComm);
            $.ajax({
               dataType: "json",
               data:{
                   idComm: idComm,
                   idPost: idPost,
                   textOpis: textOpis,
                   btnComment: true
                success: function () {
                   clearFormComment();
                   getComments();
                   $("#idPost").val(idPost);
                error: function (xhr, status, error) {
                   console.log(error);
                   let statusniKod = xhr.status;
                   switch (statusniKod) {
                      case 422:
                         toastr.error("Enter valid comment or click Reset");
                         break;
                      case 500:
                         toastr.error("Error with DataBase");
                         break;
                      case 400:
                         toastr.error("Something went wrong, contact
                         break;
            });
   function clearFormComment() {
```

```
$("#textOpis").val("");
$("#idComm").val("Post");
$("#btnComment").val("Post");
}

function fillFormComm(data) {
    $("#idPost").val(data.id_post);
    $("#textOpis").val(data.text);
    $("#idComm").val(data.id_comment);
    $("#btnComment").val("Edit");
}
```