



PRACTICE

COMPETE

LEARN

DISCUSS

ASSOCIATE WITH US

MORE

CCDSA CODECHEF CERTIFICATION IN DATA STRUCTURES & ALGORITHMS

Upcoming Exam on 06th March



ENROLL NOW

Home » Compete » February Long 2022 - II, Division 3 (Rated) » Xor Palindrome » Submit Solution

Switch to Non-IDE mode

Contest Code: FEB222C Problem Code: XORPAL



A (1-indexed) binary string S of length N is called a *xor palindrome* if the value of $S_i \oplus S_{(N+1-i)}$ is the same for all $1 \le i \le N$.

For example, 0, 1111 and 0101 are xor palindromes, while 1110 and 110101 are not.

You are given a binary string S of length N. Determine if it is possible to rearrange it to form a xor palindrome or not.

Input Format

- The first line of input contains a single integer T the number of test cases. The description of T test
 cases follows.
- The first line of each test case contains an integer N the length of the binary string S.
- ullet The second line of each test case contains the binary string S containing 0s and 1s only.

Output Format

For each test case, output YES if it is possible to rearrange S to convert it into a xor palindrome. Otherwise output NO,

You may print each character of YES and NO in uppercase or lowercase (for example, yes, yEs, Yes will be considered identical).

Constraints

- $1 \le T \le 1000$
- $\bullet \quad 1 \leq N \leq 10^5$
- ullet S is a binary string, i.e, contains only the characters 0 and 1
- It is guaranteed that the sum of N over all test cases does not exceed $2\cdot 10^5$.

Subtasks

Subtask #1 (100 points): Original constraints

Sample Input 1 🖆

4

2

00

4

0011 3

001

4

0001

Sample Output 1 🖆

YES

YES

YES

NO

Test case 1: 00 is already a xor palindrome. [The value of $S_i \oplus S_{(N+1-i)}$ is 0 for all $1 \leq i \leq N$.]

Explanation

Test case 2: 0011 is already a xor palindrome. [The value of $S_i \oplus S_{(N+1-i)}$ is 1 for all $1 \leq i \leq N$.] Test case 3: 001 can be rearranged to form 010 which is a xor palindrome. [The value of $S_i \oplus S_{(N+1-i)}$ is 0 for all $1 \leq i \leq N$.] **Test case** 4: It can be proved that 0001 can not be rearranged to form a xor palindrome. PYTH 3.6 Code gets autosaved every second # cook your dish here 0:0 C Run Open File Submit **Custom Input** Note: Your program will be run with no input.

Important Links of our resources & information -

Programming Tools

Online IDE

Upcoming Coding Contests

CodeChef Certifications

Hosting Contests

Problem Setting

Learning Decourses

2/14/22, 11:17 AM Getting Started Practice Problems Prepare for DSA Certification CodeChef Discuss CodeChef Tutorials Initiatives Go For Gold CodeChef for Schools

More

CodeChef For Business

Campus Chapters
CodeChef Goodies

Contact Us

Code Of Conduct

User Ranklist

Release Notes

Privacy policy

Terms

www.codechef.com

Follow Us