GRAPH ALGORITHMS

ASSIGNMENT 01 – NetworkX Python

MUHAMMAD HARRIS

BCS203193

Table of Contents

GRAPH ALGORITHMS

ASSIGNMENT 01 – NetworkX Python

QUESTION:

For the given directed and undirected graphs:



Graph 1



Graph 2

Write the PYTHON program for each graph in which:

1) Display Nodes List of the Graph
2) Display Edge List of the Graph
3) Count Connected Components of the Graph
4) Print Connected Components of the Graph
5) Display Incidence Matrix of a Graph
6) Display the Nodes degrees
7) Count Number of Edges
8) Visualize the graphs
9) Check if:
   a) Euler circuit exist or not and Graph is Eulerian
   b) Euler path exists or not
   c) Hamilton Path
   d) Perform Depth First and Breadth First Traversal on graph

Coding Standard to Follow:

- For each graph create different Python Script (.py) will all the functionalities to implement
- There should be proper menu for user to perform the task
- Use proper comments in code for understanding
- Print output of each task with proper messages

GRAPH 1:

Code of Graph1.py

```
# MUHAMMAD HARRIS - BCS203193
# Graph Algorithm Assignment 1
# GRAPH 1

# libraries
import os
import networkx
import matplotlib.pyplot as plot

# functions
def printMenu():
    print("""|------------------------------- MENU -------------------------------|
1. Display Nodes List of the Graph
2. Display Edge List of the Graph
3. Count Connected Components of the Graph
4. Print Connected Components of the Graph
5. Display Incidence Matrix of a Graph
6. Display the Nodes degrees
7. Count Number of Edges
8. Visualize the graphs
9. Check if:
    a. Euler circuit exist or not and Graph is Eulerian
    b. Euler path exists or not
    c. Hamilton Path
    d. Perform Depth First and Breadth First Traversal on graph""")
def printNodeList(graph):
    os.system('cls')
    nodeList = graph.nodes() # get node list of graph
    print('Node List of Graph:')
    for x in nodeList:
        print(x, end=', ') # print each node
    input('\n\npress enter to return...')
def printEdgeList(graph):
    os.system('cls')
    edgeList = graph.edges() # get edge list of graph
    print('Edge List of Graph:')
    for x in edgeList:
        print(x[0], '<->', x[1], end=', ') # print each edge
    input('\n\npress enter to return...')
def printCountConnectedComponents(graph):
    os.system('cls')
    count = networkx.number_connected_components(graph) # get number of connected
components
```

```
    print('Number of Connected Components in Graph: ', count) # print count
    input('\npress enter to return...')
def printConnectedComponents(graph):
    os.system('cls')
    connectedComponents = [len(c) for c in sorted(networkx.connected_components(graph),
key=len, reverse=True)] # get connected components
    print('Length of Connected Components in Sorted Order:')
    for x in connectedComponents:
        print(x) # print length of each connected component
    input('\npress enter to return...')
def printIncidenceMatrix(graph):
    os.system('cls')
    incidenceMatrix = networkx.to_numpy_matrix(graph) # get incidence matix
    incidenceMatrixString =
str(incidenceMatrix).replace('[','').replace(']','').replace('.','')
    print('Incidence Matrix of Graph: ')
    print('',incidenceMatrixString) # print incidence matrix
    input('\npress enter to return...')
def printNodeDegrees(graph):
    os.system('cls')
    print('Degree of all Nodes in Graph:')
    nodeN = 'a'
    for x in range(15):
        print(nodeN, ' = ', graph.degree(nodeN)) # print degree of each node
        nodeN = chr(ord(nodeN)+1)
    input('\npress enter to return...')
def printCountEdges(graph):
    os.system('cls')
    print('Number of Edges in Graph: ', networkx.number_of_edges(graph)) # print number
of edges in graph
    input('\npress enter to return...')
def visualizeGraph(graph):
    os.system('cls')
    networkx.draw(graph, with_labels = True) # draw graph with labels
    plot.show()
    input('press enter to return...')
def printIsEulerian(graph):
    os.system('cls')
    if networkx.is_eulerian(graph): # check if graph is euler or not
        print('a. Graph is Euler Graph.')
    else:
        print('a. Graph is not Euler.')
def printHasEulerPath(graph):
    if networkx.has_eulerian_path(graph): # check if graph has euler path or not
        print('b. Eulerian Path or Circuit Exists.')
```

```
    else:
        print('b. Eulerian Path or Circuit does not Exist.')
def printHamiltonPath(graph):
    try:
        hamiltonPath =
networkx.algorithms.tournament.hamiltonian_path(networkx.DiGraph(graph)) # get hamilton
path
        print('c. Hamilton Path: ', )
        print('\t', end='')
        for x in hamiltonPath:
            if x != 'a':
                print(' ->', end=' ')
            print(x, end='') # print hamilton path if exists
    except:
        print('c. Hamilton Path does not exist.') # else print exception
def printGraphTraversals(graph):
    print('\nd. Graph Traversals (source node = a)')
    print('Breath First Search: visualized using matplotlib')
    BFStree = networkx.bfs_tree(graph, 'a') # create BFS tree
    networkx.draw(BFStree, with_labels=True)
    plot.show() # visualize BFS tree
    print('Depth First Search: visualized using matlplotlib')
    DFStree = networkx.dfs_tree(graph, 'a') # create DFS tree
    networkx.draw(DFStree, with_labels=True)
    plot.show() # visualize DFS tree
    input('\npress enter key to return...')

# main
# initialize graph
graphOne = networkx.Graph()
# creating nodes a - o
nodeName = 'a'
for x in range(15):
    graphOne.add_node(nodeName)
    nodeName = chr(ord(nodeName)+1)
# creating edges
graphOne.add_edge('a','b')
graphOne.add_edge('a','f')
graphOne.add_edge('b','g')
graphOne.add_edge('b','c')
graphOne.add_edge('b','d')
graphOne.add_edge('c','d')
graphOne.add_edge('c','j')
graphOne.add_edge('c','h')
graphOne.add_edge('d','e')
```

```
graphOne.add_edge('d','i')
graphOne.add_edge('e','j')
graphOne.add_edge('f','g')
graphOne.add_edge('f','k')
graphOne.add_edge('f','m')
graphOne.add_edge('g','h')
graphOne.add_edge('g','l')
graphOne.add_edge('h','i')
graphOne.add_edge('h','m')
graphOne.add_edge('i','j')
graphOne.add_edge('i','n')
graphOne.add_edge('j','o')
graphOne.add_edge('k','l')
graphOne.add_edge('l','m')
graphOne.add_edge('l','n')
graphOne.add_edge('m','n')
graphOne.add_edge('n','o')
# menu system
while True:
    os.system('cls')
    printMenu()
    option = input('\nOption: ')
    if option == '1':
        printNodeList(graphOne)
    elif option == '2':
        printEdgeList(graphOne)
    elif option == '3':
        printCountConnectedComponents(graphOne)
    elif option == '4':
        printConnectedComponents(graphOne)
    elif option == '5':
        printIncidenceMatrix(graphOne)
    elif option == '6':
        printNodeDegrees(graphOne)
    elif option == '7':
        printCountEdges(graphOne)
    elif option == '8':
        visualizeGraph(graphOne)
    elif option == '9':
        printIsEulerian(graphOne)
        printHasEulerPath(graphOne)
        printHamiltonPath(graphOne)
        printGraphTraversals(graphOne)
```

Outputs of Graph1.py



Output 1: main menu



Output 2: node list of graph



Output 3: edge list of graph



Output 4: number of connected components in graph



Output 5: connected components of the graph



Output 6: incidence matrix of graph



Output 7: node degrees



Output 8: number of edges in graph



Output 9: visualization of graph



Output 10: eulerian & hamilton path



Output 11: BFS traversal



Output 12: DFS traversal

Graph 2:

Code of Graph2.py

```
# MUHAMMAD HARRIS - BCS203193
# Graph Algorithm Assignment 1
# GRAPH 2

# libraries
import os
import networkx
import matplotlib.pyplot as plot

# functions
def printMenu():
    print("""|------------------------------- MENU -------------------------------|
1. Display Nodes List of the Graph
2. Display Edge List of the Graph
3. Count Connected Components of the Graph
4. Print Connected Components of the Graph
5. Display Incidence Matrix of a Graph
6. Display the Nodes degrees
7. Count Number of Edges
8. Visualize the graphs
9. Check if:
    a. Euler circuit exist or not and Graph is Eulerian
    b. Euler path exists or not
    c. Hamilton Path
    d. Perform Depth First and Breadth First Traversal on graph""")
def printNodeList(graph):
    os.system('cls')
    nodeList = graph.nodes() # get node list of graph
    print('Node List of Graph:')
    for x in nodeList:
        print(x, end=', ') # print each node
    input('\n\npress enter to return...')
def printEdgeList(graph):
    os.system('cls')
    edgeList = graph.edges() # get edge list of graph
    print('Edge List of Graph:')
    for x in edgeList:
        print(x[0], '->', x[1], end=', ') # print each edge
    input('\n\npress enter to return...')
def printCountConnectedComponents(graph):
    os.system('cls')
    count = networkx.number_strongly_connected_components(graph) # get number of
connected components
```

```
    print('Number of Connected Components in Graph: ', count) # print count
    input('\npress enter to return...')
def printConnectedComponents(graph):
    os.system('cls')
    connectedComponents = [len(c) for c in
sorted(networkx.strongly_connected_components(graph), key=len, reverse=True)] # get
connected components
    print('Length of Connected Components in Sorted Order:')
    for x in connectedComponents:
        print(x) # print length of each connected component
    input('\npress enter to return...')
def printIncidenceMatrix(graph):
    os.system('cls')
    incidenceMatrix = networkx.to_numpy_matrix(graph) # get incidence matix
    incidenceMatrixString =
str(incidenceMatrix).replace('[','').replace(']','').replace('.','')
    print('Incidence Matrix of Graph: ')
    print('',incidenceMatrixString) # print incidence matrix
    input('\npress enter to return...')
def printNodeDegrees(graph):
    os.system('cls')
    print('in-Degree of all Nodes in Graph:')
    nodeN = 'a'
    for x in range(6):
        print(nodeN, ' = ', graph.in_degree(nodeN)) # print degree of each node
        nodeN = chr(ord(nodeN)+1)
    print('out-Degree of all Nodes in Graph:')
    nodeN = 'a'
    for x in range(6):
        print(nodeN, ' = ', graph.out_degree(nodeN)) # print degree of each node
        nodeN = chr(ord(nodeN)+1)
    input('\npress enter to return...')
def printCountEdges(graph):
    os.system('cls')
    print('Number of Edges in Graph (parallel edges ignored): ',
networkx.number_of_edges(graph)) # print number of edges in graph
    input('\npress enter to return...')
def visualizeGraph(graph):
    os.system('cls')
    networkx.draw(graph, with_labels = True) # draw graph with labels
    plot.show()
    input('press enter to return...')
def printIsEulerian(graph):
    os.system('cls')
    if networkx.is_eulerian(graph): # check if graph is euler or not
```

```
        print('a. Graph is Euler Graph.')
    else:
        print('a. Graph is not Euler.')
def printHasEulerPath(graph):
    if networkx.has_eulerian_path(graph): # check if graph has euler path or not
        print('b. Eulerian Path or Circuit Exists.')
    else:
        print('b. Eulerian Path or Circuit does not Exist.')
def printHamiltonPath(graph):
    try:
        hamiltonPath = networkx.algorithms.tournament.hamiltonian_path(graph) # get
hamilton path
        print('c. Hamilton Path: ', )
        print('\t', end='')
        for x in hamiltonPath:
            if x != 'a':
                print(' ->', end=' ')
            print(x, end='') # print hamilton path if exists
    except:
        print('c. Hamilton Path does not exist.') # else print exception
def printGraphTraversals(graph):
    print('\nd. Graph Traversals (source node = a)')
    print('Breath First Search: visualized using matplotlib')
    BFStree = networkx.bfs_tree(graph, 'a') # create BFS tree
    networkx.draw(BFStree, with_labels=True)
    plot.show() # visualize BFS tree
    print('Depth First Search: visualized using matlplotlib')
    DFStree = networkx.dfs_tree(graph, 'a') # create DFS tree
    networkx.draw(DFStree, with_labels=True)
    plot.show() # visualize DFS tree
    input('\npress enter key to return...')

# main
# initialize graph
graphTwo = networkx.DiGraph()
# creating nodes a - f
nodeName = 'a'
for x in range(6):
    graphTwo.add_node(nodeName)
    nodeName = chr(ord(nodeName)+1)
# creating edges
graphTwo.add_edge('a','b')
graphTwo.add_edge('a','f')
graphTwo.add_edge('b','c')
graphTwo.add_edge('b','d')
```

```
graphTwo.add_edge('b','f')
graphTwo.add_edge('c','b')
graphTwo.add_edge('c','b')
graphTwo.add_edge('c','e')
graphTwo.add_edge('d','c')
graphTwo.add_edge('d','e')
graphTwo.add_edge('e','a')
graphTwo.add_edge('e','b')
graphTwo.add_edge('e','f')
graphTwo.add_edge('f','a')
graphTwo.add_edge('f','d')
graphTwo.add_edge('f','e')


# menu system
while True:
    os.system('cls')
    printMenu()
    option = input('\nOption: ')
    if option == '1':
        printNodeList(graphTwo)
    elif option == '2':
        printEdgeList(graphTwo)
    elif option == '3':
        printCountConnectedComponents(graphTwo)
    elif option == '4':
        printConnectedComponents(graphTwo)
    elif option == '5':
        printIncidenceMatrix(graphTwo)
    elif option == '6':
        printNodeDegrees(graphTwo)
    elif option == '7':
        printCountEdges(graphTwo)
    elif option == '8':
        visualizeGraph(graphTwo)
    elif option == '9':
        printIsEulerian(graphTwo)
        printHasEulerPath(graphTwo)
        printHamiltonPath(graphTwo)
        printGraphTraversals(graphTwo)
```

Outputs of Graph2.py



Output 1: node list of graph



Output 2: node list of graph



Output 3: number of connected components



Output 4: connected components of graph



Output 5: incidence matrix of graph



Output 6: in-degree & out-degree of nodes



Output 7: number of edges in graph



Output 8: graph visualization



Output 9: eulerian & hamilton path



Output 10: BFS traversal



Output 11: DFS traversal