



ANDROID APPLICATION DEVELOPMENT

AUSTRALIA TOURISM

Acknowledgement

I express my sincere gratitude towards my guide Mr Swarup Kumar Saha (Senior Technical Analyst) of Webskitters Technology Solutions Private Ltd. for his constant motivation throughout the course of this training.

I would also like to thank the trainers in the Webskitters Academic Institution, Kolkata for providing me with the necessary tools and modules required for my training.

I am also grateful to my teachers and faculties back at my college, Sikkim Manipal Institute of Technology, for encouraging me pursue a training course in Android App Development, which is something different from the general curriculum of my department.

It is an honour for me to extend my heartfelt acknowledgement towards my friends and family without whose undeterred support this project would not have seen this day.

ANDROID STUDIO

Android Studio is the official Integrated Development Environment (IDE) for Android app development, based on [IntelliJ IDEA](#). On top of IntelliJ's powerful code editor and developer tools, Android Studio offers even more features that enhance your productivity when building Android apps, such as:

- A flexible Gradle-based build system
- A fast and feature-rich emulator
- A unified environment where you can develop for all Android devices
- Instant Run to push changes to your running app without building a new APK
- Code templates and GitHub integration to help you build common app features and import sample code
- Extensive testing tools and frameworks
- Lint tools to catch performance, usability, version compatibility, and other problems
- C++ and NDK support
- Built-in support for [Google Cloud Platform](#), making it easy to integrate Google Cloud Messaging and App Engine



COMPONENTS OF **ANDROID STUDIO**

ACTIVITIES

Activities are one of the fundamental building blocks of apps on the Android platform. They serve as the entry point for a user's interaction with an app, and are also central to how a user navigates within an app (as with the Back button) or between apps (as with the Recents button).

Skillfully managing activities allows you to ensure that, for example:

- Orientation changes take place smoothly without disrupting the user experience.
- User data is not lost during activity transitions.
- The system kills processes when it's appropriate to do so.
- This section begins by providing an [introduction](#) to the concept of activities. It goes on to describe the [activity lifecycle](#) in detail. Next, it discusses [state changes and how to accommodate them](#). After that, this section talks about the relationship between activities and [intra-](#) and [inter-app](#) navigation. Last, this section explains the [relationship](#) between activities and the processes that host them.

INTENTS

- An [Intent](#) is a messaging object you can use to request an action from another [app component](#). Although intents facilitate communication between components in several ways, there are three fundamental use cases:
- **Starting an activity**
- An [Activity](#) represents a single screen in an app. You can start a new instance of an [Activity](#) by passing an [Intent](#) to [startActivity\(\)](#). The [Intent](#) describes the activity to start and carries any necessary data.
- If you want to receive a result from the activity when it finishes, call [startActivityForResult\(\)](#). Your activity receives the result as a separate [Intent](#) object in your activity's [onActivityResult\(\)](#) callback. For more information, see the [Activities](#) guide.

They are of two types: Implicit and Explicit Intents.

ListView

Displays a vertically-scrollable collection of views, where each view is positioned immediately below the previous view in the list. For a more modern, flexible, and performant approach to displaying lists, use [RecyclerView](#).

A list view is an [adapter view](#) that does not know the details, such as type and contents, of the views it contains. Instead list view requests views on demand from a [ListAdapter](#) as needed, such as to display new views as the user scrolls up or down.

In order to display items in the list, call [setAdapter\(ListAdapter\)](#) to associate an adapter with the list.

Drawer Layout

DrawerLayout acts as a top-level container for window content that allows for interactive "drawer" views to be pulled out from one or both vertical edges of the window.

Drawer positioning and layout is controlled using the `android:layout_gravity` attribute on child views corresponding to which side of the view you want the drawer to emerge from: left or right (or start/end on platform versions that support layout direction.) Note that you can only have one drawer view for each vertical edge of the window. If your layout configures more than one drawer view per vertical edge of the window, an exception will be thrown at runtime.

To use a DrawerLayout, position your primary content view as the first child with width and height of `match_parent` and no `layout_gravity`. Add drawers as child views after the main content view and set the `layout_gravity` appropriately. Drawers commonly use `match_parent` for height with a fixed width.


Australia Tourism

Tourism in Australia is an important component of the [Australian economy](#). In the financial year 2014/15, [tourism](#) represented 3.0% of [Australia's GDP](#) contributing A\$47.5 billion to the national economy.^[2] Domestic tourism is a significant part of the tourism industry, representing 73% of the total direct tourism GDP.^[2]

In calendar year 2015, there were 7.4 million visitor arrivals.^[3] Tourism employed 580,800 people in Australia in 2014-15, 5% of the workforce.^[2] About 43.7% of persons employed in tourism were part-time. Tourism also contributed 8.0% of Australia's total export earnings in 2010-11.^[2]

Popular Australian destinations include the coastal cities of [Sydney](#), [Brisbane](#) and [Melbourne](#), as well as other high-profile destinations including regional [Queensland](#), the [Gold Coast](#) and the [Great Barrier Reef](#), the world's largest reef. [Uluru](#) and the [Australian outback](#) are other popular locations, as is the [Tasmanian wilderness](#). The unique Australian wildlife is also another significant point of interest in the country's tourism.

SNAPSHOTS of the Application



18:45 ... airtel 4G Vodafone IN 61%

≡ demo9 ⋮

Welcome to Australia Tourism

Sign Up

Username

Password

Alert

Username cannot be empty

OK

18:45 ... airtel 4G Vodafone IN 61%



Welcome

Intent

Setting

User

Print



Queensland

Queensland



New South Wales

Sydney



Victoria

Melbourne



Western Australia

Perth



South Australia

Adelaide




Northern Territory

Darwin

Queensland

Queensland (abbreviated as Qld) is the second-largest and third-most populous state in the Commonwealth of Australia. Situated in the north-east of the country, it is bordered by the Northern Territory, South Australia and New South Wales to the west, south-west and south respectively. To the east, Queensland is bordered by the Coral Sea and Pacific Ocean. To its north is the Torres Strait, with Papua New Guinea located less than 200 km across it from the mainland. The state is the world



Background Code

The .xml file to declare the ListView

```
demo9] - ...\\app\\src\\main\\java\\com\\example\\harsh\\demo9\\SplashScreen.java [app] - Android Studio
Code Analyze Refactor Build Run Tools VCS Window Help
main > java > com > example > harsh > demo9 > SplashScreen
activity_main.xml activity_second.xml toolbar.xml SplashScreen.java layout_c_adapter.xml
1 package com.example.harsh.demo9;
2
3 import android.content.Intent;
4 import android.support.v7.app.AppCompatActivity;
5 import android.os.Bundle;
6 import android.view.animation.Animation;
7 import android.view.animation.AnimationUtils;
8 import android.widget.ImageView;
9
10 public class SplashScreen extends AppCompatActivity {
11     ImageView imgView;
12     @Override
13     protected void onCreate(Bundle savedInstanceState) {
14         super.onCreate(savedInstanceState);
15         setContentView(R.layout.activity_splash_screen);
16         imgView = findViewById(R.id.imgView);
17         Animation animation = AnimationUtils.loadAnimation(context: this, R.anim.anim_fade);
18         imgView.startAnimation(animation);
19         Thread thread=run() -> {
20             try {
21                 sleep( millis: 10000);
22                 Intent intent=new Intent(getApplicationContext(),MainActivity.class);
23                 startActivity(intent);
24                 finish();
25                 super.run();
26             } catch (InterruptedException e) {
27                 e.printStackTrace();
28             }
29         };
30         thread.start();
31     }
32 }
33
34
35
36
37
38 SplashScreen
```

Logcat TODO
; 82ms (7 minutes ago) 10:14 CRLF UTF-8 Cor

search

The .java file for Splash Screen

OverView

The application provides a comprehensive synopsis of the topics that were covered in the training undertaken and involves the usage of splash screens, activities, styles and strings, manifest file, intents, listview, alert dialog boxes, widgets, viewgroups, toasts, menus, drawer layout, navigation view and some other features.

A user logging into the application is greeted by a splash screen with a duration of 10 seconds and is inspired by the official logo of Tourism Australia. The main activity has a toolbar featuring a menu icon, hamburger icon and the app name. The user can log into the application or can go to the hamburger menu and select the intent option to be led into the listview showed above. Each item in the listview is further customizable and can contain information regarding the selected item in the listview. This is a very simple application aimed at showing the minimal knowledge the students have gained in this extremely short time and has scope for further improvement.

A silhouette of a kangaroo in mid-leap is centered in the background. The kangaroo is dark against a bright, hazy sunset sky with warm orange and yellow tones. The sun is low on the horizon, creating a strong backlight effect.

THANK YOU