TITLE: 2. Candidati Elimination	Expt. No. :
Mgrillm.	Date: 21.09.200.
	Harsh, R Jain 1841743)
Program:	(1341743)
import numpy as rep.	
import panday as pd data = pd. Data Frame (dato = pd. read-65) data = pd. Data Frame (dato = pd. read-65)	l'haning enogli esv'
data = pd. Datatrame (auto)	the company of the
and a cop aviag	
Jarger = np. arvay (dall	Child Dong Harry
11 lana (conunts, faight)	
	bv.11.11
proint ('Eni haloghom of specific-h to	eneval-h")
mand in this by	
print (specy's-h)	or (specific-b 1) forin
general-h-[Pi] for i in range (le ronge (len espert	(Lb))]
prosint (general-h)	
for i, h in enumerica	
If farget (1)2-	
for n en range Clin Copered	(2-15)):
for new 1 c spenifich	(n)
y h[x] != sperifé h	
swife 4 fx 7 = 2	
general_4 he7(x)='?	Marks:
U	Staff:
	The same of the sa

of farget(i) == 'No': for x is vangellen Sperfich y: of hend! esperfic hin! elu general-h (n7/2) = 1? print (steps=",i+1) print ('Spenfic-4:i+1) print (special) print ("general-h", it) frist (general- h) indicies = [i for rad i, val un conumerate (general-h) if vol: 2(19,1) 11:17:27 priis undicies general horamore (6'71'?;'?;'?;'?;'?) ruturn opeifich, general-h. A fundron ends here. - ifire , of just cleans (concepts of anset) - print "firel speifich:", sofirald - frint ("find general": ", y-frad)

TITLE:	Expt. No. :
	Date :
output:	Harsh Klain
	134 17eso31
Steps of cardidat Elimination: 4 Spurfich: 4	
Specifich: 4	J. H. P. J. Jan John
10	to the Juditalia by
s'same, 'Lo avn', '!, 'Shing', '!'!'	off the shirts with
general-4 = 4	man py
St'sany; '2', '2', '?', '?', '?', [''?', wam	i, '2', '2', '2', '2'),
Lilia (1; 1); 1); 1); 1); 1) 2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	12,7,777
(12, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7,	
Find specific-h:	1 1 think
['Sunny', 'warm', '!', Strong', '?', '?']	
Firal general-h;	
11,200 md; 15, 55; 15, 15; 15, 15, 15, 1,000	m', '?! 1?! 1?! 1217
Cal costine Par	Jan a property
	The late file
	Hearing
	Marks:
	Marko.

Staff: