Si Her DeFi app: user flow and state rules

Last reviewed: 12 October 2026. This describes the **app prototype** at /siherdefi, not the separate calendar and newsletter site. Routes below omit the /siherdefi base path. The prototype mirrors the live app's API shapes; wallet signing, minting, and CMS data are simulated. Rules marked **needs production work** must be implemented or confirmed in the real backend.

End-to-end path

Claim seat → verify email → create profile → connect wallet → dashboard → Part 1 → sessions and quizzes → Part 2 → certificate → mint on Base → dashboard with minted certificate

Returning members resume at the first incomplete setup step. The separate /verified success screen is skipped after code verification. Signed-in routes require authentication; the certificate sidebar item is locked until all module quizzes are resolved. The dashboard is the home for ongoing work; completing a stage updates its cards rather than creating a new dashboard route.

Claim seat

Route and main action: / or /login → Send my code · **Completion rule:** Applicant email accepted by POST /auth/claim-seat · **Next destination:** /verify?email=…

Verify

Route and main action: /verify → Verify email · **Completion rule:** Six digits accepted by POST /auth/verify-otp · **Next destination:** /profile, /wallet, or /dashboard based on saved profile and wallet

Profile

Route and main action: /profile → Save & continue · **Completion rule:** Name is nonempty; profile saved · **Next destination:** /wallet

Wallet

Route and main action: /wallet → connect and sign nonce · **Completion rule:** Base wallet address linked · **Next destination:** /dashboard

Part 1

Route and main action: /onboard → watch, follow, answer · **Completion rule:** 80% of intro actually played; required socials followed; required questions answered; submission succeeds · **Next destination:** /dashboard

Module

Route and main action: /module/[slug] → watch/session, quiz · **Completion rule:** Quiz passed, or deliberately skipped after exhausting attempts · **Next destination:** Next module or dashboard

Part 2

Route and main action: /onboard/part-2 → Finish Part 2 · **Completion rule:** Part 1 complete and every module quiz passed or skipped; required reflections answered · **Next destination:** Done screen, then /certificate?mint=1

Certificate

Route and main action: /certificate → Mint on Base · **Completion rule:** All module quizzes resolved and wallet connected; mint succeeds · **Next destination:** Minted certificate and dashboard

Rules by step, including failures

Email and code

- Email is required and must be valid. Keep **Send my code** enabled so submitting empty or malformed input gives an inline field error; show loading while requesting a code. If the applicant email is not found, show the API error under the field and let the member edit it.
- The code page shows six numeric boxes. Verify is disabled until all six are filled. A wrong code highlights the boxes and shows an inline error; editing clears it. 000000 is the prototype's wrong-code case.

- Resend becomes available after the 40-second countdown. Resending clears the boxes and restarts the countdown. The UI says codes expire after 10 minutes; the mock server does **not** enforce expiration (**needs production work**).
- A missing email query sends the member back to /login. Returning members go to the first incomplete profile/wallet step, then dashboard.

Profile and wallet

- Name is required because it is printed on the certificate. Missing name gets an inline error. Other text fields use LabelInput; optional fields say “(optional)”. Profile editing from /profile?from=dashboard or Settings returns to the signed-in experience.
- Wallet connection requires the provider connection and a nonce signature. The signature links the address; it is not a paid transaction. Show connecting, signing, connected, and error states. A rejected connection or rejected signature explains the failure and permits another attempt. Wrong network opens the switch-network prompt. Missing wallet keeps mint disabled.
- The connected address and Base status appear in the app shell/dashboard. Settings can disconnect the wallet; the current disconnect action is immediate, without confirmation (open improvement #3). The real app must reconcile an already minted certificate if a wallet is later disconnected.

Part 1 onboarding

- The intro video's watched flag is reached after 80% **actually plays**; seeking forward does not count. Follow actions stay disabled until then. Required X and LinkedIn follows unlock the questions. The prototype marks a follow when its external link is clicked; it cannot verify the external follow (**needs production work**).
- Questions appear in CMS order. Required answers block Next/Submit when empty; optional answers may be blank. Closing the question dialog saves a draft; Resume opens the first unanswered question. Submission marks Part 1 done and unlocks module participation.
- Draft save failures are currently swallowed by the client, and the mock server accepts videoWatched from any draft save. Production should validate the watch threshold and show retryable save errors (**needs production work**).

Sessions, events, and quizzes

- Dashboard session cards are sorted by date, including LinkedIn Lives. Show three initially; **Show more sessions** adds three at a time, and **Show fewer** returns to three. A future module offers Add to calendar; added modules show an Added state. A LinkedIn Live opens its external event link and has no quiz or badge. Its placeholder links/times need CMS updates.
- A module quiz opens after the live session, not while the session is upcoming. The mock API rejects early answers with a 409. The module page still has an open-state mismatch to resolve (improvement #12); production should disable Start quiz until the session opens.
- Each quiz requires all answers correct for its badge. An answer locks once selected; show correctness, explanation or a video chapter hint. Failed attempts show the score, review hints, and remaining attempts. After all attempts are used, offer **Start over** or **Skip this quiz**; skipping requires an explicit confirmation.
- A skipped quiz counts as **done for certificate unlock** but awards **no badge**. The member can return and take it again for the badge. A passed quiz earns one badge and updates dashboard progress. Network/answer errors should leave the attempt recoverable; the dialog displays the save error.

Part 2, certificate, and mint

- Part 2 unlocks when Part 1 is done and **every module quiz is passed or skipped**. It loads a CMS-shaped list of any number of questions, with optional hints and optional answers, and no character limit. Missing required answers get an inline error and focus. Completion shows a celebratory done state with the earned certificate preview and a mint action.
- The certificate is **locked** until every quiz is resolved. Locked view is a preview with an unlock action; the sidebar item and dashboard certificate row remain locked. Once unlocked, its status is **earned** until minted. The artwork displays the member's name and **only earned badges**, sorted by module week. It centers occupied rows; skipped or failed quizzes leave no empty hexagons. Badge count must use the earned list, not the number of completed quizzes.
- Mint requires an unlocked certificate and connected wallet. The flow is Review → Confirm in wallet → Minting on Base → Minted. Review shows destination address, badge count, network, and gas coverage. Failure gives a retry and a way to leave. The prototype simulates signature and transaction; production must wait for the Base receipt before marking it minted (**needs production work**).

- Once minted, show token/transaction/network/verification details on /certificate. The certificate page provides LinkedIn, image download, verification-link, and BaseScan actions. The **dashboard** shows one minted certificate card directly below the greeting, with live certificate art, earned count, token ID, and Base. It has at most two actions: **View certificate** and **View on BaseScan**. The lower ready-to-mint banner is absent.

Dashboard state matrix

New, Part 1 incomplete

Header and top: Greeting says to introduce yourself; Base chip reflects wallet · **Profile/badges:** Profile card; 0/N badge progress and next badge · **Learning path: Begin your journey** leads with Start Part 1; featured module action is locked; certificate row locked

Part 1 complete, no badges

Header and top: Greeting directs first session/quiz · **Profile/badges:** Profile and empty badge guidance · **Learning path:** Featured module and sessions; Part 1 Done/Part 2 Locked; certificate row locked

Some badges

Header and top: Greeting reports earned count · **Profile/badges:** Only earned badge images; segmented progress shows earned, next, and remaining · **Learning path:** Sessions and next quiz; Part 2 locked; certificate row shows resolved quiz count

All quizzes resolved, Part 2 open

Header and top: Greeting says certificate is ready · **Profile/badges:** Earned badge count may be less than total because skips award none · **Learning path:** Onboarding Part 2 Open now, ready-to-mint banner, then completed sessions

Part 2 done, unminted

Header and top: Same certificate-ready state · **Profile/badges:** Actual earned badges · **Learning path:** Part 2 Done and Mint on Base CTA; no minted top card

Minted

Header and top: Greeting says minted on Base; **certificate card directly below header** · **Profile/badges:** Actual earned badges · **Learning path:** Part 2 state, sessions; **no second certificate banner**

The profile and badges cards always use current account data. The badge progress currently assumes 12 total cohort badges even though seven module fixtures exist; keep the total dynamic in production (open improvement #10). Certificate unlock is based on resolved **module quizzes**, not the badge count and not LinkedIn Live attendance. The ready-to-mint banner's “96 learners” social proof is a prototype placeholder (open improvement #8); do not treat it as live data.

State and API contract

- Auth: POST /auth/claim-seat, /auth/resend-otp, /auth/verify-otp; GET /auth/me.
- Profile/wallet: GET /profile, POST|PUT /profile, GET /wallet/status, POST /wallet/nonce, POST /wallet/connect, DELETE /wallet/disconnect.
- Onboarding: GET /onboard/status, /onboard/part1, /onboard/part2; Part 1 draft and submit; Part 2 submit.
- Learning: GET /modules, /events, /badges, GET /quiz/[slug], quiz answer/restart/skip, module calendar scheduling.
- Certificate: GET /certificate, POST /certificate/mint, GET /certificate/verify/[code].

Preserve route paths, API names, and response shapes when moving changes to the real app. The source files for behavior are src/lib/mock/server.ts, src/lib/types.ts, src/app/**/page.tsx, and src/components/**. docs/handoff/ contains screen-specific visuals and implementation notes. docs/IMPROVEMENTS.md tracks remaining known issues.