

```

SET SERVEROUTPUT ON ;

create table customertest(CID number(3), cname varchar2(25), cage number(2),
caddress varchar2(30), csalary number(8,2));

insert into CUSTOMERTEST values(1,'Ramesh', 32, 'Ahemedabda',2000.00);
insert into CUSTOMERTEST values(2,'Khilan', 25, 'Delhi',1500.00);
insert into CUSTOMERTEST values(3,'Kaushik', 23, 'Kota',2000.00);
insert into CUSTOMERTEST values(4,'Chaitali', 25, 'Mumbai',6500.00);
insert into CUSTOMERTEST values(5,'Hardik', 27, 'Bhopal',8500.00);
insert into CUSTOMERTEST values(6,'Komal', 22, 'MP',4500.00);

select * from CUSTOMERTEST;

INSERT INTO CUSTOMERTEST (cID,cNAME,cAGE,cADDRESS,cSALARY)VALUES (7, 'Kriti', 22,
'HP', 7500.00 );

DELETE FROM CUSTOMERTEST WHERE CID = 7;

/*-----TEST Example-Trigger-----*/

create or replace TRIGGER Mytrigger
BEFORE
    INSERT OR
    DELETE
ON CUSTOMERTEST
BEGIN
    CASE
        WHEN INSERTING THEN
            DBMS_OUTPUT.PUT_LINE('You have prerformed Insertion operation');
        WHEN DELETING THEN
            DBMS_OUTPUT.PUT_LINE('You have prerformed Deletion operation');
    END CASE;
END;

/*-----END-Trigger-----*/

```