Plugin to create accordion in an article.
Placing accordions within accordions on the same page is not supported.

Syntax in editor

- <div> {bfaccordion-start}
  {bfaccordion-slider Slide 1 HTML Title}
  HTML content for slide 1.
  {bfaccordion-slider Slide 2 HTML Title}
  HTML content for slide 2.
  {bfaccordion-end}
  </div>

Notice how the **bfaccordion** controls must be wrapped in a <div> HTML element. Make sure your article text editor does not wrap it with <p> elements!

Active Slider Control

By default no sliders are active.
There are three ways of activating a particular slider when article opened.

1. Place ID number of the slider in the *{bfaccordion-start}* escape.
   To open the first slider: *{bfaccordion-start 0}*
   To open the second slider: *{bfaccordion-start 1}*

2. Using a URL parameter in links to the article page.
   http://mydomain.com?sliderid=sliderhrefhash

   tabhrefhash = as shown when hovering over slider link
                       (from # onwards, excluding the # prefix)

3. Creating menu links to each of the slider links.

   For example:
   1. Create menu item for your article with alias 'myarticle'.
   2. Create submenu item for slider 0 with alias 'sliderrefhash0'.
   3. Create submenu item for slider 1 with alias 'sliderrefhash1'.
   ... etc ...
   NOTE: the # prefix must be omitted - not allowed in menu alias.