

```
<!DOCTYPE html>
<html>
<head>
  <title>ADELoan - Tracking App</title>

  <style>
    body {
      font-family: Verdana, Times New Roman;
      text-align: center;
      margin: 0;
      background: #fffdd0;
      overflow: hidden;
    }

    .screen {
      position: absolute;
      inset: 0;
      padding-top: 100px;
      background: #fff2e1;
      display: none;
      transform: translateY(-100%);
      opacity: 0;
      transition: transform 0.45s ease, opacity 0.45s ease;
      z-index: 1;
    }

    .screen.active { display: block; }

    .screen.show {
      transform: translateY(0);
      opacity: 1;
      z-index: 3;
    }

    .screen.behind {
      transform: scale(0.95);
      opacity: 0.5;
      z-index: 2;
    }

    button {
      padding: 10px 20px;
      color: white;
      font-size: 13.5px;
```

```
    cursor: pointer;
    background: #454ac8;
    margin: 5px;
    border: none;
    border-radius: 4px;
}
```

```
.delete-btn { background: #d9534f; padding: 5px 10px; }
.edit-btn { background: #f0ad4e; padding: 5px 10px; }
```

```
input, select {
    padding: 5px;
    font-size: 16px;
    margin: 5px;
}
```

```
ul {
    list-style: none;
    padding: 0;
    max-width: 450px;
    margin: 20px auto;
}
```

```
li {
    margin: 8px 0;
    padding: 10px;
    background: white;
    border-radius: 5px;
    box-shadow: 0 2px 4px rgba(0,0,0,0.1);
    display: flex;
    justify-content: space-between;
    align-items: center;
    text-align: left;
}
```

```
.done {
    text-decoration: line-through;
    color: white;
}
```

```
#navBar {
    position: fixed;
    top: 10px;
    left: 10px;
```

```

    right: 10px;
    display: flex;
    justify-content: space-between;
    z-index: 1000;
  }
</style>
</head>

<body>

<div id="navBar">
  <button onclick="goBack()" id="backBtn">Back</button>
  <button onclick="goHome()">Home</button>
</div>

<div id="intro" class="screen active show">
  <h2>Welcome, user!</h2>
  <p>Curious?</p>
  <button onclick="navigate('title')">Continue</button>
</div>

<div id="title" class="screen">
  <h1>ADELoan</h1>
  <p>No need to spend any more money on notepads.</p>
  <button onclick="navigate('moneyScreen')">Let's get Started</button>
</div>

<div id="moneyScreen" class="screen">
  <p>How much you got in the bank today?</p>
  <input type="number" id="money" placeholder="Enter amount">
  <br><br>
  <button onclick="submitMoney()">Submit</button>
  <p id="moneyOutput"></p>
</div>

<div id="start" class="screen">
  <p>Enter username?</p>
  <input type="text" id="username" placeholder="Enter your name">
  <br><br>
  <button onclick="submitUsername()">Submit</button>
  <p id="output"></p>
  <button id="menuBtn" onclick="navigate('menuScreen')" style="display:none;">
    Show Menu
  </button>

```

</div>

<div id="menuScreen" class="screen">

<h2>Main Menu</h2>

<p id="welcomeMsg"></p>

<p>You have ₱ pesos right now.</p>

<input type="number" id="addMoneyAmount" placeholder="Add money amount">

<button onclick="addMoney()">Add Money</button>

<button onclick="navigate('featureLoans')">Loans</button>

<button onclick="navigate('featurePurchases')">Purchases</button>

<button onclick="navigate('featureGoals')">Savings Goals</button>

</div>

<div id="featureLoans" class="screen">

<h2>Any recent loans?</h2>

<input id="loanName" placeholder="Loan name">

<input type="number" id="loanAmount" placeholder="Amount">

<input type="date" id="loanDate">

<select id="loanPayer">

<option value="me">I need to pay</option>

<option value="other">Someone owes me</option>

</select>

<button onclick="addLoan()">Add</button>

<ul id="loanList">

</div>

<div id="featurePurchases" class="screen">

<h2>Any recent purchases?</h2>

<input id="purchaseName" placeholder="Item name">

<input type="number" id="purchaseAmount" placeholder="Amount">

<button onclick="addPurchase()">Add</button>

<ul id="purchaseList">

</div>

<div id="featureGoals" class="screen">

<h2>Savings Goals</h2>

<input id="goalName" placeholder="Goal name">

<input type="number" id="goalAmount" placeholder="Target amount">

<input type="date" id="goalDate">

```
<br><br>
<button onclick="addGoal()">Add</button>
<ul id="goalList"></ul>
</div>
```

```
<script>
let userMoney = 0;
let loans = [];
let purchases = [];
let goals = [];
let stack = ["intro"];
```

```
const current = () => stack[stack.length - 1];
```

```
function navigate(to) {
  const from = current();
  if (from === to) return;
  document.getElementById(from).classList.add("behind");
  document.getElementById(from).classList.remove("show");
  const toEl = document.getElementById(to);
  toEl.classList.add("active");
  setTimeout(() => {
    toEl.classList.add("show");
    stack.push(to);
    updateNav();
  }, 40);
}
```

```
function goBack() {
  if (stack.length <= 1) return;
  const cur = stack.pop();
  document.getElementById(cur).className = "screen";
  const prev = current();
  document.getElementById(prev).classList.add("show");
  document.getElementById(prev).classList.remove("behind");
  updateNav();
}
```

```
function goHome() {
  while (stack.length > 1) {
    document.getElementById(stack.pop()).className = "screen";
  }
  document.getElementById("menuScreen").classList.add("active", "show");
  stack = ["menuScreen"];
```

```

    updateNav();
}

function updateNav() {
    document.getElementById("backBtn").disabled = stack.length <= 1;
}

function updateBalance() {
    document.getElementById("balance").textContent = userMoney.toFixed(2);
}

function submitMoney() {
    const val = document.getElementById("money").value;
    if (!val || val < 0) return;
    userMoney = parseFloat(val);
    document.getElementById("moneyOutput").textContent = "Alrigggght! You currently have ₱" +
userMoney.toFixed(2) + ".";
    setTimeout(() => navigate("start"), 900);
}

function submitUsername() {
    const user = document.getElementById("username").value.trim();
    if (!user) return;
    document.getElementById("output").textContent = "OK! Greetings, " + user + "!";
    document.getElementById("menuBtn").style.display = "inline-block";
    document.getElementById("welcomeMsg").textContent = "Hey, " + user + "! What are we doing
today?";
    updateBalance();
}

function addMoney() {
    const amtInput = document.getElementById("addMoneyAmount");
    const amt = +amtInput.value;
    if (!amt) return;
    userMoney += amt;
    amtInput.value = "";
    updateBalance();
}

/* ===== LOAN LOGIC ===== */
function addLoan() {
    const nameInput = document.getElementById("loanName");
    const amtInput = document.getElementById("loanAmount");
    const dateInput = document.getElementById("loanDate");

```

```

const payerInput = document.getElementById("loanPayer");

if (!amtInput.value || !dateInput.value) return;

const loan = {
  name: nameInput.value || "Unnamed loan",
  amount: +amtInput.value,
  date: dateInput.value,
  payer: payerInput.value,
  paid: false,
  applied: true
};

if (loan.payer === "me") userMoney -= loan.amount;
else userMoney += loan.amount;

loans.push(loan);
renderLoans();
updateBalance();

nameInput.value = "";
amtInput.value = "";
}

function toggleLoan(i) {
  const loan = loans[i];
  loan.paid = !loan.paid;
  if (loan.paid && loan.applied) {
    if (loan.payer === "me") userMoney += loan.amount;
    else userMoney -= loan.amount;
    loan.applied = false;
  }
  renderLoans();
  updateBalance();
}

function deleteLoan(i) {
  const loan = loans[i];
  if (loan.applied) {
    if (loan.payer === "me") userMoney += loan.amount;
    else userMoney -= loan.amount;
  }
  loans.splice(i, 1);
  renderLoans();
}

```

```

    updateBalance();
}

function editLoan(i) {
    const loan = loans[i];
    const choice = prompt("Edit 'name' or 'amount'?").toLowerCase();

    if (choice === 'name') {
        const newName = prompt("Enter new Loan Name:", loan.name);
        if (newName) loan.name = newName;
    }
    else if (choice === 'amount') {
        const newAmount = prompt("Enter new Amount:", loan.amount);
        if (newAmount) {
            if (loan.applied) {
                if (loan.payer === "me") userMoney += loan.amount;
                else userMoney -= loan.amount;
            }
            loan.amount = +newAmount;
            if (loan.applied) {
                if (loan.payer === "me") userMoney -= loan.amount;
                else userMoney += loan.amount;
            }
        }
    }
    renderLoans();
    updateBalance();
}

function renderLoans() {
    const list = document.getElementById("loanList");
    list.innerHTML = "";
    loans.forEach((l, i) => {
        list.innerHTML += `<li>
            <div>
                <input type="checkbox" onchange="toggleLoan(${i})" ${l.paid ? "checked" : ""}>
                <span class="${l.paid ? 'done' : ''}">${l.name} - ₪${l.amount}</span>
            </div>
            <div>
                <button class="edit-btn" onclick="editLoan(${i})">✎ </button>
                <button class="delete-btn" onclick="deleteLoan(${i})">X</button>
            </div>
        </li>`;
    });
}

```

```

}

/* ===== PURCHASE LOGIC ===== */
function addPurchase() {
  const nameInput = document.getElementById("purchaseName");
  const amtInput = document.getElementById("purchaseAmount");

  if (!amtInput.value) return;
  const amt = +amtInput.value;
  userMoney -= amt;

  purchases.push({
    name: nameInput.value || "Unnamed item",
    amount: amt
  });

  renderPurchases();
  updateBalance();
  nameInput.value = "";
  amtInput.value = "";
}

function deletePurchase(i) {
  userMoney += purchases[i].amount;
  purchases.splice(i, 1);
  renderPurchases();
  updateBalance();
}

function editPurchase(i) {
  const p = purchases[i];
  const choice = prompt("Edit 'name' or 'price'?").toLowerCase();

  if (choice === 'name') {
    const newName = prompt("New Item Name:", p.name);
    if (newName) p.name = newName;
  }
  else if (choice === 'price') {
    const newPrice = prompt("New Price:", p.amount);
    if (newPrice) {
      userMoney += p.amount;
      p.amount = +newPrice;
      userMoney -= p.amount;
    }
  }
}

```

```

    }
    renderPurchases();
    updateBalance();
  }

```

```

function renderPurchases() {
  const list = document.getElementById("purchaseList");
  list.innerHTML = "";
  purchases.forEach((p, i) => {
    list.innerHTML += `<li>
      <span>${p.name} - ₪${p.amount}</span>
      <div>
        <button class="edit-btn" onclick="editPurchase(${i})">✎ </button>
        <button class="delete-btn" onclick="deletePurchase(${i})">X</button>
      </div>
    </li>`;
  });
}

```

```

/* ===== GOAL LOGIC ===== */

```

```

function addGoal() {
  const nameInput = document.getElementById("goalName");
  const amtInput = document.getElementById("goalAmount");
  const dateInput = document.getElementById("goalDate");

  if (!amtInput.value) return;
  goals.push({
    name: nameInput.value || "Goal",
    amount: +amtInput.value,
    date: dateInput.value,
    done: false
  });
  renderGoals();
  nameInput.value = "";
  amtInput.value = "";
}

```

```

function deleteGoal(i) {
  goals.splice(i, 1);
  renderGoals();
}

```

```

function editGoal(i) {
  const g = goals[i];

```

```

const choice = prompt("Edit 'name' or 'target'?").toLowerCase();

if (choice === 'name') {
  const newName = prompt("New Goal Name:", g.name);
  if (newName) g.name = newName;
}
else if (choice === 'target') {
  const newTarget = prompt("New Target Amount:", g.amount);
  if (newTarget) g.amount = +newTarget;
}
renderGoals();
}

function toggleGoal(i) {
  goals[i].done = !goals[i].done;
  renderGoals();
}

function renderGoals() {
  const list = document.getElementById("goalList");
  list.innerHTML = "";
  goals.forEach((g, i) => {
    list.innerHTML += `<li>
      <div class="${g.done ? 'done' : ''}">
        <input type="checkbox" onchange="toggleGoal(${i})" ${g.done ? "checked" : ""}>
        ${g.name} - ₪${g.amount}
      </div>
      <div>
        <button class="edit-btn" onclick="editGoal(${i})">✎ </button>
        <button class="delete-btn" onclick="deleteGoal(${i})">X </button>
      </div>
    </li>`;
  });
}

function checkLoanDates() {
  const today = new Date().toISOString().split('T')[0];
  loans.forEach((loan, index) => {
    if (!loan.paid && loan.date && loan.date <= today) {
      toggleLoan(index);
    }
  });
}

```

```
setInterval(checkLoanDates, 60000);  
</script>
```

```
</body>  
</html>
```