

TimesMed — Application Flow Documentation

TimesMed Health Care
Generated from project documentation
Date: 20 July 2026 | Doc version 3.0

TimesMed - Mobile Application Flow Documentation

Field	Value
Product	TimesMed Health Care
Platform	Flutter (Android / iOS / desktop targets)
Source of truth	<code>lib/routes/app_pages.dart</code> , <code>lib/routes/app_routes.dart</code> , <code>lib/modules/</code>
Version	3.0
Last updated	20 July 2026
Analysis scope	Full <code>lib/</code> codebase (~208 Dart files)
Companion	<code>BACKEND_REQUIREMENTS_SPECIFICATION.md</code>

This document describes **what the mobile app does today** (screens, routes, data shapes, gaps). Backend engineers should use the BRS for the target API contract.

Table of Contents

1. [Overview](#1-overview)
2. [Architecture](#2-architecture)
3. [App Flavors & Entry Points](#3-app-flavors--entry-points)
4. [High-Level Application Flow](#4-high-level-application-flow)
5. [Splash & Authentication](#5-splash--authentication)
6. [Super App Flow](#6-super-app-flow)
7. [Patient Flow (Complete)](#7-patient-flow-complete)
8. [Doctor Flow (Complete)](#8-doctor-flow-complete)
9. [Pharmacy & Admin Modules](#9-pharmacy--admin-modules)
10. [Shared Features](#10-shared-features)
11. [PDF & Print Behaviour](#11-pdf--print-behaviour)
12. [Payments Summary](#12-payments-summary)
13. [Route Reference](#13-route-reference)
14. [Known Gaps & Implementation Status](#14-known-gaps--implementation-status)
15. [Technical Notes](#15-technical-notes)
16. [Appendix: End-to-End Journeys](#appendix-end-to-end-user-journeys)

1. Overview

TimesMed is a multi-role healthcare mobile application. The Flutter codebase ships as a super-app (role picker) or as patient-only / doctor-only flavors.

Working product surfaces today

Role	Capability
Patient	Login UI, family selection, clinical & video booking UI, medical records, **prescription PDF download** , medicine cart/order UI, lab booking UI, profile, AI chat
Doctor	Login UI, shell (dashboard/calendar/waiting/calls/missed), mock video call, Rx/templates, lab request, clinical notes, hospital & hired-doctor management (local), notifications UI
Pharmacy / Admin	Route constants + pharmacy empty login only - **not product-ready**
Receptionist / clinic admin	**Not present** in code, routes, or flavors

Current data reality

Item	Status
Feature data	Dummy / in-memory + `Future.delayed` mocks
`ApiClient`	Class exists under `lib/core/network/` - **never constructed or called** from any feature
Endpoint stubs	Only `/Login/Login_Check`, `/Login/Logout` (unused legacy paths)
Auth persistence	`SecureStorage` ready; login **never** writes `auth_token` / `user_role`
Razorpay	Client test key; **no** server `order_id`
Base URL	Mains use `https://yourapi.com/api` (placeholder); unused endpoint class has legacy `mtmlinelist.tn.gov.in`

2. Architecture

Layer	Technology	Purpose
UI	Flutter widgets	Screens, layouts
State (partial)	GetX	Login, splash, home, cart, medical records, video filter/list, address, orders, notifications, theme
State (rest)	StatefulWidget	Most doctor screens, many booking pages
Navigation	`go_router`	Shells, push flows
DI	GetX Bindings	Per-route controllers
Storage	`flutter_secure_storage`	Tokens/role; also `doctor_profile`, `doctor_registry`
HTTP	`ApiClient` + Bearer interceptor	Scaffolding only - **zero call sites**
Payments	`razorpay_flutter`	Client checkout wrappers
Notifications	`flutter_local_notifications`	Local tray (no FCM)
PDF (patient)	`pdf` + `path_provider` + `open_filex`	Prescription PDF generate & open
Maps	`google_maps_flutter`	Labs / address UIs

Project structure

```
lib/
+-- main.dart / main_patient.dart / main_doctor.dart
+-- app/app.dart
+-- core/          # config, network, storage, widgets, services
+-- routes/        # app_routes.dart, app_pages.dart
+-- modules/
    +-- splash/  super/  patient/  doctor/  pharmacy/  ai_chat/  auth/
```

No lib/modules/admin/. No main_pharmacy.dart / main_admin.dart.

3. App Flavors & Entry Points

Flavor	Entry	Splash (no token)	Splash (with token + role)
`superApp`	`lib/main.dart`	`/superAdminHome`	role home
`patient`	`lib/main_patient.dart`	`/patientLogin`	`/home`
`doctor`	`lib/main_doctor.dart`	`/doctorLogin`	`/doctor/waiting-list`
`pharmacy`	*(no main)*	`/pharmacyLogin` *(not in GoRouter)*	`/pharmacyHome` *(not registered)*
`admin`	*(no main)*	`/adminLogin` *(not registered)*	`/adminDashboard` *(not registered)*

Bootstrap (wired mains): AppConfig -> DoctorProfileStore.load() -> DoctorRegistry.instance.load() -> LocalNotificationService.init() -> MyApp -> GoRouter initial /splash.

```
flutter build apk --release -t lib/main.dart
flutter build apk --release -t lib/main_patient.dart
flutter build apk --release -t lib/main_doctor.dart
```

4. High-Level Application Flow

[Mermaid diagram — see source Markdown for editable flow]

```
flowchart TD
    A[App Launch] --> B[""/splash ~2s"]
    B --> C{auth_token?}

    C -->|No| D{Flavor}
    D -->|superApp| E[Super Admin Home]
    D -->|patient| F[Patient Login]
    D -->|doctor| G[Doctor Login]
    D -->|pharmacy/admin| H[Unregistered routes]

    C -->|Yes| J{user_role}
    J -->|patient| K[""/home"]
    J -->|doctor| L[""/doctor/waiting-list"]
    J -->|other| E

    F --> O[OTP / Email]
    O --> P[Patient Selection]
    P --> Q[""/patientDashboard"]

    G --> R[OTP / Email]
    R --> S[""/doctor/dashboard"]
```

Auth gate reality

Mechanism	Today
GoRouter `redirect`	Always `null` - **no route guard**
Splash	Only gate (token/role after ~2s)
Login success	Mock delay; **does not** `saveToken` / `saveRole`
Practical result	Fresh installs always take the no-token path

5. Splash & Authentication

5.1 Splash (`/splash`)

splash/view/splash_view.dart + splash/controller/splash_controller.dart

5.2 Patient auth

[Mermaid diagram — see source Markdown for editable flow]

```

flowchart LR
    A[""/patientLogin"] --> B{Method}
    B -->|Mobile 10 digits| C[""/patientOtp - 6 digits"]
    B -->|Email + password| D[Mock validate]
    C --> E[""/patientSelection"]
    D --> E
    E --> F[""/patientSignup"]
    E --> G[""/patientForgotPassword"]
    F --> H[""/addPatient"]
    G --> H
    H --> I[""/patientDashboard"]
  
```

Screen	Route	Notes
Login	`/patientLogin`	Mobile OTP or email/password
OTP	`/patientOtp`	6-digit mock verify
Signup	`/patientSignup`	Form only - no submit API
Forgot password	`/patientForgotPassword`	Phone -> OTP -> new password (local only)
Selection	`/patientSelection`	Family profiles; Continue requires selection
Add patient	`/addPatient`	Dependent form; Register button empty

Signup fields: name, email, DOB, age, gender (Male/Female/Others), phone, password, confirm, marital (Single/Married).

Add patient fields: photo, first/last name, DOB, age, gender, marital, relationship (Son/Daughter/Wife/Brother/Sister/Friend).

Selection model: id, name, relation, gender, age - selected patient is not persisted globally.

5.3 Doctor auth

Screen	Route	Notes
Login	`/doctorLogin`	Mobile OTP or email + **exactly 6-digit** password
OTP	`/OtpPage`	Verify -> `/doctor/dashboard`

Forgot password on doctor login is a no-op. Sign-up link opens patient signup. AI chip -> /aiChat with extra:

'doctor'.

Landing mismatch: Login success -> Dashboard; splash-with-token -> Waiting List.

6. Super App Flow

Route: /superAdminHome - super/view/super_home_view.dart

Card	Target	In GoRouter?
Patient	`/patientLogin`	Yes
Doctor	`/doctorLogin`	Yes
Pharmacy	`/pharmacyLogin`	**No**
Admin	`/adminLogin`	**No**

7. Patient Flow (Complete)

7.1 Shell (bottom nav)

patient_main/view/patient_main_page.dart - ShellRoute

Tab	Route	Screen	User can	
Home	`/home`	Clinical/video CTAs, specialties, upcoming (mock)	Start clinical/video booking	
Appointments	`/appointments`	Previous visits via medical records mock	Open record detail	
Dashboard	`/patientDashboard`	Stat tiles + book bar	Navigate to booking/services	
Services	`/services`	Tabs: Orders \	Lab Track	View orders / track labs
Profile	`/profile`	Profile, logout, shortcuts	Logout clears SecureStorage	

Global AI FAB -> /aiChat (extra: 'patient'). Booking/payment flows are pushed outside the shell.

7.2 Dashboard tiles

Tile	Route
Doctor Appointment	`/clinical-filter`
Online Consultation	`/video-filter`
Health Package	`/services`
Health Records	`/appointments`
Emergency Details	`null` (not wired)
Lab Request	`/patient-lab-nearby-lab` *(missing required `List<LabTest>` extra)*
Pharma Orders	`/order`
Home Care / Wallet	`null` (not wired)
Book New Appointment	`/clinical-filter`

Date range UI exists but does not filter counts (always mock 0).

7.3 Clinical visit booking

[Mermaid diagram — see source Markdown for editable flow]

```

flowchart TD
    A[Home / Dashboard / Speciality] --> B["/clinical-filter"]
    B --> C["/clinical-doctor-list"]
    C --> D["/clinical-doctor-details"]
    D --> E["/clinical-schedule"]
    C --> E
    E --> F["/clinical-payment INR 500"]
    F --> G["/clinical-confirmation"]
    G --> H["/home"]
  
```

Step	Route	UI contract
Filter	<code>/clinical-filter</code>	city, location, hospital, speciality
List	<code>/clinical-doctor-list</code>	name, degree, speciality, experience, fee, image
Details	<code>/clinical-doctor-details</code>	tabs; Photos/Videos Coming Soon
Schedule	<code>/clinical-schedule</code>	morning/afternoon/evening/night slots; fee shown INR 550
Payment	<code>/clinical-payment</code>	Razorpay **INR 500** (paise); test key
Confirm	<code>/clinical-confirmation</code>	hard-coded confirmation card -> Home

Alt path: Home speciality -> /speciality-doctors -> details/schedule.

Dir: lib/modules/patient/patient_appointment/clinical_visit/

7.4 Video consultation

[Mermaid diagram — see source Markdown for editable flow]

```

flowchart TD
    A["/video-filter"] -->|Instant + doctor| W[WaitingDialog 120s]
    W --> P["/video-payment"]
    A -->|Instant filters| L["/video-doctor-list"]
    L --> P
    A -->|Schedule| S["/video-schedule"]
    S --> P
    P --> Q["/video-queue"]
    Q --> C["/video-call mock"]
    C --> R["/rating"]
    R --> H["/home"]
  
```

Step	Notes
Filter	Doctor OR speciality / symptoms / language / free query
Waiting	Dialog only - **not** route <code>/video-waiting</code>
Payment	Razorpay **INR 500**
Queue	Countdown from 14:59; upload pdf/jpg/png locally
Call	Static images + mute/camera toggles - **no WebRTC**
Rating	1-5 stars + feedback; requires rating > 0

Unused route constants: /video-instant, /video-waiting, /video-confirmation.

7.5 Medical records -> prescription PDF -> medicine order

[Mermaid diagram — see source Markdown for editable flow]

flowchart TD

```
A["/appointments or /medical-records"] --> B["/medical-records-detail"]
B -->|Download Rx PDF| PDF[MedicalPdfHelper]
B --> C["/medicine-cart"]
C --> D["/address-selection"]
D --> E["/payment"]
E --> F["/order-success"]
F --> G["/order-tracking"]
G --> H["/order-status / /order-details"]
```

MedicalRecordModel: id, patientId, patientName, doctorId, doctorName, speciality, visitId, date, time, status, diagnosis, notes, prescriptions[], labTests[].

PrescriptionItem: medicineId, medicineName, frequency, days, instructions, quantity, price.

LabTest (on record): category, testName, instructions.

AddressModel: name, phone, email, country, state, landmark, address, pincode.

Prescription payment (mock): subtotal INR 500 + delivery INR 40 + GST 18% ≈ INR 630 (ignores live cart total).

PDF (wired): From record detail, patient can generate and open a prescription PDF via MedicalPdfHelper.generatePrescriptionPdf + saveAndOpenPdf. Lab report PDF helper exists but UI call is commented out.

7.6 Lab tests

Visit lab

/patient-lab-test-details -> /patient-lab-nearby-lab -> /patient-lab-slot-selection -> /patient-lab-test-checkout -> success -> /home

- Nearby lab: name, distance, rating, time, address, tests, price (INR 590-810)
- Charge: `price x number\_of\_tests`

Home collection

details -> /patient-home-collection-slot -> /patient-home-collection-address -> checkout -> success -> /home

- Fees (mock): test **INR 799 x n** + collection **INR 99** + platform **INR 29**
- Address: name, mobile, address, landmark, pincode, addressType

Tracking: Services -> Lab Track / /patient-lab-tracking (status steps mock).

Entry gap: Dashboard Lab Request opens nearby labs without required List<LabTest> extra. Intended entry is record detail -> lab list -> test details.

7.7 Profile & services

- Profile logout -> `AuthController.logout` (clears storage + flavor login)
- Edit Profile currently opens Add Patient (miswired shortcut)
- Change Password opens forgot-password flow
- Services embeds Orders + Lab Track pages

7.8 Patient data models (client)

Model	Key fields	Location
`PatientSelectionModel`	id, name, relation, gender, age	`patient_select/model/`
`MedicalRecordModel`	see §7.5	`medical_module/records/model/`
`AddressModel`	name, phone, email, country, state, landmark, address, pincode	`address/model/`

`CartItem`	medicineId, name, brand, dosage, imageUrl, price, quantity	`cart/model`
------------	--	--------------

8. Doctor Flow (Complete)

8.1 Shell

doctor_shell/doctor_shell.dart + CalendarBottomNav - StatefulShellRoute.indexedStack

Index	Tab	Route	User can
0	Dashboard	`/doctor/dashboard`	View mock count cards + date range
1	Calendar	`/doctor/calendar`	Day appointments; bell -> notifications
2	Waiting	`/doctor/waiting-list`	Online/in-person queues; start video; add patient
3	Calls	`/doctor/call-logs`	Filter logs; task chips (Rx / Lab / Notes)
4	Missed	`/doctor/missed-calls`	Reschedule missed appointments

Orphan 6th shell branch: /patientListScreen -> patient list (not in bottom nav).

8.2 Menu (`DoctorBadge`)

Action	Route
Basic Details	`/basicDetails`
Doctors	`/doctorList`
Hospital List	`/hospitalList`
Profile	`/doctorProfile`
Notifications	`/doctor/notifications`
Logout	`/doctorLogin` (menu path often does not clear SecureStorage)

8.3 Tab data shapes (UI contract)

Tab	Entity fields (from dummy models)	
Dashboard	Counts: scheduled, waiting, checkout, cancel, online, OT, follow-up, missed, for confirmation (all mock 0) + date range	
Calendar	name, time, type (`instant`)	`schedule`), badgeLabel, date, gender
Waiting	appointmentId, type, name, phone, paymentStatus, waitingStatus, date, time - online & in-person lists	
Call logs	patientName, phone, fee, type, status, dateTime, progressNote, tasks (PRESCRIPTION / LAB TEST / CLINICAL NOTES)	
Missed	name, date, time, paymentStatus -> reschedule	

8.4 Consultation flow

[Mermaid diagram — see source Markdown for editable flow]

```

flowchart TD
    A[Waiting / Notifications] --> B[""/videoPage"]
    B --> C[Lab / Rx / History / Notes / Records]
    B --> D[End call]
    D --> E[""/ConsultationSummaryScreen"]
    E --> F[Free Review / Paid Re-visit / Complete]
  
```

Screen	Route	File
Video call (mock)	<code>"/videoPage</code>	<code>call_page/call_page.dart</code> - static UI, no WebRTC
End / outcome	<code>"/ConsultationSummaryScreen</code>	<code>end_call_screen.dart</code>
Lab request	<code>"/labTest</code>	<code>lap_test/Lab_test.dart</code>
Prescription	<code>"/prescription</code>	<code>doctor_prescription/prescription_screen.dart</code>
Clinical notes	<code>"/notes</code>	<code>clinical_notes/clinical notes_screen.dart</code>
Medical records	<code>"/medicalRecords</code>	<code>medical_records/medical_records.dart</code>
History list	<code>"/medicalRecordHistory</code>	<code>medical_history/medical_history.dart</code>
History detail	<code>"/medicalRecordHistoryDetails</code>	<code>medical_history/medical_history_records.dart</code>

Outcome tabs: FREE REVIEW | PAID RE-VISIT | COMPLETE CONSULTATION (slot pickers) - complete pops to root; no API payload.

8.5 Prescription & templates

Screen	Route / nav	Actions
Prescription editor	<code>"/prescription</code>	Add drugs; letterhead from <code>DoctorProfileStore</code> ; load templates; Send = debugPrint + delay
Template list	<code>"/TemplateListScreen</code>	Browse mock templates; return drugs
Template editor	Navigator push	Create/edit template (<code>template_editor.dart</code>)
Template detail	Dialog	View/edit drugs in template

Drug line (TemplateDrug): name, frequency, days, qty, foodRelation (+ notes on Rx line).

Letterhead from store: name, qualification, specialisation, clinic, regNo, city, signature strokes.

Doctor "Send" does not generate a PDF on device. Print on appointment list is snackbar only.

8.6 Clinical notes & lab request

Clinical note: height, weight, pulse, temperature, diseaseComplaints, allergies, symptoms, diagnosis, causes, investigation.

Lab request (LabTestRecord): id, department, tests[], urgent/routine, notes, status (pending|inProgress|completed).

8.7 Org setup (local persistence)

Screen	Route	Persistence	Fields / actions
--------	-------	-------------	------------------

Basic details + signature	`/basicDetails`	`DoctorProfileStore` (`doctor_profile`)	`DoctorFormData` + `DoctorSignatureData`
Doctor list	`/doctorList`	`DoctorRegistry` (`doctor_registry`)	Edit main; add/edit/delete hired doctors
Assignment picker	Dialog	Same registry	Multi-select hospitals <-> doctors (`assignment_picker.dart`)
Hospital / clinic	`/hospitalList`	In-memory	Clinic/Hospital, Own/Partner, visit + online schedules, fees
Profile	`/doctorProfile`	Avatar by gender; edit -> basic details; logout -> login	

HiredDoctor: id, isMain, form (DoctorFormData), hospitalIds.

DoctorFormData: firstName, lastName, dateOfBirth, gender, mobile, email, experience, qualification, specialisations, category, languages, address.

8.8 Appointments / scheduling

Screen	Route	Actions
Schedule list	`/scheduleAppointment`, `appointmentList`	Lists by title `extra`; Print -> snackbar
Reschedule	`/rescheduleAppointment`	Pick slot for missed
Request list	`/requestScreen`	Instant/Video/Follow-up style cards

8.9 Notifications lifecycle (mock)

incoming -> Accept -> waitingPayment -> payment cleared -> readyForCall -> video.

Reject / complete video supported in controller. Calendar bell can simulate a notification. Local tray only (no FCM).

AppNotification: id, patient fields, appointmentId, phone, consultType, date/time labels, status enum.

8.10 Patient registration (doctor side)

Screen	Route	Actions
Patient list	`/patientListScreen`	Mock list -> add
Registration	`/addPatientScreen`	Form save = snackbar

Form: registrationNumber, first/last name, age, gender, phone, whatsapp, email, password (min 6), target INR from/to.

9. Pharmacy & Admin Modules

Module	Code	GoRouter
Pharmacy	Empty `PharmacyLoginPage` Scaffold	Paths **not registered**
Admin	No module	Paths **not registered**
Receptionist	None	None

10. Shared Features

AI Chat (`/aiChat`)

Keyword mock bot; Instant/Schedule style bubbles; quick cards are snackbars. Accepts userType but doctor mode still shows patient-oriented prompts.

Secure storage keys

auth_token, refresh_token, user_role (+ doctor_profile, doctor_registry for doctor local stores).

Local notifications

Channel doctor_notifications; tap -> /doctor/notifications.

11. PDF & Print Behaviour

Actor	Feature	Implementation today
Patient	Prescription PDF	**Wired** - `MedicalPdfHelper` generates A4 PDF (patient, visit, medicines table, notes, doctor name) and opens via `open_filex` from record detail
Patient	Lab report PDF	Helper method exists; UI button **commented out**
Doctor	Appointment list Print	Snackbar `"Printing..."` only - no PDF bytes
Doctor	History detail print icon	Visual only / styling - no full PDF pipeline
Doctor	Prescription Send	Mock delay + debugPrint - no PDF

Backend should still provide server-side PDF URLs for prescriptions and lab reports so both apps can share canonical documents (see BRS).

12. Payments Summary

Flow	Amount (UI mock)	Razorpay
Clinical visit	INR 500 (schedule shows INR 550)	test key; no `order_id`
Video consult	INR 500	same
Medicine order	~INR 630 (500+40+18% GST)	same
Visit lab	`lab.price x tests`	same
Home collection	`799n + 99 + 29`	same

Key hard-coded: rzp_test_UQu4zdljD2dohm. No signature verification. No webhook handling in app.

Payment service files (same pattern): clinical, video, prescription, visit-lab, home-collection under respective payment/ folders.

13. Route Reference

Patient (registered)

Auth: login, otp, signup, forgot, selection, addPatient

Shell: /home, /appointments, /patientDashboard, /services, /profile

Clinical: filter -> list -> details -> schedule -> payment -> confirmation

Video: filter -> list/schedule -> payment -> queue -> call -> rating

Medical: records -> detail -> cart -> address -> payment -> success -> tracking -> status/details

Lab: details, nearby, slot, checkout, success; home slot/address/checkout/success; tracking

Other: speciality-doctors, order, aiChat

Doctor (registered)

Auth: doctorLogin, OtpPage

Shell: dashboard, calendar, waiting-list, call-logs, missed-calls, patientListScreen

Consult: videoPage, ConsultationSummaryScreen, prescription, labTest, notes, medical history/records

Ops: schedule/reschedule, requestScreen, notifications, appointmentList

Setup: basicDetails, hospitalList, doctorList, doctorProfile, addPatientScreen, TemplateListScreen

Defined but not registered

pharmacyLogin/Home, adminLogin/Home/Profile/Dashboard, videoInstant/Waiting/Confirmation

Quirks

- `patientDashboard` registered in shell ****and**** top-level
- `clinicalSchedule` path registered twice (same path string)
- Doctor shell 6 branches vs 5 tabs

14. Known Gaps & Implementation Status

Area	Status
Patient/Doctor UI journeys	Complete mock UI
API wiring	`ApiClient` never constructed; stub endpoints only
Auth persistence	Storage ready; login never saves tokens
Selected patient context	Not global
Signup / add patient / forgot	Non-functional / local only
Booking context across pay/confirm	Lost - hard-coded confirmation
Fee consistency	Schedule INR 550 vs pay INR 500
Video real-time	Mock only
Lab dashboard entry	Missing `extra`
Patient Rx PDF	Wired locally; no server PDF URL
Doctor print	Snackbar / UI only
Pharmacy / Admin	Not implemented
Receptionist role	Not present
FCM / WebSocket	Not present
i18n	English only
Dark mode	Doctor module only

15. Technical Notes

Navigation: go for shells/login landings; push for multi-step; StatefulShellRoute for doctor tab stacks.

Source-of-truth files

1. `lib/routes/app\_routes.dart`
2. `lib/routes/app\_pages.dart`
3. `lib/modules/splash/controller/splash\_controller.dart`
4. `lib/modules/patient/patient\_main/view/patient\_main\_page.dart`
5. `lib/modules/doctor/doctor\_shell/doctor\_shell.dart`
6. `lib/modules/patient/medical\_module/records\_details/utils/medical\_pdf\_helper.dart`
7. `lib/modules/doctor/doctor\_management/doctor\_registry.dart`
8. `lib/core/network/api\_client.dart` (unused scaffolding)

Appendix: End-to-End User Journeys

J1 - Patient video consult

Splash -> (Super) Patient Login -> OTP -> Selection -> Dashboard
-> Video Filter (Instant) -> List / Waiting dialog -> Pay INR 500
-> Queue -> Mock Call -> Rating -> Home

J2 - Medicine order from Rx (+ PDF)

Appointments -> Record Detail -> [optional Download Prescription PDF]
-> Cart -> Address -> Pay ~INR 630 -> Success -> Track -> Status/Details

J3 - Doctor consult

Doctor Login -> Dashboard -> Waiting -> Video
-> Rx / Lab / Notes as needed -> End -> Outcome tabs -> Root

J4 - Lab home collection (intended)

Record Detail -> Lab Tests -> Home Collection Slot -> Address
-> Checkout -> Success -> Services -> Lab Track

J5 - Clinical booking

Home -> Clinical Filter -> Doctors -> Details -> Schedule -> Pay -> Confirm -> Home

J6 - Doctor org setup

Menu -> Basic Details (+ signature) -> Doctor List (hire/assign hospitals)
-> Hospital List (visit + online schedules/fees)

J7 - Instant consult notification (intended)

Patient requests Instant -> Doctor notification Accept
-> Wait payment -> Ready -> Video -> Outcome

Backend contract: BACKEND_REQUIREMENTS_SPECIFICATION.md

Engineering notes: CODE_ANALYSIS.md