

TimesMed — Backend Requirement Specification (BRS)

TimesMed Health Care
Generated from project documentation
Date: 20 July 2026 | Doc version 3.0

TimesMed - Backend Requirement Specification (BRS)

Field	Value
Product	TimesMed Health Care
Client	Flutter (Android / iOS / desktop)
Document	Backend Requirement Specification
Version	3.0
Date	20 July 2026
Audience	Backend engineers, DBAs, QA, Product
Source	Full Flutter codebase analysis (`lib/` ~208 files)
Companion	[`APP_FLOW.md`](APP_FLOW.md)

Purpose: Define APIs, entities, validations, RBAC, payments, notifications, and audit so the backend can be built from this document alone.

Mobile today: UI flows are mock (`Future.delayed`, dummy lists). `ApiClient` + Bearer interceptor exist under `lib/core/network/` but are **never constructed** (zero call sites). Only stub path constants: `/Login/Login\_Check`, `/Login/Logout` (unused). Tokens are never written on login. Razorpay uses client test key without server `order\_id`. Patient can generate a **local** prescription PDF; doctor print is snackbar-only. This BRS is the **target** contract the app must integrate to.

Table of Contents

- [System Overview](#1-system-overview)
- [Roles & Client Flavors](#2-roles--client-flavors)
- [Application Flows (Backend View)](#3-application-flows-backend-view)
- [Global API Conventions](#4-global-api-conventions)
- [Authentication](#5-authentication)
- [Patient Family Profiles](#6-patient-family-profiles)
- [Masters & Discovery](#7-masters--discovery)
- [Doctor Profile & Organization](#8-doctor-profile--organization)
- [Facilities (Hospital / Clinic)](#9-facilities-hospital--clinic)
- [Appointments - Clinical](#10-appointments--clinical)
- [Appointments - Video & Queue](#11-appointments--video--queue)
- [Doctor Operations](#12-doctor-operations)
- [Prescriptions & Templates](#13-prescriptions--templates)
- [Clinical Notes & Vitals](#14-clinical-notes--vitals)
- [Medical Records](#15-medical-records)
- [Pharmacy / Medicine Orders](#16-pharmacy--medicine-orders)

17. [Lab Bookings](#17-lab-bookings)
18. [Payments (Razorpay)](#18-payments-razorpay)
19. [Notifications](#19-notifications)
20. [Ratings](#20-ratings)
21. [Dashboards](#21-dashboards)
22. [AI Chat](#22-ai-chat)
23. [File Uploads & PDF Generation](#23-file-uploads--pdf-generation)
24. [Pharmacy & Admin (Future)](#24-pharmacy--admin-future)
25. [Database Entities](#25-database-entities)
26. [RBAC Matrix](#26-rbac-matrix)
27. [Validations Summary](#27-validations-summary)
28. [Implementation Priority Checklist](#28-implementation-priority-checklist)
29. [Screen Field Catalog](#29-screen-field-catalog)

1. System Overview

TimesMed connects patients and doctors (pharmacy/admin planned) for:

- Clinical (in-clinic) and video consultations
- Prescriptions, medicine delivery orders, lab bookings
- Doctor queue, call outcomes, clinical documentation
- Org setup: facilities, hired doctors, schedules, letterhead/signature
- Canonical **server-generated PDFs** for prescriptions and lab reports

Client technical constraints

Item	Requirement
Style	REST + JSON
Auth header	`Authorization: Bearer <access_token>`
Content-Type	`application/json` (multipart for files)
Timeout	30 seconds (matches `ApiClient`)
Base URL	Per flavor / env (`AppConfig.baseUrl`) - replace placeholder `https://yourapi.com/api`
Payments	Razorpay - amounts in paaise ; server-created `order_id` required
Maps	Return lat/lng for labs / tracking
Video	Provide session tokens for WebRTC/SDK (not in app yet)
Push	FCM (app currently has local notifications only)
PDF	Prefer server PDF URL; patient app already has local `MedicalPdfHelper` as fallback

What mobile already expects after login

Secure storage key	Meaning			
`auth_token`	Access JWT			
`refresh_token`	Refresh JWT			
`user_role`	`patient` \	`doctor` \	`pharmacy` \	`admin`

Also used locally today (must move to API): doctor_profile, doctor_registry.

2. Roles & Client Flavors

Role	Flavor entry	Intended home after auth
`patient`	`main_patient` / Super	Family selection -> patient shell
`doctor`	`main_doctor` / Super	Doctor shell (dashboard or waiting list)
`pharmacy`	Future	Pharmacy home
`admin`	Future	Admin dashboard

Not in product: receptionist / clinic-admin roles - do not invent APIs for them unless product adds them.

Active patient context (required): After family selection, client must hold `selected_patient_id` (not implemented today). All clinical/booking APIs must accept or infer this patient profile id.

3. Application Flows (Backend View)

3.1 Cold start

```
App launch -> Splash
-> no token -> flavor login / super picker
-> token -> GET /me (optional) -> role home
```

3.2 Patient happy paths

```
Login -> Select family patient -> Home/Dashboard
+ Clinical: Filter -> Doctors -> Details -> Slots -> Pay -> Confirm
+ Video Instant: Request -> Doctor Accept -> Pay -> Queue -> Call -> Rate
+ Video Schedule: Slots -> Pay -> Queue/Call -> Rate
+ Records -> [Download Rx PDF] -> Cart -> Address -> Pay -> Track order
+ Lab Visit | Home Collection -> Pay -> Track
```

3.3 Doctor happy paths

```
Login -> Shell
+ Notifications: Accept/Reject -> wait payment -> Start call
+ Waiting -> Video -> Rx / Lab / Notes / History -> End -> Outcome
+ Missed -> Reschedule
+ Menu: Profile, Hired doctors (+ hospital assignment), Facilities, Signature
```

3.4 Instant video sequence

[Mermaid diagram — see source Markdown for editable flow]

```
sequenceDiagram
    participant P as Patient
    participant API as Backend
    participant D as Doctor
    P->>API: POST video request (instant)
    API-->>D: Push notification
    D->>API: Accept
    API-->>P: Proceed to payment
    P->>API: Razorpay verify
    API-->>D: ready_for_call
    D->>API: Start session (video token)
    D->>API: End + outcome
    P->>API: Rating
```

4. Global API Conventions

Base path

Prefer: /api/v1/...

Envelope

```
{
  "success": true,
  "message": "optional",
  "data": {},
  "errors": null
}
```

Errors

HTTP	Meaning
400	Validation
401	Missing/invalid token
403	Role / ownership forbidden
404	Not found
409	Conflict (slot taken, duplicate)
429	Rate limit (OTP)
500	Server error

Pagination

?page=1&page_size=20 -> { items, page, page_size, total }

IDs

Opaque string IDs (usr_..., pat_..., doc_..., apt_...). Snake_case JSON keys (client medical models already use patient_id, lab_tests, etc.).

Idempotency

Payment verify and booking create should accept Idempotency-Key header.

5. Authentication

5.1 Rules from UI

Rule	Patient	Doctor
Mobile	Exactly 10 digits	Exactly 10 digits
OTP	Exactly 6 digits	Exactly 6 digits
Email password	Non-empty (signup min 6 recommended)	Exactly **6 digits**
Post-login	Family selection	Doctor dashboard

Recommended server policies: OTP TTL 5 min, max 3 verify attempts, resend cooldown 30-60s.

5.2 Tables

users, otp_challenges, refresh_tokens, login_audit

5.3 APIs

POST `/api/v1/auth/otp/send` - Public

```
{ "mobile": "9876543210", "role": "patient", "purpose": "login" }
```

Success: { otp_expires_in_seconds, resend_after_seconds, masked_mobile }

POST `/api/v1/auth/otp/verify` - Public

```
{ "mobile": "9876543210", "otp": "123456", "role": "patient" }
```

Success:

```
{
  "access_token": "<jwt>",
  "refresh_token": "<jwt>",
  "expires_in": 3600,
  "user": {
    "id": "usr_01",
    "role": "patient",
    "mobile": "9876543210",
    "email": null,
    "is_profile_complete": true
  }
}
```

POST `/api/v1/auth/login/email` - Public

```
{ "email": "doctor@timesmed.com", "password": "123456", "role": "doctor" }
```

Same token envelope.

POST `/api/v1/auth/register` - Public (patient)

Fields from signup UI: name, email, dob, age, gender (Male|Female|Others), phone, password, confirm_password, marital_status (Single|Married).

Creates user + default Self patient_profile.

POST `/api/v1/auth/password/forgot` - Public

{ "email_or_mobile", "role" } -> OTP / reset path

POST `/api/v1/auth/password/verify-otp` - Public

POST `/api/v1/auth/password/reset` - Public

{ "reset_token", "new_password", "confirm_password" }

POST `/api/v1/auth/refresh` - Public (refresh token)

POST `/api/v1/auth/logout` - Auth

Invalidate refresh token.

GET `/api/v1/me` - Auth

Current user + role-specific summary.

****Replace**** legacy stub paths `/Login/Login\_Check` and `/Login/Logout` - do not implement those as the production contract.

6. Patient Family Profiles

Entity `patient\_profiles`

Field	Type	Notes
id	string	
account_user_id	string	Login account
name	string	
relation	string	Self, Son, Daughter, Wife, Brother, Sister, Friend, Mother, Father...
gender	enum	Male, Female, Others
age	int	Or derive from dob
dob	date	
marital_status	enum	Single, Married
photo_url	string?	
phone	string?	Dependents may inherit

Matches client PatientSelectionModel: id, name, relation, gender, age.

APIs

Method	Path	Purpose
GET	`/api/v1/patients`	List family profiles for account
POST	`/api/v1/patients`	Create dependent (add-patient fields)
GET	`/api/v1/patients/{id}`	Detail
PUT/PATCH	`/api/v1/patients/{id}`	Update
DELETE	`/api/v1/patients/{id}`	Soft-delete (if allowed)

7. Masters & Discovery

Method	Path	Purpose
GET	`/api/v1/masters/cities`	Cities for clinical filter
GET	`/api/v1/masters/areas?city=`	Locations / areas
GET	`/api/v1/masters/hospitals?city=&area=`	Hospital list
GET	`/api/v1/masters/specialities`	Specialities
GET	`/api/v1/masters/languages`	Languages for video filter
GET	`/api/v1/masters/symptoms`	Symptoms
GET	`/api/v1/masters/drugs?q=`	Drug search for Rx
GET	`/api/v1/masters/lab-departments`	Lab departments + tests

Public doctor discovery:

Method	Path	Purpose
GET	`/api/v1/doctors`	Search: city, hospital, speciality, language, query

GET	`/api/v1/doctors/{id}`	Detail (degree, experience, fee, image, media)
GET	`/api/v1/doctors/{id}/slots`	Available slots by date / session / mode

8. Doctor Profile & Organization

Aligned with client DoctorFormData, DoctorSignatureData, HiredDoctor, DoctorRegistry.

8.1 Doctor me

Method	Path	Purpose
GET	`/api/v1/doctor/me`	Profile + letterhead fields
PUT	`/api/v1/doctor/me`	Update basic details
PUT	`/api/v1/doctor/me/signature`	Signature strokes + printed name/qualification
PUT	`/api/v1/doctor/me/avatar`	Avatar upload

DoctorFormData fields: first_name, last_name, dob, gender, mobile, email, experience, qualification, specialisations[], category, languages[], address.

Signature: strokes (point arrays), doctor_name, qualification, specialisation, clinic, reg_no, city.

8.2 Org doctors (hired)

Matches HiredDoctor: id, is_main, form fields, hospital_ids[].

Method	Path	Purpose
GET	`/api/v1/doctor/org/doctors`	Main + hired doctors
POST	`/api/v1/doctor/org/doctors`	Add hired doctor
PUT	`/api/v1/doctor/org/doctors/{id}`	Update
DELETE	`/api/v1/doctor/org/doctors/{id}`	Remove (not main)
PUT	`/api/v1/doctor/org/doctors/{id}/assignments`	Set facility ids (many-to-many)

9. Facilities (Hospital / Clinic)

Matches hospital list UI: Clinic/Hospital, Own/Partner, visit schedule, online schedule, text/video fees.

Method	Path	Purpose
GET	`/api/v1/doctor/facilities`	List org facilities
POST	`/api/v1/doctor/facilities`	Create
PUT	`/api/v1/doctor/facilities/{id}`	Update
DELETE	`/api/v1/doctor/facilities/{id}`	Delete
PUT	`/api/v1/doctor/facilities/{id}/visit-schedule`	Visit slots
PUT	`/api/v1/doctor/facilities/{id}/online-schedule`	Online slots
PUT	`/api/v1/doctor/facilities/{id}/pricing`	Fees

Facility fields: name, phone, type (clinic|hospital), category (own|partner), address, lat/lng optional.

10. Appointments - Clinical

Method	Path	Purpose
POST	`/api/v1/appointments/clinical`	Book after payment verify (or create pending + pay)
GET	`/api/v1/appointments/{id}`	Detail
GET	`/api/v1/appointments`	Patient list (filters)

Create body (from UI): patient_id, doctor_id, facility_id?, date, session, slot_time, fee_paise, payment_id.

Fee rule: Server is source of truth. Client currently shows schedule INR 550 but charges INR 500 - API must return one payable_amount_paise.

11. Appointments - Video & Queue

Method	Path	Purpose
POST	`/api/v1/appointments/video/instant`	Instant request
POST	`/api/v1/consult-requests/{id}/accept`	Doctor accept
POST	`/api/v1/consult-requests/{id}/reject`	Doctor reject
POST	`/api/v1/appointments/video/scheduled`	Scheduled video book
GET	`/api/v1/appointments/{id}/queue`	Queue position / countdown
POST	`/api/v1/appointments/{id}/documents`	Upload pdf/jpg/png for queue
POST	`/api/v1/video/sessions`	Create session tokens (WebRTC/SDK)
POST	`/api/v1/consultations/{id}/end`	End + outcome

Outcome payload (from end-call UI): type = free_review | paid_revisit | complete; optional follow-up slots.

Instant status machine (matches doctor notifications): incoming -> waiting_payment -> ready_for_call -> in_call -> completed / rejected.

12. Doctor Operations

Method	Path	Purpose
GET	`/api/v1/doctor/waiting-list`	Online + in-person queues
GET	`/api/v1/doctor/calendar?date=`	Day appointments
GET	`/api/v1/doctor/call-logs`	Past calls + tasks
GET	`/api/v1/doctor/missed-calls`	Missed list
POST	`/api/v1/appointments/{id}/reschedule`	New slot
GET	`/api/v1/doctor/appointments`	Schedule lists by filter/title
GET	`/api/v1/doctor/patients`	Doctor-registered patients
POST	`/api/v1/doctor/patients`	Register patient
GET	`/api/v1/doctor/consult-requests`	Instant/video/follow-up requests
GET	`/api/v1/doctor/dashboard/stats?from=&to=`	Count cards

WaitingPatient shape: appointment_id, type, name, phone, payment_status, waiting_status, date, time.

CallLog shape: patient_name, phone, fee, type, status, datetime, progress_note, tasks[].

Doctor patient register fields: registration_number, first_name, last_name, age, gender, phone, whatsapp, email, password, target_inr_from, target_inr_to.

13. Prescriptions & Templates

Method	Path	Purpose
POST	`/api/v1/doctor/prescriptions`	Create Rx for appointment
GET	`/api/v1/doctor/prescriptions/{id}`	Detail
GET	`/api/v1/doctor/prescriptions/{id}/pdf`	Server PDF (canonical)
GET	`/api/v1/doctor/prescription-templates`	List
POST	`/api/v1/doctor/prescription-templates`	Create
PUT	`/api/v1/doctor/prescription-templates/{id}`	Update
DELETE	`/api/v1/doctor/prescription-templates/{id}`	Delete

Rx line: drug_name, frequency, days, qty, food_relation, notes/instructions.

Template: id, name, description, date, items[].

Include letterhead data (doctor name, qualification, specialisation, clinic, reg_no, city, signature image URL) on PDF.

14. Clinical Notes & Vitals

Method	Path	Purpose
GET	`/api/v1/doctor/appointments/{id}/clinical-notes`	List
POST	`/api/v1/doctor/appointments/{id}/clinical-notes`	Create
PUT	`/api/v1/doctor/clinical-notes/{id}`	Update
GET	`/api/v1/doctor/lab/catalog`	Departments + tests
POST	`/api/v1/doctor/lab/requests`	Create lab request
GET	`/api/v1/doctor/lab/requests`	List / filter
PUT	`/api/v1/doctor/lab/requests/{id}`	Update status

ClinicalNote: height, weight, pulse, temperature, disease_complaints, allergies, symptoms, diagnosis, causes, investigation.

LabTestRecord: department, tests[], urgent (bool), notes, status (pending|in_progress|completed).

15. Medical Records

Must match client MedicalRecordModel JSON keys.

Method	Path	Purpose
GET	`/api/v1/medical-records`	Patient list (or doctor treated)
GET	`/api/v1/medical-records/{id}`	Detail

GET	`/api/v1/medical-records/{id}/prescription-pdf`	PDF bytes/URL
GET	`/api/v1/medical-records/{id}/lab-report-pdf`	PDF bytes/URL

Record fields: id, patient_id, patient_name, doctor_id, doctor_name, speciality, visit_id, date, time, status, diagnosis, notes, prescriptions[], lab_tests[].

PrescriptionItem: medicine_id, medicine_name, frequency, days, instructions, quantity, price.

LabTest: category, test_name, instructions.

16. Pharmacy / Medicine Orders

Method	Path	Purpose
GET	`/api/v1/addresses`	List
POST	`/api/v1/addresses`	Create
PUT	`/api/v1/addresses/{id}`	Update
DELETE	`/api/v1/addresses/{id}`	Delete
POST	`/api/v1/orders/medicine`	Create from record/cart
GET	`/api/v1/orders/medicine`	List
GET	`/api/v1/orders/medicine/{id}`	Detail
GET	`/api/v1/orders/medicine/{id}/tracking`	Steps + map

AddressModel: name, phone, email, country, state, landmark, address, pincode.

Pricing: server computes subtotal + delivery + tax (client mock ≈ INR 630). Do not trust client totals.

17. Lab Bookings

Method	Path	Purpose
GET	`/api/v1/labs/nearby`	Nearby labs for selected tests
GET	`/api/v1/labs/{id}/slots`	Visit slots
POST	`/api/v1/lab-bookings/visit`	Visit lab booking
POST	`/api/v1/lab-bookings/home-collection`	Home collection
GET	`/api/v1/lab-bookings/{id}`	Detail
GET	`/api/v1/lab-bookings/{id}/tracking`	Status steps

Visit pricing: lab.price x number_of_tests (server).

Home collection mock reference: test INR 799xn + collection 99 + platform 29 - replace with real tariff tables.

Home address fields: name, mobile, address, landmark, pincode, address_type.

18. Payments (Razorpay)

Method	Path	Purpose
POST	`/api/v1/payments/razorpay/order`	Create order - returns `order_id`, amount_paise, currency, key_id
POST	`/api/v1/payments/razorpay/verify`	Verify signature + mark paid

POST	`/api/v1/payments/razorpay/webhook`	Razorpay webhooks
------	-------------------------------------	-------------------

Flows using payment: clinical, video, medicine order, visit lab, home collection.

Rules

1. Never trust client amount alone - recompute on server
2. Return `order\_id` for Razorpay checkout (client currently omits it)
3. Verify `razorpay\_order\_id`, `razorpay\_payment\_id`, `razorpay\_signature`
4. Idempotent verify
5. Link payment to appointment / order / lab booking

19. Notifications

Method	Path	Purpose
POST	`/api/v1/devices`	Register FCM token + platform
DELETE	`/api/v1/devices/{id}`	Unregister
GET	`/api/v1/notifications`	In-app inbox
POST	`/api/v1/notifications/{id}/read`	Mark read

Doctor consult notification payload: appointment_id, patient name/phone, consult_type, date/time labels, status.

Push events at minimum: instant request, payment cleared / ready_for_call, appointment reminders, order/lab status.

20. Ratings

Method	Path	Purpose
POST	`/api/v1/appointments/{id}/rating`	stars 1-5 + feedback

Required after patient video call UI.

21. Dashboards

Method	Path	Purpose
GET	`/api/v1/patient/home`	Upcoming + CTAs data
GET	`/api/v1/patient/dashboard`	Stat tiles (real counts)
GET	`/api/v1/doctor/dashboard/stats`	Nine+ count cards + date range

22. AI Chat

Method	Path	Purpose	
POST	`/api/v1/ai/chat`	Message + user_type (patient\	doctor)
GET	`/api/v1/ai/sessions/{id}`	History	

MVP can be keyword/FAQ; later LLM. Do not expose PHI to third parties without consent/logging policy.

23. File Uploads & PDF Generation

Method	Path	Purpose
POST	`/api/v1/uploads`	Multipart: avatar, signature image, queue docs, labs

Use case	Storage	Types
Avatar / signature	user/doctor assets	jpg/png
Queue documents	appointment documents	pdf/jpg/png
Rx / record PDF	generated server-side	pdf

Return { url, file_id }. Virus-scan + size limits.

PDF requirements (canonical)

Document	Endpoint	Content
Prescription	`/medical-records/{id}/prescription-pdf` or `/doctor/prescriptions/{id}/pdf`	Header, patient, visit_id, date, medicines table (name, frequency, days, instructions), notes, doctor name + speciality (+ letterhead/signature)
Lab report	`/medical-records/{id}/lab-report-pdf`	Patient, visit, lab tests, status

Patient app already builds a local Rx PDF via MedicalPdfHelper; once server PDFs exist, prefer downloading the server URL so doctor/patient share one document.

Appointment list "Print" on doctor side should call a server PDF or printable HTML - not implemented in client today.

24. Pharmacy & Admin (Future)

Client has route constants only; pharmacy login is empty Scaffold. Admin module does not exist. No receptionist role.

Minimum future scope

Role	Needs
Pharmacy	Login, order inbox, accept/reject, dispatch status updates, inventory optional
Admin	Login, user/doctor verification, facility approval, masters CRUD, reports

Do not block patient/doctor MVP on these.

25. Database Entities

Core

users, refresh_tokens, otp_challenges, login_audit, devices

Patient

patient_profiles, addresses

Doctor / org

doctor_profiles, doctor_signatures, hired_doctors, facilities, facility_visit_schedules, facility_online_schedules, doctor_facility_assignments

Clinical

appointments, consult_requests, appointment_slots (or generate from schedules), video_sessions, consultation_outcomes, vitals, clinical_notes, prescriptions, prescription_items, prescription_templates, template_items, lab_requests, lab_request_items, medical_records

Commerce

payments, medicine_orders, medicine_order_items, order_tracking_events, lab_bookings, lab_booking_tests, labs (partner master)

Engagement

ratings, notifications, ai_sessions, ai_messages, uploads

Relationships (summary)

```
User 1-N PatientProfile
DoctorProfile 1-N HiredDoctor / self
Doctor N-N Facility
PatientProfile 1-N Appointment 1-1 Payment?
Appointment 1-1 MedicalRecord?
MedicalRecord 1-N PrescriptionItem, LabTest snapshot
PrescriptionItem -> MedicineOrder
LabTest -> LabBooking
Appointment 1-N ClinicalNote, LabRequest, Rating
```

26. RBAC Matrix

Resource	Patient	Doctor	Pharmacy	Admin
Own family profiles	CRUD	-	-	R
Book appointments	C	-	-	R
Own appointments	R	R (assigned)	-	R
Accept consult	-	U	-	-
Write Rx / notes / lab req	-	C	-	R
Own medical records	R	R (treated)	-	R
Medicine orders	C/R	-	U status	R
Lab bookings	C/R	C request	-	R
Facilities / hired docs	-	CRUD own org	-	CRUD
Masters	R	R	R	CRUD
Payments verify	C own	-	-	R
AI chat	C	C	-	-
PDF download	R own	R treated	-	R

Always enforce ownership: patient_id in account; doctor only on assigned appointments/org.

27. Validations Summary

Field	Rule		
Mobile	10 digits		
OTP	6 digits		
Doctor password	6 digits		
Patient password	min 6 (recommend complexity later)		
Gender	Male \	Female \	Others
Marital	Single \	Married	
Relation	enum matching add-patient UI		
Appointment slot	must be free; reject 409 if taken		
Payment amount	must match server order		
Rating	1-5 integer		
File types	pdf, jpg, png where applicable		
Pincode	serviceable for home collection / delivery		

28. Implementation Priority Checklist

P0 - Must have for first integration

- ☐ Auth OTP + email + refresh + logout; client must persist tokens
- ☐ Patient family list + create; selected patient context
- ☐ Specialities + doctor search + slots
- ☐ Clinical book + Razorpay order/verify
- ☐ Video instant request + doctor accept/reject + pay + session token
- ☐ Waiting list + end consultation outcome
- ☐ Prescription create + medical records read
- ☐ FCM basics for consult notifications

P1

- ☐ Medicine order + addresses + tracking
- ☐ Lab visit + home collection + tracking
- ☐ Doctor facilities, schedules, hired doctors, assignments, signature
- ☐ Call logs / missed / reschedule / vitals
- ☐ Clinical notes + lab requests
- ☐ Ratings + patient/doctor dashboards
- ☐ Server prescription PDF

P2

- ☐ Prescription templates + lab report PDF
- ☐ AI chat backend
- ☐ Pharmacy / Admin modules
- ☐ Wallet / emergency / home care (dashboard placeholders)

29. Screen Field Catalog

Patient auth / profile

Screen	Fields
Login	mobile (10), otp (6), email, password
Signup	name, email, dob, age, gender, phone, password, confirm, marital
Forgot	phone, otp, new_password, confirm
Selection	patient cards (id, name, relation, gender, age)
Add patient	photo, first, last, dob, age, gender, marital, relationship
Profile	name, phone, email, password masked, gender

Clinical / video

Screen	Fields
Clinical filter	city, location, hospital, speciality
Doctor list/details	name, degree, speciality, experience, fee, image, media tabs
Schedule	date, session, slot time
Video filter	doctor, speciality, symptoms, language, query
Queue	countdown, documents
Rating	stars 1-5, feedback

Medical / commerce

Screen	Fields
Record	see MedicalRecordModel
Cart	PrescriptionItem qty editable
Address	AddressModel x shipping/billing
Order track	order code, eta, map lat/lng, steps
Lab nearby	name, distance, rating, time, address, tests, price
Home collection address	name, mobile, address, landmark, pincode, address_type

Doctor

Screen	Fields
Dashboard	date range + 9+ count cards
Waiting	WaitingPatient shape
Call logs	CallLog + tasks
Missed	name, date, time, payment_status
Prescription	drug lines + advice
Templates	name, description, drugs
Notes	vitals + narrative fields
Lab request	department, tests, urgent, notes
Basic details	DoctorFormData + signature
Hospital	facility + visit + online + pricing

Doctor list	HiredDoctor + hospital assignment
Register patient	registration + demographics + target INR
Notifications	AppNotification status machine
End call	outcome tabs + follow-up slots

Appendix A - Suggested Route Map (Quick Index)

```

/auth/*                otp, login, register, password, refresh, logout
/me
/patients/*
/masters/*
/doctors/*            search, detail, slots
/appointments/*       clinical, video, reschedule, rating, queue, documents
/consult-requests/*   accept, reject
/video/sessions
/consultations*/end
/doctor/me, /doctor/org/*, /doctor/facilities/*
/doctor/waiting-list, /doctor/call-logs, /doctor/missed-calls
/doctor/dashboard/stats, /doctor/appointments*, /doctor/patients*
/doctor/prescriptions*, /doctor/prescription-templates*
/doctor/lab/*, clinical-notes, notifications
/medical-records*
/orders/medicine*, /addresses*
/labs/*, /lab-bookings*
/payments/razorpay/*
/devices, /uploads/*, /ai/chat
/patient/home, /patient/dashboard

```

Appendix B - Client Integration Gaps (must fix on mobile)

1. Save `auth\_token`, `refresh\_token`, `user\_role` on login
2. Persist `selected\_patient\_id` after selection
3. Pass booking context (doctor, slot, fee) through payment -> confirmation
4. Create Razorpay order on server; send `order\_id`; verify signature
5. Register pharmacy/admin routes or remove Super App tiles
6. Wire lab entry with `tests` extra
7. Replace mock video with real SDK using `/video/sessions`
8. Align schedule fee display with payable amount from API
9. Construct and use `ApiClient` (currently zero call sites)
10. Prefer server PDF URLs over local-only generation for shared documents

Appendix C - Mobile vs Backend Status Matrix

Area	Mobile today	Backend must provide
Auth	Mock delay; no token write	OTP/email JWT + refresh
Patient bookings	Dummy lists + Razorpay test	Search, slots, book, pay
Video	Static UI	Instant request, FCM, session tokens
Doctor queue	Dummy waiting list	Waiting list + status machine
Rx	Doctor mock send; patient local PDF	Persist Rx + server PDF

Org setup	Local secure store (profile/registry)	CRUD facilities, hired doctors, assignments
Labs / pharmacy orders	Mock UI	Bookings, tracking, tariffs
Pharmacy/Admin apps	Not built	Defer to P2

Flow documentation: APP_FLOW.md

Engineering notes: CODE_ANALYSIS.md