Prototype Answers — Customize New Product

Prototype: input/prototype/Team Stores/ (React .jsx loaded by .dc.html pages, in-browser Babel; no build, no DB, all data hard-coded) · Questions: 26 · Answered 1 · Partial 10 · Contradicts 6 · Not in prototype 9

Primary source: `workspace-app-integrated.jsx` (loaded by `Marucci Workspace.dc.html`). Paths below are relative to `input/prototype/Team Stores/`. `workspace-app.jsx` (loaded by `Workspace.dc.html`) has the same components; the only difference that matters here is `ACCESSIBLE_CUSTOMIZERS = ["prolook"]` (workspace-app.jsx:12442) vs `["prolook", "victus"]` in the integrated file.

Screens found

- Landing / sign-in and brand marketing page — Landing Page.dc.html
- Store workspace (base build) — Workspace.dc.html → workspace-app.jsx
- Store workspace (third-party integration build) — Marucci Workspace.dc.html → workspace-app-integrated.jsx
- Store creation wizard: Basics → Add Products → Review & Deploy (single); Basics → Divisions & Teams → Add Products → Review & Deploy (League) — workspace-app-integrated.jsx:7573, 7582 (`CreateForm` at 5987)
- Wizard Add Products step with SOURCE pill and Customize New Product button — workspace-app-integrated.jsx:9496–9625 (`Step3Products`)
- Products tab → Add Products page (SOURCE pill, source chips, Customize New Product, Confirm Selection) — workspace-app-integrated.jsx:12207 (`AddProductsPage`)
- Customize New Product XL modal: sport picker → product picker → builder → Review & Finalize — workspace-app-integrated.jsx:25012, 25046, 25142, 25262
- "Choose a brand" modal (defined, wired to Products tab) — workspace-app-integrated.jsx:12457
- Standalone Customizer 3.0 sport picker screen (opened from My Team(s) "Add New Product") — workspace-app-integrated.jsx:25387, 28415
- My Team(s) Add Products split menu (Add New Product / Add from Catalog) — workspace-app-integrated.jsx:14066
- Stock Vault deploy view with store entitlement check — workspace-app-integrated.jsx:30540–30610
- Account page, "Add a brand" connection picker — workspace-app-integrated.jsx:27003, 27344
- Storefront — Storefront.html

Answers

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-1	P1	Not in prototype	There is no QX7 call, API contract or failure/retry state. The brand list is a hard-coded constant, so there is nothing to time out or fail.	Searched: QX7, entitlement API, fetch, retry, unavailable — no match. Brands are a constant at workspace-app-integrated.jsx:617 — `const CUSTOMIZER_BRANDS = {`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-2	P1	Contradicts	Customize New Product always opens the modal on the sport/category grid (step 0), whatever brand the pill shows. The prototype never skips the grid, so it follows B1 / option A and goes against A2's "no intermediate step". The single-brand case isn't demoed separately because the pill always lists all brands.	workspace-app-integrated.jsx:12315 — `const openCustomizer = () => { setCustomizerOpen(true); setCustWizStep(0); ...` ; :9502 (wizard) same `setCustWizStep(0)` ; :25011 — `// Step 0 — Sport picker (Men / Women tabs + sport grid)`	Medium
Q-3	P1	Not in prototype	No server-side check, token or route guard exists. The customizer is a mock inside a modal, not a separate URL. Where the check runs and which routes it covers is a backend decision.	Searched: 403, access denied, token, guard, entitle* on customizer routes — no match. The only entitlement check is client-side, on Stock Vault deploy (:30572 `const entitledOk = !target || target.entitled.includes(v.brand);`)	High
Q-4	P1	Partial	The prototype has two locks. (1) A design lock on every "restricted" item (anything that isn't Vault or Marucci Catalog, so custom items are included). It applies from the moment the item is added and has no release path. (2) A full lock once the item has any non-cancelled order (`hasOrders`). This matches option A. Note that custom items are configured in the modal's own Review & Finalize step (Product Settings, Price settings, Application Sizes), not the shared ConfirmSizesModal. Editing a staged custom card does open ConfirmSizesModal. Still open: whether the order lock releases when every order is cancelled (the prototype only reads a `hasOrders` flag), and what "commit" formally means.	workspace-app-integrated.jsx:28852 — `if (!pteRestricted(p)) return "none"; return pteHasOrders(p, store) ? "full" : "design";` ; :28857 — `design: "Design is locked once an item is added to the store."` ; :28846 — `// Lock trigger = any non-cancelled order (data-driven via p.hasOrders)` ; :28839 — `return "Custom";` ; :25262 — `function CustReviewStep(`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-5	P1	Partial	No external hand-off. The "customizer" is an in-app 4-step modal (sport → product → builder → review). Back buttons move between steps. Cancel on the review step or the X closes the modal and stages nothing. "Add to Store" returns a payload with id, title, style, photo, adult/youth retail, teamProfit, teamSetting, applicationSizes, pricing and sizesConfirmed, which gets staged. Still open: launch parameters, auth, same tab or new window, design ID/preview/SKU from Customizer 3.0, and error/timeout handling.	workspace-app-integrated.jsx:25285 — `onAddToStore({ id: \` wx-${...}`, title: ..., style: ..., photo: photoKey, adult: pricing.adult.retail, ... applicationSizes: sizes, pricing, sizesConfirmed: true `; :25380 —` Cancel `; :12407 —` onBack={() => setCustWizStep(2)} onCancel={() => setCustomizerOpen(false)} `; :12409 —` stageItems([finalProduct]);`	Medium
Q-6	P2	Contradicts	The Customizer chip shows one static list of saved designs and saved carts, and it is not filtered by the pill's brand. The mock records have no brand or owner field. The prototype ignores the pill here, which goes against AC Scope #1 ("only that brand's saved designs and saved carts"). It doesn't show whose saves these are.	workspace-app-integrated.jsx:12340 — `WIZARD_SAVED_DESIGNS.map((d) => ({ _key: "d-" + d.id, sub: "designs", ...` (no brand filter) ; :8703 — `{ id: "sd1", title: "HOYAS WHITE", sport: "Basketball", category: "Uniform Jersey", ... }` (no brand/owner field) ; `srcBrand` appears only at :9496, :9513, :12209, :12328 (state + pill)	High
Q-7	P2	Partial	The prototype has two entitlement models. (1) Customizer brands are per signed-in user (`ACCESSIBLE_CUSTOMIZERS` , "the signed-in user is entitled", plus a per-account "Add a brand" connection page). (2) Stock Vault deploy checks a per-store `entitledBrands` list ("this store's seller"). No role check gates Customize New Product. Still open: the role list, and which of the two models governs CNP.	workspace-app-integrated.jsx:12448 — `// Customizers the signed-in user is entitled to pull product from.` ; :12453 — `const ACCESSIBLE_CUSTOMIZERS = ["prolook", "victus"];` ; :12523 — `entitled: store.entitledBrands || ["Marucci", "Victus", "Prolook"],` ; :30605 — `title="This store's seller is not entitled to this brand"`	Low

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-8	P2	Contradicts	The pill is never unresolved. It defaults to PROLOOK on every mount: in the wizard always, and on the Products tab from the `customizer` prop, which every Add Products entry sets to prolook. The selection is plain component state with no persistence across pages, sessions or stores, and it isn't shared between the wizard and the Products tab. This goes against A3, which requires multi-brand reps to resolve the pill.	workspace-app-integrated.jsx:7341 — `function SourcePill({ value = "prolook", onChange, style })` ; :9496 — `const [srcBrand, setSrcBrand] = React.useState("prolook");` ; :12209 — `React.useState((customizer && customizer.id && CUSTOMIZER_BRANDS[customizer.id]) ? customizer.id : "prolook")` ; :12925 — `setSourceCustomizer({ id: "prolook", ...CUSTOMIZER_BRANDS.prolook }); setAddMode(true);`	High
Q-9	P2	Partial	The prototype has no brand-type or licensed concept. The only "seller" link is the Stock Vault deploy check against the store's seller entitlement, and a comment says the third-party seller catalog is paused. The Customize New Product flow applies no seller-scope or art-policy check. Art policy only gates publish of decorated items. Still open: whether a licensed brand counts as a third-party vendor.	workspace-app-integrated.jsx:12297 — `// Third-party seller catalog is paused for this pass — Vault is Prolook-only.` ; :30605 — `"This store's seller is not entitled to this brand"` ; :28870 — `if ((store.artPolicy || "block-publish") !== "block-publish") return null;`	Low
Q-10	P2	Partial	Other stores and Catalog Templates add items with no brand or entitlement check. The item objects don't even carry a brand. Duplicating a store copies all its products the same way. This matches A4 (option B). The only brand check anywhere is on Stock Vault deploy (per-store `entitledBrands`). Still open: whether to block or flag unentitled-brand items on these copy paths.	workspace-app-integrated.jsx:12306 — `const addFromOtherStore = (p, storeName) => beginAdd([{ id: "wo-" + p.id, srcId: p.id, title: p.title, ... srcKind: "other-store", photo: p.photo }]);` ; :12305 — `const addTemplate = (t) => beginAdd(t.members.map(...` ; :6218 — `const products = uatProducts(src).map(...)` ; :30572 — `const entitledOk = !target || target.entitled.includes(v.brand);`	Medium
Q-11	P2	Not in prototype	Entitlement can't change at runtime. The brand list is a constant, and staged or committed items have no re-validation.	Searched: revoke, lost access, entitlement removed, re-validate — no match. Staged items are local state with no brand check before commit (:12665 `const commitStaged = (staged) => {`)	High
Q-12	P2	Not in prototype	The Orders tab has MOQ containers and fees, but nothing splits them by brand or manufacturer. Products carry a `brand` attribute only for filtering the list.	Searched: moq + brand, manufacturer, container by brand — no match. MOQ exists only as pending-container mock data (:24649 `desc: "Awaiting MOQ & submission"`, :32466 `const moqOpen = (ds.pending || []).filter(...)`)	Medium

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-13	P2	Partial	It is a third entry point, and it follows none of A1–A7. "Add New Product" in My Team(s) calls `onCustomize`, which opens the standalone Customizer sport picker screen. That screen has no SOURCE pill and no brand. Picking a card only shows a toast and returns to the dashboard, so nothing is created or auto-assigned (the menu subtitle promises "assign teams while configuring"). Still open: whether it must enforce A1–A7, and whether auto-assignment applies.	workspace-app-integrated.jsx:14094 — `"Add New Product", "Customize a new product in the builder — assign teams while configuring", onNew` ; :14149 — `<CpAddMenu ... onNew={onCustomize} ...>` ; :28403 — `onCustomize={() => setScreen("customizer")}` ; :28419 — `onPick={(item) => { setScreen("dashboard"); setToast(\` Selected ${item.label} — opening Customizer 3.0…`); }}`	High
Q-14	P2	Contradicts	The cards are a fixed, hard-coded list that doesn't change with the brand: Men 12 categories, Women 11, picked with Men/Women tabs. That goes against B2 (brand's templates only). Each card shows a label, a large initial letter and an "N styles" count. "Gendered variants" means the Men/Women tabs, with per-gender art and women-only categories (Fastpitch, Field Hockey). The tab defaults to Women when the store's sport is women-only. There is no empty state for a brand without templates. The next step always lists the same 8 basketball products, whatever sport was picked.	workspace-app-integrated.jsx:24918 — `const MEN_CATEGORIES = [` ; :24934 — `const WOMEN_CATEGORIES = [` ; :24950 — `const WOMEN_ONLY = ["Softball", "Field Hockey"];` ; :25004 — `{(SPORT_STYLE_COUNTS[item.id] || 12) + " styles"}` ; :25016 — `const items = gender === "women" ? WOMEN_CATEGORIES : MEN_CATEGORIES;` ; :25050 — `const products = CUST_BASKETBALL_PRODUCTS.filter(`	High
Q-15	P2	Not in prototype	The mock builder gets no store branding: its props are only sport and product. The details panel is hard-coded ("Style: Astros", fixed prices). Team name, colors and logos aren't pre-filled, missing branding isn't handled, and nothing writes back. The workspace does have Team Branding / "Connect to Team" for store colors and logos, but they aren't passed into the flow.	Searched: teamColors, logo, prefill in the Cust* steps — no match. :25142 — `function CustBuilderStep({ sport, product, onBack, onAddToStore })` ; :25213 — `["Style","Astros"]`	Medium

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-16	P2	Partial	The prototype keeps staged items in component state on the Add Products page. Cancel, or leaving the page, drops them with no warning. "Confirm Selection (n)" commits them to the store. In the wizard, custom items go straight into the draft's `curatedProducts`. Still open: real persistence (server-side draft vs client-only), which is a backend decision.	workspace-app-integrated.jsx:12210 — `const [staged, setStaged] = React.useState([]); // items added this session` ; :12784 — `onCancel={() => setAddMode(false)}` ; :12439 — `Confirm Selection ({staged.length})` ; :9617 — `if (!existing.has(finalProduct.id)) set({ curatedProducts: [...curated, finalProduct] });`	Medium
Q-17	P2	Partial	Only committed products count. The launch gate checks `store.products`, and staged items reach it only after Confirm Selection. Committed items, custom ones included, are written as `status: "live", ready: true` with no render or visibility gate for custom products. A publish gate (`ptePublishBlocked`) exists, but it applies to decoration renders and art. Still open: whether custom products need a render or visibility gate.	workspace-app-integrated.jsx:11459 — `const canLaunch = (store.products || []).length > 0;` ; :11574 — `"Add at least one product to launch your store"` ; :12674 — `status: "live",` / `ready: true,` ; :28867 — `function ptePublishBlocked(p, store) {`	High
Q-18	P3	Answered	Add Products is Step 2 for single-team stores and Step 3 for League stores. League gets a Divisions & Teams step between Basics and Add Products. Step numbers come from the list, not hard-coded.	workspace-app-integrated.jsx:7573 — `const WIZARD_STEPS = [ { key: "basics", ... }, { key: "products", label: "Add Products" }, { key: "review", ...` ; :7582 — `const WIZARD_STEPS_LEAGUE = [ { key: "basics", label: "Basics" }, { key: "structure", label: "Divisions & Teams" }, { key: "products", label: "Add Products" },`	High
Q-19	P3	Contradicts	The unresolved state can't happen. The pill always shows a brand (PROLOOK by default), and Customize New Product opens the sport grid straight away with no brand prompt. The "Choose a brand" modal exists, but nothing opens it from the Customize New Product button (`onChangeCustomizer` is accepted by AddProductsPage but never used). This goes against A3 / AC Brand resolution #3.	workspace-app-integrated.jsx:7350 — `const cur = CUSTOMIZER_BRANDS[value] || CUSTOMIZER_BRANDS.prolook;` ; :12315 — `const openCustomizer = () => { setCustomizerOpen(true); setCustWizStep(0); ...` ; :12207 — `function AddProductsPage({ store, onCancel, onCommit, customizer, onChangeCustomizer, liveStores })`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-20	P3	Contradicts	The pill has no "Change" link. It is a dropdown button ("SOURCE · logo · name · chevron"), and the dropdown lists every key in `CUSTOMIZER_BRANDS` (9 brands), not just the entitled ones. It is always shown. The separate "Choose a brand" modal does filter to `ACCESSIBLE_CUSTOMIZERS`. This goes against A1 (Change link, entitlement-filtered list) and A2 (no picker for single-brand reps).	workspace-app-integrated.jsx:7349 — `const keys = Object.keys(CUSTOMIZER_BRANDS);` ; :7361 — `>Source</span>` ; :7368 — `{keys.map((k) => {` ; :12457 — `function ChooseBrandModal({ open, onClose, onSelect, ids = ACCESSIBLE_CUSTOMIZERS })`	High
Q-21	P3	Not in prototype	Brand records have only name and logo/wordmark fields, with no type. Neither the pill nor the picker shows owned, manufactured or licensed labels. The order is the order of the constant's keys, which is mock data, not a sort rule.	Searched: brandType, licensed, owned, manufactured — no match. :618 — `prolook: { name: "PROLOOK", logoInk: ..., logoBlack: ..., logoWhite: ... },`	High
Q-22	P3	Not in prototype	There is no access-denied page, copy, HTTP response or audit log. Brand customizer URLs don't exist in the prototype.	Searched: access denied, 403, no longer has access, audit — no match	High
Q-23	P3	Not in prototype	There is no zero-entitlement state on the pill or the Customizer chip. The pill falls back to PROLOOK. The nearest copy is the account page's "Every available brand is already on your account." No Prolook admin contact is shown.	Searched: No brands, Prolook admin, contact your admin, zero entitlement — no match. :7350 — `CUSTOMIZER_BRANDS[value] || CUSTOMIZER_BRANDS.prolook`	High
Q-24	P3	Partial	For Archived stores, the whole workspace tab area is made `inert` and dimmed, so Customize New Product can't be clicked (UI only). No other store state gates the Add Products page: Draft, Open and Closed all allow it, and on a launched store committed items go in as `status: "live"`. Still open: the server-side rejection for Archived, and confirming that Closed is allowed.	workspace-app-integrated.jsx:28401 — `readOnly={!!activeStore.archived}` ; :11558 — `if (readOnly) el.setAttribute("inert", ""); else el.removeAttribute("inert");` ; :12674 — `status: "live",`	Medium

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-25	P3	Not in prototype	No analytics events or metric targets. The only events dispatched are onboarding-tour triggers (`tour:product-ready`), not metrics.	Searched: analytics, track(, gtag, cnp_click, hand-off completion — no match. :12686 — `window.dispatchEvent(new CustomEvent("tour:product-ready"));`	High
Q-26	P3	Partial	Changing the pill only updates `srcBrand` , which nothing else reads, so the grid, the customizer and staged items are untouched. The pill sits behind the modal, so it can't be changed mid-design. Each Customize New Product click resets the modal to step 0 with no sport or product, so closing the modal discards an unfinished design without asking. Still open: the intended behavior once the pill actually scopes the grid and customizer.	workspace-app-integrated.jsx:12328 — `<SourcePill value={srcBrand} onChange={setSrcBrand} style={{ marginBottom: 16 }} />` ; :12315 — `setCustWizStep(0); setCustSport(null); setCustProduct(null);` ; :12383 — `<Modal open={customizerOpen} onClose={() => setCustomizerOpen(false)}`	High

Answered — no need to ask the US team

1 question(s) the prototype settles. Remove these from the list sent to the requirement owners.

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-18	P3	Which store-creation step hosts Add Products in League stores?	Add Products is Step 2 for single-team stores and Step 3 for League stores. League gets a Divisions & Teams step between Basics and Add Products. Step numbers come from the list, not hard-coded.	workspace-app-integrated.jsx:7573 — `const WIZARD_STEPS = [ { key: "basics", ... }, { key: "products", label: "Add Products" }, { key: "review", ...` ; :7582 — `const WIZARD_STEPS_LEAGUE = [ { key: "basics", label: "Basics" }, { key: "structure", label: "Divisions & Teams" }, { key: "products", label: "Add Products" },`	High

Still open for requirement owners

- Q-1 (P1, Not in prototype): define the QX7 entitlement contract and how the page behaves when QX7 is slow, down or errors.
- Q-2 (P1, Contradicts): the prototype always shows the sport grid, even for one brand, which goes against A2's "no intermediate step". Pick A2 or B1.
- Q-3 (P1, Not in prototype): decide where the A5 server-side check runs and list the routes it covers.
- Q-4 (P1, Partial): the prototype has a permanent design lock from add plus a full lock on orders. Confirm this two-lock model, say whether the order lock releases when every order is cancelled, and define "commit".
- Q-5 (P1, Partial): the prototype simulates the customizer in a modal. Define the real Customizer 3.0 launch parameters, return payload and error/timeout paths. (In the prototype, cancel stages nothing.)

- Q-6 (P2, Contradicts): the prototype doesn't filter saved designs/carts by brand. Confirm whose saves appear and from which system.
- Q-7 (P2, Partial): choose per-rep entitlement (the prototype's Customizer brands) or per-store seller entitlement (the prototype's Vault check), and list the allowed roles.
- Q-8 (P2, Contradicts): the prototype always pre-resolves PROLOOK with no persistence. Decide the initial state for multi-brand reps and how long the selection persists.
- Q-9 (P2, Partial): decide whether a licensed brand counts as a third-party vendor and whether seller scope/art policy apply.
- Q-10 (P2, Partial): the prototype applies no brand check on Other stores, Catalog Templates or duplicated stores. Accept the risk or require a check.
- Q-11 (P2, Not in prototype): decide what happens to the pill and to staged/committed items when an entitlement is revoked.
- Q-12 (P2, Not in prototype): decide how MOQ, fees and containers split for multi-brand stores.
- Q-13 (P2, Partial): the My Team(s) Add New Product path bypasses the pill and assigns nothing. Decide whether it must enforce A1–A7 and auto-assign.
- Q-14 (P2, Contradicts): the prototype grid is a fixed, brand-agnostic list. Define the template source per brand, the card contents and the empty state.
- Q-15 (P2, Not in prototype): define which branding pre-fills, how missing branding is handled, and whether edits write back.
- Q-16 (P2, Partial): the prototype keeps staged items client-side and loses them without warning. Decide on real persistence.
- Q-17 (P2, Partial): the prototype counts committed products only, with no render gate for custom products. Confirm the gate rules.
- Q-19 (P3, Contradicts): the prototype can't be in an unresolved state. Decide what the button does when the pill is unresolved.
- Q-20 (P3, Contradicts): the prototype pill is a dropdown of all 9 brands with no Change link. Confirm the Change link, the filtering, and hiding for single-brand reps.
- Q-21 (P3, Not in prototype): define the brand-type labels, the QX7 field and the sort order.
- Q-22 (P3, Not in prototype): define the access-denied response, copy and logging.
- Q-23 (P3, Not in prototype): define the zero-entitlement copy and the Prolook admin contact source.
- Q-24 (P3, Partial): confirm Closed stores are allowed, and add a server-side block for Archived (the prototype blocks Archived in the UI only).
- Q-25 (P3, Not in prototype): set metric targets and event definitions.
- Q-26 (P3, Partial): decide the switch-brand behavior for an open grid or an in-progress design once the pill really scopes them.