Prototype Answers — Launch & Status Controls

Prototype: input/prototype/Team Stores/ (React .jsx loaded by .dc.html pages via x-import; no build step, no backend, state in React + localStorage) · Questions: 18 · Answered 4 · Partial 8 · Contradicts 6 · Not in prototype 0

Paths in the Evidence column are relative to `input/prototype/Team Stores/`. Unless stated, line numbers are from `workspace-app-integrated.jsx`, which `Marucci Workspace.dc.html` loads. `Workspace.dc.html` loads `workspace-app.jsx`, which has the same launch, header and status logic at slightly shifted lines; for example, its `StoreWorkspaceBar` at workspace-app.jsx:1641 declares an unused `menuOpen` state and renders no menu. The live workspace path is `ManageStoreWorkspace` → `StoreWorkspaceBar` + `<Dashboard embedded>`. The non-embedded `Dashboard` header (LAUNCH STORE / `LiveStoreControls`) is legacy code that the app shell does not reach.

Screens found

- Stores list (store cards, status tag, ⋯ menu, Status filter): `StoreList` / `StoreCard`, workspace-app-integrated.jsx:3378 / :3651
- Overview (KPI cards incl. "Active Stores"): workspace-app-integrated.jsx:4965
- Store creation wizard (incl. Use as Template prefill): `CreateForm`, validation around workspace-app-integrated.jsx:6028
- Use as Template modal: `UseAsTemplateModal`, workspace-app-integrated.jsx:6245
- Create Store Template modal + Template Repository (defined, not mounted): workspace-app-integrated.jsx:7117 / :7261
- Launch Team Store modal, success modal, legacy live header controls: workspace-app-integrated.jsx:10222 / :10275 / :10360
- Store workspace header bar (Back to Stores, Setup guide, Preview Store): `StoreWorkspaceBar`, workspace-app-integrated.jsx:1643
- Store workspace: `ManageStoreWorkspace`, workspace-app-integrated.jsx:1762 (archived read-only banner), `Dashboard`, :11418 (Draft launch banner :11559)
- Home tab (attention cards incl. launch gate): `buildHomeAttention` / `HomeTab`, workspace-app-integrated.jsx:11039 / :11131
- Settings tab → Schedule & Status (Active Order Window + Store status card + Danger Zone): `GeneralInfo`, workspace-app-integrated.jsx:18722–18842. Settings sub-nav: `StoreSettingsNav`, :31664
- My Account → Archived Stores card: `AccountProfile`, workspace-app-integrated.jsx:27286–27340
- Onboarding "Kickoff Checklist" (defined, not mounted): `OnboardingChecklist`, workspace-app-integrated.jsx:26663
- Buyer storefront: Storefront.html. It has no closed or draft screen; Preview Store points to "Team Store Storefront.dc.html", which is not in the folder.

Answers

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-1	P1	Contradicts	The prototype uses option B: the gate counts every item in `store.products`, whether visible or hidden. The Home cards use the same count, so Home C-09 ("zero visible products") / C-16 ("≥1 visible product") are not what the prototype does. This matches L&S "products added, not published" and contradicts Store Home. The owner must pick one rule.	workspace-app-integrated.jsx:11459 — `const canLaunch = (store.products … .length > 0;` · workspace-app-integrated.jsx:11047 — `cards.push({ tone: "red", … title: "Add a product before you launch"` (shown only when the products length is 0) · workspace-app-integrated.jsx:19351 — `"Hidden — buyers can't see or order this item."` (hidden items stay in `store.products`)	High
Q-2	P1	Partial	Counted: everything in `store.products`, including hidden items and Incomplete bundles (removing a bundle member sets `hidden: true` but keeps the bundle in the array). Not counted: `pendingProducts`, which is a separate array. Confirm doesn't re-check the gate; it only closes the modal and calls `onLaunch`. Removing the last product from an Open store isn't blocked and shows no warning. Still open: which items should count, and the post-launch rule. Server-side re-check is backend.	workspace-app-integrated.jsx:12917 — `bundle left with one member becomes Incomplete (held hidden).` · workspace-app-integrated.jsx:11512 — `const confirmLaunch = () => { setShowLaunchModal(false); onLaunch && onLaunch(store.id);` · workspace-app-integrated.jsx:12918 — `products: products.filter((p) => p.id !== id)`	High
Q-3	P1	Contradicts	The prototype sends no launch email. The modal and success modal tell the rep to share the store link and team codes. A code comment says the launch "email" has no player audience. The L&S text ("all players and the team manager receive an email") isn't implemented. The System Emails list has a generic "Store Status Changed" template but nothing specific to launch.	workspace-app-integrated.jsx:10247 — `"Your storefront goes live at its public link — share the link and team codes so players, parents, and fans can shop. No roster is required…"` · workspace-app-integrated.jsx:10329 — `// Rep-distributed share link — the launch "email" has no player audience under` · workspace-app-integrated.jsx:10304 — `Team codes live on each team's node in My Teams — … player emails send as their orders arrive.` · workspace-app-integrated.jsx:31998 — `{ id: "status-changed", name: "Store Status Changed", purpose: "Any store status transition — one email per change."`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-4	P1	Contradicts	The live flow is "Use as Template", and it saves no template. It duplicates the source into a new Draft store through the creation wizard. You choose "Duplicate the whole store" or "Use only the products", name the new store, pick which managers to copy, then confirm. **Comes across:** products with pricing, decoration and visibility; logo, colours and theme; fulfillment, fundraising and announcement; Team Database binding; divisions and teams with empty rosters; manager contacts you select. **Doesn't:** players, orders, portal access, web address, ordering window. Any store card offers it, including other reps' stores; managers are pre-selected only on your own. A separate "Create Store Template" modal saves to a localStorage repository, but nothing renders it.	workspace-app-integrated.jsx:6313 — `<H title="Use as Template" desc="Start a new store from this one. Nothing is created until you confirm." />` · workspace-app-integrated.jsx:6359 — `<li>Fulfillment, fundraising & announcement</li>` (list :6355–6362) · workspace-app-integrated.jsx:6367 — `<li>Players</li> <li>Orders</li><li>Portal access</li>` · workspace-app-integrated.jsx:6373 — `The new store starts as a <strong … >Draft</strong> owned by you` · workspace-app-integrated.jsx:28600 — `const USER_TPL_KEY = "prolook_user_templates";` (only used by the unmounted `CreateTemplateModal`, :7117)	High (Use as Template); Low (unmounted Create Template)
Q-5	P2	Partial	Launch, Preview Store and Use as Template have no role check. Any user who opens the workspace sees them. The only role gate is the Danger Zone (Archive), hidden when `store.role === "manager"`. Restore copy says it's a "managing rep" action. Still open: who may launch, whether co-managing reps count, and what a league director is. Real permission checks are backend.	workspace-app-integrated.jsx:18829 — `{store.role !== "manager" && !archived && !draft &&` · workspace-app-integrated.jsx:11573 — `<button disabled={!canLaunch} onClick={() => canLaunch && setShowLaunchModal(true)}` (no role condition) · workspace-app-integrated.jsx:1789 — `Restore this store from My Account to make changes again — restoring is a managing-rep action.`	High
Q-6	P2	Partial	Launch locks no Settings fields. `handleLaunch` only sets `live` and `status`. The modal's two bullets cover going live and putting the store on hold; neither mentions locked settings. Comments say the Customization cards are exempt from a post-launch lock, but no lock is coded. Still open: the lock list and the modal wording.	workspace-app-integrated.jsx:27906 — `updateStore(id, { live: true, status: "active" });` · workspace-app-integrated.jsx:10248 — `"You can put the store on hold at any time in the Team Stores menu, preventing users to access to the site."` · workspace-app-integrated.jsx:18857 — `Both cards are EXEMPT from post-launch locking (Epic B): no lock icons,`	High (no lock); Low (comment)

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-7	P2	Partial	Modal behaviour: the X and CANCEL on the confirmation modal both call `onClose`, so closing = Cancel. Launch has no failure path in the prototype; it always succeeds. Closing the success modal with X does the same as Stay In Editor. Still open: transaction boundaries, retries, idempotency and concurrent launches (backend).	workspace-app-integrated.jsx:10230 — `<button onClick={onClose} aria-label="Close"` and :10262 — `<button onClick={onClose} … >CANCEL</button>` · workspace-app-integrated.jsx:11539 — `onClose={() => setShowSuccessModal(false)}` / :11541 — `onStayInEditor={() => setShowSuccessModal(false)} />`	High (UI); n/a (backend)
Q-8	P2	Partial	Launch ignores the schedule: the gate is the product count only, and `handleLaunch` doesn't check the dates. The wizard requires Opens and Closes dates for pop-up (Set window) stores, so a Set-window store always has dates before launch. Use as Template labels an Open store "Closed" once its end date has passed, but that label is cosmetic and doesn't close the store. Still open: whether a store can launch after the Closes date, and what launching before Opens means.	workspace-app-integrated.jsx:6034 — `if (!data.storeOpenStart) e.storeOpenStart = "Launch date is required";` · workspace-app-integrated.jsx:6035 — `if (!data.storeOpenEnd) e.storeOpenEnd = "Closing date is required";` · workspace-app-integrated.jsx:6185 — `if (s.storeOpenMode !== "stay-open" && end && new Date(end + "T23:59:59") < new Date()) return "Closed";`	High
Q-9	P2	Contradicts	The prototype has neither entry point from the requirement. There's no store menu in the workspace header and no Create Template on the Store status card. The only entry is "Use as Template" in the ⋯ menu on store cards. It's offered in every state: Draft, Open and On Hold cards on the Stores list, and Archived cards on My Account. `GeneralInfo` receives `onCreateTemplate` but never uses it.	workspace-app-integrated.jsx:3753 — `{ label: "Use as Template", onClick: () => { setMenuOpen(false); onCreateTemplate && onCreateTemplate(store); } },` (active cards) · workspace-app-integrated.jsx:3749 — same item on archived cards · workspace-app-integrated.jsx:1694 — `{readOnly ? "Storefront Closed" : "Preview Store"}` (only buttons in the header: Setup guide + Preview Store)	High
Q-10	P2	Partial	Header Preview Store opens in the same tab (`window.location.href`). It shows in every non-archived state: Draft, Open and Closed. For Archived it's disabled and reads "Storefront Closed". Success-modal "View Store" only shows a toast. The card's "Visit Store" does nothing. The storefront has no closed screen and no rep preview bypass. Still open: new tab vs same tab, and what a rep sees when the store is Closed or Draft.	workspace-app-integrated.jsx:1644 — `const previewStore = () => { window.location.href = encodeURI("Team Store Storefront.dc.html"); };` · workspace-app-integrated.jsx:1681 — `title={readOnly ? "Storefront is closed for archived stores" : "Preview the customer storefront"}` · workspace-app-integrated.jsx:27916 — `Opening ${s.teamName … storefront…` (toast only; no navigation)	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-11	P2	Answered	Option A. The card is at Settings → "Schedule & Status" → "Store status". Its buttons are labelled "Close Store" and "Re-open Store". The Settings nav item is `schedule`, labelled "Schedule & Status".	workspace-app-integrated.jsx:31668 — `{ id: "schedule", label: "Schedule & Status", desc: "Order window & close dates" },` · workspace-app-integrated.jsx:18778 — `<DetailCard title="Store status" desc="Open or close the storefront to buyers; closing is reversible.">` · workspace-app-integrated.jsx:18818 / :18821 — `Re-open Store` / `Close Store`	High
Q-12	P2	Partial	Closed has its own `status: "closed"`, its own chip and copy, and goes straight back to Open. But Close also sets `live: false`, the same flag a Draft has. Because of this, the store card shows a Closed store as "Draft": `isDraft = !store.live` comes before any closed check. This is the reuse risk the question describes. Still open: confirm option A (separate persisted state) and remove the "equivalent to a draft" wording.	workspace-app-integrated.jsx:18917 — `onUpdateStore && onUpdateStore({ status: "closed", live: false });` · workspace-app-integrated.jsx:3661 — `const isDraft = !store.live;` / :3665 — `const tagLabel = archived ? "Archived" : isDraft ? "Draft" : isHold ? "On Hold" : "Open";` · workspace-app-integrated.jsx:18794 — `"Buyers can't place new orders while the store is closed. You can re-open it at any time."`	High
Q-13	P2	Answered	**Launch:** confirmation modal, then success modal, plus the toast "Your store is now live". **Close:** modal "Close this store?" (Cancel / Close Store), then the toast "Store closed". **Re-open:** no modal, toast "Store re-opened". **Archive:** confirmation modal, then the toast "Store archived". The prototype has no auto-close.	workspace-app-integrated.jsx:27907 — `setToast("Your store is now live");` · workspace-app-integrated.jsx:18910 — `<h2 …>Close this store?</h2>` · workspace-app-integrated.jsx:18917 — `setToast("Store closed");` · workspace-app-integrated.jsx:18817 — `onUpdateStore({ status: "active", live: true }); setToast("Store re-opened");` · workspace-app-integrated.jsx:18940 — `setToast("Store archived");`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-14	P2	Answered	Option A. My Account has an "Archived Stores" card that lists archived stores as store cards. Each card's menu offers View, Unarchive and Use as Template. View opens the workspace read-only, with a banner reading "This store is archived — read-only". The Stores tab lists only non-archived stores. Restoring returns the store as a Draft.	workspace-app-integrated.jsx:27290 — `<h2 …>Archived Stores</h2>` · workspace-app-integrated.jsx:27333 — `onView={() => onManageStore && onManageStore(s.id)}` · workspace-app-integrated.jsx:27902 — `const activeStores = stores.filter((s) => !s.archived);` · workspace-app-integrated.jsx:28401 — `readOnly={!!activeStore.archived}` · workspace-app-integrated.jsx:1787 — `This store is archived — read-only`	High
Q-15	P3	Answered	Option A. Every Launch Store entry point (header/banner, Store status card, Home "Launch store" card) opens the "Launch Team Store" confirmation modal first. The store goes Open only on "Launch Team Store".	workspace-app-integrated.jsx:11573 — `onClick={() => canLaunch && setShowLaunchModal(true)}` · workspace-app-integrated.jsx:18803 — `onClick={() => { window.__openLaunchModal && window.__openLaunchModal(); }}` · workspace-app-integrated.jsx:10267 — `}}>Launch Team Store</button>`	High
Q-16	P3	Partial	Launch fires the browser event `tour:store-live` ("Milestone 3 signal for the onboarding tour"). The `OnboardingChecklist` ("Kickoff Checklist") listens for it and marks the "Launch your store" step complete, with a % progress bar. So the code shows a rep-visible milestone (option B), but no screen renders the checklist. Still open: the event contract, and whether any progress is shown.	workspace-app-integrated.jsx:27908 — `// Milestone 3 signal for the onboarding tour.` / :27909 — `window.dispatchEvent(new CustomEvent("tour:store-live"));` · workspace-app-integrated.jsx:26345 — `// tour:store-live → "Launch your store" becomes complete` · workspace-app-integrated.jsx:26751 — `const pct = Math.round(completed / total * 100);`	Low (component not mounted)
Q-17	P3	Contradicts	"Active" is still in the UI. The Overview KPI card is "Active Stores" and the legacy live pill reads "Active"/"ACTIVE". The stored status value is `"active"`, with a `"hold"` status shown as "On Hold" on cards and in the filter. The Store status card and store cards do say "Open". The prototype uses both "On Hold" and "Closed" for the paused state, so the vocabulary is inconsistent.	workspace-app-integrated.jsx:4965 — `<StatCard label="Active Stores" value={String(liveCount)}` · workspace-app-integrated.jsx:10395 — `{onHold ? "ON HOLD" : "Active"}` · workspace-app-integrated.jsx:27906 — `updateStore(id, { live: true, status: "active" });` · workspace-app-integrated.jsx:3418 — `{ label: "Status", sub: hasHold ? ["Open", "On Hold"] : ["Open"] },`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-18	P3	Contradicts	The live workspace header has: Back to Stores, emblem and team name, Setup guide, and Preview Store. Preview Store shows in every state, including Draft; it's disabled for Archived. The header has no status chip, no storefront URL, no store menu and no LAUNCH STORE button. Launch sits in a "Ready to launch?" banner in the content area while the store is Draft. **Chip colours, Store status card:** Draft blue (#2563eb), Open green (#1f9d55), Closed red (#b81d14), Archived grey. **Chip colours, store card:** Draft grey, Open green, On Hold amber. A Closed store's card shows "Draft" (see Q-12). The Stores filter offers only Open / On Hold, with no Draft or Closed option, and "Open" also matches Draft and Closed stores.	workspace-app-integrated.jsx:1670 — `{/* Right — store guide + preview store + actions menu */}` (renders only Setup guide + Preview Store) · workspace-app-integrated.jsx:11560 — `{isDraftStore &&` (launch banner) · workspace-app-integrated.jsx:18782 — `color: archived ? "#6b6b72" : closed ? "#b81d14" : draft ? "#2563eb" : "#1f9d55",` · workspace-app-integrated.jsx:3425 — `case "Open": return (s.status` … `!== "hold";`	High

Answered — no need to ask the US team

4 question(s) the prototype settles. Remove these from the list sent to the requirement owners.

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-11	P2	Where exactly is the Store Status card (with Close / Re-open), and is the button called "Close Store" or "Pause"?	Option A. The card is at Settings → "Schedule & Status" → "Store status". Its buttons are labelled "Close Store" and "Re-open Store". The Settings nav item is `schedule`, labelled "Schedule & Status".	workspace-app-integrated.jsx:31668 — `{ id: "schedule", label: "Schedule & Status", desc: "Order window & close dates" },` · workspace-app-integrated.jsx:18778 — `<DetailCard title="Store status" desc="Open or close the storefront to buyers; closing is reversible.">` · workspace-app-integrated.jsx:18818 / :18821 — `Re-open Store` / `Close Store`	High

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-13	P2	Which status changes use a confirmation modal and which use a toast, and what is the copy?	**Launch:** confirmation modal, then success modal, plus the toast "Your store is now live". **Close:** modal "Close this store?" (Cancel / Close Store), then the toast "Store closed". **Re-open:** no modal, toast "Store re-opened". **Archive:** confirmation modal, then the toast "Store archived". The prototype has no auto-close.	workspace-app-integrated.jsx:27907 — `setToast("Your store is now live");` · workspace-app-integrated.jsx:18910 — `<h2 …>Close this store?</h2>` · workspace-app-integrated.jsx:18917 — `setToast("Store closed");` · workspace-app-integrated.jsx:18817 — `onUpdateStore({ status: "active", live: true }); setToast("Store re-opened");` · workspace-app-integrated.jsx:18940 — `setToast("Store archived");`	High
Q-14	P2	Where is the "Archived Stores section of the Account page", and how does a rep open an archived store's read-only workspace from it?	Option A. My Account has an "Archived Stores" card that lists archived stores as store cards. Each card's menu offers View, Unarchive and Use as Template. View opens the workspace read-only, with a banner reading "This store is archived — read-only". The Stores tab lists only non-archived stores. Restoring returns the store as a Draft.	workspace-app-integrated.jsx:27290 — `<h2 …>Archived Stores</h2>` · workspace-app-integrated.jsx:27333 — `onView={() => onManageStore && onManageStore(s.id)}` · workspace-app-integrated.jsx:27902 — `const activeStores = stores.filter((s) => !s.archived);` · workspace-app-integrated.jsx:28401 — `readOnly={!!activeStore.archived}` · workspace-app-integrated.jsx:1787 — `This store is archived — read-only`	High
Q-15	P3	Does clicking LAUNCH STORE open a confirmation modal first, or open the store immediately?	Option A. Every Launch Store entry point (header/banner, Store status card, Home "Launch store" card) opens the "Launch Team Store" confirmation modal first. The store goes Open only on "Launch Team Store".	workspace-app-integrated.jsx:11573 — `onClick={() => canLaunch && setShowLaunchModal(true)}` · workspace-app-integrated.jsx:18803 — `onClick={() => { window.__openLaunchModal && window.__openLaunchModal(); }}` · workspace-app-integrated.jsx:10267 — `}}>Launch Team Store</button>`	High

Still open for requirement owners

- Q-1: The prototype counts all products, hidden ones included (L&S rule). Decide whether to keep that and change Store Home C-09/C-16, or switch to visible-only.
- Q-2: Decide which items count (hidden items, Incomplete bundles), whether confirm re-checks the gate, and what happens to an Open store whose last product is removed. None of this is in the prototype.

- Q-3: The prototype sends no launch email and uses share link + team codes instead. Decide whether the launch email exists at all, and if so, who gets it and what the modal says.
- Q-4: The prototype duplicates the store into a new Draft ("Use as Template") and saves no template. Decide between duplicate and saved template, and confirm what is copied and who can see it.
- Q-5: Launch, Preview and Template have no role checks in the prototype. Decide which roles may launch and create templates, and define "league director".
- Q-6: The prototype applies no post-launch lock and gives no warning. Define the lock list and the modal copy.
- Q-7: Define launch failure handling, idempotency, concurrent launches and async email/milestone (backend).
- Q-8: Decide whether a store can launch after its Closes date and what launching before Opens means. The prototype ignores dates at launch.
- Q-9: The prototype offers "Use as Template" only on store cards, in every state including Draft and Archived. Decide the entry point(s) and the per-state availability.
- Q-10: Decide new tab vs same tab for Preview, and what a rep sees for Closed and Draft stores. The prototype shows Preview in Draft and Closed with no preview bypass.
- Q-12: Confirm that Closed is a separate persisted state, and remove "technically equivalent to a draft". The prototype's `live: false` makes Closed cards read "Draft".
- Q-16: Define the `store.launched` event contract, and decide whether the rep sees launch as a completed milestone (the prototype's unmounted checklist does show one).
- Q-17: Rename "Active Stores" and the "On Hold" labels to Open / Closed, or keep "Active Stores" as a metric name only.
- Q-18: Specify the header for each state. The prototype header has no status chip, URL or store menu, and shows Preview Store in Draft. Also settle the chip colours: Closed is red on the Store status card, On Hold is amber on cards, and the spec suggests amber.