Prototype Answers — Roster Management (My Team(s) Tab)

Prototype: input/prototype/Team Stores/ (React 18 JSX via Babel standalone in .dc.html hosts; no build, no backend; state in React state, `window` globals and `localStorage`) · Questions: 44 · Answered 11 · Partial 17 · Contradicts 9 · Not in prototype 7

Notes on sources: - Workspace evidence is from `input/prototype/Team Stores/workspace-app-integrated.jsx` (abbreviated `WAI.jsx` below; full path = `input/prototype/Team Stores/workspace-app-integrated.jsx`). Per the prototype's own project rule, `workspace-app.jsx` is kept identical. - Storefront evidence comes from `Storefront.html:382`. That line is a built bundle: a gzipped, base64-encoded copy of `_export-storefront-app.jsx`. It was decoded for reading only, and the cited "dL" numbers are lines in the decoded source. Storefront rows are therefore Confidence Low at best. - In this prototype a **team and its roster are one object**. `org.groups[].rosters[]` are the teams of a division, and `org.loose[]` are the standalone teams. Each one carries a `players` count and opens a player table, so "roster" in the code usually means "team".

Screens found

- Workspace shell, tabs Home / Settings / Orders / Products / My Teams (League) or My Team (Single) / Reports — WAI.jsx:11496-11502 (`Dashboard`)
- My Teams canvas (division → team builder, side panel Setup/Products tabs, store-wide Roster Bank rollup, Add-from-Catalog drawer) — WAI.jsx:14490 (`TeamCanvasView`)
- Team roster view (breadcrumbs, Order Fulfillment strip, duplicate-number bar, player table, Roster Bank zone) — WAI.jsx:13620-13659 (`RosterTab`, nav.view "roster"), WAI.jsx:16269 (`RosterPlayerTable`)
- Single-Team "My Team": straight into the one roster's player table plus Roster Bank — WAI.jsx:13604-13619
- Add player inline row — WAI.jsx:16680 (`PlayerEditRow`); Edit Player drawer — WAI.jsx:16883 (`PlayerDrawer`); Team Gear drawer — WAI.jsx:15806
- Upload Roster (CSV) modal — WAI.jsx:17438; Share Team Store Link modal — WAI.jsx:17149; Share Roster Template modal — WAI.jsx:17289
- Move players modal — WAI.jsx:16153 (`MovePlayersModal`)
- Roster Bank zone (split/merge/commit, conflict resolver) — WAI.jsx:13834 (`BankZone`), WAI.jsx:13808 (`BankConflictModal`)
- Store creation wizard, League Step 2 "Divisions & Teams" (canvas in wizard mode) — WAI.jsx:7582-7587, WAI.jsx:8656
- Settings → Team & Roster (Roster Rules default card, Jersey number selection card) — WAI.jsx:18847-18853, WAI.jsx:15920, WAI.jsx:31713
- Settings → Distribution & Fulfillment (Team Manager & Freight Mapping) — WAI.jsx:17796
- Orders → pending shipping containers + freight gate modal — WAI.jsx:24880-24902, WAI.jsx:13341
- Team Manager Portal (Reporting + Rosters) — WAI.jsx:32256
- Home tab attention cards — WAI.jsx:11039 (`buildHomeAttention`)
- Storefront: invite/create account, division→team selector, PDP personalization + number grid, "Who is this for?", checkout identity gate — Storefront.html:382 (embedded)

Answers

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-1	P1	Answered	Containers are keyed off the team structure. There is one pending container per division (`org.groups`) and one per standalone team (`org.loose`). The code's "roster" ids are team ids, so a team with no players still has a container. The freight gate only checks divisions set to individual-team mode, and requires a complete manager for every team in that division. Standalone teams are never gated and route to the league manager. This matches option A.	WAI.jsx:24882-24896 — `...ROSTER_GROUP_SEED.map((g, gi) => ({ shippingGroup: g.id.toUpperCase(), title: \` ${g.name} · ${rTeamCode(g.id)}` and ...STANDALONE_ROSTER_SEED.map((r, ri) => ({ shippingGroup: r.id.replace("loose-", "").toUpperCase(), ... subtitle: "Unassigned team" `; WAI.jsx:13281 —` if (!g) return null; // standalone rosters route to the league manager `; WAI.jsx:13285 —` const missing = g.rosters.filter((r) => !managerComplete(managers[r.id]));`	Medium (gate logic is enforced; the container list itself is seeded mock data)
Q-2	P1	Partial	The storefront links an order to a roster player explicitly. The invite is "matched" to roster players by email at account creation, or the buyer picks a player at "Who is this for?". There is no automatic name match. Write-back then fills only blank number and blank Name on Jersey on that player. Separately, a Roster Bank capture is written at checkout whenever the buyer opts in at the team-gear gate, even if they picked a roster player. So the "must not both fire" rule is **not** enforced. Matching rules for orders that skip the invite or picker are still open.	Storefront.html:382 (decoded dL2269) — `"We matched your invite to the roster. Confirm your details to get started."` ; (dL2983) — `"Pick the player from the team roster."` ; (dL1141-1145) — `function rosterWriteBack(playerId, patch) { ... if (patch.number != null && !String(pl.number || "").trim()) pl.number = patch.number;` ; (dL1473) — `if (teamAccess && teamAccess.optIn && teamItems.length) {` (capture written, no roster-match check)	Low (built bundle)

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-3	P1	Contradicts	Settings stores a Jersey Number Selection mode, defaulting to "manager". Its copy for manager mode says buyers get "no number entry at checkout". The storefront never reads this mode, though. The PDP personalization always shows a number field and is locked only when the roster already holds a number. In a roster-less store the taken-number list is empty, so captures hold no numbers on the storefront. The duplicate rule the storefront reads is one global `localStorage` flag, not a per-team value.	WAI.jsx:31691 — `{ key: "manager", title: "Team manager chooses on behalf of players", desc: "... Buyers see their assigned number on the product page — no number entry at checkout." }`; WAI.jsx:31714 — `const mode = store.numberSelection || "manager";` ; Storefront.html:382 (decoded dL2838) — `const numLocked = !!(roster && rNum);` ; (dL1127) — `if (typeof window !== "undefined" && window.SF_ROSTER_PREFILLED === false) return [];` ; (dL2784) — `return window.localStorage.getItem("ts_allow_dupes") === "1";` (no `numberSelection` reference in storefront source)	Low (storefront is a bundle)
Q-4	P1	Answered	Decided as "extends forward". A division-wide assignment is stored as the division id in the product's `rosters` list and resolved when it is read. Teams added later are covered automatically, and the panel copy says so.	WAI.jsx:14514 — `const prodsFor = (tid, gid) => products.filter((p) => { const r = p.rosters || []; return r.includes(tid) || (gid && r.includes(gid)); });` ; WAI.jsx:14170 — `"Division-wide products cover every team in {g.name} — including teams added later."` ; WAI.jsx:14173 — `Division-wide products auto-cover new teams.`	High
Q-5	P1	Contradicts	The prototype keeps the refusal. A player with any team-gear order cannot move: the menu item is disabled, and bulk Move counts only movable players. The modal says "Orders can't be reassigned once they're in fulfillment". It also limits destinations to teams in the **same division** (or standalone to standalone only). That contradicts Roster p.2 ("never blocked by order state"), Orders ("blocks nothing") and Roster p.17 ("every other team in the store").	WAI.jsx:16868-16869 — `title={moveBlocked ? "Team-gear orders already placed — cancel or fulfil them first" ...} {moveBlocked ? "Move to different team — has orders" : "Move to different team"}` ; WAI.jsx:16160 — `const blocked = (players || []).filter((p) => gear(p).orderedCount > 0);` ; WAI.jsx:13511-13514 — `// Destination candidates stay inside the player's own roster group. return all.filter((r) => (me ? r.groupId === me.groupId : r.groupId === null));` ; WAI.jsx:16230 — `"... cross-group moves aren't allowed."`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-6	P2	Partial	The player record has no size field: the seeded roster fields are first, last, number, nameOnJersey, email, phone, associatedEmails and shippingAddress. Size exists only on Roster Bank captures and on ordered gear lines in the Team Gear drawer. The CSV template has no size column. No divergence check exists to say whether size would count.	WAI.jsx:16271 — `{ id: 1, first: "Jalen", last: "Hurts", number: "1", nameOnJersey: "Hurtski", email: ..., phone: ..., associatedEmails: [...], shippingAddress: ... }` ; WAI.jsx:13184 — `caps.push({ ... jersey, size: pick(["YS", ...]), item: it.item, ...` ; WAI.jsx:17457 — `"First Name,Last Name,Jersey Number,Name on Jersey,Email,Phone Number\n"`	Medium
Q-7	P2	Partial	There are no role checks inside My Team(s). The Team Manager Portal shows only Reporting and Rosters, but its Rosters area renders the **full** rep `RosterTab` : canvas, structure edits, Delete Team, moves, Roster Bank commits and product drag-assign. It is not scoped to the manager's own team, and only `managerGated` is turned off. "League director" does not appear anywhere. The permission matrix is still open.	WAI.jsx:32259 — `const NAV = [{ id: "payouts", label: "REPORTING" }, { id: "roster", label: "ROSTERS" }];` ; WAI.jsx:32299 — `{tab === "roster" && <RosterTab startEmpty={false} store={store} org={org} setOrg={setOrg} managerGated={false} onManageManagers={() => {}} />}` (searched: "league director", role checks in RosterTab — none)	Medium
Q-8	P2	Answered	Settings → Team & Roster has no post-launch lock. The Roster Rules (Allow Duplicate Numbers) card and the Jersey number selection card render with no live/launched condition, and the per-team toggle on the roster view is never disabled. Only Archived makes the workspace read-only. This is in effect option B, both exempt. Note this differs from the suggested answer A (mode locks after launch).	WAI.jsx:18847-18853 — `{(section === "team" || section === "all") && ... <RosterRulesDefaultCard store={store} org={org} onUpdateStore={onUpdateStore} onToast={setToast} /> <NumberSelectionCard store={store} onUpdateStore={onUpdateStore} onToast={setToast} />` (no lock condition); WAI.jsx:31718 — `onChange={(k) => { onUpdateStore && onUpdateStore({ numberSelection: k }); ...`	Medium

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-9	P2	Contradicts	Rosters are implicit: every team has one, and "Open Roster" appears on every team with no create step. The roster name shown is the team name. However, **Delete Roster removes the whole team** from the division or standalone list. That contradicts Roster p.10/p.20 ("Delete Roster removes the roster entity and keeps the team").	WAI.jsx:14784 — `<Button variant="primary" onClick={() => onOpenRoster(p, t)}>Open Roster</Button>` ; WAI.jsx:13595 — `title: roster.name,` ; WAI.jsx:13648-13651 — `if (nav.groupId) deleteGroupRoster(nav.groupId, nav.rosterId); else deleteLoose(nav.rosterId); ... setToast("Roster \"" + nav.title + "\" deleted");` ; WAI.jsx:13587 — `rosters: g.rosters.filter((r) => r.id !== rosterId)`	High
Q-10	P2	Partial	Sport, name and brand colour are edited in the canvas **detail panel**, not in a modal. Sport is a select, colour is a swatch row, and both are hidden in the wizard. A new division defaults to sport "Boys Basketball" and the first unused colour from a fixed palette, not the store theme colour. Teams inherit the division colour and can override it per team. Whether the customizer pre-fills store-level or division-level branding is not settled by this code.	WAI.jsx:14549 — `const g = { id: "grp-" + Date.now(), name: "New Division", sport: "Boys Basketball", color, rosters: [] };` ; WAI.jsx:14548 — `const color = ROSTER_BRAND_COLORS.find((c) => !used.includes(c)) || ...` ; WAI.jsx:14691-14700 — `<CanvasPanelField label="Sport">` … `<CanvasPanelField label="Brand Color">`	Medium
Q-11	P2	Partial	Numbers are stored as strings. The grid offers only "0"–"99" (no "00"), but typed entry and CSV accept any 1–2 digits, so "00" and "0" are stored as different values. The storefront roster-less "Who is this for?" field allows up to 3 digits. Whether "00" is a valid and distinct number is still open.	WAI.jsx:16032-16033 — `{Array.from({ length: 100 }, (_, n) => { const s = String(n);` ; WAI.jsx:16089 — `onChange={(e) => onChange(e.target.value.replace(/\D/g, "").slice(0, 2))}` ; WAI.jsx:17706 — `if (!/^\d{1,2}$/.test(num))` ; Storefront.html:382 (decoded dL2956) — `placeholder="00" maxLength={3}`	Medium
Q-12	P2	Contradicts	The storefront writes back **both** a blank Jersey Number and a blank Name on Jersey onto the roster player from the PDP. This matches option B. It contradicts Roster p.12 ("Write-back is the one order → roster path", which is the address) and the Orders governing rule, which lists only address write-back. No address write-back appears in the storefront source.	Storefront.html:382 (decoded dL1144-1145) — `if (patch.number != null && !String(pl.number || "").trim()) pl.number = patch.number; if (patch.nameOnJersey != null && !String(pl.nameOnJersey || "").trim()) pl.nameOnJersey = patch.nameOnJersey;` ; (dL3066) — `if (selfPlayer) rosterWriteBack(selfPlayer.id, { number, nameOnJersey: name });`	Low (built bundle)

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-13	P2	Contradicts	There is no SMS channel anywhere, and Share/Reminder send by email only. However, **Send Reminder is never disabled**: it shows for any player with incomplete gear, whatever their contact details. That contradicts Roster p.10 ("disabled, with a reason, for a player with no contact channel"). Also, the inline Add Player row requires a valid email before saving, which contradicts the rule that only First and Last Name are required.	WAI.jsx:15904-15912 — `{incomplete && ... <button onClick={() => onSendReminder && onSendReminder(player)} ...> Send Reminder`; WAI.jsx:16695-16697 — `const canSave = first.trim() && last.trim() && isValidEmail(email) && (` (searched: sms, text message — no match)	High
Q-14	P2	Answered	The code is a deterministic hash of the team or division internal id, in the format 2 letters + 2 digits + 1 letter (e.g. RT47A). Because it depends only on the id, it stays the same through rename, move between divisions and division deletion. It is not store-prefixed, and uniqueness is not checked, so hash collisions are possible. Note that the team panel copy says "Buyers enter this code on the storefront", which conflicts with the spec ("never entered by rep or shopper").	WAI.jsx:13199-13204 — `function rTeamCode(seed) { let h = 5381; ... return L[h % 23] + L[(h >>> 5) % 23] + String(10 + ((h >>> 10) % 90)) + L[(h >>> 17) % 23]; }`; WAI.jsx:14765-14766 — `<CanvasCopyCode code={rTeamCode(t.id)} store={store} /> "Buyers enter this code on the storefront — or open the link..."`	High
Q-15	P2	Contradicts	In the workspace, deleting a division is **blocked** while it has teams ("Remove its teams first"). Only the wizard re-homes teams as standalone. That contradicts Roster p.8 ("Deleting a division keeps its teams — they become standalone"). An empty division is deleted with nothing done to its division-wide products, which stay listed under the deleted id, or to its manager mode. Container re-homing and revenue attribution are not modelled.	WAI.jsx:14724-14727 — `onClick={() => g.rosters.length > 0 ? (wizard ? setConfirm({ type: "delete-parent-rehome", ... }) : setConfirm({ type: "blocked-parent", name: g.name, count: g.rosters.length }))`; WAI.jsx:14732 — `Blocked while teams are connected — delete or move them first.`; WAI.jsx:14586-14589 — `function deleteParent(gid) { setGroups((cur) => cur.filter((g) => g.id !== gid)); ...`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-16	P2	Answered	Yes. Dragging a team's handle onto another division opens a "Move {team}?" confirmation, and a standalone team connects with one drag. The confirmation says the team inherits the new division's branding and that players, orders and freight routing move with it. Product inheritance follows automatically, because "via division" is resolved from the current parent. There is no action to move a team back out to standalone, since the drag only targets division nodes.	WAI.jsx:14453 — `\ ${confirm.teamName} will leave ${confirm.fromName} and connect to ${confirm.toName}, inheriting its branding. Players, orders, and freight routing move with it.` ; WAI.jsx:14638 — valid = key.startsWith("p:") && key !== "p:" + (...) ; WAI.jsx:14656–14657 — if (cur && cur.parent && cur.parent.id !== toGid) { setConfirm({ type: "reparent", ...`	High
Q-17	P2	Answered	The Order Fulfillment strip and manager controls render only for League stores using Ship to Team Manager (`managerGated`). They are hidden for Direct-to-Home and Single-Team stores. A standalone team routes to its own team manager if one is set, otherwise to the league manager. Standalone teams are never freight-gated. This matches option A, except the rep doesn't pick: the team manager wins if set.	WAI.jsx:11425 — `const managerGated = store.storeType === "league" && (store.distributionModel || "coach") === "coach";` ; WAI.jsx:13268-13272 — `} else if (rosterId) { const t = managers[rosterId]; if (t && t.name) return { ...t, src: "team" }; } return league;` ; WAI.jsx:13278 — `if (!org || (store && store.storeType) === "single") return null;`	High
Q-18	P2	Partial	It is split. On the team roster view (individual-teams mode), the team manager can be edited **inline** ("Assign Manager" / "Edit Manager"). On the division and team canvas panels, mapping is read-only with a "Manage in Settings" jump. The division's fulfillment mode (league vs individual teams) is not editable inside My Team(s). Whether the division-level editor belongs in My Team(s) is still open.	WAI.jsx:13439-13461 — `// Inline team-manager editing on the roster view — expands an editor under the strip instead of jumping to Settings ... manageLabel={eff.src !== "team" ? "Assign Manager" : "Edit Manager"}` ; WAI.jsx:14714-14716 — `<button type="button" onClick={() => onManageManagers(g.id, null)} ...> Manage in Settings`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-19	P2	Partial	Delete Team always asks for confirmation ("Its roster and edge are removed. This can't be undone.") and is never blocked by pending orders. It removes the team from the structure but leaves its Roster Bank captures (`org.bank[tid]`) and product `rosters` references untouched. How gear and order views show deleted teams is not modelled.	WAI.jsx:14455 — `\` Are you sure you want to delete "${confirm.name}"? Its roster and edge are removed. This can't be undone.`; WAI.jsx:14579–14584 —` function deleteTeam(tid) { setOrg((o) => ({ ...o, groups: o.groups.map(...filter((r) => r.id !== tid) })), loose: o.loose.filter((r) => r.id !== tid) })); ... setToast("Team deleted");` (no bank/product cleanup)	High
Q-20	P2	Partial	Import always **appends** to the existing players. Duplicate numbers are checked **within the file only**, not against existing players or pending captures. The template and parser have no Associated Emails or address columns, and columns are read by position. Every team already has a roster, so "no roster" never happens. Separator format and existing-roster conflict handling are still open.	WAI.jsx:16350-16353 — `function bulkAddPlayers(rows) { setPlayers((cur) => [ ...cur, ...rows.map((r, i) => ({ ...r, id: Date.now() + i }))]`; WAI.jsx:17707 — `else if (seenNum[num] != null) { errors.push({ ..., msg: \` ${where}: Duplicate jersey number ${num} (also Row ${seenNum[num]})` }); ;` WAI.jsx:17676–17685 — const cells = line.split(",") `...` phone: cells[5] || ""`	High
Q-21	P2	Not in prototype	No divergence indicator exists in the Team Gear column, the gear drawer or the order drawer. Searched: diverg, snapshot, "update the order", "current roster", "roster value" — the only matches are the duplicate-policy divergence and bundle pricing.	—	—
Q-22	P2	Not in prototype	There is no pending-order update action and no address divergence. Searched: "update order", "update the order", snapshot, diverg — no match in order or roster code.	—	—
Q-23	P2	Not in prototype	There is no amendment history and no buyer notice for order-line rewrites, because no rewrite action exists. Searched: amendment, snapshot, "update the order" — no match.	—	—

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-24	P2	Contradicts	The default is Off ("Blocked"). The roster-level toggle sits in a bar above the player table, with "Overrides store default" / "Reset to default". Single-Team stores use the same mechanism. When teams have overrides, changing the Settings default **asks the rep each time**: "Only the N following the default" or "Apply to all N teams — clear overrides". The second option lets the league-level control overwrite rosters, which contradicts Roster p.12 ("the league-level control never overrides a roster afterward"). It is also not a plain write-all as Settings Epic F describes.	WAI.jsx:5963 — `allowDuplicateNumbers: p.allowDuplicateNumbers ?? false,` ; WAI.jsx:15936 — `const change = (v) => { if (div.overridden > 0) setPrompt({ value: v }); else apply(v, "all"); };` ; WAI.jsx:15983 — `Apply to all {div.total} teams — clear overrides` ; WAI.jsx:16412-16420 — `OVERRIDES STORE DEFAULT` … `<SettingsToggle value={allowDupes} onChange={(v) => { setRosterDupe(rosterId, v); ...`	High
Q-25	P2	Not in prototype	Reservation timing and concurrency are server concerns. The storefront grid only greys out numbers already on the roster list. Searched: reserve, hold, "just taken", cart hold — no match.	—	—
Q-26	P2	Answered	Committing a capture whose number conflicts (with the committed roster or another uncommitted capture) opens "Resolve jersey number". The rep must type a free number, and "Add to Roster" stays disabled until they do. There is no "commit without number" option. This is option B (prompt). Note: the check ignores the roster's Allow Duplicates setting, so it blocks even when duplicates are allowed. That conflicts with Roster p.14 ("When duplicates ARE allowed ... Pending captures impose no constraint").	WAI.jsx:13897-13899 — `function requestCommit(cl) { if (conflictFor(cl)) setResolve({ cluster: cl }); else commitCluster(cl); }` ; WAI.jsx:13813 — `const canCommit = clean !== "" && !stillTaken;` ; WAI.jsx:13848 — `const isTaken = (n, exceptId) => !!outstanding.find((c) => c.id !== exceptId && bzClusterJersey(c) === n) || (rosterNumbers || []).includes(n);`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-27	P2	Not in prototype	There is no store-wide player list and no incomplete-gear filter. The only store-wide view is the Roster Bank rollup under the canvas. Home has no C-05 card, and "Open Roster Bank" just switches to the My Teams tab. Searched: incomplete, "missing required", player view — no match in My Team(s).	—	—
Q-28	P2	Partial	There are no addressable routes. My Team(s) navigation is component state (`{ view: "home" | "roster" }`), and Home jumps only switch tabs (`onRosterBank={() => setTab("roster")}`). The one scoped jump-in goes to Settings → Distribution & Fulfillment with a division and team focus. The Home "Recently worked on" trail is hard-coded and has no resume events. Which routes and events to add is still open.	WAI.jsx:13485 — `const [nav, setNav] = React.useState({ view: "home" });` ; WAI.jsx:11521 — `onRosterBank={() => setTab("roster")}` ; WAI.jsx:11427 — `const jumpToManagers = (groupId, rosterId) => { setManagerFocus({ groupId, rosterId, n: Date.now() }); setSettingsSection("distribution"); setTab("general"); };` ; WAI.jsx:11192-11193 — `const trail = ... [ { name: "Division 7 → U12 Blue — roster", when: "2 hours ago", ...`	High
Q-29	P2	Partial	My Team(s) only assigns. The catalog drawer shows "Assign" or "ASSIGNED", and panel rows have no remove control. The product detail modal opened from the canvas offers Remove, but that removes the product from the **store**. There are no per-team exclusions from "via division" products. Where unassigning should live is still open.	WAI.jsx:14256-14258 — `? <span ...>ASSIGNED</span> : <button type="button" onClick={() => onAssign(p)} ...>Assign</button>` ; WAI.jsx:14955 — `onRemove={(id) => { onProductsChange({ products: (store.products || []).filter((x) => x.id !== id) }); ... setToast("Product removed from the store"); }}`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-30	P2	Partial	The destination always has a roster, because team and roster are the same object. The modal says "Team-gear completion resets at {dest}". Captures stay on the origin team, because the move does not touch `org.bank`. In Single-Team stores the Move action is **not** hidden: it is wired up, and the destination list contains only the current team, shown disabled.	WAI.jsx:16257 — `Team-gear completion resets at {dest.name} — required items differ per team.`; WAI.jsx:13502-13508 — `function movePlayersTo(fromId, dest, assignments) { ... setInjected(...); ... setOrg((o) => ({ ...o, groups: ..., loose: ... }))` (no bank change); WAI.jsx:13613-13614 — `moveTargets={moveTargetsFor(sid)} onMovePlayers={(dest, assignments) => movePlayersTo(sid, dest, assignments)}`	High
Q-31	P2	Partial	An archived store makes the whole workspace content read-only (`inert`, faded), so My Team(s) is read-only too. Draft, Open and Closed have no gating: moves, policy toggles, commits and assignments all work. Moves are not recorded in any activity history. Lifecycle derives draft/open/closed/archived states. Whether moves should be logged is still open.	WAI.jsx:11558 — `if (readOnly) el.setAttribute("inert", ""); else el.removeAttribute("inert");`; WAI.jsx:28401 — `readOnly={!!activeStore.archived}`; WAI.jsx:10993-10997 — `function homeLifecycle(store) { const archived = ...; const closed = ...; const open = ...; return { archived, closed, open, draft: ... }; }`	High
Q-32	P3	Partial	Labels in the prototype: - Tab: "My Teams" (League) / "My Team" (Single). - Store types: "League Store · Multi-Team Hub" / "Individual Team Store · Single-Team Locker". - Fulfillment: "Direct-To-Home Residential Delivery" in the picker, but "Direct-To-Home Delivery" elsewhere. - Live store control: "Active" vs "ON HOLD". Home logic uses Open. The canonical vocabulary is still the owners' decision.	WAI.jsx:11501 — `label: (store && store.storeType === "league") ? "My Teams" : "My Team"`; WAI.jsx:7179 — `options={[{ value: "league", label: "League Store · Multi-Team Hub" }, { value: "single", label: "Individual Team Store · Single-Team Locker" }]}`; WAI.jsx:7181 — `{ value: "home", label: "Direct-To-Home Residential Delivery" }`; WAI.jsx:9918 — `home: "Direct-To-Home Delivery"`; WAI.jsx:10395 — `{onHold ? "ON HOLD" : "Active"}`	High
Q-33	P3	Answered	League: Step 1 Basics, Step 2 Divisions & Teams, Step 3 Add Products, Step 4 Review & Deploy. Single-Team: Step 2 is Add Products. This matches option A.	WAI.jsx:7582-7587 — `const WIZARD_STEPS_LEAGUE = [ { key: "basics", ... }, { key: "structure", label: "Divisions & Teams" }, { key: "products", label: "Add Products" }, { key: "review", label: "Review & Deploy" } ];`; WAI.jsx:7572-7576 — `const WIZARD_STEPS = [ { key: "basics", ... }, { key: "products", label: "Add Products" }, ...`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-34	P3	Contradicts	The prototype's Launch modal **drops** the "all players and the team manager receive an email" statement. It only says the storefront goes live, players and fans can be sent the link and team codes, and "No roster is required". No launch email recipients are modelled. This differs from the Launch spec modal copy.	WAI.jsx:10247 — `"Your storefront goes live at its public link — share the link and team codes so players, parents, and fans can shop. No roster is required; rosters can fill in from team-gear orders."` (searched: "receive an email", "store was created", "all players" — no match)	Medium
Q-35	P3	Contradicts	Workspace roster entry (add row, drawer, CSV) applies **no** uppercase conversion, **no** 15-character limit and no character filter. Name on Jersey is stored as typed. The storefront uppercases as the buyer types but caps at **14** characters. Both differ from the spec ("max 15 characters ... UPPERCASE dynamically").	WAI.jsx:16745 — `<RosterInput value={nameOnJersey} onChange={setNameOnJersey} placeholder="Name on Jersey" />` (no maxLength / toUpperCase); WAI.jsx:16934 — `nameOnJersey: nameOnJersey.trim(),`; Storefront.html:382 (decoded dL2955) — `onChange={(e) => setD({ nojRaw: e.target.value.toUpperCase() })} ... maxLength={14}`	Medium
Q-36	P3	Answered	Typed input is stripped to digits, cut to 10 and auto-formatted as (555) 123-4567. Validation requires exactly 10 digits, so formatted input like "(555) 123-4567" or "555-123-4567" passes in CSV. A leading +1 is **not** stripped: "+1 555 123 4567" has 11 digits and fails CSV validation, and in the form it truncates to the wrong number. Only US/Canada 10-digit numbers are supported.	WAI.jsx:16663-16667 — `function formatPhone(raw) { const d = String(raw || "").replace(/\D/g, "").slice(0, 10); ...`; WAI.jsx:16670 — `function isValidPhone(v) {return phoneDigits(v).length === 10;}`	High
Q-37	P3	Partial	The Edit Player drawer can only **remove** associated emails (there is no add input) and sets no limit. Duplicates against the primary email are removed only when building the Share recipient list (a `Set`). The maximum count is still open.	WAI.jsx:17040 — `<button onClick={() => removeAssociated(em)} aria-label={\` Remove ${em}`}`; WAI.jsx:16368–16373 — const set = new Set(); selectedPlayers.forEach((p) => { if (p.email) set.add(p.email); (p.associatedEmails || []).forEach((e) => e && set.add(e)); });`	Medium

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-38	P3	Partial	The modal accepts `.csv` files only and reads them as text (browser default UTF-8). If the first non-empty line contains "first" or "name", it is skipped as a header. Columns are **positional** (First, Last, Number, Name on Jersey, Email, Phone), so header names and order are ignored. Commas inside quoted values are not supported. There are no file-size or row limits. Limits and header matching are still open.	WAI.jsx:17566 — `accept=".csv,text/csv"` ; WAI.jsx:17674 — `if (/first|name/i.test(line)) { headerSkipped = true; continue; }` ; WAI.jsx:17676 — `const cells = line.split(",").map((c) => c.trim());`	High
Q-39	P3	Partial	There is no override. A failed check shows "We couldn't verify this address. Check it and try again — or leave it blank.", and the save is blocked until the address is fixed or cleared. The map service is a mock (house number + 3 tokens), and outage behaviour is not modelled.	WAI.jsx:16710-16712 — `if (!res.ok) { setAddrErr("We couldn’t verify this address. Check it and try again — or leave it blank."); return; }` ; WAI.jsx:15753-15758 — `function validateAddressService(raw) { ... const ok = /\d/.test(s) && s.split(" ").length >= 3;`	Medium
Q-40	P3	Answered	The grid is always 0–99, both in the workspace and on the storefront. There is no per-roster range setting.	WAI.jsx:16032 — `{Array.from({ length: 100 }, (_, n) => {` ; Storefront.html:382 (decoded dL2794) — `{Array.from({ length: 100 }, (_, n) => {`	High
Q-41	P3	Partial	"n/m" is ordered items over **every** Team Required/Supplied product in the store (not the team's assigned products), using mock order data. Opt-out exists as a product flag ("counts as satisfied"), but the roster count and drawer ignore it. Captures add only a Roster Bank badge or count on team nodes, never a player row or completion number. The completion rule is still open.	WAI.jsx:15774-15775 — `const fromStore = (store?.products || []).filter((p) => p.teamSetting === "team-required" || p.teamSetting === "team-supplied")` ; WAI.jsx:16559 — `{g.orderedCount}/{g.total} team gear items` ; WAI.jsx:19353 — `{ key: "optOut", label: "Opt-out allowed", desc: "“I already own this” counts as satisfied.", ...` ; WAI.jsx:14324-14325 — `{bankCount > 0 && <span title={bankCount + " proposed players waiting in the Roster Bank"}`	Medium
Q-42	P3	Answered	It counts distinct products that reach the division: those assigned division-wide or to at least one of its teams. This is option A.	WAI.jsx:14515 — `const divProdCount = (g) => products.filter((p) => { const r = p.rosters || []; return r.includes(g.id) || g.rosters.some((t) => r.includes(t.id)); }).length;`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-43	P3	Not in prototype	Latency and audit are backend concerns. Clear, Delete and bulk delete are confirmation-gated and then show a toast; nothing is logged. Searched: audit, log, activity, latency — no match in roster code.	—	—
Q-44	P3	Not in prototype	The Store Close Report has no roster participation metric. It covers revenue, orders, origin and personalization. Searched: participation, "roster participation", rostered players in the Close Report section — no match.	—	—

Answered — no need to ask the US team

11 question(s) the prototype settles. Remove these from the list sent to the requirement owners.

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-1	P1	Pending-order shipping containers and the freight gate: are they keyed to teams (and divisions) or to rosters? Which container does an order go to for a team that has no roster?	Containers are keyed off the team structure. There is one pending container per division (`org.groups`) and one per standalone team (`org.loose`). The code's "roster" ids are team ids, so a team with no players still has a container. The freight gate only checks divisions set to individual-team mode, and requires a complete manager for every team in that division. Standalone teams are never gated and route to the league manager. This matches option A.	WAI.jsx:24882-24896 — `...ROSTER_GROUP_SEED.map((g, gi) => ({ shippingGroup: g.id.toUpperCase(), title: \` ${g.name} · ${rTeamCode(g.id)}` `and` ...STANDALONE_ROSTER_SEED.map((r, ri) => ({ shippingGroup: r.id.replace("loose-", "").toUpperCase(), ... subtitle: "Unassigned team" `; WAI.jsx:13281 —` if (!g) return null; // standalone rosters route to the league manager `; WAI.jsx:13285 —` const missing = g.rosters.filter((r) => !managerComplete(managers[r.id]));`	Medium (gate logic is enforced; the container list itself is seeded mock data)

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-4	P1	Is the inheritance rule for teams added to a division after a division-wide product assignment decided ("extends forward") or still open? Is division scope a stored rule or a fan-out at drop time?	Decided as "extends forward". A division-wide assignment is stored as the division id in the product's `rosters` list and resolved when it is read. Teams added later are covered automatically, and the panel copy says so.	WAI.jsx:14514 — `const prodsFor = (tid, gid) => products.filter((p) => { const r = p.rosters || []; return r.includes(tid) || (gid && r.includes(gid)); });` ; WAI.jsx:14170 — `"Division-wide products cover every team in {g.name} — including teams added later."` ; WAI.jsx:14173 — `Division-wide products auto-cover new teams.`	High
Q-8	P2	Will the TBD post-launch lock list include the Team & Roster controls? Can Allow Duplicate Numbers (league-level and per roster) and the Jersey Number Selection mode still be changed after launch?	Settings → Team & Roster has no post-launch lock. The Roster Rules (Allow Duplicate Numbers) card and the Jersey number selection card render with no live/launched condition, and the per-team toggle on the roster view is never disabled. Only Archived makes the workspace read-only. This is in effect option B, both exempt. Note this differs from the suggested answer A (mode locks after launch).	WAI.jsx:18847-18853 — `{(section === "team" || section === "all") && ... <RosterRulesDefaultCard store={store} org={org} onUpdateStore={onUpdateStore} onToast={setToast} /> <NumberSelectionCard store={store} onUpdateStore={onUpdateStore} onToast={setToast} />` (no lock condition); WAI.jsx:31718 — `onChange={(k) => { onUpdateStore && onUpdateStore({ numberSelection: k }); ...`	Medium

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-14	P2	How are team codes generated (algorithm, uniqueness scope)? Do they change when a team is renamed, moved or made standalone after its division is deleted?	The code is a deterministic hash of the team or division internal id, in the format 2 letters + 2 digits + 1 letter (e.g. RT47A). Because it depends only on the id, it stays the same through rename, move between divisions and division deletion. It is not store-prefixed, and uniqueness is not checked, so hash collisions are possible. Note that the team panel copy says "Buyers enter this code on the storefront", which conflicts with the spec ("never entered by rep or shopper").	WAI.jsx:13199-13204 — `function rTeamCode(seed) { let h = 5381; ... return L[h % 23] + L[(h >>> 5) % 23] + String(10 + ((h >>> 10) % 90)) + L[(h >>> 17) % 23]; }`; WAI.jsx:14765-14766 — `<CanvasCopyCode code={rTeamCode(t.id)} store={store} />` `"Buyers enter this code on the storefront — or open the link..."`	High
Q-16	P2	Can an existing team be moved into, out of, or between divisions? If so, what happens to its "via division" products and fulfillment routing?	Yes. Dragging a team's handle onto another division opens a "Move {team}?" confirmation, and a standalone team connects with one drag. The confirmation says the team inherits the new division's branding and that players, orders and freight routing move with it. Product inheritance follows automatically, because "via division" is resolved from the current parent. There is no action to move a team back out to standalone, since the drag only targets division nodes.	WAI.jsx:14453 — `\ ${confirm.teamName} will leave ${confirm.fromName} and connect to ${confirm.toName}, inheriting its branding. Players, orders, and freight routing move with it.` `; WAI.jsx:14638 —` valid = key.startsWith("p:") && key !== "p:" + (...) `; WAI.jsx:14656–14657 —` if (cur && cur.parent && cur.parent.id !== toGid) { setConfirm({ type: "reparent", ...`	High

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-17	P2	How do standalone teams (and Single-Team stores) route orders? Should the Order Fulfillment strip show on division and team views for Direct-to-Home or Single-Team stores, given that Settings shows the mapping only for League stores that ship to team managers?	The Order Fulfillment strip and manager controls render only for League stores using Ship to Team Manager (`managerGated`). They are hidden for Direct-to-Home and Single-Team stores. A standalone team routes to its own team manager if one is set, otherwise to the league manager. Standalone teams are never freight-gated. This matches option A, except the rep doesn't pick: the team manager wins if set.	WAI.jsx:11425 — `const managerGated = store.storeType === "league" && (store.distributionModel || "coach") === "coach";` ; WAI.jsx:13268-13272 — `} else if (rosterId) { const t = managers[rosterId]; if (t && t.name) return { ...t, src: "team" }; } return league;` ; WAI.jsx:13278 — `if (!org || (store && store.storeType) === "single") return null;`	High
Q-26	P2	Committing a Roster Bank capture whose number now conflicts on a roster that disallows duplicates (for example, captured while duplicates were allowed): is the commit blocked, prompted or grandfathered?	Committing a capture whose number conflicts (with the committed roster or another uncommitted capture) opens "Resolve jersey number". The rep must type a free number, and "Add to Roster" stays disabled until they do. There is no "commit without number" option. This is option B (prompt). Note: the check ignores the roster's Allow Duplicates setting, so it blocks even when duplicates are allowed. That conflicts with Roster p.14 ("When duplicates ARE allowed ... Pending captures impose no constraint").	WAI.jsx:13897-13899 — `function requestCommit(cl) { if (conflictFor(cl)) setResolve({ cluster: cl }); else commitCluster(cl); }` ; WAI.jsx:13813 — `const canCommit = clean !== "" && !stillTaken;` ; WAI.jsx:13848 — `const isTaken = (n, exceptId) => !!outstanding.find((c) => c.id !== exceptId && bzClusterJersey(c) === n) || (rosterNumbers || []).includes(n);`	High

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-33	P3	Which store-creation step number is "Divisions & Teams" and which is "Products" for League stores? Is the order Step 2 Divisions & Teams, then Products?	League: Step 1 Basics, Step 2 Divisions & Teams, Step 3 Add Products, Step 4 Review & Deploy. Single-Team: Step 2 is Add Products. This matches option A.	WAI.jsx:7582-7587 — `const WIZARD_STEPS_LEAGUE = [ { key: "basics", ... }, { key: "structure", label: "Divisions & Teams" }, { key: "products", label: "Add Products" }, { key: "review", label: "Review & Deploy" } ];` ; WAI.jsx:7572-7576 — `const WIZARD_STEPS = [ { key: "basics", ... }, { key: "products", label: "Add Products" }, ...`	High
Q-36	P3	Does "10-digit numeric format" accept formatted input such as (555) 123-4567 or a leading +1? Are international numbers allowed?	Typed input is stripped to digits, cut to 10 and auto-formatted as (555) 123-4567. Validation requires exactly 10 digits, so formatted input like "(555) 123-4567" or "555-123-4567" passes in CSV. A leading +1 is **not** stripped: "+1 555 123 4567" has 11 digits and fails CSV validation, and in the form it truncates to the wrong number. Only US/Canada 10-digit numbers are supported.	WAI.jsx:16663-16667 — `function formatPhone(raw) { const d = String(raw || "").replace(/\D/g, "").slice(0, 10); ...` ; WAI.jsx:16670 — `function isValidPhone(v) {return phoneDigits(v).length === 10;}`	High
Q-40	P3	Is the number grid always 00–99, or is the "roster's full number range" configurable?	The grid is always 0–99, both in the workspace and on the storefront. There is no per-roster range setting.	WAI.jsx:16032 — `{Array.from({ length: 100 }, (_, n) => {` ; Storefront.html:382 (decoded dL2794) — `{Array.from({ length: 100 }, (_, n) => {`	High
Q-42	P3	Is the division product count pill a count of distinct products or a sum across teams?	It counts distinct products that reach the division: those assigned division-wide or to at least one of its teams. This is option A.	WAI.jsx:14515 — `const divProdCount = (g) => products.filter((p) => { const r = p.rosters || []; return r.includes(g.id) || g.rosters.some((t) => r.includes(t.id)); }).length;`	High

Still open for requirement owners

- **Q-2 (P1, Partial):** Define matching for orders that don't come through the invite or roster picker. Also decide how to enforce "write-back and capture must not both fire": the prototype writes a capture on opt-in even for a picked roster player.
- **Q-3 (P1, Contradicts):** The storefront ignores the Jersey Number Selection mode and always shows number entry, and roster-less stores have no taken numbers. Decide whether manager mode hides PDP/checkout entry, and which duplicate policy applies to roster-less teams.

- **Q-5 (P1, Contradicts):** The prototype refuses moves for players with orders and only allows moves within the same division. Decide whether moves are allowed (spec p.2 and Orders) and whether cross-division moves are permitted.
- Q-6 (Partial): Confirm there is no size on the player record, and decide whether size is in the divergence scope. Divergence isn't built.
- Q-7 (Partial): Provide the role matrix and define "league director". Today the TM portal exposes the full rep My Teams tab, structure edits included.
- Q-9 (Contradicts): Decide whether Delete Roster keeps the team (spec) or deletes it (prototype).
- Q-10 (Partial): Decide default division sport and colour (prototype: "Boys Basketball" and the next palette colour), and which branding the customizer uses.
- Q-11 (Partial): Decide whether "00" is valid and distinct from "0". The grid omits it, while typed entry and CSV allow it.
- Q-12 (Contradicts): The storefront writes back blank number and Name on Jersey. Confirm or limit write-back to the address only.
- Q-13 (Contradicts): Send Reminder is never disabled, and the add row requires an email. Confirm the channel rules and the required fields.
- Q-15 (Contradicts): Workspace division delete is blocked while teams exist (the wizard re-homes them). Pick one, and define the product, manager, container and revenue handling.
- Q-18 (Partial): Decide whether division fulfillment mode is editable in My Team(s). Today only team managers are inline-editable.
- Q-19 (Partial): Decide team-delete rules for pending orders, captures and product assignments. The prototype leaves captures and assignment references orphaned.
- Q-20 (Partial): Decide append vs replace, duplicate checks against existing players and captures, and Associated Emails and address CSV columns.
- Q-21 (Not in prototype): Choose the divergence surfaces.
- Q-22 (Not in prototype): Decide whether the pending-order update rewrites the address.
- Q-23 (Not in prototype): Decide on amendment history and buyer notification.
- Q-24 (Contradicts): The prototype asks the rep to keep or clear overrides on each apply. Pick the cascade rule.
- Q-25 (Not in prototype): Decide when numbers are reserved and how concurrent picks are handled.
- Q-27 (Not in prototype): Decide whether a store-wide incomplete-player view is in scope.
- Q-28 (Partial): Define the addressable routes and resume events. The prototype has none.
- Q-29 (Partial): Decide where unassign lives and whether per-team opt-out from "via division" products exists.
- Q-30 (Partial): Confirm captures stay behind on a move, and hide Move in Single-Team stores (currently shown).
- Q-31 (Partial): Confirm Draft/Open/Closed are fully editable, and decide whether moves are logged.
- Q-32 (Partial): Pick the canonical labels. The prototype mixes "Direct-To-Home Residential Delivery" / "Direct-To-Home Delivery" and "Active" / Open.
- Q-34 (Contradicts): The prototype launch modal makes no email promise. Define the recipients or drop the copy.
- Q-35 (Contradicts): Decide the max length (15 per spec, 14 in the storefront), uppercase storage and allowed characters. The workspace enforces none of them.
- Q-37 (Partial): Set the maximum number of associated emails, and add an "add" control (the drawer only removes).
- Q-38 (Partial): Set the CSV size, row, encoding and header-matching rules. The prototype parses by position.
- Q-39 (Partial): Decide outage behaviour for the map service.
- Q-41 (Partial): Decide the completion denominator (team-assigned vs all store team gear), opt-out handling, and whether captures count.
- Q-43 (Not in prototype): Set the latency target and audit log scope.
- Q-44 (Not in prototype): Define "roster participation" for the Close Report.