Prototype Answers — Store Settings (Settings Tab)

Prototype: input/prototype/Team Stores/ (React .jsx mounted by .dc.html pages, no backend) · Questions: 26 · Answered 3 · Partial 17 · Contradicts 4 · Not in prototype 2

Evidence paths are relative to `input/prototype/Team Stores/`. Citations are to `workspace-app-integrated.jsx` (loaded by `Marucci Workspace.dc.html`). `workspace-app.jsx` (loaded by `Workspace.dc.html`) has the same logic for every rule cited below; spot-checked on 7 rules. Nothing was run or built. All data is in-memory React state, `window.__*` globals or `localStorage`.

Screens found

- Store workspace tabs: Home, Settings, Orders, Products, My Team(s), Reports — workspace-app-integrated.jsx:11496 (`tabs` array), Dashboard at :11415
- Settings sub-nav: General, Store Codes, Schedule & Status, Team & Roster, Store Customization & Design, People & Access, Distribution & Fulfillment, Catalog & Decoration, Logo Library — workspace-app-integrated.jsx:31664 (`StoreSettingsNav`)
- Settings body (all sections) — workspace-app-integrated.jsx:18492 (`GeneralInfo`)
- Edit Store Details / Fulfillment Method / Team Manager Information modals — workspace-app-integrated.jsx:10623, :10835, :10866
- Order Window Scheduler — workspace-app-integrated.jsx:18223; Repeating Close — :31764
- Store Customization & Design (theme color, announcement) — workspace-app-integrated.jsx:36421
- Team Manager Access (invites) — workspace-app-integrated.jsx:31915; Team Manager Portal (Reporting, Rosters) — :32256
- Store Close Report (entry, host, overlay) — workspace-app-integrated.jsx:33405, :33355, :33212
- Catalog & Decoration — workspace-app-integrated.jsx:30712
- Team Manager & Freight Mapping — workspace-app-integrated.jsx:17796; Orders Assign Managers modal — :13341
- Home tab (manager panel, brand assets) — workspace-app-integrated.jsx:11131
- Create-store wizard Step 1 Basics — workspace-app-integrated.jsx:8121
- Workspace Settings (incl. Pick-up Locations) — workspace-app-integrated.jsx:32221
- Storefront.html (bundled storefront; no announcement or closed-state code found by grep)

Answers

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-1	P1	Partial	The prototype has no post-launch lock anywhere. The Edit Store Details modal and the Fulfillment Method modal open in every state, with no status check. That covers Store Name, Web Address, Team (Change Team), Team Logo, Team Colors, Sports, Team Fundraising, Collect Sales Tax/State and Point of Contact. The schedule mode toggle, Jersey Number Selection and Roster Rules also save in any state. Store Type is display-only (there is no input for it). Branding is explicitly editable after launch, which matches Home. Changing the web address shows a warning but does not block. Still open: the actual lock list. The prototype behaves like option C (lock nothing).	workspace-app-integrated.jsx:18577 — `<DetailRow label="Store Type"` (display only); :10683 — `onSave={() => onSave(f)}` (no state check); :10698 — `Every join link already sent will stop working`; :11369 — `Brand assets — editable after launch; only Archived locks it.`; :36426 — `Both settings stay editable after launch`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-2	P1	Partial	(a)/(b)/(c)/(d): There is one address record. The ship-to destination is the store's `ship*` fields, and those are the same fields the Team/League Manager Information modal edits. So the destination is always the primary manager's address. Clearing it in the Fulfillment modal clears the manager address, and changing the manager's address changes the destination. The prototype matches option B for a typed address. In a single-team store, other managers live in a separate `org.managers` map and are never the destination. Still open: Pick-up Locations exist only as a workspace-level list. There is no store-level selection, so "held as a reference" isn't modeled.	workspace-app-integrated.jsx:8096 — `Reads/writes the store's existing ship* fields (the manager record's freight address) — never a second copy`; :10840 — `model === "coach" ? { distributionModel: model, ...addr }`; :10888 — `const save = () => onSave({ ...f, shipName:`; :10853 — `Clear the fields to remove it.`	High
Q-3	P1	Contradicts	The prototype gives the team manager the same report as the rep (full parity), not a scoped variant. In the Team Manager Portal it is auto-presented the first time the manager visits a Closed store. No email is modeled. Settings Epic H p.19 says: "a separate variant is generated for team managers ... It excludes dealer profit". The prototype follows Lifecycle ("full parity with the rep").	workspace-app-integrated.jsx:32260-32263 — `the manager reads the SAME Store Close Report as the rep ... the report itself is at full parity / const mstore = React.useMemo(() => ({ ...store, role: "manager" }), [store]);`; :33362 — `// Automatic trigger: Closed + this user hasn't seen THIS close event yet.`	High
Q-4	P1	Partial	The rich-text toolbar allows Bold, Italic, Bulleted list and Numbered list. Link is shown but disabled. No headings. There's no character limit: the editor only shows a live count and never blocks. The storefront sanitizer strips script/style/iframe/object/embed/link/meta, `on*` handlers and `javascript:`. Still open: the maximum length, and whether links are allowed.	workspace-app-integrated.jsx:36110-36113 — `tbtn(..., "bold", "Bold")` … `tbtn("• List", "insertUnorderedList", "Bulleted list")`; :36116 — `title="Links are an open spec decision — not enabled yet"`; :36132 — `{chars} characters`; :36055 — `.replace(/<\s*(script|style|iframe|object|embed|link|meta)`	High
Q-5	P2	Partial	Orders Assign Managers, the Team Manager & Freight Mapping section and the Rosters tab all write the same shared `org.managers` map, keyed by group/roster id. Home's "Add manager" jumps into that mapping. But the primary (Point of Contact) manager is a separate set of store-level fields (`store.shipName`, `email`, `phone`, `ship*`), and Home merges the two lists for display. So there are two stores, not the single collection the spec describes. Still open: whether to merge them.	workspace-app-integrated.jsx:24699-24701 — `onComplete={(entries) => { const merged = { ...org, managers: { ...((org && org.managers) || {}), ...entries } };`; :17797-17798 — `Live structure + manager state come from the shared org ... so this section and the Rosters tab mirror each other.`; :11177 — `const primaryMgr = { name: store.managerName`	High
Q-6	P2	Not in prototype	The prototype has no coach import from the Team Database. `TEAM_DATABASE` rows hold org name, address, logo, colors and sports only, with no coach records. Related rule: mapping/Assign Managers entries require an address (`"Address is required for order fulfillment"`, workspace-app-integrated.jsx:13308). Searched: "coach import", "Add from Team Database", "coaches:", "importCoach", "team database" — no coach import found.	—	—

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-7	P2	Contradicts	On single-team stores the submit flow has no destination-address gate. `freightGateFor` returns null for `storeType === "single"`, so submission goes straight to the review modal even with no address. The only checks are text warnings on the Settings card and in the wizard. Settings A3 p.13 says: "pending orders cannot be submitted for fulfillment until an address exists".	workspace-app-integrated.jsx:13278 — `if (!org || (store && store.storeType) === "single") return null;` ; :24564-24570 — `const gate = freightGateFor(o, store, g.shippingGroup); if (gate) {...} setSubmitGroups(grps);` ; :18891 — `No destination address yet — orders can't be submitted for fulfillment until one is set.`	High
Q-8	P2	Not in prototype	There's no post-launch lock to scope (see Q-1). Open and Closed stores both edit freely. The Close confirmation only says "Existing orders are unaffected". Searched: "post-launch", "after launch", "lock" near status/closed, "launchLock" — only exemption comments found, no lock logic.	—	—
Q-9	P2	Partial	"Change Team" is available in the Edit Store Details modal in every store state, with no confirmation. Re-binding overwrites teamName, logo, team colors, primaryColor and sports. Committed product designs are locked once added ("Design is locked once an item is added to the store."), so existing products keep their old branding. This is close to option A, but without the confirmation step. Still open: whether it's allowed after launch, and whether a confirmation is needed.	workspace-app-integrated.jsx:10738 — `{f.connectedTeam ? "Change Team" : "Connect to Team"}` ; :10674 — `teamColors: [t.primary, t.secondary, "#ffffff"],` ; :28857 — `design: "Design is locked once an item is added to the store.",`	High
Q-10	P2	Partial	(c) is answered: "End of season" resolves to a rep-entered Season End date, and save is blocked without one. (a): per-team-code windows apply to league stores only. Each team's storefront "opens and closes on its own dates", and a Closed store overrides every team window. Nothing in the code auto-closes the store from team windows. (b): the UI text says the store "closes and re-opens on a recurring cadence" (league: "it re-opens on the cadence"), which implies automatic re-open. But no job or status change is modeled, and Close Reports are produced only when `status === "closed"`. Still open: which date changes store status, and per-cycle Close Reports.	workspace-app-integrated.jsx:31856 — `resolves to <strong ...>{formatStoreDate(draft.seasonEnd)}</strong> — one close, then the store stays closed.` ; :31778 — `const canSave = !!draft.seasonEnd && !badRange && schedule.length > 0;` ; :31804 — `the store closes and re-opens on a recurring cadence. Orders batch per cycle.` ; :18344 — `Every team code reads as Closed regardless of its window`	Medium
Q-11	P2	Partial	Mode switching: selecting a mode saves immediately with a toast and doesn't check existing orders. The helper text in manager mode says buyers see their assigned number with no entry at checkout. Still open: the buyer-side fallback when there's no roster or no roster match isn't modeled (no storefront logic found for `numberSelection`), and neither is the effect on orders already placed.	workspace-app-integrated.jsx:31718 — `onChange={(k) => { onUpdateStore && onUpdateStore({ numberSelection: k }); onToast && onToast("Number selection updated"); }}` ; :31691 — `Buyers see their assigned number on the product page — no number entry at checkout.`	Medium

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-12	P2	Partial	Catalog & Decoration has 4 cards. (1) Seller & brand scope is read-only: Seller of record, Customizers (Prolook, Victus), Stock Vault auto-add (on) and Entitled brands. Its note says "Set at store creation". (2) Team artwork library (team-level). (3) Art approval policy, with two options: "Unapproved art blocks publish (default)" and "Publishable; blocks order submission". (4) Out-of-stock treatment, with two options: Hidden (default) or Shown disabled. The multi-source flag is hard-coded true, with no control or owner. Products show "LOCKED" for brands the seller isn't entitled to. Still open: who sets the flag, and whether scope is editable.	workspace-app-integrated.jsx:30730 — `Set at store creation; drives catalog access, checkout merchant, and Vault entitlement.` ; :30773 — `{ key: "block-submission", label: "Publishable; blocks order submission"` ; :28797 — `function isMultiSourceStore(store) { return true; }`	Medium
Q-13	P2	Contradicts	The prototype's report has a summary layer (cover, hero slides, recap) and a detail layer with the full order table, plus Summary PDF and CSV export. That is Lifecycle's model, not Settings' "year in review rather than a data table". Hero metrics: Total revenue, Orders, then Net fundraising (if enabled) or Avg. order value. The KPI row adds Pending Orders. The chart panel is titled "Team Revenue" (gross). Entry points: Settings → Store status card ("View Close Report") and the Reports tab (shown only once a close event exists). It is also auto-presented on first view after close. Settings Epic H p.19 says: "a 'year in review' treatment rather than a data table".	workspace-app-integrated.jsx:33456 — `Summary figures, the complete order table, PDF and CSV export.` ; :33113 — `<CrPanel title="Team Revenue">` ; :32593 — `id: "revenue", eyebrow: "Total revenue"` ; :33408 — `// Reports tab: only surface the entry once a close event has actually produced a report.`	High
Q-14	P3	Partial	UI labels are: tab "Settings", section "Schedule & Status", card "Store status", buttons "Close Store" / "Re-open Store" / "Archive Store" (in a Danger Zone inside the Store status card). No "Pause" or "Detail tab" label appears in the UI. "Detail tab" appears only in a code comment. Still open: renaming the other specs.	workspace-app-integrated.jsx:31668 — `{ id: "schedule", label: "Schedule & Status", desc: "Order window & close dates" }` ; :18821 — `<IconLock size={14} style={{ strokeWidth: 2.2 }} /> Close Store` ; :18548 — `// #10 — store status + ordering-window math (Detail tab, Epics C–E).`	High
Q-15	P3	Answered	Option A. The Edit Store Details modal carries `allowDuplicateNumbers` in its form state but renders no control for it. The only editor is the Roster Rules card in Team & Roster, which is a bulk default with per-team overrides.	workspace-app-integrated.jsx:10646 — `allowDuplicateNumbers: store.allowDuplicateNumbers ?? false,` (state only, no input in modal); :18852 — `<RosterRulesDefaultCard store={store} org={org} onUpdateStore={onUpdateStore} onToast={setToast} />`	High
Q-16	P3	Partial	The Settings Team/League Manager Information card has only an Edit icon, which opens a single-record modal. There's no "Add manager" and no "Add from Team Database" action. Home's panel has "Add manager", which routes to the mapping, and no Team Database action. The prototype has no coach import at all (see Q-6). This doesn't match Home's "Settings' manager card does" (offer Add from Team Database). Still open: the decision itself.	workspace-app-integrated.jsx:18675 — `<DetailCard title={store.storeType === "league" ? "League manager information" : "Team manager information"} onEdit={() => setEditing("shipping")}>` ; :11284 — `onClick={function () { onManagers(null); }} ...>Add manager</button>`	High
Q-17	P3	Answered	Option B. The rep picks a salesperson from a directory dropdown (`SALESPEOPLE`). The store saves only the salesperson id, and the email/phone is looked up at display time, so it's live-bound. Team Manager mode reads `store.email` / `store.phone` live. The directory itself is mock data.	workspace-app-integrated.jsx:18643 — `?((SALESPEOPLE.find((s) => s.value === store.contactEmailSalesperson) || {}).email || "—")` ; :7781 — `options={SALESPEOPLE.map((s) => ({ value: s.value, label: s.label + " · " + s[spField] }))}`	Medium

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-18	P3	Partial	Launch sends no "store created" email in the prototype. Launch gives the rep a share link and team codes instead, because roster-optional stores have no player audience. Home also says adding a manager "creates a contact record only". Still open: real email recipients are a backend concern and aren't modeled.	workspace-app-integrated.jsx:10329-10330 — `// Rep-distributed share link — the launch "email" has no player audience under roster-optional stores, so launch hands the rep a link + team codes instead.` ; :11305 — `Adding a manager creates a contact record only — it does not grant portal access.`	Low
Q-19	P3	Partial	Home tags the primary record "Point of Contact", and no "Primary" tag appears on manager rows. Settings has a single primary-manager record with no designation control at all, in the edit modal or elsewhere. Still open: where to change the designation.	workspace-app-integrated.jsx:11292 — `{m.poc && <span ...>Point of Contact</span>}` ; :11177 — `const primaryMgr = { ... poc: true };`	High
Q-20	P3	Partial	(a): an item with no stored toggle follows the store flag. So an item added while OFF reads OFF, then ON after re-enable (option A). (b): on disable, exempt items (with orders) are pinned `fundraisingOn: true`, and nothing later releases that pin. So a released item keeps collecting while the store is OFF, which differs from A4 p.15 ("the store-level disable applies to it from that point"), and stays ON on re-enable. Re-enable only resets items flagged `fundOffByStore`. Still open: the release behavior.	workspace-app-integrated.jsx:19692 — `return own != null ? own : store?.fundraisingEnabled === true;` ; :18508-18509 — `{ ...p, bundleProfit: { ...(p.bundleProfit || {}), fundraisingOn: true } }` ; :18525 — `if (!pr.fundOffByStore) return p;`	High
Q-21	P3	Partial	Draft stores can't be archived: the Danger Zone is hidden for Draft and Archived, and for the manager role. The confirmation says "This can be undone by support." There's no restore flow, so the post-restore state isn't modeled. Still open: the restore target state, and "managing rep" versus support.	workspace-app-integrated.jsx:18829 — `{store.role !== "manager" && !archived && !draft &&` ; :18936 — `Order history and reports are retained. This can be undone by support.`	High
Q-22	P3	Partial	The Active Order Window card shows `store.revenue`, labelled "raised this window" (or "raised so far" when always open). That's the same mock figure the Close Report labels "Total revenue" (gross, net of refunds). So the prototype puts a revenue number under a fundraising-sounding label. It isn't scoped to the window. Still open: the definition and the label.	workspace-app-integrated.jsx:18562 — `const raised = store.revenue || 0;` ; :18750 — `</span> raised{isSetWindow ? " this window" : " so far"}` ; :32446 — `const revenue = store?.revenue || 0;`	Medium
Q-23	P3	Answered	The per-team-code matrix shows both: a "Team code" column first, then a "Team / roster" name column. Search matches name, code or division. Rows are grouped by status (Needs dates, Active, Upcoming, Closed). This is close to option B plus a name column, not names-first. Per-team mode exists only for league stores.	workspace-app-integrated.jsx:18382 — `{["Team code", "Team / roster", "Start date & time", "End date & time", "TZ", "Window status", ""].map(`	High
Q-24	P3	Contradicts	The Close Report shows Net Fundraising (hero slide, KPI tile, breakdown panel) only when `store.fundraisingEnabled === true`. In the disabled-with-exemptions state it's hidden and Avg. Order Value takes its place, even though items are still collecting. This follows Lifecycle. Settings A4 p.15 says: "Reporting follows the same three states ... renders in the enabled state and in the disabled-with-exemptions state".	workspace-app-integrated.jsx:32453 — `const fundraisingEnabled = store?.fundraisingEnabled === true;` ; :32607 — `if (d.fundraisingEnabled) {` ; :33103 — `{d.fundraisingEnabled && <CrStat label="Net Fundraising"`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-25	P3	Partial	Warn only, never block. A "PROPOSAL" warning appears when a custom color is light enough that the UI would switch to dark ink: luminance above 0.62 (weighted RGB, not WCAG contrast). Saving is never blocked. Still open: the decision and a real threshold (e.g. WCAG 4.5:1).	workspace-app-integrated.jsx:36159 — `const lightPick = source === "custom" && readableInk(hex) === "#0e0e10";` ; :5426 — `return lum > 0.62 ? "#0e0e10" : "#ffffff";` ; :36199 — `this warning is non-blocking and doesn't stop you saving.`	High
Q-26	P3	Partial	The editor says saves apply immediately "even on a live store". It doesn't cover Closed stores, and no storefront rendering of the banner or the Closed landing page was found (no "announce" match in Storefront.html or the .dc.html pages). Still open: the Closed-state behavior.	workspace-app-integrated.jsx:36258 — `Changes apply immediately — even on a live store.`	Medium

Answered — no need to ask the US team

3 question(s) the prototype settles. Remove these from the list sent to the requirement owners.

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-15	P3	Is Roster Rules (Allow Duplicate Numbers) editable in two places, the Edit Store Details modal in General and the Roster Rules card in Team & Roster, or is the modal reference out of date?	Option A. The Edit Store Details modal carries `allowDuplicateNumbers` in its form state but renders no control for it. The only editor is the Roster Rules card in Team & Roster, which is a bulk default with per-team overrides.	workspace-app-integrated.jsx:10646 — `allowDuplicateNumbers: store.allowDuplicateNumbers ?? false,` (state only, no input in modal); :18852 — `<RosterRulesDefaultCard store={store} org={org} onUpdateStore={onUpdateStore} onToast={setToast} />`	High
Q-17	P3	In the Store Point of Contact, which salesperson do "Salesperson Email/Phone" refer to: the store-owner rep, or one picked from the salesperson directory? Is the value live-bound like Team Manager mode or copied when saved?	Option B. The rep picks a salesperson from a directory dropdown (`SALESPEOPLE`). The store saves only the salesperson id, and the email/phone is looked up at display time, so it's live-bound. Team Manager mode reads `store.email` / `store.phone` live. The directory itself is mock data.	workspace-app-integrated.jsx:18643 — `?((SALESPEOPLE.find((s) => s.value === store.contactEmailSalesperson) || {}).email || "—") ; :7781 — options={SALESPEOPLE.map((s) => ({ value: s.value, label: s.label + " · " + s[spField] }))}`	Medium
Q-23	P3	Should the Order Window Scheduler show reps team codes, or team/division names (with the code as secondary reference)?	The per-team-code matrix shows both: a "Team code" column first, then a "Team / roster" name column. Search matches name, code or division. Rows are grouped by status (Needs dates, Active, Upcoming, Closed). This is close to option B plus a name column, not names-first. Per-team mode exists only for league stores.	workspace-app-integrated.jsx:18382 — `{["Team code", "Team / roster", "Start date & time", "End date & time", "TZ", "Window status", ""].map(`	High

Still open for requirement owners

- Q-1 (P1, Partial): decide the post-launch lock list. The prototype locks nothing, and branding stays editable as Home says.
- Q-2 (P1, Partial): confirm the single shared address (prototype: destination = primary manager's `ship*` fields). Decide how a Pick-up Location is referenced, since there's no store-level selection.
- Q-3 (P1, Contradicts): pick a scoped manager variant (Settings) or full parity with auto-presentation in the portal (prototype and Lifecycle), and decide delivery (email or in-portal).
- Q-4 (P1, Partial): set the character limit. Decide whether links are allowed (the prototype allows bold, italic and both list types; link is disabled).
- Q-5 (P2, Partial): decide whether the primary manager record and the mapping/Assign Managers records become one collection.
- Q-6 (P2, Not in prototype): define the Team Database coach schema and how an import with no address is handled.
- Q-7 (P2, Contradicts): single-team stores currently submit with no destination address. Choose an inline gate or a hard block.

- Q-8 (P2, Not in prototype): decide whether locks apply while Closed.
- Q-9 (P2, Partial): decide whether Change Team is allowed after launch and whether it needs a confirmation (the prototype allows it in every state with no prompt).
- Q-10 (P2, Partial): decide which date changes store status for team windows, whether repeating closes auto re-open, and whether each cycle produces a Close Report.
- Q-11 (P2, Partial): define the buyer fallback when there's no roster or no roster match, and what a mode switch does to existing orders.
- Q-12 (P2, Partial): confirm the seller scope fields, whether scope is editable and who sets the multi-source flag. Confirm the two art policies.
- Q-13 (P2, Contradicts): choose the canonical Close Report spec (prototype: summary plus detail layers, exports, "Team Revenue", Settings and Reports entry points).
- Q-14 (P3, Partial): confirm the canonical labels in the other specs (prototype: Settings → Schedule & Status → Store status → Close Store).
- Q-16 (P3, Partial): decide on "Add from Team Database" on the Settings manager card (absent in the prototype).
- Q-18 (P3, Partial): define launch email recipients (the prototype uses a share link instead of an email).
- Q-19 (P3, Partial): confirm the "Point of Contact" label and where the designation is set (the prototype has no designation control).
- Q-20 (P3, Partial): define what happens to a released exempt item. The prototype keeps it collecting while the store is OFF.
- Q-21 (P3, Partial): decide the restore target state and who can restore (Draft can't be archived in the prototype).
- Q-22 (P3, Partial): define the "raised" figure and its label (the prototype shows revenue under "raised").
- Q-24 (P3, Contradicts): decide whether Net Fundraising shows in the disabled-with-exemptions state (the prototype hides it).
- Q-25 (P3, Partial): decide warn or block and the threshold (the prototype warns only, using a luminance heuristic).
- Q-26 (P3, Partial): decide whether announcement edits on a Closed store show immediately or only on re-open.