Prototype Answers — Store Status & Lifecycle

Prototype: input/prototype/Team Stores/ (React .jsx in-browser, rendered by .dc.html pages; no backend, state in React + localStorage) · Questions: 34 · Answered 12 · Partial 16 · Contradicts 5 · Not in prototype 1

All evidence paths are relative to `input/prototype/Team Stores/`. Source read: `workspace-app-integrated.jsx` (37,576 lines). `Storefront.html` is only a packed bundle, and no buyer-facing closed page was found in it. Fixture values (dates, revenue, PO flags) are samples, not rules.

Screens found

- Stores list (My Stores / Joined Stores tabs, Status filter, store cards with Edit / Archive menu) — workspace-app-integrated.jsx:3401-3440, 3651-3760
- Overview dashboard (KPI cards: Total Revenue, Orders, Active Stores, Avg. Order Value) — workspace-app-integrated.jsx:4960-4968
- Create Store wizard (Store Schedule: Temporary Pop-Up / Always-On Locker, Store Launch Date, Store Closing Deadline) — workspace-app-integrated.jsx:8122, 8300-8316
- Store workspace side nav: Home, My Team / My Teams, Products, Orders, Reports, Settings — workspace-app-integrated.jsx:1711-1718
- Draft launch banner + Launch Team Store modal + "Your store is now live!" modal — workspace-app-integrated.jsx:11559-11585, 10218-10300
- Home tab attention cards (lifecycle-driven) — workspace-app-integrated.jsx:11040-11095
- Settings → Schedule & Status (Active Order Window, per-team-code Order Window Scheduler, Repeating Close, Store status card, Store Close Report entry, Danger Zone) — workspace-app-integrated.jsx:18717-18846
- Reports tab (Store Close Report entry, Fundraising Report) — workspace-app-integrated.jsx:12103, 12124-12134
- Store Close Report overlay (summary card sequence + detail layer, PDF/CSV) — workspace-app-integrated.jsx:32309-33470
- Account page → Archived Stores section (Unarchive / Restore) — workspace-app-integrated.jsx:27290-27340, 3619-3647
- Archived store read-only workspace banner — workspace-app-integrated.jsx:1785-1790
- Team Manager Portal (Reporting + Rosters only) — workspace-app-integrated.jsx:32256-32302
- System Emails inventory (Settings) — workspace-app-integrated.jsx:31996-32017
- Rep onboarding / business verification screens — workspace-app-integrated.jsx:1996-1998, 2270-2278, 2313-2316

Answers

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-1	P1	Contradicts	Repeating close is a toggle on the store window with cadences Weekly / Every 2 weeks / Monthly / End of season. The copy says the store closes **and re-opens automatically** on the cadence, which contradicts Lifecycle "Closed → Open: Manual only — rep clicks Re-open Store". "End of season" is defined as the Season End date (one close). Per-team-code windows each get their own status (Pending / Active / Closed) that is independent of the store status; a manually Closed store forces every row to "Closed · store". No code auto-closes the store at any date, so how the Close Report is triggered for repeating closes isn't shown.	workspace-app-integrated.jsx:31804 — `"Instead of one fixed close, the store closes and re-opens on a recurring cadence. Orders batch per cycle."`; :31803 — `"When the window closes, it re-opens on the cadence below and every team follows the same close."`; :31829 — `"the store closes once, on the season end."`; :18091-18093 — `if (storeClosed) return { key: "closed", label: "Closed · store" ...` / `if (today > e) return { key: "closed", label: "Closed" ...`	Medium
Q-2	P1	Partial	Only two roles exist in code: rep and team manager (`store.role === "manager"`). Team managers use a separate Team Manager Portal with just Reporting and Rosters; they never see the workspace or lifecycle buttons. The Danger Zone (Archive) is hidden only for the manager role and for Draft/Archived stores. Ownership ("mine" vs "joined") filters the stores list but **does not** gate Close, Re-open or Archive, so a rep on a joined store can archive it. Restore is labelled a "managing rep" action, but the term isn't defined in code. No co-rep or league-director roles.	workspace-app-integrated.jsx:18829 — `{store.role !== "manager" && !archived && !draft &&`; :32259 — `const NAV = [{ id: "payouts", label: "REPORTING" }, { id: "roster", label: "ROSTERS" }];`; :3508-3509 — `{ id: "mine", label: "My Stores" ...` / `{ id: "joined", label: "Joined Stores" ...`; :3754 — `{ label: "Archive", onClick: () => { setMenuOpen(false); onArchive && onArchive(); } }`; :27311 — `Restoring an archived store is a <strong ...>managing rep</strong> action.`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-3	P1	Partial	The prototype follows Lifecycle on audience and seen state: the team manager sees the **same** report (full parity, no separate variant, nothing like dealer profit removed) inside the portal, and seen flags are stored per user role, not per rep. The report opens automatically as a full-screen dialog over the workspace, but it doesn't block: Escape, a click on the backdrop or "Done" closes it and marks it seen. The copy is celebratory ("You raised ... for the team"). Still open: the final metric set, and whether the manager should get a scoped variant.	workspace-app-integrated.jsx:32260-32262 — `// 1 — the manager reads the SAME Store Close Report as the rep. Role-tagging the store keeps the seen-flag separate ... the report itself is at full parity.` ; :32390-32391 — `function crUserId(store) { return store?.role === "manager" ? "team-manager" : "rep"; }` / `"ts_close_report_seen_" + crUserId(store)` ; :33235 — `if (e.key === "Escape") { onClose(); return; }` ; :33256 — `onMouseDown={(e) => { if (e.target === e.currentTarget) onClose(); }}` ; :32611 — `sentence: \` You raised ${crMoney(d.netFundraising)} for the team.``	High
Q-4	P2	Answered	Gate = at least one item in `store.products`, whether hidden or Draft-status. Staged items (`pendingProducts`) don't count. The header button, the Settings Launch Store button and the Home card all use the same count. Re-open has **no** product check.	workspace-app-integrated.jsx:18553 — `const canLaunchNow = (store.products ...).length > 0;` (same at :11459 `const canLaunch`); :12684 — `products: [...products, ...newDrafts]` (Draft products join `products`); :11047-11048 — `if (((store.products ...).length) === 0) { cards.push({ ... title: "Add a product before you launch"` ; :18817 — `onClick={() => { onUpdateStore && onUpdateStore({ status: "active", live: true }); setToast("Store re-opened"); }}`	High
Q-5	P2	Partial	No settings field locks after launch. Edit buttons on the Settings cards show in every non-archived state, and only Archived makes the workspace read-only (`inert`). Comments mark some cards as "EXEMPT from post-launch locking (Epic B)", which implies a lock list, but none is built. The only locks are on products: design locks once an item is added, and everything locks once the item has orders.	workspace-app-integrated.jsx:11558 — `if (readOnly) el.setAttribute("inert", "")` ; :28401 — `readOnly={!!activeStore.archived}` ; :11369 — `{/* Brand assets — editable after launch; only Archived locks it. */}` ; :18857 — `Both cards are EXEMPT from post-launch locking (Epic B)` ; :28857-28858 — `design: "Design is locked once an item is added to the store."` / `full: "This item has orders — changes are locked ..."`	High
Q-6	P2	Partial	Re-open is one click with no date check. It sets the store to Open whatever the close date, and the schedule isn't touched. The prototype has no auto-close, so it doesn't show what happens afterwards (stays open, or closes again). The "days left" pill floors at 0.	workspace-app-integrated.jsx:18817 — `onUpdateStore({ status: "active", live: true }); setToast("Store re-opened");` ; :18561 — `const daysLeft = Math.max(Math.round((wEnd - today) / 86400000), 0);` ; only setter of Closed is the manual button, :18917 — `onUpdateStore({ status: "closed", live: false })`	High
Q-7	P2	Partial	Dates never shift: closing changes only `status` and `live`, and the open/close dates stay the same. While Closed, the window bar fills to 100% in red and every team-code row reads "Closed · store", with a note to re-open the store. The prototype has no scheduler, so it can't show whether a close date that passes while the store is Closed fires a second event.	workspace-app-integrated.jsx:18917 — `onUpdateStore({ status: "closed", live: false })` ; :18760 — `width: \` ${closed ? 100 : wPct}%` ; :18344 — The store itself is closed. Every team code reads as Closed regardless of its window — re-open the store to let these schedule`	Medium
Q-8	P2	Contradicts	Self-service: an **Unarchive** item on archived store cards (Account → Archived Stores) opens "Restore {store}?", and the store comes back **as a Draft** (`live: false`). This contradicts Lifecycle "Not self-service ... Support staff only" and also its "cannot return to Draft". It matches Lifecycle §Archived "managing rep". The archive modal and email copy still say "This can be undone by support".	workspace-app-integrated.jsx:3748 — `{ label: "Unarchive", onClick: () => { setMenuOpen(false); onUnarchive && onUnarchive(); } }` ; :28493 — `updateStore(restoreTargetId, { status: "active", live: false, archived: false }); ... setToast("Store restored — now a draft in your active stores")` ; :3633 — `<li>Return it as a draft so you can review before re-opening</li>` ; :18936 — `Order history and reports are retained. This can be undone by support.`	High
Q-9	P2	Answered	Archived stores drop out of the Stores list and the store switchers. They appear only in the Archived Stores section of the Account page, as grey cards (tag bg #e4e4e7, text #52525b) with View / Unarchive / Use as Template. View opens the workspace read-only with a yellow "This store is archived — read-only" banner. The Close Report stays reachable there and is tagged READ-ONLY.	workspace-app-integrated.jsx:27902-27903 — `const activeStores = stores.filter((s) => !s.archived);` / `const archivedStores = stores.filter((s) => s.archived);` ; :27290 — `>Archived Stores</h2>` ; :3663-3665 — `const tagBg = archived ? "#e4e4e7" ...` / `tagLabel = archived ? "Archived" ...` ; :1787 — `This store is archived — read-only` ; :33450 — `{available && store?.status === "archived" && (` (READ-ONLY tag)	High
Q-10	P2	Partial	Archive doesn't check for pending orders: the confirm modal archives straight away. Once archived, the whole workspace is `inert`, so pending orders can't be submitted afterwards (the "stranded orders" risk). There is no cancel or refund logic.	workspace-app-integrated.jsx:18940 — `onClick={() => { onUpdateStore && onUpdateStore({ status: "archived", live: false, archived: true }); ...` ; :11558 — `if (readOnly) el.setAttribute("inert", "")`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-11	P2	Answered	A report **is** available after Open → Archived. If no close event exists, archiving creates one (`auto: true` , close date = scheduled close date), and archived stores count as "report available". This matches option A and contradicts Settings Epic H ("archiving does not generate ... a report"). No Close step is required before Archive (Danger Zone shows for Open stores).	workspace-app-integrated.jsx:32381-32385 — `if (status === "archived") { if (prev) return prev; const next = { id: 1, closedAt: store.storeOpenEnd ... auto: true };` ; :32414 — `function crAvailable(store) { return store?.status === "closed" ... "archived"; }` ; :18829 — `!archived && !draft`	Medium
Q-12	P2	Partial	Inconsistent. Settings hides the Danger Zone for Drafts (`!draft`), but the Stores-list card menu offers "Archive" for every non-archived store, Drafts included.	workspace-app-integrated.jsx:18829 — `{store.role !== "manager" && !archived && !draft &&` ; :3750-3754 — `] : [ ... { label: "Archive", onClick: () => { setMenuOpen(false); onArchive && onArchive(); } },`	High
Q-13	P2	Answered	The workspace tabs are Home, My Team / My Teams (nav id "Roster"), Products, Orders, Reports and Settings. The status controls are in Settings → Schedule & Status → "Store status" card, with the buttons "Launch Store" / "Close Store" / "Re-open Store". The Danger Zone ("Archive Store") sits inside the same card. There is no Detail tab. Leftover "On Hold" wording remains in the Stores-list filter, the store card tag and the Launch modal ("put the store on hold ... in the Team Stores menu").	workspace-app-integrated.jsx:1711-1717 — `{ id: "home", label: "Home" ... { id: "payouts", label: "Reports" ... }, { id: "general", label: "Settings" ...` ; :18724 — `>Schedule & Status</h3>` ; :18778 — `<DetailCard title="Store status"` ; :18812/18818/18821 — `Launch Store / Re-open Store / Close Store` ; :3418 — `{ label: "Status", sub: hasHold ? ["Open", "On Hold"] : ["Open"] }` ; :10248 — `"You can put the store on hold at any time in the Team Stores menu, ..."`	High
Q-14	P2	Partial	The store-level window is **date-only** (wizard date fields, ISO dates like "2026-06-04"; the Home countdown parses at local noon). Per-team-code windows have date-time plus a timezone, defaulting to "America/Los_Angeles" with 09:00 open and 21:00 close. There is no scheduler, so latency and in-checkout handling aren't shown.	workspace-app-integrated.jsx:8315 — `<WizardDate label="Store Closing Deadline" value={data.storeOpenEnd} ...` ; :11026 — `const end = new Date(raw + "T12:00:00");` ; :18231-18233 — `(store.storeOpenStart ...) + "T09:00"` / `+ "T21:00"` / `useState("America/Los_Angeles")`	Medium
Q-15	P2	Partial	Launch ignores the window: it sets `live: true, status: "active"` with no check on the Opens or Closes date, so launching after Closes isn't blocked. The wizard labels the Opens date "Store Launch Date", but nothing auto-opens at that date. Team-code rows before their start read "Pending". Whether buyers can check out before Opens is a storefront rule that isn't modelled.	workspace-app-integrated.jsx:27905-27906 — `const handleLaunch = (id) => { updateStore(id, { live: true, status: "active" });` ; :8314 — `<WizardDate label="Store Launch Date" value={data.storeOpenStart} ...` ; :18092 — `if (today < s) return { key: "pending", label: "Pending" ...`	Medium
Q-16	P2	Partial	The report window always starts at the **scheduled** `storeOpenStart` , not at launch or the latest re-open (option B, which double-counts across re-opens). It ends at the close-event time. Each re-close increments the event id, but the window start doesn't move.	workspace-app-integrated.jsx:32374 — `openedAt: store.storeOpenStart ... null,` ; :32459-32460 — `const openDate = crParseDate(store?.storeOpenStart ... "2026-02-03");` / `const closeDate = crParseDate(ev?.closedAt ...`	High
Q-17	P2	Contradicts	Reports are reachable only while the store is Closed or Archived. After a re-open, the Settings entry is disabled ("Available when the store closes.") and the Reports-tab entry is hidden. This contradicts Lifecycle "remains viewable on demand ... retained after re-open". Only one event per store is kept in localStorage (each re-close overwrites the record with id+1), so there is no list for picking a report. The Reports-tab entry sits at the top of the Reports tab.	workspace-app-integrated.jsx:32414 — `function crAvailable(store) { return store?.status === "closed" ... "archived"; }` ; :33409 — `if (variant !== "settings" && !(available && ev)) return null;` ; :33421 — `: "Available when the store closes."` ; :32372-32378 — `const next = { id: (prev?.id ... 0) + 1, ... }; crWriteJSON(key, next);` ; :12103 — `<StoreCloseReportEntry store={store} variant="reports" />`	High
Q-18	P2	Partial	Totals come from the same `store.revenue` source as the other screens, but the trend deltas are hard-coded strings that match the Overview "vs last month" cards (12.4%, 8.1%, 3.2%). They aren't window-scoped, and no baseline is computed.	workspace-app-integrated.jsx:32445-32446 — `// Same source figures the Reports tab reads.` / `const revenue = store?.revenue ... 0;` ; :32596 — `delta: { v: "12.4%", dir: "up" },` ; :4963 — `<StatCard label="Total Revenue" ... delta="12.4%" deltaDir="up" sub="vs last month" />`	Low
Q-19	P2	Answered	The detail layer shows a "Team Revenue" panel (reusing the `TeamProfitChart` component, fed a gross revenue trend), and the recap tile says "Team revenue". The literal label "Team Profit" doesn't appear anywhere. The PDF prints "Total team revenue in window".	workspace-app-integrated.jsx:33113-33114 — `<CrPanel title="Team Revenue">` / `<TeamProfitChart data={d.profitData} />` ; :32451 — `const profitData = buildProfit(revenue); // Team Revenue trend (gross)` ; :32818 — `\ Total team revenue in window: ${crMoney(d.revenue)}``	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-20	P2	Partial	The prototype has both readings. The Close Report shows Net Fundraising only when `fundraisingEnabled === true` (Lifecycle), so "disabled but still collecting" hides it. The Reports-tab Fundraising Report also renders when items are still collecting (three-state). The owner must pick one.	workspace-app-integrated.jsx:32453 — `const fundraisingEnabled = store?.fundraisingEnabled === true;` ; :33103 — `{d.fundraisingEnabled && <CrStat label="Net Fundraising" ...` ; :12126 — `{(store?.fundraisingEnabled === true ... fundCollectingItems(store).length > 0) && (`	High
Q-21	P2	Partial	The detail layer uses the stages Order placed → Confirmed → Artwork → Factory production → Shipped → Delivered (keys submitted, order-confirmed, artwork-production, factory-production, shipped, delivered). Refunded and cancelled lines are flagged, not removed. Pending orders show only as a count (a "Pending orders" tile) and aren't rows. The shared Orders status set also has "on-hold". There is no single canonical enum, and the Orders KPI definition is open.	workspace-app-integrated.jsx:32428-32435 — `{ key: "submitted", label: "Order placed" ... { key: "delivered", label: "Delivered" ...` ; :32999 — `{ label: "Pending orders", value: d.pending.toLocaleString("en-US") },` ; :32552 — `if (r) r.refunded = true;` ; :23060 — `o.status === "on-hold"`	Medium
Q-22	P2	Contradicts	Verification exists in the prototype as **rep/organisation onboarding**, not as a launch gate. An older screen shows a manual PROLOOK admin review of entity, EIN and banking with a 24–48 h wait. A newer Stripe flow says it "Replaces the old manual-review waiting state ... No 24–48 hr wait". Both contradict the Lifecycle text "manual, asynchronous ... 24–48 hr waiting period" as a Lifecycle dependency. Nothing in launch logic checks verification.	workspace-app-integrated.jsx:1996-1998 — `Verification required.` … `Business entity, EIN, and banking details are reviewed by a PROLOOK admin` … `24–48 hours` ; :2313-2316 — `Stripe verification — automated approval / Replaces the old manual-review waiting state. ... No 24–48 hr wait.` ; :27905-27906 — `const handleLaunch = (id) => { updateStore(id, { live: true, status: "active" });`	Medium
Q-23	P3	Answered	There is no revert-to-draft action. The only "reversible" control is Close / Re-open (the Launch modal copy still calls it "put the store on hold"). One side path returns a store to Draft: restoring from Archive (see Q-8).	workspace-app-integrated.jsx:18778 — `desc="Open or close the storefront to buyers; closing is reversible."` ; :10248 — `"You can put the store on hold at any time ..."` ; :28493 — `{ status: "active", live: false, archived: false }`	High
Q-24	P3	Not in prototype	No buyer-facing Closed or Draft landing page was found. The only related UI is in the workspace: for archived stores, the Preview button reads "Storefront Closed", and the status copy says "Buyers can't place new orders while the store is closed." Searched: "This store is closed", "currently closed", closed, archived, draft in Storefront.html (packed bundle) and workspace-app-integrated.jsx — no storefront closed screen.	searched: "This store is closed", "currently closed", "Storefront Closed" (workspace only, :1694), Storefront.html bundle — no match for a closed landing page	Low
Q-25	P3	Contradicts	The Overview KPI is labelled **"Active Stores"** (counts `live` stores or status "active"), not "Open Stores" as in the Lifecycle matrix. A restored-archived store (status "active", live false) would also be counted. Store pickers elsewhere label stores "Active". The store card also tags any non-live store as "Draft", so a Closed store shows "Draft" on its card.	workspace-app-integrated.jsx:4965 — `<StatCard label="Active Stores" value={String(liveCount)} ...` ; :4673 — `const liveCount = scoped.filter((s) => s.live ... s.status === "active").length` ; :30490 — `s.live ? "Active" : "Draft"` ; :3661 — `const isDraft = !store.live;`	High
Q-26	P3	Answered	Launch = "Launch Team Store" confirmation modal, then a "Your store is now live!" success modal (plus a toast). Close = a "Close this store?" confirmation modal, then the toast "Store closed". Re-open = no modal, toast "Store re-opened". Archive = a confirmation modal, then the toast "Store archived".	workspace-app-integrated.jsx:10228 — `Launch Team Store` ; :10296 — `Your store is now live!` ; :18910 — `>Close this store?</h2>` ; :18917 — `setToast("Store closed")` ; :18817 — `setToast("Store re-opened")`	High
Q-27	P3	Partial	The System Emails inventory defines: "Store Status Changed" to the owning rep and the team manager on **every** transition; "Store Closing Notice" to all account holders when the store goes Closed; "Ordering Window Closed" to account holders who haven't ordered when a pop-up auto-closes; and "Ordering Window Closing Soon" 48 h before. No launch email to players is listed. Actual sending is backend and not shown.	workspace-app-integrated.jsx:31998 — `{ id: "status-changed", name: "Store Status Changed", purpose: "Any store status transition — one email per change." ...` ; :32011 — `{ id: "store-closing", name: "Store Closing Notice", purpose: "Store transitions to Closed — sent to all account holders." ...` ; :32012 — `{ id: "window-closed", ... purpose: "A pop-up window auto-closes — sent to account holders who haven't ordered." ...`	Medium

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-28	P3	Answered	Immediately (option A). The report host sits inside the workspace and watches `store.status`. When the rep confirms Close, the status becomes "closed" and the summary opens about 350 ms later if this user hasn't seen the event.	workspace-app-integrated.jsx:33364-33367 — `if (!ev ... store?.status !== "closed") return; if (crIsSeen(store, ev)) return; const t = setTimeout(() => setOpen({ mode: "auto", layer: "summary" }), 350);` ; :11596 — `<StoreCloseReportHost store={store} />`	High
Q-29	P3	Answered	No auto-close banner is built; the modal is the notification. Home shows a grey "Your close report is ready" card whenever the store is Closed, whether or not the report has been seen (the card doesn't check seen state).	workspace-app-integrated.jsx:11087-11088 — `if (lc.closed) { cards.push({ tone: "grey", kind: "report", link: true, title: "Your close report is ready", ...` ; searched: banner, auto-close in the Close Report code — no banner	Medium
Q-30	P3	Answered	Yes. Only Archived makes the workspace read-only, so the My Team(s) / Roster tab stays fully editable while Closed.	workspace-app-integrated.jsx:28401 — `readOnly={!!activeStore.archived}` ; :11558 — `if (readOnly) el.setAttribute("inert", "")`	Medium
Q-31	P3	Answered	Four hero figures: Total revenue, Orders, then Net fundraising (or Avg. order value when fundraising is off), then Top product by quantity. The sequence is Cover → heroes → Recap, with a segmented progress bar. If there is no top product it's three. With zero orders the heroes are replaced by one "empty window" card.	workspace-app-integrated.jsx:32589-32590 — `function crHeroes(d) { if (d.empty) return [];` ; :32607 — `if (d.fundraisingEnabled) {` ; :32624 — `if (d.topProduct) {` ; :33222-33226 — `const v = [{ kind: "cover" }]; if (d.empty) v.push({ kind: "empty" }); else crHeroes(d).forEach(...); v.push({ kind: "recap" });`	High
Q-32	P3	Partial	An open-PO flag exists only as generated mock data (every 17th row). It drives the "Needs attention" strip and a "(open)" suffix in the PO # column. There is no payment-status source.	workspace-app-integrated.jsx:32495 — `const poOpen = i % 17 === 5;` ; :33058 — `if (d.openPO) attention.push(` \` ${d.openPO} order... with an unsettled payment (open PO).`); `; :32930 —` csv: (o) => o.poNumber + (o.poOpen ? " (open)" : "")`	Low
Q-33	P3	Partial	Name = `StoreCloseReport_<StoreName>_<YYYY-MM-DD>`. The date is the local date of the close event. Every character that isn't a letter or digit is **removed**, not replaced with "-" (e.g. "Bears 14U" becomes "Bears14U"). There is no suffix for a second close on the same day.	workspace-app-integrated.jsx:32771 — `function crFileBase(d) { return` \` StoreCloseReport_${crSlug(d.storeName)}_${crDateISO(d.closeDate)}`; } `; :32336 —` function crSlug(s) { return String(s ... "Store").replace(/[^A-Za-z0-9]+/g, "") ... } `; :32334 —` `` ${d.getFullYear()}-${p(d.getMonth() + 1)}-${p(d.getDate())}` ``	High
Q-34	P3	Answered	The CSV uses the current column-visibility selection **and** the current search, filter and date-range view of the order table, so it isn't always the complete data set. This conflicts with the Lifecycle edge case "exports still contain the complete data set". With zero orders it exports headers only.	workspace-app-integrated.jsx:23428-23430 — `// Lets an embedding view (the Store Close Report) fire the same CSV export, honoring the current column-visibility selection. / if (exportApi) exportApi.current = () => download(view, csvName ... "all-orders.csv");` ; :23398 — `const visibleCols = columns.filter((c) => !hidden[c.key]);` ; :33251 — `crDownload(new Blob([head + "\n"], ...`	High

Answered — no need to ask the US team

12 question(s) the prototype settles. Remove these from the list sent to the requirement owners.

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-4	P2	Does the launch gate count any added product (including hidden ones, and custom products that are staged but not yet committed), or only visible products? Does the gate also apply to re-opening a store that now has zero products?	Gate = at least one item in `store.products`, whether hidden or Draft-status. Staged items (`pendingProducts`) don't count. The header button, the Settings Launch Store button and the Home card all use the same count. Re-open has **no** product check.	workspace-app-integrated.jsx:18553 — `const canLaunchNow = (store.products ...).length > 0;` (same at :11459 `const canLaunch`); :12684 — `products: [...products, ...newDrafts]` (Draft products join `products`); :11047-11048 — `if (((store.products ...).length) === 0) { cards.push({ ... title: "Add a product before you launch"` ; :18817 — `onClick={() => { onUpdateStore && onUpdateStore({ status: "active", live: true }); setToast("Store re-opened"); }}`	High

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-9	P2	Where are archived stores listed, and how does a rep open an archived store's read-only workspace and Close Reports?	Archived stores drop out of the Stores list and the store switchers. They appear only in the Archived Stores section of the Account page, as grey cards (tag bg #e4e4e7, text #52525b) with View / Unarchive / Use as Template. View opens the workspace read-only with a yellow "This store is archived — read-only" banner. The Close Report stays reachable there and is tagged READ-ONLY.	workspace-app-integrated.jsx:27902-27903 — `const activeStores = stores.filter((s) => !s.archived);` / `const archivedStores = stores.filter((s) => s.archived);` ; :27290 — `>Archived Stores</h2>` ; :3663-3665 — `const tagBg = archived ? "#e4e4e7" ...` / `tagLabel = archived ? "Archived" ...` ; :1787 — `This store is archived — read-only` ; :33450 — `{available && store?.status === "archived" && (` (READ-ONLY tag)	High
Q-11	P2	When an Open store is archived, its window closes without a close event. Is a Close Report generated for that final window?	A report **is** available after Open → Archived. If no close event exists, archiving creates one (`auto: true`, close date = scheduled close date), and archived stores count as "report available". This matches option A and contradicts Settings Epic H ("archiving does not generate ... a report"). No Close step is required before Archive (Danger Zone shows for Open stores).	workspace-app-integrated.jsx:32381-32385 — `if (status === "archived") { if (prev) return prev; const next = { id: 1, closedAt: store.storeOpenEnd ... auto: true };` ; :32414 — `function crAvailable(store) { return store?.status === "closed" ... "archived"; }` ; :18829 — `!archived && !draft`	Medium
Q-13	P2	Which tab and section host the Store Status card and the Danger Zone, and what are the canonical action labels and workspace tab names?	The workspace tabs are Home, My Team / My Teams (nav id "Roster"), Products, Orders, Reports and Settings. The status controls are in Settings → Schedule & Status → "Store status" card, with the buttons "Launch Store" / "Close Store" / "Re-open Store". The Danger Zone ("Archive Store") sits inside the same card. There is no Detail tab. Leftover "On Hold" wording remains in the Stores-list filter, the store card tag and the Launch modal ("put the store on hold ... in the Team Stores menu").	workspace-app-integrated.jsx:1711-1717 — `{ id: "home", label: "Home" ... { id: "payouts", label: "Reports" ... }, { id: "general", label: "Settings" ...` ; :18724 — `>Schedule & Status</h3>` ; :18778 — `<DetailCard title="Store status"` ; :18812/18818/18821 — `Launch Store` / `Re-open Store` / `Close Store` ; :3418 — `{ label: "Status", sub: hasHold ? ["Open", "On Hold"] : ["Open"] }` ; :10248 — `"You can put the store on hold at any time in the Team Stores menu, ..."`	High
Q-19	P2	Should the Close Report still show a Team Profit chart and trend?	The detail layer shows a "Team Revenue" panel (reusing the `TeamProfitChart` component, fed a gross revenue trend), and the recap tile says "Team revenue". The literal label "Team Profit" doesn't appear anywhere. The PDF prints "Total team revenue in window".	workspace-app-integrated.jsx:33113-33114 — `<CrPanel title="Team Revenue">` / `<TeamProfitChart data={d.profitData} />` ; :32451 — `const profitData = buildProfit(revenue); // Team Revenue trend (gross)` ; :32818 — `\ Total team revenue in window: ${crMoney(d.revenue)}``	High
Q-23	P3	Can a launch be reversed? Launch calls it "reversible" and tracks "reversals", but Lifecycle says one-way	There is no revert-to-draft action. The only "reversible" control is Close / Re-open (the Launch modal copy still calls it "put the store on hold"). One side path returns a store to Draft: restoring from Archive (see Q-8).	workspace-app-integrated.jsx:18778 — `desc="Open or close the storefront to buyers; closing is reversible."` ; :10248 — `"You can put the store on hold at any time ..."` ; :28493 — `{ status: "active", live: false, archived: false }`	High
Q-26	P3	Which confirmation and feedback pattern applies to Launch, Close and Re-open: modal, toast, or both?	Launch = "Launch Team Store" confirmation modal, then a "Your store is now live!" success modal (plus a toast). Close = a "Close this store?" confirmation modal, then the toast "Store closed". Re-open = no modal, toast "Store re-opened". Archive = a confirmation modal, then the toast "Store archived".	workspace-app-integrated.jsx:10228 — `Launch Team Store` ; :10296 — `Your store is now live!` ; :18910 — `>Close this store?</h2>` ; :18917 — `setToast("Store closed")` ; :18817 — `setToast("Store re-opened")`	High
Q-28	P3	After a manual Close, when does the Close Report modal appear for the rep who closed the store and is still in the workspace?	Immediately (option A). The report host sits inside the workspace and watches `store.status`. When the rep confirms Close, the status becomes "closed" and the summary opens about 350 ms later if this user hasn't seen the event.	workspace-app-integrated.jsx:33364-33367 — `if (!ev ... store?.status !== "closed") return; if (crIsSeen(store, ev)) return; const t = setTimeout(() => setOpen({ mode: "auto", layer: "summary" }), 350);` ; :11596 — `<StoreCloseReportHost store={store} />`	High
Q-29	P3	Is the auto-close banner or status indicator built at all, given the Close Report modal "replaces the banner", and when can Home C-17 ever show?	No auto-close banner is built; the modal is the notification. Home shows a grey "Your close report is ready" card whenever the store is Closed, whether or not the report has been seen (the card doesn't check seen state).	workspace-app-integrated.jsx:11087-11088 — `if (lc.closed) { cards.push({ tone: "grey", kind: "report", link: true, title: "Your close report is ready", ...` ; searched: banner, auto-close in the Close Report code — no banner	Medium
Q-30	P3	Can roster moves and edits be made while the store is Closed?	Yes. Only Archived makes the workspace read-only, so the My Team(s) / Roster tab stays fully editable while Closed.	workspace-app-integrated.jsx:28401 — `readOnly={!!activeStore.archived}` ; :11558 — `if (readOnly) el.setAttribute("inert", "")`	Medium

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-31	P3	How many hero figures does the summary layer show: the four listed, or "three to five"?	Four hero figures: Total revenue, Orders, then Net fundraising (or Avg. order value when fundraising is off), then Top product by quantity. The sequence is Cover → heroes → Recap, with a segmented progress bar. If there is no top product it's three. With zero orders the heroes are replaced by one "empty window" card.	workspace-app-integrated.jsx:32589-32590 — `function crHeroes(d) { if (d.empty) return []; ` ; :32607 — `if (d.fundraisingEnabled) { ` ; :32624 — `if (d.topProduct) { ` ; :33222-33226 — `const v = [{ kind: "cover" }]; if (d.empty) v.push({ kind: "empty" }); else crHeroes(d).forEach(...); v.push({ kind: "recap" });`	High
Q-34	P3	Should the Close Report CSV respect the current column-visibility selection or always contain every column?	The CSV uses the current column-visibility selection **and** the current search, filter and date-range view of the order table, so it isn't always the complete data set. This conflicts with the Lifecycle edge case "exports still contain the complete data set". With zero orders it exports headers only.	workspace-app-integrated.jsx:23428-23430 — `// Lets an embedding view (the Store Close Report) fire the same CSV export, honoring the current column-visibility selection.` / `if (exportApi) exportApi.current = () => download(view, csvName ... "all-orders.csv");` ; :23398 — `const visibleCols = columns.filter((c) => !hidden[c.key]);` ; :33251 — `crDownload(new Blob([head + "\n"], ...`	High

Still open for requirement owners

- Q-1 (P1, Contradicts): Decide whether repeating closes auto-re-open the store (prototype) or need a manual Re-open (Lifecycle). Also decide how per-team-code windows map to store status and when a Close Report fires.
- Q-2 (P1, Partial): Define the owner / managing rep / joined-rep matrix. The prototype lets any non-manager rep, including a "joined" one, close, re-open and archive.
- Q-3 (P1, Partial): Confirm full parity for team managers versus a scoped variant without dealer profit, whether the modal blocks or can be dismissed (the prototype allows dismissal), and the final metric set.
- Q-5 (P2, Partial): Supply the post-launch lock list. Nothing in Settings locks today.
- Q-6 (P2, Partial): Decide whether Re-open after the close date requires a new date. The prototype allows it with no check.
- Q-7 (P2, Partial): Decide whether a close date that passes while the store is Closed creates an event. The prototype has no scheduler.
- Q-8 (P2, Contradicts): Choose self-service Unarchive by a managing rep, restored as Draft (prototype), or support-only (Lifecycle transitions). Decide the restore state.
- Q-10 (P2, Partial): Decide how pending orders are handled on archive. The prototype doesn't block, and they become unsubmittable.
- Q-12 (P2, Partial): Decide whether Drafts can be archived. The Settings tab says no and the store card menu says yes.
- Q-14 (P2, Partial): Decide on timezone and time of day for the store-level close (it's date-only today), and on scheduler latency.
- Q-15 (P2, Partial): Decide checkout behaviour before Opens, and whether to block launch after Closes.
- Q-16 (P2, Partial): Confirm the Active Order Window start. The prototype uses the scheduled Opens date even after a re-open.
- Q-17 (P2, Contradicts): Decide how past reports stay reachable after a re-open, and how one is picked when several exist. The prototype hides them and keeps only one.
- Q-18 (P2, Partial): Define the window-scoped reconciliation and the trend baseline. Deltas are hard-coded today.
- Q-20 (P2, Partial): Decide on Net Fundraising in the "disabled, still collecting" state. The Close Report and the Reports tab disagree.
- Q-21 (P2, Partial): Agree a canonical status enum, and whether pending orders are rows in the report.
- Q-22 (P2, Contradicts): Decide whether verification is manual (24–48 h) or automated via Stripe, and whether it belongs in the Lifecycle spec at all.
- Q-24 (P3, Not in prototype): Supply the buyer-facing Closed and Draft storefront behaviour and copy.
- Q-25 (P3, Contradicts): Choose the KPI label, "Open Stores" or "Active Stores" (prototype). Fix the store card that tags Closed stores as "Draft".
- Q-27 (P3, Partial): Confirm the email triggers and recipients. The prototype's inventory sends status-change emails on every transition plus a buyer closing notice.
- Q-32 (P3, Partial): Name the data source for open-PO status. The prototype only has mock data.
- Q-33 (P3, Partial): Decide the same-day duplicate suffix and the special-character rule. The prototype strips characters rather than replacing them.