Prototype Answers — Tabbed Store Dashboard

Prototype: input/prototype/Team Stores/ (React 18 JSX loaded via .dc.html pages, no build; `Workspace.dc.html` → `workspace-app.jsx`, `Marucci Workspace.dc.html` → `workspace-app-integrated.jsx`; cited file is `workspace-app-integrated.jsx` unless noted, `workspace-app.jsx` carries the same Setup Guide code) · Questions: 18 · Answered 3 · Partial 8 · Contradicts 5 · Not in prototype 2

Screens found

- Store workspace shell (dark header bar + icon side-rail + tab content) — workspace-app-integrated.jsx:1643 `StoreWorkspaceBar`, :1711 `WORKSPACE_NAV`, :1762 `ManageStoreWorkspace`, :11418 `Dashboard`
- Workspace tabs: Home, My Team(s), Products, Orders, Reports, Settings — workspace-app-integrated.jsx:1711-1718
- Settings sub-nav (General, Store Codes, Schedule & Status, Team & Roster, Store Customization & Design, People & Access, Distribution & Fulfillment, Catalog & Decoration (conditional), Logo Library) — workspace-app-integrated.jsx:31664
- Store Setup Guide overlay (6 / 7 cards) — workspace-app-integrated.jsx:33474-33668
- Store Close Report overlay (shared shell the guide reuses) — workspace-app-integrated.jsx:~33200-33470
- Add Products / Customize New Product — workspace-app-integrated.jsx:12315-12386
- Stores list, Account (Archived Stores), Templates repository, Storefront — workspace-app-integrated.jsx:3378, :26967, :7290; Storefront.html
- Legacy non-embedded Dashboard header (LAUNCH STORE / LiveStoreControls with switcher) — workspace-app-integrated.jsx:11611-11680, :10360. Not reachable in the app: `Dashboard` is only mounted with `embedded` (:1794)

Answers

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-1	P1	Contradicts	Prototype renders **six** tabs in Store Home's order (Home, My Team(s), Products, Orders, Reports, Settings). Home is the default when a store is opened from the list, overview or Account. A newly created store lands on Products (if it carried products) or Settings, not Home. Done on the last card only closes the overlay, so the rep stays on whatever tab is behind it. Card 2 still says "Five tabs, five jobs." and lists five tabs with no Home line, so the prototype disagrees with itself as well as with Dashboard Epic A ("The tab count is fixed at five").	workspace-app-integrated.jsx:1711-1718 — `{ id: "home", label: "Home" ... { id: "roster", label: "Roster" ... { id: "general", label: "Settings"` ; :11419 — `React.useState(initialTab || "home")` ; :28361 — `setDashboardTab("home"); setScreen("dashboard")` ; :28058 — `setDashboardTab(carried.length ? "products" : "general")` ; :33488 — `title: "Five tabs, five jobs."` ; :33663 — `const dismiss = () => { crWriteJSON(sgSeenKey(store), true); setOpen(null); }`	High
Q-2	P1	Contradicts	The enforced gate is **products added** (catalog count > 0), not visible products. The disabled tooltip reads "Add at least one product to launch your store". Card 6 copy says "a store needs at least one visible product to launch", so the guide contradicts the gate the prototype actually enforces. This matches Launch & Status Controls / Lifecycle and contradicts the Dashboard text ("requires at least one visible product").	workspace-app-integrated.jsx:11459 — `const canLaunch = (store.products || []).length > 0;` ; :18553 — `const canLaunchNow = (store.products || []).length > 0;` ; :18814 — `Add at least one product to launch your store.` ; :33500 — `a store needs at least one visible product to launch`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-3	P2	Partial	The shell header is the same in every state: left "Back to Stores"; centre team emblem + name; right "Setup guide" and "Preview Store". The header has **no** status chip, storefront URL, store switcher or Create Template menu. Archived (`readOnly`): Preview Store is disabled and relabelled "Storefront Closed", a banner reads "This store is archived — read-only", and the content area is `inert` at 0.72 opacity. Archived stores are filtered out of the active list and open from Account → Archived Stores (or the archived card's "View"). A Draft store also gets an in-content "Ready to launch?" banner. Still open: which spec owns the header, and whether the chip/URL that Store Home expects belong there.	workspace-app-integrated.jsx:1694 — `{readOnly ? "Storefront Closed" : "Preview Store"}` ; :1787 — `This store is archived — read-only` ; :28401 — `readOnly={!!activeStore.archived}` ; :27903 — `const archivedStores = stores.filter((s) => s.archived);` ; :28350 — `onManageStore={(id) => { setActiveStoreId(id); setDashboardTab("home");` ; :11566 — `Ready to launch?`	High
Q-4	P2	Contradicts	The header label is **"Preview Store"**, not "View live storefront". It shows in every state including Draft and Closed (no `live` check), and it navigates to the storefront page. Only Archived disables it ("Storefront Closed"). The launch success modal uses "View Store" / "Stay In Editor". There's no Draft-only preview or Closed landing in the header logic. This contradicts Dashboard Epic A's label and Launch & Status Controls' "shown only after launch".	workspace-app-integrated.jsx:1644 — `const previewStore = () => { window.location.href = encodeURI("Team Store Storefront.dc.html"); };` ; :1681 — `title={readOnly ? "Storefront is closed for archived stores" : "Preview the customer storefront"}` ; :11540 — `onViewStore={() => {setShowSuccessModal(false);onViewStore && onViewStore(store);}}`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-5	P2	Partial	The live workspace has **no store switcher**. `StoreSwitcher` (heading "SWITCH STORE") is defined but never rendered, and `StoreWorkspaceBar` ignores `onSwitchStore`. The only rendered switcher is in the unreachable legacy header: it lists **live stores only** ("LIVE STORES"). The app handler swaps the active store, stays on the dashboard screen and does not reset the tab. The guide's auto-trigger effect re-runs on store id change. Still open: where the switcher lives, its scope (Draft/Closed?) and the tab on switch.	workspace-app-integrated.jsx:1592 — `function StoreSwitcher({ store, stores = [], onSwitchStore })` ; :10418 — `LIVE STORES` ; :28405 — `liveStores={stores.filter((s) => s.live)}` ; :28409 — `onSwitchStore={(id) => { setActiveStoreId(id); setScreen("dashboard"); }}` ; :33657 — `}, [store?.id]);`	Medium
Q-6	P2	Partial	The shell has **no Customizer control**. The global header with the account menu ("Prolook Customizer" / "Victus Customizer" external links) is hidden inside the workspace. The only in-workspace path is Products → Add Products → "Customize New Product", under a SOURCE pill that defaults to "prolook". That supports option A. Brand-entitlement resolution (multi- or zero-brand) is not enforced: the button opens with no check.	workspace-app-integrated.jsx:28155 — `const inEditor = screen === "dashboard" || screen === "customizer";` ; :28247 — `{!inEditor && !showSubTabs && <GlobalHeader` ; :12328 — `<SourcePill value={srcBrand} onChange={setSrcBrand}` ; :12332 — `<button type="button" onClick={openCustomizer}` ; :7341 — `function SourcePill({ value = "prolook", onChange, style })`	Medium

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-7	P2	Answered	Settings → **Schedule & Status** → "Store status" card holds Launch Store (Draft), Close Store (Open) and Re-open Store (Closed), plus the Store Close Report entry. Its **Danger Zone** has Archive Store, hidden for `role === "manager"`, Archived and Draft stores. No "Detail" or "Roster" tab exists; "Detail tab" survives only in a code comment. Card 6 says "Launch controls live on the Settings tab".	workspace-app-integrated.jsx:31668 — `{ id: "schedule", label: "Schedule & Status", desc: "Order window & close dates" }` ; :18778 — `<DetailCard title="Store status" desc="Open or close the storefront to buyers; closing is reversible.">` ; :18829 — `{store.role !== "manager" && !archived && !draft &&` ; :18548 — `// #10 — store status + ordering-window math (Detail tab, Epics C–E).`	High
Q-8	P2	Partial	The missing specs are not in the prototype. In their place, the guide **reuses the Store Close Report shell** (segmented progress bar, top-bar Skip, X, footer Back/Next/Done, `CrFade` motion), which supports option B as the interim reference. Card media is a neutral 16:9 placeholder. Still open: providing System Modals & Toasts, Product Catalog Management and Store Home Appendix A.	workspace-app-integrated.jsx:33475 — `// First-minute orientation modal. Reuses the Store Close Report shell verbatim —` ; :33595 — `{/* Segmented progress — position in the sequence, never completion */}`	Medium

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-9	P2	Answered	They are **different objects** in the prototype. **Catalog Template** is an item set made via Products → Select → Create Catalog Template and reused under Add Products → "Catalog Templates". The **store template** comes from "Use as Template" in a store card's menu (Templates repository copy says "choose Create Template from its menu to save a reusable blueprint"). Neither lives in the workspace header or on the Settings Store status card. Card 5 copy describes only the Catalog Template.	workspace-app-integrated.jsx:33802 — `// Catalog Templates — branded snapshots saved from a store's catalog (Products` ; :34473 — `find it under Catalog Templates in Add Products` ; :3749 — `{ label: "Use as Template", onClick: () => { setMenuOpen(false); onCreateTemplate && onCreateTemplate(store); } }` ; :7310 — `choose <strong ...>Create Template</strong> from its menu to save a reusable blueprint here.` ; :33499 — `A Catalog Template is a saved set of this store's own gear you can reuse in a later store.`	Medium
Q-10	P2	Contradicts	The cover chip has only two values: `live` → "Open"; anything else → "Draft · Not live yet". Closing a store sets `live: false`, so a **Closed** store (and an unlaunched Archived one) shows "Draft · Not live yet". That breaks "status chip reflects the store's current lifecycle state". The cover line reads "Your store is created. Here's how the workspace fits together." and doesn't say buyers can't see it. With no logo, `CrLogo` shows the store's first initial on the accent colour. For comparison, the Settings chip has four states (Draft blue, Open green, Closed red, Archived gray), whereas Lifecycle says Closed is amber.	workspace-app-integrated.jsx:33482 — `return live ? { label: "Open", dot: "#1f7a44" } : { label: "Draft · Not live yet", dot: "#9a9aa1" };` ; :18917 — `onUpdateStore({ status: "closed", live: false })` ; :33518 — `Your store is created. Here's how the workspace fits together.` ; :32694 — `const mono = store?.teamLogo?.mono || (store?.teamName || "T")[0].toUpperCase();` ; :18782 — `color: archived ? "#6b6b72" : closed ? "#b81d14" : draft ? "#2563eb" : "#1f9d55"`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-11	P2	Contradicts	The auto-present has **no role or creator check**. It opens for anyone who mounts the workspace of a store that isn't live and hasn't been seen. The seen flag is keyed **per store id** in localStorage, not per rep per store type, so every new store re-presents the guide. That contradicts Dashboard ("per-rep, per-store-type dismissal flag persisted at account scope"). Because the trigger is `!store.live`, Closed stores also qualify. The card set comes from `store.storeType`. The side-rail shows all six tabs with no role gating; only the Danger Zone is role-gated. The Team Manager Portal is a separate screen.	workspace-app-integrated.jsx:33479 — `function sgSeenKey(store) { return "ts_setup_guide_seen_" + (store?.id || "store"); }` ; :33653-33654 — `if (!store || store.live) return;` / `if (crReadJSON(sgSeenKey(store), false)) return;` ; :33549 — `const type = storeType || store?.storeType || "single";` ; :28244 — `{portalView && <TeamManagerPortal`	High
Q-12	P3	Partial	The guide honours `prefers-reduced-motion` for its own card transition: `CrFade` drops the scale/translate and uses a 0.12s opacity fade. A global CSS rule also shortens animations under reduce. There are no clips yet: the media slot is an empty placeholder marked `aria-hidden`, with no alt text and no caption. Still open: the clip-vs-still rule under reduce-motion, and the caption/alt approach.	workspace-app-integrated.jsx:33552 — `const reduce = crPrefersReduced();` ; :32674 — `transition: reduce ? "opacity .12s linear" : ...` ; :904 — `@media (prefers-reduced-motion:reduce) {*,*::before,*::after{animation-duration:1ms!important;` ; :33507 — `<div aria-hidden="true" style={{ width: "min(560px, 100%)", aspectRatio: "16 / 9"`	Medium

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-13	P3	Answered	The prototype keeps only the four steps (option A), with no art, render or bundle caveat: "Add it, configure it, turn its visibility on, then launch the store. Hidden items stay in your catalog — they never show to buyers."	workspace-app-integrated.jsx:33496 — `title: "How a product reaches the storefront.", copy: "Add it, configure it, turn its visibility on, then launch the store.`	Medium
Q-14	P3	Partial	The tab label **varies by store type**: "My Team" (individual) vs "My Teams" (league), in both the side-rail and the page heading (option B). League card 2 swaps one line ("My Teams — your league's divisions and teams, each with its own roster.") but keeps the "Five tabs" heading. The store-type label is "Individual Team Store" / "League Store" in the type picker and template labels, but store cards show "Team Store". Still open: which bound-terms list governs.	workspace-app-integrated.jsx:1721 — `it.id === "roster" ? ((store && store.storeType === "league") ? "My Teams" : "My Team")` ; :33491 — `league ? ["My Teams", "your league's divisions and teams, each with its own roster."]` ; :7057 — `const tplTypeLabel = (k) => k === "single" ? "Individual Team Store" : "League Store";` ; :3667 — `const typeLabel = isLeague ? "League Store" : "Team Store";`	Medium
Q-15	P3	Partial	The seen flag is written **only on dismissal** (`dismiss` → `crWriteJSON`). If the rep closes the browser or navigates away first, the guide re-presents (400 ms delay) on the next mount of that store while it is still not live (option A). Every dismissal path routes through the same `onClose`. Rollout backfill for existing reps is not in the prototype.	workspace-app-integrated.jsx:33663 — `const dismiss = () => { crWriteJSON(sgSeenKey(store), true); setOpen(null); };` ; :33655 — `const t = setTimeout(() => setOpen({}), 400);`	High

ID	Priority	Status	Answer from prototype	Evidence (file:line — quoted code)	Confidence
Q-16	P3	Not in prototype	The cards have no link-outs: the card objects carry only `eyebrow`, `title`, `copy` / `lines`, and no link or target fields. There is no card-to-tab map and no asset owner. Searched: `href`, `onGoTab`, `__goToDashTab`, `link` inside sgCards / SgCardView (workspace-app-integrated.jsx:33484-33546) — no match.	—	—
Q-17	P3	Answered	Footer: **Back** (disabled on card 1), a "n / N" counter, **Jump to end**, a text **Done** on every card, and a primary **Next** that becomes **Done** on the last card. Keys: ArrowRight, Space and Enter advance; ArrowLeft goes back; Escape closes. A **click anywhere on the stage** (media included) advances, except on the last card. Progress segments are clickable to jump to any card. The top bar has **"Skip to workspace"** on every card, plus X. Skip, X, Done, Escape and backdrop all call the same `onClose`, which marks the guide seen.	workspace-app-integrated.jsx:33559-33561 — `if (e.key === "ArrowRight" || e.key === " " || e.key === "Enter") { e.preventDefault(); next(); }` ; :33605 — `if (!last) next();` ; :33591 — `}}>Skip to workspace</button>` ; :33619 — `}}>Jump to end</button>` ; :33568 — `onMouseDown={(e) => { if (e.target === e.currentTarget) onClose(); }}`	High
Q-18	P3	Not in prototype	There is no analytics instrumentation anywhere. Searched: `analytics.`, `gtag`, `mixpanel`, `segment.`, `track(` in workspace-app-integrated.jsx — 0 matches. This is a backend/product decision.	—	—

Answered — no need to ask the US team

4 question(s) the prototype settles. Remove these from the list sent to the requirement owners.

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-7	P2	Which tab and section hosts the Close / Re-open / Archive controls (the Store Status card)? Are the Lifecycle spec's tab names "Detail" and "Roster" (and the "Pause" label) stale?	Settings → **Schedule & Status** → "Store status" card holds Launch Store (Draft), Close Store (Open) and Re-open Store (Closed), plus the Store Close Report entry. Its **Danger Zone** has Archive Store, hidden for `role === "manager"`, Archived and Draft stores. No "Detail" or "Roster" tab exists; "Detail tab" survives only in a code comment. Card 6 says "Launch controls live on the Settings tab".	workspace-app-integrated.jsx:31668 — `{ id: "schedule", label: "Schedule & Status", desc: "Order window & close dates" }` ; :18778 — `<DetailCard title="Store status" desc="Open or close the storefront to buyers; closing is reversible.">` ; :18829 — `{store.role !== "manager" && !archived && !draft &&` ; :18548 — `// #10 — store status + ordering-window math (Detail tab, Epics C–E).`	High
Q-9	P2	Is a "Catalog Template" (card 5) the same thing that "Create Template" produces? Where does Create Template live?	They are **different objects** in the prototype. **Catalog Template** is an item set made via Products → Select → Create Catalog Template and reused under Add Products → "Catalog Templates". The **store template** comes from "Use as Template" in a store card's menu (Templates repository copy says "choose Create Template from its menu to save a reusable blueprint"). Neither lives in the workspace header or on the Settings Store status card. Card 5 copy describes only the Catalog Template.	workspace-app-integrated.jsx:33802 — `// Catalog Templates — branded snapshots saved from a store's catalog (Products` ; :34473 — `find it under Catalog Templates in Add Products` ; :3749 — `{ label: "Use as Template", onClick: () => { setMenuOpen(false); onCreateTemplate && onCreateTemplate(store); } }` ; :7310 — `choose <strong ...>Create Template</strong> from its menu to save a reusable blueprint here.` ; :33499 — `A Catalog Template is a saved set of this store's own gear you can reuse in a later store.`	Medium

ID	Priority	Question	Answer from prototype	Evidence	Confidence
Q-13	P3	Should card 3 also mention the other reasons a visible product may not appear (art clearance, renders still processing, incomplete bundle)?	The prototype keeps only the four steps (option A), with no art, render or bundle caveat: "Add it, configure it, turn its visibility on, then launch the store. Hidden items stay in your catalog — they never show to buyers."	workspace-app-integrated.jsx:33496 — `title: "How a product reaches the storefront.", copy: "Add it, configure it, turn its visibility on, then launch the store.`	Medium
Q-17	P3	What are the guide's navigation controls: is there a Back/Previous, which arrow keys do what, does a click anywhere advance, and what does "Skip" do (where does it sit, on which cards)?	Footer: **Back** (disabled on card 1), a "n / N" counter, **Jump to end**, a text **Done** on every card, and a primary **Next** that becomes **Done** on the last card. Keys: ArrowRight, Space and Enter advance; ArrowLeft goes back; Escape closes. A **click anywhere on the stage** (media included) advances, except on the last card. Progress segments are clickable to jump to any card. The top bar has **"Skip to workspace"** on every card, plus X. Skip, X, Done, Escape and backdrop all call the same `onClose`, which marks the guide seen.	workspace-app-integrated.jsx:33559-33561 — `if (e.key === "ArrowRight" || e.key === " " || e.key === "Enter") { e.preventDefault(); next(); }` ; :33605 — `if (!last) next();` ; :33591 — `}}>Skip to workspace</button>` ; :33619 — `}}>Jump to end</button>` ; :33568 — `onMouseDown={(e) => { if (e.target === e.currentTarget) onClose(); }}`	High

Still open for requirement owners

- Q-1 (P1, Contradicts): choose five or six tabs. The prototype uses six (Home first, Home default on open), but new stores land on Products/Settings and card 2 says "Five tabs". Decide the default landing after creation and after Done, and whether card 2 gains Home.
- Q-2 (P1, Contradicts): choose "added" (what the prototype enforces) or "visible" (what card 6 and the Dashboard say). Then align card 6 copy or the gate.
- Q-3 (P2, Partial): confirm header ownership and per-state contents. The prototype header has no status chip, URL, switcher or Create Template.
- Q-4 (P2, Contradicts): pick the label (the prototype uses "Preview Store") and decide its visibility and behaviour in Draft and Closed (the prototype shows it in all non-archived states).
- Q-5 (P2, Partial): define the switcher location, its list scope (the prototype's legacy one is live-only) and the tab after switch. The current workspace has none.
- Q-6 (P2, Partial): confirm that no shell Customizer control is needed (the prototype has none), and specify brand resolution on Customize New Product.

- Q-8 (P2, Partial): supply System Modals & Toasts, Product Catalog Management and Store Home Appendix A, or confirm the Close Report shell as the interim reference.
- Q-10 (P2, Contradicts): supply chip text for Open, Closed and Archived plus the cover status line. The prototype shows "Draft · Not live yet" for Closed stores. Also pick the Closed colour (prototype red vs Lifecycle amber).
- Q-11 (P2, Contradicts): decide the trigger audience and the flag key. The prototype uses a per-store key with no role or creator check, and also triggers on Closed stores.
- Q-12 (P3, Partial): decide clip behaviour under reduce-motion and the alt/caption approach for media.
- Q-14 (P3, Partial): confirm "My Team" / "My Teams" vs "My Team(s)", the store-type label ("Team Store" vs "Individual Team Store"), the governing bound-terms list, and the heading of league card 2.
- Q-15 (P3, Partial): decide rollout backfill for existing reps. Confirm that seen-on-dismiss only is intended.
- Q-16 (P3, Not in prototype): define the link-out behaviour, the card-to-tab map and the owner of copy/images.
- Q-18 (P3, Not in prototype): decide whether analytics events are allowed, and which ones.