

Scratch Pad

New Import

POST https://qastartup-edu

https://qastartup-education-app.herokuapp.com/api/v1/users/students/signup

POST https://qastartup-education-app.herokuapp.com/api/v1/users/students/signup

Params Authorization Headers (8) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "name": "Little name",
3   "email": "little@gmail.com",
4   "password": "pass1234",
5   "passwordConfirm": "pass1234",
6   "role": "student"
7 }
8
```

Body Cookies Headers (9) Test Results

Status: 201 Created Time: 776 ms Size: 417 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "success",
3   "data": {
4     "name": "Little name",
5     "email": "little@gmail.com",
6     "role": "student",
7     "ratingsAverage": 4.5,
8     "ratingsQuantity": 0
9   }
10 }
11
```

New Import

POST https://qastartup-edu

https://qastartup-education-app.herokuapp.com/api/v1/users/mentors/signup

POST https://qastartup-education-app.herokuapp.com/api/v1/users/mentors/signup

Params Authorization Headers (8) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "name": "Little mentor Name",
3   "email": "mentorlittle@gmail.com",
4   "password": "pass1234",
5   "passwordConfirm": "pass1234",
6   "role": "mentor",
7   "course": "java",
8   "learningFormat": "offline"
9 }
10
11
```

Body Cookies Headers (9) Test Results

Status: 201 Created Time: 1200 ms Size: 472 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "success",
3   "data": {
4     "name": "Little mentor Name",
5     "email": "mentorlittle@gmail.com",
6     "role": "mentor",
7     "course": "java",
8     "learningFormat": "offline",
9     "ratingsAverage": 4.5,
10    "ratingsQuantity": 0
11  }
12 }
```

GET https://qastartup-edu

https://qastartup-education-app.herokuapp.com/api/v1/users/mentors

GET https://qastartup-education-app.herokuapp.com/api/v1/users/mentors

Params Authorization Headers (8) Body Pre-request Script Tests Settings

Type Bearer Token

The authorization header will be automatically generated when you send the request. [Learn more about authorization](#)

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. [variables](#)

Token

Status: 401 Unauthorized Time: 603 ms Size: 303 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "fail"
3 }
```

Scratch Pad

POST https://qastartup-edu...

https://qastartup-education-app.herokuapp.com/api/v1/users/login

POST https://qastartup-education-app.herokuapp.com/api/v1/users/login

Params Authorization Headers (8) Body Pre-request Script Tests Settings

Body

```
1 {
2   "email": "mentorlittle@gmail.com",
3   "password": "pass1234"
4 }
5
6
7
```

Body Cookies Headers (9) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "success",
3   "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCI6IjYyYmQzN2RkMzISNTRlMDAyM2FkOTk0TE41IiwiaWF0IjoxNjg5MTI4MTUzIjQ.912jvW97-1Ev1tIKH14H-PQv4XGLiaZdS73nM-9hDQ",
4   "data": {
5     "name": "Little mentor Name",
6     "email": "mentorlittle@gmail.com",
7     "role": "mentor",
8     "course": "java",
9     "learningFormat": "offline",
10    "ratingsAverage": 4.5,
11    "ratingsQuantity": 0,
12    "_id": "63bd37dd3b954a0023ad9186"
13  }
14 }
```

Scratch Pad

GET https://qastartup-edu...

https://qastartup-education-app.herokuapp.com/api/v1/users/mentors

GET https://qastartup-education-app.herokuapp.com/api/v1/users/mentors

Params Authorization Headers (9) Body Pre-request Script Tests Settings

Type Bearer Token

The authorization header will be automatically generated when you send the request. Learn more about authorization

Token eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCI6IjYyYmQzN2RkMzISNTRlMDAyM2FkOTk0TE41IiwiaWF0IjoxNjg5MTI4MTUzIjQ.912jvW97-1Ev1tIKH14H-PQv4XGLiaZdS73nM-9hDQ

Body Cookies Headers (9) Test Results

Pretty Raw Preview Visualize JSON

```
18 {
19   "status": "success",
20   "data": {
21     "mentor": {
22       "ratingsQuantity": 0,
23       "_id": "63bd37dd3b954a0023ad9186",
24       "name": "Little mentor Name",
25       "email": "mentorlittle@gmail.com",
26       "role": "mentor",
27       "course": "java",
28       "learningFormat": "offline",
29       "ratingsAverage": 4.5,
30       "ratingsQuantity": 0,
31       "_id": "63bd37dd3b954a0023ad9186",
32       "name": "Little mentor Name",
33       "email": "mentorlittle@gmail.com",
34       "role": "mentor",
35       "course": "java",
36       "learningFormat": "offline"
37     }
38   }
39 }
```

Scratch Pad

GET https://qastartup-edu...

https://qastartup-education-app.herokuapp.com/api/v1/users/mentors/63bd37dd3b954a0023ad9186

GET https://qastartup-education-app.herokuapp.com/api/v1/users/mentors/63bd37dd3b954a0023ad9186

Params Authorization Headers (9) Body Pre-request Script Tests Settings

Type Bearer Token

The authorization header will be automatically generated when you send the request. Learn more about authorization

Token eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCI6IjYyYmQzN2RkMzISNTRlMDAyM2FkOTk0TE41IiwiaWF0IjoxNjg5MTI4MTUzIjQ.912jvW97-1Ev1tIKH14H-PQv4XGLiaZdS73nM-9hDQ

Body Cookies Headers (9) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "success",
3   "data": {
4     "mentor": {
5       "ratingsAverage": 4.5,
6       "ratingsQuantity": 0,
7       "_id": "63bd37dd3b954a0023ad9186",
8       "name": "Little mentor Name",
9       "email": "mentorlittle@gmail.com",
10      "role": "mentor",
11      "course": "java",
12      "learningFormat": "offline",
13      "createdAt": "2023-01-10T09:09:6692",
14      "reviews": [],
15      "id": "63bd37dd3b954a0023ad9186"
16    }
17  }
18 }
```

The screenshot displays the VS Code interface with two REST Client requests. The top request is a GET request to 'https://qastartup-education-app.herokuapp.com/api/v1/users/me' with a Bearer Token. The bottom request is a PATCH request to 'https://qastartup-education-app.herokuapp.com/api/v1/users/updateMe' with a JSON body containing 'name': 'Little Updated'. Both requests are highlighted with red boxes.

itch Pad

New Import GET Untitled Request GET https://qastartup-educ... POST https://qastartup-edu... No Environment

actions +

New Collection

This collection is empty  
Add a request to start working.

APIs

Environments

GET https://qastartup-education-ap...

POST https://qastartup-education-ap...

PATCH https://qastartup-education-ap...

GET https://qastartup-education-ap...

Servers

Monitors

History

https://qastartup-education-app.herokuapp.com/api/v1/users/mentors/63bd37dd3b954a0023ad9186/reviews

POST https://qastartup-education-app.herokuapp.com/api/v1/users/mentors/63bd37dd3b954a0023ad9186/reviews

Params Authorization Headers (9) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "review": "This mentor is the BEST!",
3   "rating": 5
4 }
5
```

Body Cookies Headers (9) Test Results

Status: 201 Created Time: 955 ms Size: 553 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "success",
3   "data": {
4     "id": "63beabbfff794b6e236297d8",
5     "review": "This mentor is the BEST!",
6     "rating": 5,
7     "mentor": "63bd37dd3b954a0023ad9186",
8     "student": "63bd36543b954a0023ad9185",
9     "createdAt": "2023-01-11T12:29:51.933Z",
10    "_v": 0,
11    "id": "63beabbfff794b6e236297d8"
12  }
13 }
14
15
```

itch Pad

New Import GET Untitled Request GET https://qastartup-educ... POST https://qastartup-edu... No Environment

actions +

New Collection

This collection is empty  
Add a request to start working.

APIs

Environments

GET https://qastartup-education-ap...

POST https://qastartup-education-ap...

PATCH https://qastartup-education-ap...

GET https://qastartup-education-ap...

Servers

Monitors

History

https://qastartup-education-app.herokuapp.com/api/v1/users/mentors/63bd37dd3b954a0023ad9186/reviews

POST https://qastartup-education-app.herokuapp.com/api/v1/users/mentors/63bd37dd3b954a0023ad9186/reviews

Params Authorization Headers (9) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "review": "This mentor is the sucks!",
3   "rating": 2
4 }
5
```

Body Cookies Headers (9) Test Results

Status: 400 Bad Request Time: 803 ms Size: 374 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "fail",
3   "message": "Duplicate field value: undefined. Please use another value!"
4 }
5
```

itch Pad

New Import GET Untitled Request GET https://qastartup-educ... POST https://qastartup-edu... No Environment

collections +

New Collection

This collection is empty  
Add a request to start working.

APIs

Environments

GET https://qastartup-education-ap...

POST https://qastartup-education-ap...

PATCH https://qastartup-education-ap...

GET https://qastartup-education-ap...

Servers

Monitors

History

https://qastartup-education-app.herokuapp.com/api/v1/users/deleteMe

DELETE https://qastartup-education-app.herokuapp.com/api/v1/users/deleteMe

Params Authorization Headers (9) Body Pre-request Script Tests Settings

Type Bearer Token

The authorization header will be automatically generated when you send the request.  
Learn more about authorization

Token eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1b250aW50IjoiYm9keSIsImVudCI6ImFkbG93IiwiaWF0IjoiMTY3OTQ0MjY0In0

Body Cookies Headers (9) Test Results

Status: 201 Created Time: 793 ms Size: 313 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "success",
3   "data": null
4 }
5
```