
Forecast Series	Name	MeningococcalB
	Vaccine Ids	
Bexsero	216	
Trumenba	215	
Men B	215, 216	

	Vaccines	
Vaccine	Trade Name(s)	ld
Meningococcal B, OMV	Bexsero	216
Meningococcal B	Trumenba	215
Meningococcal B, unspec	cified	



Schedule	Doso	Indication	1 st
Schedule P1	Dose 1	DOSERECEIVED	1
	•	id or when next is	duo
Deterr	Age	Interval	Grace
Valid	10 years	intervar	4 days
Early due	10 years		4 days
Due	16 years		
Overdue	19 years		
Finished	24 years		
After invalid dose	, , coc	0 days	
Dose before previo	ous	, .	
	k the next sched	ule to use	
Vaccine	Schedule	Before Age	Reason
Bexsero	B2		
Trumenba	T2		
Show Column	1		
Show Row	1		
Schedule	Dose		2 nd
T2	2		
Deterr	nine if dose is val	id or when next is	due
	Age	Interval	Grace
Valid		6 months	6 months
Early due			
Due		6 months	
Overdue		7 months	
Finished	24 years		
After invalid dose			
After invalid dose Dose before previo	ous		
After invalid dose Dose before previous Recommended	ous MeningTrumenba		
After invalid dose Dose before previon Recommended If valid, pion	ous MeningTrumenback the next sched	ule to use	
After invalid dose Dose before previous Recommended If valid, pictures	MeningTrumenback the next sched		Reason
After invalid dose Dose before previon Recommended If valid, pictorial Vaccine Bexsero	MeningTrumenback the next schedule B2a	ule to use	Reason
After invalid dose Dose before previo Recommended If valid, pic Vaccine Bexsero Trumenba	MeningTrumenback the next schedule Schedule B2a DL Trumenba A	ule to use	Reason
After invalid dose Dose before previon Recommended If valid, picture Vaccine Bexsero	MeningTrumenback the next schedule B2a	ule to use	Reason

Schedule	Dose	Indication	2 nd
B2	2		
Deterr	mine if dose is val	id or when next is	due
	Age	Interval	Grace
Valid		4 weeks	4 weeks
Early due			
Due		4 weeks	
Overdue		2 months	
Finished	24 years		
After invalid dose			
Dose before previous			
Recommended	MeningBexsero		
	ck the next sched		
Vaccine	Schedule	Before Age	Reason
Trumenba	T2a		
Bexsero	COMPLETE		
Show Column	2		
Show Row	1		
Schedule	Dose	Indication	3 rd
T3	3		
T3	3 nine if dose is val	id or when next is	due
T3 Deterr	3	id or when next is	due Grace
T3 Deterr	3 nine if dose is val	id or when next is	due
T3 Deterr Valid Early due	3 nine if dose is val	id or when next is Interval 4 weeks	due Grace
T3 Deterr Valid Early due Due	3 nine if dose is val	lid or when next is Interval 4 weeks 4 weeks	due Grace
T3 Deterr Valid Early due Due Overdue	3 nine if dose is val Age	id or when next is Interval 4 weeks	due Grace
T3 Deterr Valid Early due Due Overdue Finished	3 nine if dose is val Age 24 years	lid or when next is Interval 4 weeks 4 weeks	due Grace
T3 Deterr Valid Early due Due Overdue Finished After invalid dose	3 nine if dose is val Age 24 years	id or when next is Interval 4 weeks 4 weeks 2 months	due Grace
T3 Deterr Valid Early due Due Overdue Finished After invalid dose Dose before previo	3 nine if dose is val Age 24 years	id or when next is Interval 4 weeks 4 weeks 2 months 6 months	due Grace
T3 Deterr Valid Early due Due Overdue Finished After invalid dose Dose before previous Recommended	3 nine if dose is val Age 24 years MeningTrumenba	id or when next is Interval 4 weeks 4 weeks 2 months 6 months	due Grace
T3 Deterry Valid Early due Due Overdue Finished After invalid dose Dose before previous Recommended If valid, pice	3 mine if dose is val Age 24 years MeningTrumenback the next sched	id or when next is Interval 4 weeks 4 weeks 2 months 6 months	due Grace 4 weeks
T3 Deterry Valid Early due Due Overdue Finished After invalid dose Dose before previous Recommended If valid, pic	3 mine if dose is val Age 24 years MeningTrumenba ck the next sched Schedule	id or when next is Interval 4 weeks 4 weeks 2 months 6 months	due Grace
Valid Early due Due Overdue Finished After invalid dose Dose before previon Recommended If valid, pictory Vaccine Bexsero	3 mine if dose is val Age 24 years MeningTrumenback the next schedule B2b	id or when next is Interval 4 weeks 4 weeks 2 months 6 months	due Grace 4 weeks
T3 Deterry Valid Early due Due Overdue Finished After invalid dose Dose before previon Recommended If valid, pictor Vaccine Bexsero Trumenba	3 mine if dose is val Age 24 years MeningTrumenback the next schedule B2b COMPLETE	id or when next is Interval 4 weeks 4 weeks 2 months 6 months	due Grace 4 weeks
Valid Early due Due Overdue Finished After invalid dose Dose before previon Recommended If valid, pictory Vaccine Bexsero	3 mine if dose is val Age 24 years MeningTrumenback the next schedule B2b	id or when next is Interval 4 weeks 4 weeks 2 months 6 months	due Grace 4 weeks

Decision Logic	
DL Trumenba A	
Constant Values	Turrenanha
Valid Vaccine Transitions	Trumenba
Greater Than 6 Months	COMPLETE
Less Than 6 Months	T3
Decision Logic	
DL Trumenba B	
Constant Values	
Valid Vaccine	Trumenba
Transitions	
Greater Than 6 Months	COMPLETE
Less Than 6 Months	T3a
Destates Leader	
Decision Logic DL Trumenba C	
Constant Values	
Valid Vaccine	Trumenba
Transitions	
Greater Than 6 Months	COMPLETE
Less Than 6 Months	T3b

Schedule	Dose	Indication	2 nd
B2a	2		
	mine if dose is vali	d or when next is	due
	Age	Interval	Grace
Valid		4 weeks	4 weeks
Early due			
Due		4 weeks	
Overdue		2 months	
Finished	24 years		
After invalid dose			
Dose before previous			
Recommended	MeningBexsero		
	ck the next schedu		
Vaccine	Schedule	Before Age	Reason
Trumenba	DL Trumenba B		
Bexsero	COMPLETE		
Show Column	2		
Show Row	3		
Schedule	Dose	Indication	3 rd
T3a	3		
T3a	3 nine if dose is vali	d or when next is	due
T3a Deterr	3	d or when next is Interval	due Grace
T3a Deterr Valid	3 nine if dose is vali	d or when next is	due
T3a Deterr Valid Early due	3 nine if dose is vali	d or when next is Interval 4 weeks	due Grace
T3a Deterr Valid Early due Due	3 nine if dose is vali	d or when next is Interval 4 weeks 4 weeks	due Grace
T3a Deterr Valid Early due Due Overdue	3 nine if dose is valid Age	d or when next is Interval 4 weeks	due Grace
T3a Deterr Valid Early due Due Overdue Finished	anine if dose is validade Age 24 years	d or when next is Interval 4 weeks 4 weeks	due Grace
T3a Deterr Valid Early due Due Overdue Finished After invalid dose	3 nine if dose is valid Age 24 years	d or when next is Interval 4 weeks 4 weeks 2 months	due Grace
T3a Deterr Valid Early due Due Overdue Finished After invalid dose Dose before previo	3 nine if dose is valid Age 24 years	d or when next is Interval 4 weeks 4 weeks	due Grace
T3a Deterr Valid Early due Due Overdue Finished After invalid dose Dose before previous Recommended	3 mine if dose is valid Age 24 years MeningTrumenba	d or when next is Interval 4 weeks 4 weeks 2 months 6 months	due Grace
T3a Deterr Valid Early due Due Overdue Finished After invalid dose Dose before prevional recommended If valid, pice	3 nine if dose is valid Age 24 years MeningTrumenba ck the next schedu	d or when next is Interval 4 weeks 4 weeks 2 months 6 months	Grace 4 weeks
T3a Deterr Valid Early due Due Overdue Finished After invalid dose Dose before prevional processor of the commended If valid, picture of the commended Vaccine	3 mine if dose is valid Age 24 years MeningTrumenba ck the next schedu Schedule	d or when next is Interval 4 weeks 4 weeks 2 months 6 months	due Grace
T3a Deterry Valid Early due Due Overdue Finished After invalid dose Dose before prevional Recommended If valid, pictory Vaccine Bexsero	3 mine if dose is valid Age 24 years MeningTrumenba ck the next schedu Schedule COMPLETE	d or when next is Interval 4 weeks 4 weeks 2 months 6 months	Grace 4 weeks
T3a Deterr Valid Early due Due Overdue Finished After invalid dose Dose before previon Recommended If valid, pion Vaccine Bexsero Trumenba	3 mine if dose is valid Age 24 years 24 years MeningTrumenba ck the next schedu Schedule COMPLETE COMPLETE	d or when next is Interval 4 weeks 4 weeks 2 months 6 months	Grace 4 weeks
T3a Deterry Valid Early due Due Overdue Finished After invalid dose Dose before prevional Recommended If valid, pictory Vaccine Bexsero	3 mine if dose is valid Age 24 years MeningTrumenba ck the next schedu Schedule COMPLETE	d or when next is Interval 4 weeks 4 weeks 2 months 6 months	Grace 4 weeks

D	Local Const.	2 nd
	Indication	2""
_	d ou whom would in	due
Age		Grace 4 weeks
	4 weeks	4 weeks
	4 wooks	
24 years	2 111011015	
24 years		
NIC .		
	le to use	
		Reason
	Delote Age	Reason
_		
Dose		2 nd
2		
nine if dose is vali	d or when next is	due
Age	Interval	Grace
	6 months	6 months
	6 months	
	6 months 7 months	
24 years		
24 years		
24 years		
ous	7 months	
ous MeningTrumenba	7 months	Reason
ous MeningTrumenba k the next schedu	7 months	Reason
MeningTrumenba k the next schedu Schedule	7 months	Reason
MeningTrumenba k the next schedu Schedule COMPLETE	7 months	Reason
	24 years 24 years MeningBexsero k the next schedu Schedule COMPLETE 4 2 Dose 2	2 nine if dose is valid or when next is Age Interval 4 weeks 4 weeks 2 months 24 years MeningBexsero k the next schedule to use Schedule Before Age COMPLETE COMPLETE 4 2 Dose 2 nine if dose is valid or when next is Age Interval

Schedule	Dose	Indication	3 rd
T3b	3		
Detern	nine if dose is val	id or when next is	due
	Age	Interval	Grace
Valid		4 weeks	4 weeks
Early due			
Due		4 weeks	
Overdue		2 months	
Finished	24 years		
After invalid dose			
Dose before previo	ous	6 months	
Recommended	MeningTrumenba		
If valid, pic	k the next schedu	ule to use	
Vaccine	Schedule	Before Age	Reason
Bexsero	COMPLETE		
Trumenba	COMPLETE		
Show Column	3		
Show Row	3		