


Forecast Series Name	MeningococcalB
	Vaccine Ids
Bexsero	216
Trumenba	215
Men B	215, 216

Vaccines		
Vaccine	Trade Name(s)	Id
Meningococcal B, OMV	Bexsero	216
Meningococcal B	Trumenba	215
Meningococcal B, unspecified		



1<sup>st</sup>

Schedule	Dose	Indication	
P1	1	DOSERECEIVED	
Determine if dose is valid or when next is due			
	Age	Interval	Grace
Valid	16 years		4 days
Early due			
Due	16 years		
Overdue	19 years		
Finished	24 years		
After invalid dose		0 days	
Dose before previous			
If valid, pick the next schedule to use			
Vaccine	Schedule	Before Age	Reason
Bexsero	B2		
Trumenba	T2		
Show Column	1		
Show Row	1		

2<sup>nd</sup>

Schedule	Dose		
T2	2		
Determine if dose is valid or when next is due			
	Age	Interval	Grace
Valid		6 months	6 months
Early due			
Due		6 months	
Overdue		7 months	
Finished	24 years		
After invalid dose			
Dose before previous			
Recommended	MeningTrumenba		
If valid, pick the next schedule to use			
Vaccine	Schedule	Before Age	Reason
Bexsero	B2a		
Trumenba	DL Trumenba A		
Show Column	2		
Show Row	2		

2<sup>nd</sup>

Schedule	Dose	Indication	
B2	2		
Determine if dose is valid or when next is due			
	Age	Interval	Grace
Valid		4 weeks	4 weeks
Early due			
Due		4 weeks	
Overdue		2 months	
Finished	24 years		
After invalid dose			
Dose before previous			
Recommended	MeningBexsero		
If valid, pick the next schedule to use			
Vaccine	Schedule	Before Age	Reason
Trumenba	T2a		
Bexsero	COMPLETE		
Show Column	2		
Show Row	1		

3<sup>rd</sup>

Schedule	Dose	Indication	
T3	3		
Determine if dose is valid or when next is due			
	Age	Interval	Grace
Valid		4 weeks	4 weeks
Early due			
Due		4 weeks	
Overdue		2 months	
Finished	24 years		
After invalid dose			
Dose before previous		6 months	
Recommended	MeningTrumenba		
If valid, pick the next schedule to use			
Vaccine	Schedule	Before Age	Reason
Bexsero	B2b		
Trumenba	COMPLETE		
Show Column	3		
Show Row	2		

**Decision Logic**

DL Trumenba A

**Constant Values**

<b>Valid Vaccine</b>	Trumenba
<b>Transitions</b>	
<b>Greater Than 6 Months</b>	COMPLETE
<b>Less Than 6 Months</b>	T3

**Decision Logic**

DL Trumenba B

**Constant Values**

<b>Valid Vaccine</b>	Trumenba
<b>Transitions</b>	
<b>Greater Than 6 Months</b>	COMPLETE
<b>Less Than 6 Months</b>	T3a

**Decision Logic**

DL Trumenba C

**Constant Values**

<b>Valid Vaccine</b>	Trumenba
<b>Transitions</b>	
<b>Greater Than 6 Months</b>	COMPLETE
<b>Less Than 6 Months</b>	T3b

Schedule	Dose	Indication	
B2a	2		
<b>Determine if dose is valid or when next is due</b>			
	Age	Interval	Grace
Valid		4 weeks	4 weeks
Early due			
Due		4 weeks	
Overdue		2 months	
Finished	24 years		
After invalid dose			
Dose before previous			
Recommended	MeningBexsero		
<b>If valid, pick the next schedule to use</b>			
Vaccine	Schedule	Before Age	Reason
Trumenba	DL Trumenba B		
Bexsero	COMPLETE		
Show Column	2		
Show Row	3		

2<sup>nd</sup>

Schedule	Dose	Indication	
T3a	3		
<b>Determine if dose is valid or when next is due</b>			
	Age	Interval	Grace
Valid		4 weeks	4 weeks
Early due			
Due		4 weeks	
Overdue		2 months	
Finished	24 years		
After invalid dose			
Dose before previous		6 months	
Recommended	MeningTrumenba		
<b>If valid, pick the next schedule to use</b>			
Vaccine	Schedule	Before Age	Reason
Bexsero	COMPLETE		
Trumenba	COMPLETE		
Show Column	3		
Show Row	3		

3<sup>rd</sup>

Schedule	Dose	Indication	
B2b	2		
Determine if dose is valid or when next is due			
	Age	Interval	Grace
Valid		4 weeks	4 weeks
Early due			
Due		4 weeks	
Overdue		2 months	
Finished	24 years		
After invalid dose			
Dose before previous			
Recommended	MeningBexsero		
If valid, pick the next schedule to use			
Vaccine	Schedule	Before Age	Reason
Trumenba	COMPLETE		
Bexsero	COMPLETE		
Show Column	4		
Show Row	2		

2<sup>nd</sup>

Schedule	Dose		
T2a	2		
Determine if dose is valid or when next is due			
	Age	Interval	Grace
Valid		6 months	6 months
Early due			
Due		6 months	
Overdue		7 months	
Finished	24 years		
After invalid dose			
Dose before previous			
Recommended	MeningTrumenba		
If valid, pick the next schedule to use			
Vaccine	Schedule	Before Age	Reason
Bexsero	COMPLETE		
Trumenba	DL Trumenba C		
Show Column	2		
Show Row	2		

2<sup>nd</sup>

Schedule	Dose	Indication
T3b	3	
3 <sup>rd</sup>		
Determine if dose is valid or when next is due		
	Age	Interval
Valid		4 weeks
Early due		
Due		4 weeks
Overdue		2 months
Finished	24 years	
After invalid dose		
Dose before previous		6 months
Recommended	MeningTrumenba	
If valid, pick the next schedule to use		
Vaccine	Schedule	Before Age
Bexsero	COMPLETE	
Trumenba	COMPLETE	
Show Column	3	
Show Row	3	