


Forecast Series Name		Diphtheria
Vaccines	Vaccine Ids	
Child	110, 112, 114, 115, 116, 2060, 111, 2070, 113, 121, 1150, 142, 227	
Adult	122, 124, 123	
Td	122, 124	
Tdap	123, 110, 114, 113, 115, 116, 121, 142, 227, 2060, 111, 2070	
Assume Comp	-110	
12 Months Old	-12	
4 Years Old	-4	
7 Years Old	-7	

7 years

Transitions		
Name	Age	Vaccine Id
12 Months Old	12 months -4 d	-12
4 Years Old	4 years -4 days	-4
7 Years Old	7 years -4 days	-7

Vaccines		
Vaccine	Trade Name(s)	Id
DT		112
DTaP		110
DTaP-HepB-IPV	Pediarix	114
DTaP-Hib	TriHibit	113
DTaP-Hib-IPV	Pentacel	115
DTaP-IPV	Kinrix	116
DTP-Hib	Tetramune	121
DTP		2060
DTP		111
DTP		2070
Td		122
Td Preservative free		124
DTP-Hib-HepB		1150
DTaP/IPV/Hib (Non-US)	Pentavalente	227
DTaP-IPV-Hib-HepB	Hexavalente	142
Tdap	Boostrix, Adecel	123



Schedule	Dose	Indication	2 months
P1	1	BIRTH	
Determine if dose is valid or when next is due			
	Age	Interval	Grace
Valid	6 weeks		4 days
Early due	6 weeks		
Due	2 months		
Overdue	3 months		
Finished	150 years		
After invalid dose		0 days	
Dose before previous			
If valid, pick the next schedule to use			
Vaccine	Schedule	Before Age	History Of
12 Months Old	P1a		
Child	P2		
Adult	INVALID		
Show Column	1		
Show Row	1		

Schedule		Dose		4 months
P2	2			
Determine if dose is valid or when next is due				
	Age	Interval	Grace	
Valid	10 weeks	4 weeks	4 days	
Early due				
Due	4 months			
Overdue	5 months			
Finished	150 years			
After invalid dose		4 weeks	4 days	
Dose before previous				
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	History Of	
7 Years Old	A1			
Child	P3			
Adult	INVALID			
Show Column	2			
Show Row	1			

Schedule	Dose	6 months	
P3	3		

Determine if the vaccination is valid or when next is due			
	Age	Interval	Grace
Valid	14 weeks	4 weeks	4 days
Early due			
Due	6 months		
Overdue	7 months		
Finished	150 years		
After invalid dose		4 weeks	4 days
Dose before previous			

If valid, pick the next schedule to use

Vaccine	Schedule	Before Age	History Of	Reason
7 Years Old	A2			Patient reached 7 years of age without completing childhood series, moving to 2nd dose in adult
Child	P4	4 years		
Child	K4			Patient received 3rd valid dose after 4 years of age, now expecting final DTaP booster.
Adult	INVALID			Td or Tdap should not be given before 7 years of age.
Show Column	3			
Show Row	1			

Schedule	Dose	15-18 months	
P4	4		

Determine if the vaccination is valid or when next is due			
	Age	Interval	Grace
Valid	12 months	6 months	2 months
Early due	12 months		
Due	15 months		
Overdue	19 months		
Finished	150 years		
After invalid dose		6 months	2 months
Dose before previous			

If valid, pick the next schedule to use

Vaccine	Schedule	Before Age	History Of	Reason
4 Years Old	K4			Patient reached 4 years of age without receiving 4th valid dose in primary series, moving to catc
Child	K5			
Adult	K5			Td or Tdap should not be given before 7 years of age.
Show Column	4			
Show Row	1			

Schedule		Dose	1st catchup	
P1a	1			
Determine if dose is valid or when next is due				
	Age	Interval	Grace	
Valid	6 weeks		4 days	
Early due	6 weeks			
Due	2 months			
Overdue	3 months			
Finished	150 years			
After invalid dose		0 days		
Dose before previous				
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	History Of	
7 Years Old	A1			
Child	P2a			
Adult	INVALID			
Show Column	1			
Show Row	2			

Schedule		Dose		2nd catchup
P2a	2			
Determine if the vaccination is valid or when next is due				
	Age	Interval	Grace	
Valid		4 weeks	4 days	
Early due				
Due		4 weeks		
Overdue		4 weeks		
Finished	150 years			
After invalid dose		4 weeks	4 days	
Dose before previous				
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	History Of	
7 Years Old	A2			
Child	P3a			
Adult	INVALID			
Show Column	2			
Show Row	2			

Schedule	Dose	3rd catchup		
P3a	3			
Determine if the vaccination is valid or when next is due				
	Age	Interval	Grace	
Valid		4 weeks	4 days	
Early due				
Due		4 weeks		
Overdue		4 weeks		
Finished	150 years			
After invalid dose		4 weeks	4 days	
Dose before previous				
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	History Of	Reason
7 Years Old	A3			Patient reached 7 years of age, only receiving two valid doses of DTaP after 12 months, moving
Child	P4	4 years		
Child	K4			Patient received 3rd valid dose after 4 years of age, now expecting final DTaP booster.
Adult	INVALID			
Show Column	3			
Show Row	2			

Schedule	Dose	catchup kindergarten booster		
K4	B			
Determine if the vaccination is valid or when next is due				
	Age	Interval	Grace	
Valid	4 years	6 months	4 days	
Early due				
Due	4 years			
Overdue	4 years			
Finished	150 years			
After invalid dose		6 months	4 days	
Dose before previous				
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	History Of	Reason
7 Years Old	A3			Patient reached 7 years of age without receiving kindergarten booster after age 4 years, moving
Child	T1			
Adult	T1			Td or Tdap should not be given before 7 years of age.
Show Column	4			
Show Row	1			

Schedule	Dose	kindegarten booster	
K5	B		

Determine if the vaccination is valid or when next is due			
	Age	Interval	Grace
Valid	4 years	6 months	4 days
Early due			
Due	4 years		
Early overdue	6 years		
Overdue	7 years		
Finished	150 years		
After invalid dose		6 months	4 days
Dose before previous			

If valid, pick the next schedule to use

Vaccine	Schedule	Before Age	History Of	Reason
7 Years Old	A3			Patient reached 7 years of age without receiving kindergarten booster after age 4 years, moving
Child	T1			
Adult	T1			Td or Tdap should not be given before 7 years of age.
Show Column	5			
Show Row	2			

Schedule	Dose	10-year booster	
B10	B		

Determine if the vaccination is valid or when next is due			
	Age	Interval	Grace
Valid		5 years	5 years
Early due			
Due		10 years	
Overdue		11 years	
Finished	150 years		
After invalid dose		5 years	5 years
Dose before previous			

If valid, pick the next schedule to use

Vaccine	Schedule	Before Age	History Of	Reason
Child	B10			Child vaccine should not be given has booster.
Adult	B10			
Show Column	4			
Show Row	4			

Schedule	Dose	1st adult		
A1	1			
Determine if dose is valid or when next is due				
	Age	Interval	Grace	
Valid	7 years		0 days	
Early due				
Due	7 years			
Overdue	7 years			
Finished	150 years			
After invalid dose		0 days		
Dose before previous				
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	History Of	Reason
Child	A2			Child vaccine should not be given after 7 years of age.
Adult	A2			
Assume Comp	B10		Tdap	Tdap already given, and assuming adult received full DTaP series as a child, moving to 10 year
Assume Comp	TN			Assuming adult received full DTaP series as a child but now needs to receive Tdap.
Show Column	1			
Show Row	3			

Schedule	Dose	2nd adult		
A2	2			
Determine if the vaccination is valid or when next is due				
	Age	Interval	Grace	
Valid		4 weeks	4 days	
Early due				
Due		4 weeks		
Overdue		4 weeks		
Finished	150 years			
After invalid dose		4 weeks	4 days	
Dose before previous				
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	History Of	Reason
Child	A3			Child vaccine should not be given after 7 years of age.
Adult	A3			
Assume Comp	B10		Tdap	Tdap already given, and assuming adult received full DTaP series as a child, moving to 10 year
Assume Comp	TN			Assuming adult received full DTaP series as a child but now needs to receive Tdap.
Show Column	2			
Show Row	3			



Schedule	Dose	3rd adult	
A3	3		

Determine if the vaccination is valid or when next is due			
	Age	Interval	Grace
Valid	7 years	6 months	4 days
Early due			
Due		6 months	
Overdue		6 months	
Finished	150 years		
After invalid dose		6 months	2 months
Dose before previous			

If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	History Of	Reason
Child	B10		Tdap	Child vaccine should not be given after 7 years of age.
Adult	B10		Tdap	
Tdap	B10			
Assume Comp	B10		Tdap	Assuming adult received full DTaP series as a child, moving to 10 year booster schedule.
Child	TN			Child vaccine should not be given after 7 years of age, Tdap should be administered as soon as
Adult	TN			Tdap should be administered as soon as possible.
Assume Comp	TN			Assuming adult received full DTaP series as a child but now needs to receive Tdap.
Show Column	3			
Show Row	3			

Schedule	Dose	Tdap Now		
TN	B			
Determine if the vaccination is valid or when next is due				
	Age	Interval	Grace	
Valid	7 years	0 days		
Early due				
Due	7 years			
Overdue	7 years			
Finished	150 years			
After invalid dose		0 days		
Dose before previous				
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	History Of	Reason
Adult	B10		Tdap	
Tdap	B10			
Child	TN			Child vaccine should not be given after 7 years of age, Tdap should be administered as soon as
Adult	TN			Tdap should be administered as soon as possible.
Show Column	4			
Show Row	3			

Schedule	Dose	First Tdap		
T1	B			
Determine if the vaccination is valid or when next is due				
	Age	Interval	Grace	
Valid	7 years	0 days		
Early due				
Due	11 years			
Overdue	13 years			
Finished	150 years			
After invalid dose		0 days		
Dose before previous				
If valid, pick the next schedule to use				
Vaccine	Schedule	Before Age	History Of	Reason
Adult	B10		Tdap	
Tdap	B10			
Child	T1	11 years		Patient has not received pertussis vaccine (Tdap) after 7 years of age, Tdap due at 11 years of a
Adult	T1	11 years		Patient has not received pertussis vaccine (Tdap) after 7 years of age, Tdap due at 11 years of a
Child	TN			Child vaccine should not be given after 7 years of age, Tdap should be administered as soon as
Adult	TN			Tdap should be administered as soon as possible.
Show Column	5			

Show Row	3
----------	---