


| Forecast Series Name | | Zoster |
|----------------------|-------------|--------|
| Vaccines | Vaccine Ids | |
| Live Zoster | 2110 | |
| RZV | 237 | |

| | |
|------|---|
| Live | 160, 161, 158, 162, 171, 175, 178, 180, 2020, 1990, 148, 1690, 1700, 210, 203 |
|------|---|

| Vaccines | | |
|----------------------------------|---------------|------|
| Vaccine | Trade Name(s) | Id |
| ZVL (Live Zoster Vaccine) | | 2110 |
| RZV (Recombinant Zoster Vaccine) | Shingrix | 237 |
| | | |
| | | |

| Contraindication | | |
|---------------------------------|---------------|------|
| Vaccine | Trade Name(s) | Id |
| M/R | | 160 |
| Measles | | 161 |
| MMR | | 158 |
| Mumps | | 162 |
| Rubella | | 171 |
| Rubella/Mumps | | 175 |
| varicella | | 178 |
| Influenza(LAIV) | | 180 |
| Influenza LAIV4 Nasal | | 203 |
| Yellow Fever | | 2020 |
| Venezuelan Encephalitis | | 1990 |
| OPV | | 148 |
| rabies, intramuscular injection | | 1690 |
| rabies, intradermal injection | | 1700 |
| Rabies | | 210 |



| Schedule | Dose | Indication | P1 / Start | |
|--|----------------|------------|----------------|-------|
| P1 | 1 | BIRTH | | |
| Determine if dose is valid or when next is due | | | | |
| | Age | Interval | Grace | |
| Valid | 50 years | | 4 days | |
| Early due | | | | |
| Due | 50 years | | | |
| Overdue | 51 years | | | |
| Finished | 120 years | | | |
| After invalid dose | | 8 weeks | 4 weeks 4 days | |
| Dose before previous | | | | |
| In case of contraindicated dose | | | | |
| Vaccine | Interval After | Before Age | Reason | Grace |
| Live | 4 weeks | | | |
| If valid, pick the next schedule to use | | | | |
| Vaccine | Schedule | Before Age | Reason | |
| Live Zoster | P1a | | | |
| RZV | P2 | | | |
| Show Column | 1 | | | |
| Show Row | 1 | | | |

| Schedule | | Dose | | P2 / 2nd RZV |
|--|----------------|------------|--------|--------------|
| P2 | 2 | | | |
| Determine if dose is valid or when next is due | | | | |
| | Age | Interval | Grace | |
| Valid | | 4 weeks | 4 days | |
| Early due | | | | |
| Due | | 2 months | | |
| Overdue | | 7 months | | |
| Finished | 120 years | | | |
| After invalid dose | | 4 weeks | 4 days | |
| Dose before previous | | | | |
| In case of contraindicated dose | | | | Grace |
| Vaccine | Interval After | Before Age | Reason | |
| Live | 4 weeks | | | |
| If valid, pick the next schedule to use | | | | |
| Vaccine | Schedule | Before Age | Reason | |
| Live Zoster | P2a | | | |
| RZV | COMPLETE | | | |
| Show Column | 2 | | | |
| Show Row | 1 | | | |

| Schedule | | Dose | | P1a / 1st RZV (post-ZVL) | |
|--|----------------|-----------|------------|--------------------------|----------|
| P1a | | 1 | | | |
| Determine if dose is valid or when next is due | | | | | |
| | Age | | Interval | Grace | |
| Valid | | | | 2 months | 2 months |
| Early due | | | | | |
| Due | | | | 5 years | |
| Overdue | | | | 6 years | |
| Finished | | 120 years | | | |
| After invalid dose | | | | | |
| Dose before previous | | | | | |
| In case of contraindicated dose | | | | | Grace |
| Vaccine | Interval After | | Before Age | Reason | |
| Live | 4 weeks | | | | |
| If valid, pick the next schedule to use | | | | | |
| Vaccine | Schedule | | Before Age | Reason | |
| Live Zoster | P1a | | | | |
| | RZV | | | | |
| Show Column | 3 | | | | |
| Show Row | 1 | | | | |

| Schedule | Dose | P2a / 2nd RZV (post-ZVL) | |
|--|----------------|--------------------------|----------|
| P2a | 2 | | |
| Determine if dose is valid or when next is due | | | |
| | Age | Interval | Grace |
| Valid | | 2 months | 2 months |
| Early due | | | |
| Due | | 2 months | |
| Overdue | | 7 months | |
| Finished | 120 years | | |
| After invalid dose | | | |
| Dose before previous | | | |
| In case of contraindicated dose | | | Grace |
| Vaccine | Interval After | Before Age | Reason |
| Live | 4 weeks | | |
| If valid, pick the next schedule to use | | | |
| Vaccine | Schedule | Before Age | Reason |
| Live Zoster | P2a | | |
| RZV | Complete | | |
| Show Column | 4 | | |
| Show Row | 1 | | |