


| Forecast Series Name | | RZV (Shingrix) |
|----------------------|-------------|----------------|
| Vaccines | Vaccine Ids | |
| Live Zoster | 2110 | |
| RZV | 237 | |

| | |
|-----------|-----|
| Varicella | 178 |
|-----------|-----|

| Vaccines | | |
|----------------------------------|---------------|------|
| Vaccine | Trade Name(s) | Id |
| ZVL (Live Zoster Vaccine) | | 2110 |
| RZV (Recombinant Zoster Vaccine) | Shingrix | 237 |
| | | |
| | | |

| Contraindication | | |
|------------------|---------------|-----|
| Vaccine | Trade Name(s) | Id |
| Varicella | | 178 |



| Schedule | Dose | Indication | P1 / Start | |
|--|----------------|------------|-----------------|---------|
| P1 | 1 | BIRTH | | |
| Determine if dose is valid or when next is due | | | | |
| | Age | Interval | Grace | |
| Valid | 50 years | | 32 years 4 days | |
| Early due | | | | |
| Due | 50 years | | | |
| Overdue | 51 years | | | |
| Finished | 120 years | | | |
| After invalid dose | | 8 weeks | 4 weeks | |
| Dose before previous | | | | |
| In case of contraindicated dose | | | | |
| Vaccine | Interval After | Before Age | Reason | Grace |
| Varicella | 8 weeks | | | 8 weeks |
| If valid, pick the next schedule to use | | | | |
| Vaccine | Schedule | Before Age | Reason | |
| Live Zoster | P1a | | | |
| RZV | P2 | | | |
| Show Column | 1 | | | |
| Show Row | 1 | | | |

| Schedule | Dose | P2 / 2nd RZV | | |
|--|----------------|--------------|---------|---------|
| P2 | 2 | | | |
| Determine if dose is valid or when next is due | | | | |
| | Age | Interval | Grace | |
| Valid | 50 years | 4 weeks | | |
| Early due | | | | |
| Due | | 8 weeks | | |
| Overdue | | 7 months | | |
| Finished | 120 years | | | |
| After invalid dose | | 8 weeks | 4 weeks | |
| Dose before previous | | | | |
| In case of contraindicated dose | | | | |
| Vaccine | Interval After | Before Age | Reason | Grace |
| Varicella | 8 weeks | | | 8 weeks |
| If valid, pick the next schedule to use | | | | |
| Vaccine | Schedule | Before Age | Reason | |
| Live Zoster | P2a | | | |
| RZV | COMPLETE | | | |
| Show Column | 2 | | | |
| Show Row | 1 | | | |

| Schedule | | Dose | | P1a / 1st RZV (post-ZVL) | |
|--|----------------|------------|---------|--------------------------|--|
| P1a | | 1 | | | |
| Determine if dose is valid or when next is due | | | | | |
| | Age | Interval | Grace | | |
| Valid | | 8 weeks | 8 weeks | | |
| Early due | | | | | |
| Due | | 5 years | | | |
| Overdue | | 6 years | | | |
| Finished | 120 years | | | | |
| After invalid dose | | | | | |
| Dose before previous | | | | | |
| In case of contraindicated dose | | | | | |
| Vaccine | Interval After | Before Age | Reason | Grace | |
| Varicella | 8 weeks | | | 8 weeks | |
| If valid, pick the next schedule to use | | | | | |
| Vaccine | Schedule | Before Age | Reason | | |
| Live Zoster | P1a | | | | |
| RZV | P2 | | | | |
| Show Column | 3 | | | | |
| Show Row | 1 | | | | |

| Schedule | Dose | P2a / 2nd RZV (post-ZVL) | | |
|--|----------------|--------------------------|--------|--------------------|
| P2a | 2 | | | |
| Determine if dose is valid or when next is due | | | | |
| | Age | Interval | Grace | Grace for Interval |
| Valid | 50 years | 8 weeks | | 8 weeks |
| Early due | | | | |
| Due | | 8 weeks | | |
| Overdue | | 7 months | | |
| Finished | 120 years | | | |
| After invalid dose | | | | |
| Dose before previous | | | | |
| In case of contraindicated dose | | | | |
| Vaccine | Interval After | Before Age | Reason | Grace |
| Varicella | 8 weeks | | | 8 weeks |
| If valid, pick the next schedule to use | | | | |
| Vaccine | Schedule | Before Age | Reason | |
| Live Zoster | P2a | | | |
| RZV | Complete | | | |
| Show Column | 4 | | | |
| Show Row | 1 | | | |