```
Impresión con formato estilístico 🗸
{
 "issuer": "http://localhost:8180/realms/copsboot",
 "authorization_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/auth",
 "token_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/token",
 "introspection_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/token/introspect",
 "userinfo_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/userinfo",
 "end_session_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/logout",
 "frontchannel_logout_session_supported": true,
 "frontchannel_logout_supported": true,
  "jwks_uri": "http://localhost:8180/realms/copsboot/protocol/openid-connect/certs",
  "check session_iframe": "http://localhost:8180/realms/copsboot/protocol/openid-connect/login-status-
iframe.html",
  "grant_types_supported": [
    "authorization_code",
   "implicit",
    "refresh_token",
    "password",
    "client_credentials",
   "urn:ietf:params:oauth:grant-type:device_code",
   "urn:openid:params:grant-type:ciba"
  "acr_values_supported": [
   "0"
   o",
"1"
 ],
"response_types_supported": [
   "code",
   "none",
   "id_token",
   "token",
   "id_token token",
   "code id_token",
   "code token",
   "code id_token token"
  "subject_types_supported": [
   "public",
   "pairwise"
 ],
"id_token_signing_alg_values_supported": [
   "PS384",
   "ES384",
   "RS384",
   "HS256",
   "HS512",
   "ES256"
   "RS256"
   "HS384"
   "ES512",
   "PS256",
   "PS512",
 ],
"id_token_encryption_alg_values_supported": [
   "RSA-OAEP-256",
   "RSA1_5"
  id token encryption enc values supported": [
   "A256GCM",
   "A192GCM",
   "A128GCM",
   "A128CBC-HS256",
   "A192CBC-HS384",
    "A256CBC-HS512"
  "userinfo_signing_alg_values_supported": [
   "PS384",
```

```
Impresión con formato estilístico
    "KS384",
    "HS256",
    "HS512",
    "ES256"
    "RS256"
    "HS384"
    "ES512"
    "PS256",
    "PS512",
   "RS512",
    "none"
 ],
"userinfo_encryption_alg_values_supported": [
    "RSA-OAEP-256",
    "RSA1_5"
 ],
  "userinfo_encryption_enc_values_supported": [
    "A192GCM",
    "A128GCM",
    "A128CBC-HS256",
    "A192CBC-HS384",
    "A256CBC-HS512"
 ],
"request_object_signing_alg_values_supported": [
   "PS384",
    "ES384"
    "RS384"
    "HS256"
    "HS512",
    "ES256",
    "RS256",
    "HS384"
    "ES512"
    "PS256",
    "PS512"
    "RS512",
    "none"
  "request_object_encryption_alg_values_supported": [
    "RSA-OAEP",
    "RSA-OAEP-256",
    "RSA1_5"
 "request_object_encryption_enc_values_supported": [
    "A256GCM",
    "A192GCM",
    "A128GCM",
    "A128CBC-HS256",
    "A192CBC-HS384"
   "A256CBC-HS512"
  "response_modes_supported": [
   "query",
    "fragment",
    "form_post",
    "query.jwt",
    "fragment.jwt"
    "form_post.jwt",
    "jwt"
  "registration_endpoint": "http://localhost:8180/realms/copsboot/clients-registrations/openid-connect",
 "token_endpoint_auth_methods_supported": [
    "private_key_jwt",
    "client_secret_basic",
    "client_secret_post",
    "tls_client_auth",
    "client_secret_jwt"
```

```
Impresión con formato estilístico
  token_endpoint_auth_signing_alg_values_supported": [
    "PS384",
    "ES384",
    "RS384",
    "HS256",
    "HS512"
    "ES256"
    "RS256",
    "HS384",
    "ES512",
    "PS256",
    "PS512"
    "RS512"
 ],
"introspection_endpoint_auth_methods_supported": [
    "private_key_jwt",
    "client_secret_basic",
    "client_secret_post",
    "tls_client_auth",
    "client_secret_jwt"
 ],
"introspection_endpoint_auth_signing_alg_values_supported": [
    "PS384",
    "ES384",
    "RS384",
   "HS256",
    "HS512",
    "ES256"
    "RS256"
    "HS384"
    "ES512",
    "PS256",
   "PS512",
    "RS512"
 ],
"authorization_signing_alg_values_supported": [
   "PS384",
"ES384",
    "RS384",
    "HS256",
    "HS512",
    "ES256",
    "RS256"
    "HS384",
    "ES512"
   "PS256",
    "PS512",
    "RS512"
 "authorization_encryption_alg_values_supported": [
    "RSA-OAEP",
    "RSA-OAEP-256",
    "RSA1_5"
  "authorization_encryption_enc_values_supported": [
   "A256GCM",
    "A192GCM",
    "A128GCM",
    "A128CBC-HS256",
    "A192CBC-HS384",
    "A256CBC-HS512"
 ],
  "claims_supported": [
    "aud",
   "sub",
   "iss",
    "auth_time",
    "name",
    "given_name",
```

```
Impresión con formato estilístico
    "preterred_username",
   "email",
   "acr"
 ],
  "claim_types_supported": [
   "normal"
  "claims_parameter_supported": true,
  "scopes_supported": [
   "openid",
   "web-origins",
   "offline_access",
   "acr",
    "microprofile-jwt",
    "email",
   "roles",
   "phone",
   "address",
   "profile"
 "request uri_parameter_supported": true,
  "require_request_uri_registration": true,
  "code_challenge_methods_supported": [
    "plain",
    "S256"
 ],
"tls_client_certificate_bound_access_tokens": true,
..."b++n://localhost:8180/realm
  "revocation_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/revoke",
  "revocation_endpoint_auth_methods_supported": [
    "private_key_jwt",
   "client_secret_basic",
   "client_secret_post",
   "tls_client_auth",
   "client_secret_jwt"
 ],
"revocation_endpoint_auth_signing_alg_values_supported": [
   "PS384",
   "ES384",
   "RS384",
   "HS256",
   "HS512",
   "ES256"
   "RS256"
    "HS384"
    "ES512",
   "PS256",
   "PS512",
   "RS512"
 "backchannel_logout_supported": true,
  "backchannel_logout_session_supported": true,
  "device_authorization_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/auth/device",
  "backchannel_token_delivery_modes_supported": [
    "poll",
    "ping"
 "backchannel_authentication_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-
connect/ext/ciba/auth",
  "backchannel_authentication_request_signing_alg_values_supported": [
    "PS384",
   "ES384",
   "RS384",
   "ES256",
   "RS256"
   "ES512"
    "PS256"
    "PS512"
    "RS512"
```