

```
{
  "issuer": "http://localhost:8180/realms/copsboot",
  "authorization_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/auth",
  "token_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/token",
  "introspection_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/token/introspect",
  "userinfo_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/userinfo",
  "end_session_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/logout",
  "frontchannel_logout_session_supported": true,
  "frontchannel_logout_supported": true,
  "jwks_uri": "http://localhost:8180/realms/copsboot/protocol/openid-connect/certs",
  "check_session_iframe": "http://localhost:8180/realms/copsboot/protocol/openid-connect/login-status-iframe.html",
  "grant_types_supported": [
    "authorization_code",
    "implicit",
    "refresh_token",
    "password",
    "client_credentials",
    "urn:ietf:params:oauth:grant-type:device_code",
    "urn:openid:params:grant-type:ciba"
  ],
  "acr_values_supported": [
    "0",
    "1"
  ],
  "response_types_supported": [
    "code",
    "none",
    "id_token",
    "token",
    "id_token token",
    "code id_token",
    "code token",
    "code id_token token"
  ],
  "subject_types_supported": [
    "public",
    "pairwise"
  ],
  "id_token_signing_alg_values_supported": [
    "PS384",
    "ES384",
    "RS384",
    "HS256",
    "HS512",
    "ES256",
    "RS256",
    "HS384",
    "ES512",
    "PS256",
    "PS512",
    "RS512"
  ],
  "id_token_encryption_alg_values_supported": [
    "RSA-OAEP",
    "RSA-OAEP-256",
    "RSA1_5"
  ],
  "id_token_encryption_enc_values_supported": [
    "A256GCM",
    "A192GCM",
    "A128GCM",
    "A128CBC-HS256",
    "A192CBC-HS384",
    "A256CBC-HS512"
  ],
  "userinfo_signing_alg_values_supported": [
    "PS384",
```

```
"RS384",
"HS256",
"HS512",
"ES256",
"RS256",
"HS384",
"ES512",
"PS256",
"PS512",
"RS512",
"none"
],
"userinfo_encryption_alg_values_supported": [
  "RSA-OAEP",
  "RSA-OAEP-256",
  "RSA1_5"
],
"userinfo_encryption_enc_values_supported": [
  "A256GCM",
  "A192GCM",
  "A128GCM",
  "A128CBC-HS256",
  "A192CBC-HS384",
  "A256CBC-HS512"
],
"request_object_signing_alg_values_supported": [
  "PS384",
  "ES384",
  "RS384",
  "HS256",
  "HS512",
  "ES256",
  "RS256",
  "HS384",
  "ES512",
  "PS256",
  "PS512",
  "RS512",
  "none"
],
"request_object_encryption_alg_values_supported": [
  "RSA-OAEP",
  "RSA-OAEP-256",
  "RSA1_5"
],
"request_object_encryption_enc_values_supported": [
  "A256GCM",
  "A192GCM",
  "A128GCM",
  "A128CBC-HS256",
  "A192CBC-HS384",
  "A256CBC-HS512"
],
"response_modes_supported": [
  "query",
  "fragment",
  "form_post",
  "query.jwt",
  "fragment.jwt",
  "form_post.jwt",
  "jwt"
],
"registration_endpoint": "http://localhost:8180/realms/copsboot/clients-registrations/openid-connect",
"token_endpoint_auth_methods_supported": [
  "private_key_jwt",
  "client_secret_basic",
  "client_secret_post",
  "tls_client_auth",
  "client_secret_jwt"
```

```
"token_endpoint_auth_signing_alg_values_supported": [
  "PS384",
  "ES384",
  "RS384",
  "HS256",
  "HS512",
  "ES256",
  "RS256",
  "HS384",
  "ES512",
  "PS256",
  "PS512",
  "RS512"
],
"introspection_endpoint_auth_methods_supported": [
  "private_key_jwt",
  "client_secret_basic",
  "client_secret_post",
  "tls_client_auth",
  "client_secret_jwt"
],
"introspection_endpoint_auth_signing_alg_values_supported": [
  "PS384",
  "ES384",
  "RS384",
  "HS256",
  "HS512",
  "ES256",
  "RS256",
  "HS384",
  "ES512",
  "PS256",
  "PS512",
  "RS512"
],
"authorization_signing_alg_values_supported": [
  "PS384",
  "ES384",
  "RS384",
  "HS256",
  "HS512",
  "ES256",
  "RS256",
  "HS384",
  "ES512",
  "PS256",
  "PS512",
  "RS512"
],
"authorization_encryption_alg_values_supported": [
  "RSA-OAEP",
  "RSA-OAEP-256",
  "RSA1_5"
],
"authorization_encryption_enc_values_supported": [
  "A256GCM",
  "A192GCM",
  "A128GCM",
  "A128CBC-HS256",
  "A192CBC-HS384",
  "A256CBC-HS512"
],
"claims_supported": [
  "aud",
  "sub",
  "iss",
  "auth_time",
  "name",
  "given_name",
```

```
{
  "preferred_username",
  "email",
  "acr"
},
"claim_types_supported": [
  "normal"
],
"claims_parameter_supported": true,
"scopes_supported": [
  "openid",
  "web-origins",
  "offline_access",
  "acr",
  "microprofile-jwt",
  "email",
  "roles",
  "phone",
  "address",
  "profile"
],
"request_parameter_supported": true,
"request_uri_parameter_supported": true,
"require_request_uri_registration": true,
"code_challenge_methods_supported": [
  "plain",
  "S256"
],
"tls_client_certificate_bound_access_tokens": true,
"revocation_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/revoke",
"revocation_endpoint_auth_methods_supported": [
  "private_key_jwt",
  "client_secret_basic",
  "client_secret_post",
  "tls_client_auth",
  "client_secret_jwt"
],
"revocation_endpoint_auth_signing_alg_values_supported": [
  "PS384",
  "ES384",
  "RS384",
  "HS256",
  "HS512",
  "ES256",
  "RS256",
  "HS384",
  "ES512",
  "PS256",
  "PS512",
  "RS512"
],
"backchannel_logout_supported": true,
"backchannel_logout_session_supported": true,
"device_authorization_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/auth/device",
"backchannel_token_delivery_modes_supported": [
  "poll",
  "ping"
],
"backchannel_authentication_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/ext/ciba/auth",
"backchannel_authentication_request_signing_alg_values_supported": [
  "PS384",
  "ES384",
  "RS384",
  "ES256",
  "RS256",
  "ES512",
  "PS256",
  "PS512",
  "RS512"
]
```

Impresión con formato estilístico

```
"require_pushed_authorization_requests": false,
"pushed_authorization_request_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-
connect/ext/par/request",
"mtls_endpoint_aliases": {
  "token_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/token",
  "revocation_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/revoke",
  "introspection_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/token/introspect",
  "device_authorization_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/auth/device",
  "registration_endpoint": "http://localhost:8180/realms/copsboot/clients-registrations/openid-connect",
  "userinfo_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-connect/userinfo",
  "pushed_authorization_request_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-
connect/ext/par/request",
  "backchannel_authentication_endpoint": "http://localhost:8180/realms/copsboot/protocol/openid-
connect/ext/ciba/auth"
}
```