KOPIA

https://kopia.io/docs/getting-started/

apt install curl; gpg

Renseigner les dépots

echo "deb [signed-by=/etc/apt/keyrings/kopia-keyring.gpg] http://packages.kopia.io/apt/ stable main" | sudo tee /etc/apt/sources.list.d/kopia.list

Télécharger les clés pour les dépots

curl -s https://kopia.io/signing-key | sudo gpg --dearmor -o /etc/apt/keyrings/kopia-keyring.gpg

sudo apt update

Installer Kopia

apt install kopia

apt install kopia-ui

mount -t cifs //172.20.116.22/Backup /mnt/kopia -o username=kopia,password=Azerty45,vers=3.0

*KOPIA_CONFIG_PATH=/opt/kopia/config/repository.config kopia repository create filesystem *

* --path=/mnt/kopia *

* --config-file=/opt/kopia/config/repo.config *

* --password=Azerty45*

Création d'un certificat pour la connexion (essentiel pour la connexion avec les clients

openssl req -x509 -newkey rsa:4096 -keyout /opt/kopia/server.key -out /opt/kopia/server.crt -days 365 -nodes -subj "/CN=172.20.34.141"

KOPIA_CONFIG_PATH=/opt/kopia/config/repository.config kopia server start --address=0.0.0.0:51515 --server-username=kopia --server-password=kopia --tls-cert-file=/opt/kopia/server.crt --tls-key-file=/opt/kopia/server.key

```
root@debKopia:~# kopia repository create filesystem \
  --path=/mnt/kopia \
  --password=kopia \
  --config-file=~/.kopia/repository.config
Initializing repository with:
  block hash:          BLAKE2B-256-128
  encryption:          AES256-GCM-HMAC-SHA256
  key derivation:      scrypt-65536-8-1
  splitter:            DYNAMIC-4M-BUZHASH
Connected to repository.

NOTICE: Kopia will check for updates on GitHub every 7 days, starting 24 hours after first use.
To disable this behavior, set environment variable KOPIA_CHECK_FOR_UPDATES=false
Alternatively you can remove the file "~/.kopia/repository.config.update-info.json".

Retention:
  Annual snapshots:                 3   (defined for this target)
  Monthly snapshots:               24   (defined for this target)
  Weekly snapshots:                 4   (defined for this target)
  Daily snapshots:                  7   (defined for this target)
  Hourly snapshots:                48   (defined for this target)
  Latest snapshots:                10   (defined for this target)
  Ignore identical snapshots:   false   (defined for this target)
Compression disabled.

To find more information about default policy run 'kopia policy get'.
To change the policy use 'kopia policy set' command.

NOTE: Kopia will perform quick maintenance of the repository automatically every 1h0m0s
and full maintenance every 24h0m0s when running as root@debkopia.

See https://kopia.io/docs/advanced/maintenance/ for more information.

NOTE: To validate that your provider is compatible with Kopia, please run:

$ kopia repository validate-provider
```

Utiliser les identifiants pour se connecter à l'interface web

Connecter le dépot

kopia repository connect filesystem --path=/mnt/kopia --config-file=/opt/kopia/config/repository.config --password=kopia

Vérifier son état:

kopia --config-file=/opt/kopia/config/repository.config repository status

Lancer le serveur

*KOPIA_CONFIG_PATH=/opt/kopia/config/repository.config *

*kopia server start *

*--address=0.0.0.0:51515 *

*--server-username=kopia *

*--server-password=kopia *

--insecure

Création d’une sauvegarde

Création d’un nouvel utilisateur dédié au serveur à sauvegarder

```
root@debKopia:~# KOPIA_CONFIG_PATH=/opt/kopia/config/repository.config kopia server user add backup-zabbix@kopia --password=kopia
Enter new password for user backup-zabbix@kopia:
Re-enter password for verification:

Updated user credentials will take effect in 5-10 minutes or when the server is restarted.
To refresh credentials in a running server use 'kopia server refresh' command.
```

Installation de Kopia sur le système à sauvegarder

Windows:

https://github.com/kopia/kopia/releases

Linux:

apt install kopia