

Arctic Lena Sliding System

**Slide within
one system.**

☎ 1300 754 337

🖱 www.criterionindustries.com.au





Maximise your commercial space and achieve a clean, contemporary style.

We've been often challenged with;

“How do we achieve a sliding track within the wall thickness?”

“Can we incorporate a Sliding System into an aluminium glazed partition?”.

These design requirements are now possible with our latest addition, Arctic Lena Sliding System. Some new benefits include maximising your commercial space and achieve a clean contemporary style.

The new Arctic Lena Sliding Track System is the ideal solution for commercial settings that are tight on space.

For more detailed information on the advantages of the Arctic Lena's sliding system visit www.criterionindustries.com.au or call 1300 754 337.

Innovative Design. Contemporary Style.

The Arctic Lena Sliding System seamlessly integrates the innovation benefits of the Arctic roller system within a Platinum 90 offset glazed frame, to provide a minimalistic and streamlined design.

Featuring soft-close and low clearance functionality, the Arctic Lena System combines the glass window and sliding door within 100mm wall thickness.

Customisable and stocked in natural anodised aluminium, Arctic Lena can be combined within Platinum 90 Partition System.

Why choose Arctic Lena?

- + Easy installation – track clips into ceiling channel.
- + Design reduces space wastage.
- + Allows doors to slide within the wall thickness.
- + Low clearance mounting plates.
- + Soft-close roller mechanism.
- + Drilling included to facilitate fabrication.
- + Stocked in natural anodised and can be powder coated.
- + Suits aluminium and timber doors up to 44mm thick.

Ideal installation locations




Commercial Spaces



**PATENT
PENDING**

Features

Find out more about the key features and benefits of the Arctic Lena Sliding Track System offer.



Low Clearance Detail

With a tiny 4mm clearance between the top of the door and the sliding track, the Arctic Lena features a refined minimalist appearance that caters to a wide range of designs.

Soft-Close Mechanism

The Soft-close Roller mechanism is neatly concealed up inside the sliding track. This mechanism ensures a quiet and smooth door operation.




Platinum 90 Receiver Channel

The closing jamb incorporates a Receiver Channel and provision for positive door lock and acoustic seal.

Suits 10mm Shadowline Ceiling Channel

Arctic Lena suits the CI-P2211 Ceiling Channel with 10mm Shadowline. This requires a 6mm MDF packer between the Sliding Track and the Ceiling Channel.



Suits Ceiling Channel with No Shadowline


Arctic Lena suits the CI-L2410 Ceiling Channel with No Shadowline.



Suits Platinum 90 Partition System


Arctic Lena fits the sliding door and the fixed window within the 100mm wall thickness.

Plan View




Sizes and Specs


Technical Information




CI-2246 **OFFSET TRACK**
3200, 5500mm




CI-2221 **RECEIVER CHANNEL**
2800, 3200mm




CI-2234 **OFFSET FRAME**
2800, 3200mm




CI-2254 **SILL SECTION**
2800mm



CI-P4256 **OFFSET & DOUBLE
GLAZING SILL BEAD**
2800, 3700mm



CI-L2410 **CEILING CHANNEL**
with no shadowline
2800, 6500mm



CI-P2211 **CEILING CHANNEL**
with 10mm shadowline
2800, 6500mm



CI-P4260 **POCKET FILLER**
2800, 6500mm









Associated Hardware

PRODUCT CODE	PRODUCT NAME	DESCRIPTION/ DOOR CAPACITY
CI-817410	Bottom Plastic Corner Stake	Silver
CI-817411	Receiver Channel Plastic Cap	Silver
CI-817412	Plastic Drilling Jig	Silver
CI-817020	Standard Roller with Quick Fix Plate	Suits up to 100kg Door
CI-817022	Standard Roller with Low Clearance Sleeve	Suits up to 100kg Door
CI-817024	Soft Close with Standard Plate	Suits up to 80kg Door
CI-817026	Soft Close with Low Clearance	Suits up to 80kg Door
CI-817025	Soft Close with Standard Plate	Suits up to 40kg Door
CI-817027	Soft Close with Low Clearance	Suits up to 40kg Door

Aluminium Door

Timber Door





Slide within one system.

Looking to discover more?

Contact us to book your
free demonstration:

☎ **1300 754 337**

🖱 **www.criterionindustries.com.au**



VIC

15 Corporate Place
Broadmeadows, VIC, 3047
T: 03 9355 0700

sales@criterionindustries.com.au

NSW

95 Victoria Street
Smithfield, NSW, 2164
T: 02 9355 0700

sales.nsw@criterionindustries.com.au

WA

58 Tacoma Circuit
Canning Vale WA 6155
T: 08 9355 0700

sales.wa@criterionindustries.com.au