

Here's your Free Guide.....
This is **DAY 6** of the *AI Creator Series*



Your Idea → Editable 3D Scene → Camera Move → MP4

1 ACCESS THE APP

Open on a laptop or desktop • no app sign-in
<https://kamicraft.buckaintfunny.chatgpt.site>

Open KAMICRAFT

Use the link above. The Redline 911 demo opens immediately. No Blender installation needed.



Viewport

Object/asset control

Camera Control



Timeline



WHY DOES THIS APP MATTERS? OR PRINCIPALS IT IS BUILT ON:

1. It is very light weight and browser based so no need for blender or heavy complex learning curve

Learning Blender takes years and even if you connect blender to claude/astra and ask to make the 3d scenes - it costs way too many credits and you still need blender expertise

2. It is built to save \$credit cost and Time

I have tried 3D Jutsu and it actually blows your credit pretty fast and is bit laggy and buggy to use. So this app actually uses your personal chat GPT account so you can basically create much more scenes by paying fix amount of 20\$ for the whole month (to Chat GPT) rather than blowing the credits u can use to generate ai videos :)

2. It is intentionally made to make less detailed scenes

It is really important that you avoid making detailed assets or scene as firstly they cost hell lot of time and credit cost (so using blender or connecting LLMS to blender backfires) and secondly to drive the AI output you just need simple representation of the assets and camera motion, thats what this app does which lowers credit cost.

Its like - that even a simple block can represent a complex move or asset


cz at the end->AI is gonna do 80% of the work

ALWAYS REMEMBER

Dont try to make exact representation of the scene you want cz you can always add on in the video prompt -what happens exactly and the acting (video model still has lot of room to putt the minor actions and movements)

3D scene is just for anchoring the positions and driving the camera.


2 BUILDING THE SCENE



1. Describe the scene

First click on "Creat with GPT" and here you describe how exactly you want the scene and Camera motion to be (also mention the camera duration)

And then Click on "Copy universal Prompt"



2. Build it in ChatGPT

Open your Chat GPT account (make sure Astra model is selected) and hit “Ctrl + V” in prompt bar and upload your character, location, prop sheet as many needed and you can even upload any video whose camera motion you want and hit enter



0907 (2)(1)(3).mp4
File

You are building a usable 3D previzualization scene for KAMICRAFT. Use my attached location and character reference images, scene request, and camera description. Create the deliverables, not just instructions or a proposal. Scene editing and video rendering will run in the browser at [https://shotcraft-studio.buckaintfunny.chatgpt.site] (https://shotcraft-studio.buckaintfunny.chatgpt.site); no AI API connection is needed in the editor.

Created the editable 10-second scene with a red 911 proxy, seated driver, masonry street, wind through, undercar sweep, and full 360° camera roll.

- [scene.shotcraft](#) — import using Open package
- `</> scene.json` — for revisions

Geometry and camera checks passed. Car proportions and driver likeness are approximations; v remain static. Browser rendering/export could not be tested because 3D rendering was unavail

No kit helper was attached, so I used the ZIP-package fallback without an HTML launcher.

`</> scene.json`
Code



Download

3. Download the scene

Download scene.json file

4. Open/Import the Scene

Go back to KamiCraft and Click on “Open Package” and import that .json file we just downloaded.

atGPT

Open package



What this actually creates


Now you will have a full editable scene with the exact camera motion , You can preview it by hitting “play” button. If everything is correct then you can directly export MP4 file for final output.



3 HOW TO USE THE APPLICATION

1. Preview the shot


Press Play to watch. Drag the timeline to inspect a moment. Select a diamond to edit that camera keyframe.



2. View modes – Shot and Explore


You have 2 modes to view the scene (found on top of the scene window). Shot mode : locks the view and shows exactly what the camera sees and how the final output looks.

Explore/frame Mode: It grants a few view that you can control with your mouse, scroll to zoom and click and drag to view around , it also shows the camera pat and each frame as pink globe.




3. KeyFraming

The app works on keyframing mechanism to create motion of the camera and the assets. When you import a scene, astra already has a premade keyframed motion which you can see on the timeline and on the right panel individually. Each key frame has values assigned to it which decides where the camera looks at each point.



4. Editing KeyFrames (with both modes)

To edit them just click on that keyframe and from there you have to two options to edit it. First is in shot mode where you can only use the sliders to control it



Adjust the camera with slider


- Camera Position moves the camera
- Look-at target aims it (in all three axis X,Y and Z).
- Field of view widens the shot.
- Roll spins the frame: 0° → 360° is one turn.

just play with the sliders n ull know what each does :)




Second is in Explore/Frame mode: which is more non technical , easier and my fav of keyframing. To do it:

1. Just select the keyframe by click it and then go to explore/frame mode.
2. Now you have absolutely free view, so set it and look exactly where you want the camera to be positioned and looking at that point and select "Replace Key with this view"
3. And then it will just set that exact view with that keyframe



5. How to Make the Camera motion "Smooth"


Smooth path curves are achieved by logically putting the paths for smooth flow and making sure you enable these three options:




(Use them creatively to get even cooler camera motion)

6. Saving your Scene/progress

To save your progress and scene to continue later if you are not planning to export rn, then just hit "Save Scene" on top right corner and it will save the .json file which you open later with "Open package" to continue



7. Animating the Assets/objects (mostly u wont need to but still)



SELECT AN OBJECT

Click it in the scene or choose it from Scene objects.

POSITION, ROTATION & SCALE

Move it with X/Y/Z, turn it, or change its size. Use Object color to recolour it. Add creates a basic shape; Remove deletes the selection.

ANIMATE SELECTED OBJECT

Enable this to add movement keys. Select a key and change its time and travel offsets. Offsets are distances from the object's starting position.

FACE DIRECTION OF TRAVEL

Turns the object toward its movement direction. Travel timing controls steady speed or easing.

SIMPLE WALKING


Works on prepared characters with limb pivots. It cannot make every imported model walk. Moving a car or prop only needs travel keys.

START SMALL


Try two movement keys first: one at the beginning and one at the end. Press Play to check the result.

4 EXPORTING A SCENE


On right panel, upon scrolling down to bottom you will see the export option. Keep them to 1080p and 30fps for best results



5 GENERATING FINAL OUTPUT USING SEEDANCE 2.5



1. Upload those character, location reference and exported 3d reference to claude or Astra and ask it to write Seedance 2.5 prompt for it.



(Initially feed my prompt example to claude/astra so it knows how to prompt for such outputs and then it will write any prompt for any scene - I have provided on next page)

2. Upload those character, location reference and exported 3d reference and the prompt claude/astra gave you and select right duration limit etc and hit "GENERATE"

**IT TOOK ME 5 DAYS TO BUILD THE APP, WORKFLOW & PUT TOGETHER THIS GUIDE
I HOPE IT WILL BE HELPFUL FOR YOU :)**

Questions? Send me a DM with your scene or screenshot.



**FOLLOW ME – if you're serious about creating
Professional Level AI content.**



@buck_the_aikami



MY EXAMPLE PROMPT

ASSET BINDING

@image1 = THE CAR. The exact car in this shot: red rear-engined sports coupe, that body, that red, gloss black alloy wheels with yellow brake calipers, fixed hard roof. Shape, proportions and colour are exact and never change. BOTH SIDE WINDOWS ARE FULLY DOWN for the whole shot — open window apertures with no glass, the door frames empty, the cabin open to the airstream. It sounds like a naturally aspirated flat-six at high revs — hard, dry, mechanical, sharp upshifts under load, crackle on overrun.

@image2 = THE LOCATION AND THE LOOK. Use this plate exactly as it is: this street, these buildings on both sides, these facades, these window and door positions, these building heights and proportions, this road width, these kerbs, these lane markings, these signs and lamp posts, this light, this colour, this grade, this grain, this softness. Do not restyle it, relight it, or add, move or invent architecture. The only things in this shot that are not already in the plate are the car, the driver, and what the car’s passage disturbs.

@image3 = THE DRIVER. Same man, same face — strawberry-blond hair, blue eyes, cream leather jacket over a navy ribbed turtleneck. Both hands on the wheel, eyes ahead on the road, jaw set, no smile, never looks at the lens. With the windows down the airstream is on him constantly: his hair lifts and flicks back off the forehead with real lag behind every movement of his head, loose strands crossing his brow, the jacket collar and the turtleneck fluttering. He is never a still, neatly-groomed portrait.

@video1 = CAMERA REFERENCE ONLY. A grey untextured 3D blockout. Take from it ONLY the camera’s position, height, angle, roll and route, its timing beat for beat, and where the car sits on the road at each beat. Everything the blockout is made of is discarded and reaches nothing in the final image: its building shapes, its window and door placement, its building heights and proportions, its lamp posts, its road width, its kerbs, its lane markings, its blank sky, its flat grey shading and plastic untextured surfaces, its blocky toy car proportions, its open roofless body, its two mannequin occupants, its featureless dummy face, and its clean weightless motion.

TIEBREAKER — CRITICAL: @video1 decides where the camera is. @image2 decides what the camera sees. Wherever the blockout’s street disagrees with the plate’s street, the plate wins, every time. Where @video1 shows an open roofless car the camera passes over, this shot has @image1’s closed coupe with its roof on and its side windows down, and the camera enters through the open driver’s window instead.

SUMMARY

One continuous 10-second FPV drone shot, no cuts, real time. A red sports coupe runs flat-out down an empty city street with its windows down; the drone chases from behind, flies in through the driver’s window for a close look at his face, pulls back out and rolls a full barrel roll around the car, grazing beneath it before unwinding level ahead of it. Diegetic sound only, no music.

STYLE

FPV racing drone, single unbroken flight. Ultra-wide 14mm FPV lens, deep focus, mild barrel distortion at the frame edges, sharp from the bodywork to the far end of the street. Camera position, roll and route from @video1; light, colour and grade from @image2 exactly — film emulsion, visible grain in every frame including the sky, soft halation on bright edges, lifted milky blacks, slightly soft resolution. Heavy natural motion blur at speed, faint rolling-shutter skew through the roll. This is real footage off a real drone, not a render.

FLOWN, NOT ANIMATED — CRITICAL: @video1 supplies the route and the timing, but the drone is hand-flown by a human pilot and every second carries his errors. Continuous micro-corrections in yaw and pitch. Throttle surging slightly ahead of and behind the car’s speed so the gap between drone and car breathes open and closed instead of holding constant. The roll rate is not even — it loads up as it commits, hesitates fractionally at the inverted point while the pilot dips the nose to keep the car in frame, then unwinds faster than it started, overshooting level by a few degrees before it settles. Low-frequency prop-wash wobble throughout. Hard buffeting as it passes close to bodywork and again in ground effect near the tarmac. The camera never travels a perfectly smooth spline, never holds a mathematically constant distance, never moves at a mechanically even speed. If a move looks keyframed, it is wrong.

NOTHING IN THE FOREGROUND — CRITICAL: the frame is the clean view through the lens. No drone, no propellers, no props blurring at the frame corners, no arms, no landing gear, no gimbal, no camera, no lens barrel, no rig, no operator, no object of any kind sits in the foreground or at any edge of the frame at any point. The drone that records this shot is never visible in its own picture.

PHYSICS

A real 1500kg car at 120km/h on cold tarmac. The body squats under power and pitches on its springs over every road imperfection; the suspension works visibly at each wheel; tyres deform slightly at the contact patch. Real closing speed between drone and car — the car does not slide, float or teleport, and it clears the lens with room to spare through the roll. With the windows down a hard airstream tears through the cabin and works on the driver constantly. The car’s wake lifts road grit, dust and loose paper off the tarmac and spins it in the low-pressure pocket behind the rear bumper; the disturbance settles a beat after the car has gone, not instantly. Air pressure buffets the drone as it passes close to bodywork. Buildings, kerbs and lamp posts pass in correct parallax — near ones streak, far ones drift.

DETAILED PLOT

0-1sec: The drone sits low behind the car at bumper height, the road surface rushing beneath it, the car running away down the street ahead. It pours on speed and closes the gap hard, the rear of the car swelling in the frame.

1-2sec: It swings out to the car’s left rear quarter and rises to window height as it slides forward along the flank, past the rear wheel and the door, buildings streaking past behind, the open window aperture coming up ahead of it.

2-3sec: The lens pushes in through the open driver’s window into the cabin and holds tight on the driver’s face from close alongside — his hair torn back by the airstream, collar snapping, eyes locked on the road ahead. The cabin roof shades the frame, the street tearing past in the window aperture behind him.

3-4.5sec: The drone backs out through the window and falls away to the left flank, dropping low toward the road until it is looking up at the car in full side profile from just above the tarmac, wheels turning fast, buildings running past behind in hard parallax.

4.5-6sec: It commits to a roll. The horizon tips and swings as the drone rotates about its flight axis, dropping as it turns until it grazes beneath the car — the sill line and the dark underbody sweeping across the lens overhead, the road racing past inches away, wheels flanking the frame on both sides.

6-8sec: The roll carries on through the inverted point and up the far side, the street, the buildings and the sky wheeling around the car while the pilot dips the nose to keep it framed, the red bodywork holding the centre as the world spins around it.

8-10sec: The roll unwinds and the horizon settles level. The drone is now ahead of the car and to its left, pulling forward as the car falls back slightly into a low front three-quarter view, still running hard down the empty street, grit and paper spinning in its wake behind it.

OVERALL REQUIREMENTS

Audio is diegetic only and the perspective changes with the camera: outside the car, flat-six engine echoing hard off the buildings on both sides, sharp upshifts, exhaust crackle, tyre roar on tarmac, prop whine and wind buffeting on the drone’s own microphone. Inside the cabin the wind roar dominates and the engine goes boomy and enclosed for those beats, then opens back out as the drone exits. No music of any kind. No voice, no dialogue.

