Actions

An action is a conditional set of steps that can be applied to the site. *Actions* can be applied either on site creation or after the site has been created. This means that actions could be applied to an existing site or sites.

Adding and Editing Actions

Actions for a particular content type can be created and edited in the *Actions* tab of the **Smart Provisioning** settings.



You can add an unlimited number of Actions to this list. The form allows you to add, edit and delete the actions and change the order they are applied.

New and Edit

These buttons display the following popup form:



Action Title

A descriptive title of the action. As well as being displayed in the actions list this will be what is shown in the progress logs when the action is applied.

Action Type

This defines when the action will be applied. The options are:

- *Site Created* – new sites but not existing sites
- *Site Already Exists* – existing sites but not new sites
- *Both* – both new and existing sites

Filters

If you want the action to be conditional on a particular rule or rules you can enter a filter here to do that. For example, you may want the action to be applied when the site is set to a particular status.

You can pass values from the Provisioning Register list item by entering the column name encased in square brackets e.g. [Status].

Steps

An action can have one or more steps that should be applied to the site. When you click edit or new a popup form is displayed, this has a dropdown list of the available commands and depending on which one is selected one or more parameter fields are displayed.

You can pass values from the Provisioning Register list item into parameters by entering the column name encased in square brackets e.g. [Function].



Activate Site/Site Collection feature

Activates the selected feature in the site.

- *Name* – The feature name or feature ID. In some cases, you may need to use the feature id if the feature is not an OOTB SharePoint feature.

Change Column Default

Changes the default value of a particular column in a list or library in the new site to the value specified. Use the display name for the column and library.

- *Column Name* - the name of the column to update
- *Default Value* - the new default value to use

- *Library* - the name of the list or library containing the column. If you leave this blank, then it will update every library where that column exists. This is a quick way to set something like Project Code for every library with just one action rather than having to have an action for each library.

Copy Column

Copy a column from one template library or list to a library or list in the new site. This can be particularly useful for 'retrofitting' a column into an existing site without doing a full retrofit.

- *Source Site Url* – The url of the site containing the template column
- *Source Library Name* – The name of the list or library containing the template column
- *Destination Library Name* - the name of the list or library to add the column to. If you leave this blank, then it will update every library in the site
- *Column Name* – The name of the template column to copy
- *Column Default* – The default to use after the column has been copied. If blank the templates default will be used

Change Property Bag Value

Updates or creates a site level property bag value. Several SharePoint solutions, including iWorkplace ones, store information as property bag values.

If you add a * to the end of the property bag name, then the property bag will be indexed. The * will be automatically stripped from the property bag name.

- *Name* - the name or code of the property bag.
- *Value* - the new value

Create List or Library

This action step copies a template library or list to the site using Library Builder. This option only supports template lists and libraries from the Library Builder site.

Before copying it checks if the library/list exists with the same name:

- If it does exist and the Retrofit option is not checked, then this step is skipped.
- If the Retrofit is checked then use the same approach as full retrofit to update the existing list or library to match the template.

The parameters are:

- *Library Builder Template Name* – The name of the list or library in the library builder site
- *New Library/List Name* – the new name for the library
- *Retrofit* – Should retrofit be applied if the library already exists

PowerShell Script

Allows a PowerShell script that is been added to the Smart Provisioning host to be run on the site. This option is used by IL support to apply additional changes that are not supported by OOTB Smart Provisioning.

Create Link/Team Link in another list

Creates a link to new site or team in other links list. This can be useful if:

- You have a separate list that is used for navigation.

Both commands will only be applied when an item is first created, even if the *Action Type* is set to **Both**. This is to prevent a new item being added to the links list each time the **Smart Provisioning** item is edited.

The parameters are:

- *Site URL* – for the site that contains the links list.
- *List Name* – of the links list

- *Destination link column* – the internal or display name for the link column in links list. If not set 'URL' will be used.
- *Other columns to copy* – The internal or display names of the other columns to copy. This name should be the same in both lists. Only text, choice and date column types are supported.

If the *Link* column is a URL column then the description will be set to the name of the site and the URL to the site or team URL. If the *Link* column is a text column then the text is set to the url of the site or team. Its recommended that multi-line text columns are used for team links due to their length. Other column types are not supported.

If the links list has a *Title* column then this will be automatically populated with the name of the site.