# Package 'text2cat'

December 10, 2019

200011101 10, 2019
Type Package
Title change text to categorical
Version 0.1.0
Author Who wrote it
Maintainer The package maintainer <yourself@somewhere.net></yourself@somewhere.net>
<b>Description</b> More about what it does (maybe more than one line) Use four spaces when indenting paragraphs within the Description.
License What license is it under?
Encoding UTF-8
LazyData true
RoxygenNote 6.1.1
Imports stringr, dplyr
Suggests knitr, rmarkdown
VignetteBuilder knitr
R topics documented:
extract_words
Index
extract_words Extract words strings
Description
Extract words strings
Usage
<pre>extract_words(free_text_vector)</pre>

2 word\_frequency

# **Arguments**

```
free_text_vector a character vector of free text
```

# **Details**

splits words on spaces. removes punctuation and white space.

### Value

list with one vector per value in the input vector. Each element in the vector is a word with the first letter in capital.

hello

Hello, World!

# **Description**

Prints 'Hello, world!'.

### Usage

hello()

# **Examples**

hello()

word\_frequency

Counts words in free text

# **Description**

Counts words in free text

# Usage

```
word_frequency(free_text_vector)
```

# **Arguments**

```
free_text_vector
```

a character vector of free text

# **Details**

Counts words identified with 'extract\_word()'

### Value

A dataframe with 2 columns, "word": the identified word; "count": how many time the word appeared.

# Index

```
extract_words, 1
hello, 2
word_frequency, 2
```