



PRODUCT COMMAND SYSTEM · AUGUST 2026–JULY 2027

COMPREHENSIVE ROADMAP

The complete founder-approved roadmap inventory: critical path, 42 parent capabilities, 259 detailed implementation records, and 30 explicit exclusions.

FOUNDER-APPROVED WP-01 SNAPSHOT (NOT LIVE AUTHORIZATION)

OPERATIONAL OVERLAY OBSERVED JULY 30, 2026

WP-02 · Active / paused

WP-01	Closed
WP-02	Active and paused before payment-critical conflict resolution
WP-03	Inactive
Publication	Stands; no rollback indicated

EVIDENCE ANCHORS

Starting evidence	eb73070
Freshness gate	6952cf6
Publication	b2404ce
Checkpoint	9a8b7a9

Snapshot discipline

Work-package and record state labels in the register are frozen at WP-01 approval. They are not live authorization. The dated operational overlay above records the later control state without rewriting the approved inventory.

INVENTORY ORIENTATION

One source, two axes, one active package

Maturity describes what exists. Authorization describes whether work may proceed. Neither substitutes for evidence, and this PDF does not become authority.

8 WORK PACKAGES	42 PARENT CAPABILITIES	259 DETAILED RECORDS
289 TOTAL ROADMAP RECORDS	30 EXPLICIT EXCLUSIONS	0 CUSTOMER-VALIDATED

Records by class <table><tr><td>Governance decision</td><td>15</td></tr><tr><td>Operational process</td><td>22</td></tr><tr><td>Component</td><td>50</td></tr><tr><td>Control</td><td>55</td></tr><tr><td>Capability</td><td>38</td></tr><tr><td>Commercial experiment</td><td>38</td></tr><tr><td>Expansion door</td><td>41</td></tr></table>	Governance decision	15	Operational process	22	Component	50	Control	55	Capability	38	Commercial experiment	38	Expansion door	41	Implementation maturity <table><tr><td>Defined or specified</td><td>148</td></tr><tr><td>Approved governing record</td><td>4</td></tr><tr><td>Release-evidenced</td><td>4</td></tr><tr><td>Production-verified</td><td>16</td></tr><tr><td>Implemented and tested</td><td>33</td></tr><tr><td>Partially implemented</td><td>12</td></tr><tr><td>Concept only</td><td>42</td></tr></table>	Defined or specified	148	Approved governing record	4	Release-evidenced	4	Production-verified	16	Implemented and tested	33	Partially implemented	12	Concept only	42						
Governance decision	15																																		
Operational process	22																																		
Component	50																																		
Control	55																																		
Capability	38																																		
Commercial experiment	38																																		
Expansion door	41																																		
Defined or specified	148																																		
Approved governing record	4																																		
Release-evidenced	4																																		
Production-verified	16																																		
Implemented and tested	33																																		
Partially implemented	12																																		
Concept only	42																																		
Work authorization <table><tr><td>Active change</td><td>1</td></tr><tr><td>Deferred</td><td>48</td></tr><tr><td>Next authorized</td><td>1</td></tr><tr><td>Decision required</td><td>11</td></tr><tr><td>Ready but not queued</td><td>71</td></tr><tr><td>Evidence-gated</td><td>112</td></tr><tr><td>Legally gated</td><td>15</td></tr></table>	Active change	1	Deferred	48	Next authorized	1	Decision required	11	Ready but not queued	71	Evidence-gated	112	Legally gated	15	Phase or implementation group <table><tr><td>Command and governance</td><td>7</td></tr><tr><td>Existing foundation</td><td>34</td></tr><tr><td>V1 credential and pilot</td><td>67</td></tr><tr><td>V2 foundation and core</td><td>45</td></tr><tr><td>V2 expansion</td><td>17</td></tr><tr><td>V3 experiments</td><td>22</td></tr><tr><td>Legal and risk controls</td><td>12</td></tr><tr><td>Longer-horizon doors</td><td>29</td></tr><tr><td>Horizontal expansion</td><td>12</td></tr><tr><td>Commercial evidence</td><td>14</td></tr></table>	Command and governance	7	Existing foundation	34	V1 credential and pilot	67	V2 foundation and core	45	V2 expansion	17	V3 experiments	22	Legal and risk controls	12	Longer-horizon doors	29	Horizontal expansion	12	Commercial evidence	14
Active change	1																																		
Deferred	48																																		
Next authorized	1																																		
Decision required	11																																		
Ready but not queued	71																																		
Evidence-gated	112																																		
Legally gated	15																																		
Command and governance	7																																		
Existing foundation	34																																		
V1 credential and pilot	67																																		
V2 foundation and core	45																																		
V2 expansion	17																																		
V3 experiments	22																																		
Legal and risk controls	12																																		
Longer-horizon doors	29																																		
Horizontal expansion	12																																		
Commercial evidence	14																																		

Source fingerprint

docs/product/comprehensive-implementation-inventory-2026-
07-30.md · SHA-256
3e895008886dde2b4abab9e202e2ea37080f3cfa6f2487568b411724a
48091c9

01

CLOSED-LOOP EXECUTION

Eight-package V1 critical path

Exactly one package may control work at a time. The state labels in this section are the approved WP-01 snapshot; use the dated overlay for the post-publication control state.

WP - 01 Inventory normalization and founder approval		ACTIVE CHANGE · WP-01 SNAPSHOT
STATE AT WP-01 APPROVAL	Active change	
PURPOSE	Freeze a usable roadmap model before technical work resumes.	
INCLUDED PARENT CAPABILITIES	PC-01	
INCLUDED DETAILED RECORDS	GOV-01, GOV-06	
ENTRY CONDITIONS	Revision 6 and the 289-record founder-review draft exist.	
EXIT EVIDENCE	Founder approves record classes, two-axis state, parent map, critical path, evidence locators, and audit with no structural defects.	
BLOCKERS	None.	
UNLOCKS	WP-02.	
NEXT AUTHORIZED PACKAGE	WP-02 — Canonical repository integration.	

WP - 02 Canonical repository integration		NEXT AUTHORIZED · WP-01 SNAPSHOT
STATE AT WP-01 APPROVAL	Next authorized	
PURPOSE	Reconcile the divergent production-documentation and canonical source histories without guessing across payment-critical conflicts.	
INCLUDED PARENT CAPABILITIES	PC-02, PC-07	
INCLUDED DETAILED RECORDS	GOV-04, GOV-07, FND-22	
ENTRY CONDITIONS	WP-01 founder approval and a clean inventory-only worktree.	
EXIT EVIDENCE	Dedicated integration history; all 15 conflicts explicitly dispositioned; full Coin Card, portal, contract, and artifact suites pass; canonical branch contains the approved tree; clean rebuild and production verification identify the integrated commit.	
BLOCKERS	None external. The divergent 17/79 histories and 15 conflicts are the work of this package, not a reason to wait.	
STOP RULE	If a conflict requires choosing a new or unresolved authority, custody, lifecycle, execution, evidence, privacy, or legal design—not merely reconciling already approved behavior—stop that conflict, preserve the competing states, and move the decision into WP-03. Never make product-governance decisions silently through merge resolution.	
DECISION-ESCALATION LOOP	WP-02 pauses without closing; one named, bounded WP-03 decision becomes the sole active work; after ratification and evidence recording, that decision closes and control returns to WP-02. The remainder of WP-03 stays queued until WP-02's full exit evidence is recorded.	
UNLOCKS	One authoritative source for all V1 decisions and implementation.	
NEXT AUTHORIZED PACKAGE	WP-03 — V1 governing-decision ratification.	

WP - 03 V1 governing-decision ratification		READY BUT NOT QUEUED · WP-01 SNAPSHOT
STATE AT WP-01 APPROVAL	Ready but not queued	
PURPOSE	Ratify authority, namespace, data, custody, validity, and legal release rules before completing the credential path.	
INCLUDED PARENT CAPABILITIES	PC-09, PC-10, PC-14, PC-32	
INCLUDED DETAILED RECORDS	GOV-05, CC-03, V1-01, V1-06, V1-07, V1-09, V1-11, RISK-09, RISK-11	
ENTRY CONDITIONS	Normal activation requires WP-02 canonical source and exact current-state audit. During the bounded escalation exception, only the named decision activates; all other WP-03 work stays queued, and control returns to WP-02 when that decision is ratified and recorded.	
EXIT EVIDENCE	Dated decisions, owners, schemas/policies, counsel triggers, tests to be enforced, and deployment gates are recorded without reopening product strategy.	
BLOCKERS	A counsel-dependent question may block public activation, but it does not block reversible internal specification work.	
UNLOCKS	Security review can test one authoritative design.	
NEXT AUTHORIZED PACKAGE	WP-04 — Production-security closure.	

WP - 04 Production-security closure		READY BUT NOT QUEUED · WP-01 SNAPSHOT
STATE AT WP-01 APPROVAL	Ready but not queued	
PURPOSE	Close production dependencies, administrative security, served-content integrity, legal synchronization, and findings.	
INCLUDED PARENT CAPABILITIES	PC-02, PC-14, PC-15, PC-31, PC-32	
INCLUDED DETAILED RECORDS	V1-02, V1-03, V1-04, V1-05, V1-08, V1-20, RISK-01, RISK-10, RISK-12	
ENTRY CONDITIONS	WP-03 decisions define the system and release boundary.	
EXIT EVIDENCE	Gate 1A is closed or formally superseded; administrative accounts are hardened; integrity monitoring and incident alerts work; security findings are resolved/accepted with owner; required counsel determination is recorded; legal pages, behavior, procedures, and tests agree.	
BLOCKERS	Required external counsel determination, if not available, is a named legal blocker to deployment—not to internal remediation.	
UNLOCKS	Production credential/evidence completion against approved gates.	
NEXT AUTHORIZED PACKAGE	WP-05 — Credential and evidence-path completion.	

WP - 05 Credential and evidence-path completion		READY BUT NOT QUEUED · WP-01 SNAPSHOT
STATE AT WP-01 APPROVAL	Ready but not queued	
PURPOSE	Complete wallet control, signed route, lifecycle, execution authorization, governing route preservation, and independent verification.	
INCLUDED PARENT CAPABILITIES	PC-04, PC-05, PC-06, PC-09, PC-10, PC-11, PC-12	
INCLUDED DETAILED RECORDS	CC-04 through CC-37, plus FND-08 through FND-18 where their named hardening is required by the Coin Card path.	
ENTRY CONDITIONS	WP-04 release/security closure and canonical source.	
EXIT EVIDENCE	One production path proves wallet control, authenticated route/lifecycle, fail-closed execution, provider continuity, transaction evidence, governing route version, and independent verification from immutable artifacts.	
BLOCKERS	No external blocker is assumed; any new counsel question returns to WP-03/WP-04 without widening scope.	
UNLOCKS	Repeatable controlled issuance and lifecycle operations.	
NEXT AUTHORIZED PACKAGE	WP-06 — Pilot-operations readiness.	

WP - 06 Pilot-operations readiness		READY BUT NOT QUEUED · WP-01 SNAPSHOT
STATE AT WP-01 APPROVAL	Ready but not queued	
PURPOSE	Make issuance, reverification, support, compromise, suspension, revocation, replacement, rollback, and communication repeatable.	
INCLUDED PARENT CAPABILITIES	PC-13, PC-15, PC-31, PC-32	
INCLUDED DETAILED RECORDS	CC-38 through CC-41; V1-10, V1-12 through V1-19; RISK-02 through RISK-08 if counsel requires screening controls.	
ENTRY CONDITIONS	WP-05 credential/evidence path is production-ready.	
EXIT EVIDENCE	Controlled cohort and entitlement are approved; every lifecycle and incident runbook is rehearsed; support/evidence stores are ready; no critical finding remains; customer communications are approved.	
BLOCKERS	A screening control is included only when RISK-01 requires it; otherwise it remains outside the package.	
UNLOCKS	Real controlled placements and third-party payments.	
NEXT AUTHORIZED PACKAGE	WP-07 — Controlled pilot and customer evidence.	

WP - 07 Controlled pilot and customer-evidence collection		READY BUT NOT QUEUED · WP-01 SNAPSHOT
STATE AT WP-01 APPROVAL	Ready but not queued	
PURPOSE	Test whether qualified independent operators place, use, reuse, and value the controlled credential and surrounding service.	
INCLUDED PARENT CAPABILITIES	PC-16, PC-41, PC-42	
INCLUDED DETAILED RECORDS	V1-21 through V1-25; COM-01, COM-03 through COM-11	
ENTRY CONDITIONS	WP-06 readiness signoff and approved evidence/privacy boundaries.	
EXIT EVIDENCE	Qualified interviews, priced offers, controlled placements, genuine third-party payments, repeat-use/support/cost evidence, and source-linked customer records are reviewed against working thresholds.	
BLOCKERS	Customer participation is an evidence dependency; low response is evidence to narrow or stop, not a reason to manufacture activity.	
UNLOCKS	Evidence-based V1 disposition.	
NEXT AUTHORIZED PACKAGE	WP-08 — V1 disposition.	

WP - 08 V1 disposition		READY BUT NOT QUEUED · WP-01 SNAPSHOT
STATE AT WP-01 APPROVAL	Ready but not queued	
PURPOSE	Decide whether to advance to V2 Gate 0, continue evidence, narrow/change segment, or stop.	
INCLUDED PARENT CAPABILITIES	PC-01, PC-16, PC-41, PC-42	
INCLUDED DETAILED RECORDS	V1-26, COM-02, COM-10, COM-13, COM-14	
ENTRY CONDITIONS	WP-07 evidence is complete enough for a decision and every binding security/legal gate is satisfied.	
EXIT EVIDENCE	A dated disposition names the evidence, failed or passed gates, authorized next phase, exclusions, and explicit no-work list.	
BLOCKERS	Unresolved binding security, legal, custody, or evidence-integrity gates prevent advancement.	
UNLOCKS	V2 Gate 0 only if explicitly approved.	
NEXT AUTHORIZED PACKAGE	None until the disposition is recorded.	

02

FOUNDER-FACING ZOOM LAYER

42 parent capabilities

Each parent explains why its detailed records exist, the value they create, the strategic role they play, and the evidence required to move.

CAPABILITY GROUP

Command and governance

2 parent capabilities

PC - 01

Roadmap and founder control system

COMMAND AND GOVERNANCE

PURPOSE	Keep strategy, execution state, and founder decisions coherent.
USER VALUE	The founder can see what matters now without losing the governing plan.
STRATEGIC ROLE	Turns documentation into a bounded decision system rather than another backlog.
AGGREGATE MATURITY	Mixed child state — 1 Defined or specified; 1 Release-evidenced; 1 Approved governing record.
CURRENT AUTHORIZATION	Active change
MAJOR DEPENDENCIES	Approved roadmap, normalized inventory model, and artifact synchronization.
EXIT EVIDENCE	Founder approval, zero structural defects, and one active work package.
CHILD RECORD IDS	GOV-01, GOV-02, GOV-03
NEXT AUTHORIZED WORK PACKAGE	WP-01

PC - 02

Canonical source and release governance

COMMAND AND GOVERNANCE

PURPOSE	Establish one authoritative source tree and an evidence-controlled release path.
USER VALUE	Customers receive the intended verified build and can rely on rollback discipline.
STRATEGIC ROLE	Prevents silent source divergence from invalidating payment and trust evidence.
AGGREGATE MATURITY	Mixed child state — 2 Defined or specified; 1 Release-evidenced; 1 Approved governing record.
CURRENT AUTHORIZATION	Next authorized
MAJOR DEPENDENCIES	Founder-approved inventory, exact conflict disposition, release suites, and deployment evidence.
EXIT EVIDENCE	Canonical branch integration, clean verification, deployed commit identity, and rollback proof.
CHILD RECORD IDS	GOV-04, GOV-05, GOV-06, GOV-07
NEXT AUTHORIZED WORK PACKAGE	WP-02

CAPABILITY GROUP

Existing foundation

6 parent capabilities

PC - 03

Non-custodial transfer contract and fee controls

EXISTING FOUNDATION

PURPOSE	Execute bounded Polygon USDC transfers without ImplicitEx custody.
USER VALUE	A payer can authorize a deterministic transfer with explicit fee and asset limits.
STRATEGIC ROLE	Supplies the proven execution rail beneath the payment-operations product.
AGGREGATE MATURITY	Mixed child state — 1 Defined or specified; 5 Production-verified.
CURRENT AUTHORIZATION	Mixed child authorization — 1 Evidence-gated; 5 Deferred
MAJOR DEPENDENCIES	Verified contract, allowlist, pause controls, interface limit, and fee-state accuracy.
EXIT EVIDENCE	Live transfer evidence and exact agreement among contract, interface, disclosure, and tests.
CHILD RECORD IDS	FND-01, FND-02, FND-03, FND-04, FND-05, FND-06
NEXT AUTHORIZED WORK PACKAGE	Maintenance only

PC - 04

Wallet access and execution continuity

EXISTING FOUNDATION

PURPOSE	Connect supported wallets while preserving account, chain, and provider continuity.
USER VALUE	The payer can use a supported wallet without silent context drift.
STRATEGIC ROLE	Keeps wallet authorization as the custody boundary while broadening access.
AGGREGATE MATURITY	Mixed child state — 3 Implemented and tested; 1 Production-verified.
CURRENT AUTHORIZATION	Mixed child authorization — 3 Ready but not queued; 1 Deferred
MAJOR DEPENDENCIES	Supported provider paths, wallet tests, and continuity invariants.
EXIT EVIDENCE	Supported-wallet matrix passes connection, dispatch, return, and drift scenarios.
CHILD RECORD IDS	FND-07, FND-08, FND-09, FND-10
NEXT AUTHORIZED WORK PACKAGE	WP-05

PC - 05 Transfer preflight, dispatch, and transaction state		EXISTING FOUNDATION
PURPOSE	Validate, submit, monitor, and classify a transfer without hiding uncertainty.	
USER VALUE	The payer knows what will happen and whether retrying is safe.	
STRATEGIC ROLE	Makes the commodity rail dependable enough to support managed payment workflows.	
AGGREGATE MATURITY	Mixed child state — 5 Production-verified.	
CURRENT AUTHORIZATION	Mixed child authorization — 5 Deferred	
MAJOR DEPENDENCIES	Wallet continuity, exact arithmetic, simulation, receipt monitoring, and finality policy.	
EXIT EVIDENCE	All success, rejection, failure, drift, pending, and uncertain scenarios remain evidence-backed.	
CHILD RECORD IDS	FND-11, FND-12, FND-13, FND-14, FND-15	
NEXT AUTHORIZED WORK PACKAGE	WP-05	

PC - 06 Local receipt, proof, and activity foundation		EXISTING FOUNDATION
PURPOSE	Preserve local transaction context, evidence, and recent ImplicitEx activity.	
USER VALUE	The user can understand and retrieve a payment beyond an explorer hash.	
STRATEGIC ROLE	Provides the present evidence base that V2 will extend into request-linked operations.	
AGGREGATE MATURITY	Mixed child state — 2 Implemented and tested; 1 Production-verified.	
CURRENT AUTHORIZATION	Mixed child authorization — 2 Ready but not queued; 1 Deferred	
MAJOR DEPENDENCIES	Verified transfer facts, schema integrity, local privacy boundaries, and export safety.	
EXIT EVIDENCE	Local records survive refresh, detect tampering, and never overstate chain facts.	
CHILD RECORD IDS	FND-16, FND-17, FND-18	
NEXT AUTHORIZED WORK PACKAGE	WP-05	

PC - 07 Modular portal, PWA, hosting, and build identity		EXISTING FOUNDATION
PURPOSE	Deliver a progressively disclosed payment workspace through a traceable web release.	
USER VALUE	Users see the right tool and status without becoming lost in a crowded dashboard.	
STRATEGIC ROLE	Creates the expandable portal shell while preserving mobile access and deployment truth.	
AGGREGATE MATURITY	Mixed child state — 1 Partially implemented; 4 Production-verified.	
CURRENT AUTHORIZATION	Mixed child authorization — 1 Ready but not queued; 4 Deferred	
MAJOR DEPENDENCIES	Shared surfaces, responsive PWA, Firebase controls, security headers, and build metadata.	
EXIT EVIDENCE	Portal/browser suites pass and the live custom domain identifies the canonical deployed commit.	
CHILD RECORD IDS	FND-19, FND-20, FND-21, FND-22, FND-23	
NEXT AUTHORIZED WORK PACKAGE	WP-02	

PC - 08 Shared payment-object and portal model		EXISTING FOUNDATION
PURPOSE	Define stable profiles, contacts, cards, requests, transfers, evidence, templates, and exceptions.	
USER VALUE	The same payment remains understandable across summary, detail, action, and evidence views.	
STRATEGIC ROLE	Prevents the suite from becoming disconnected applications or contradictory records.	
AGGREGATE MATURITY	Mixed child state — 7 Defined or specified; 3 Partially implemented; 1 Implemented and tested.	
CURRENT AUTHORIZATION	Mixed child authorization — 4 Ready but not queued; 1 Decision required; 6 Evidence-gated	
MAJOR DEPENDENCIES	Stable IDs, authoritative ownership, lifecycle, projections, and guarded customization.	
EXIT EVIDENCE	Every view resolves to the same authoritative object and advanced views do not burden defaults.	
CHILD RECORD IDS	OBJ-01, OBJ-02, OBJ-03, OBJ-04, OBJ-05, OBJ-06, OBJ-07, OBJ-08, OBJ-09, OBJ-10, OBJ-11	
NEXT AUTHORIZED WORK PACKAGE	V2 Gate 0	

CAPABILITY GROUP

V1 credential and pilot

8 parent capabilities

PC - 09

Coin Card identity, manifest, and key authority

V1 CREDENTIAL AND PILOT

PURPOSE	Authenticate the card identity, signed manifest, registry, and trusted key source.
USER VALUE	A payer can verify which signed payment credential was actually published.
STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
AGGREGATE MATURITY	Mixed child state — 2 Defined or specified; 2 Partially implemented; 8 Implemented and tested.
CURRENT AUTHORIZATION	Mixed child authorization — 11 Ready but not queued; 1 Deferred
MAJOR DEPENDENCIES	Canonical bytes, domains, signing authority, key rotation, registry authentication, and atomic bundles.
EXIT EVIDENCE	Cross-runtime fixtures and independent verification agree on identity, signature, and authorized key.
CHILD RECORD IDS	CC-01, CC-02, CC-03, CC-04, CC-05, CC-06, CC-07, CC-08, CC-09, CC-10, CC-11, CC-12
NEXT AUTHORIZED WORK PACKAGE	WP-03 then WP-05

PC - 10

Coin Card lifecycle and route authority

V1 CREDENTIAL AND PILOT

PURPOSE	Resolve current, expired, suspended, revoked, replaced, and stale credential states.
USER VALUE	A payer can tell whether the route is presently authorized and how it changed.
STRATEGIC ROLE	Adds route lineage and revocation evidence beyond a simple mutable name.
AGGREGATE MATURITY	Mixed child state — 1 Defined or specified; 10 Implemented and tested.
CURRENT AUTHORIZATION	Mixed child authorization — 10 Ready but not queued; 1 Decision required
MAJOR DEPENDENCIES	Publication authority, signed lifecycle records, temporal rules, rollback protection, and display contract.
EXIT EVIDENCE	The same signed history produces the same lifecycle result and fail-closed presentation.
CHILD RECORD IDS	CC-13, CC-14, CC-15, CC-16, CC-17, CC-18, CC-19, CC-20, CC-21, CC-22, CC-23
NEXT AUTHORIZED WORK PACKAGE	WP-03 then WP-05

PC - 11 Coin Card execution authorization and evidence verification		V1 CREDENTIAL AND PILOT
PURPOSE	Bind executable route authority, wallet context, deployed contract facts, and transaction evidence.	
USER VALUE	The payer can review the exact authorized route and a third party can verify what settled.	
STRATEGIC ROLE	Creates the portable chain of evidence around execution without promising insurance.	
AGGREGATE MATURITY	Mixed child state — 1 Defined or specified; 1 Partially implemented; 8 Implemented and tested.	
CURRENT AUTHORIZATION	Mixed child authorization — 10 Ready but not queued	
MAJOR DEPENDENCIES	Replay defense, provider continuity, descriptor identity, route-version preservation, and verifier parity.	
EXIT EVIDENCE	Independent verification reproduces authorization and settlement from immutable inputs.	
CHILD RECORD IDS	CC-24, CC-25, CC-26, CC-27, CC-28, CC-29, CC-30, CC-31, CC-32, CC-33	
NEXT AUTHORIZED WORK PACKAGE	WP-05	

PC - 12 Hosted Coin Card presentation and handoff		V1 CREDENTIAL AND PILOT
PURPOSE	Publish and embed a legible credential that hands off only verified payment facts.	
USER VALUE	Recipients can share one destination and payers can enter a clear review flow.	
STRATEGIC ROLE	Provides the distribution surface for the controlled V1 credential pilot.	
AGGREGATE MATURITY	Mixed child state — 1 Partially implemented; 1 Implemented and tested; 2 Release-evidenced.	
CURRENT AUTHORIZATION	Mixed child authorization — 2 Ready but not queued; 2 Deferred	
MAJOR DEPENDENCIES	Hosted artifact, iframe boundary, handoff contract, QR presentation, and mobile/browser verification.	
EXIT EVIDENCE	Live card and embed resolve the same authorized state and cannot bypass the review path.	
CHILD RECORD IDS	CC-34, CC-35, CC-36, CC-37	
NEXT AUTHORIZED WORK PACKAGE	WP-05	

PC - 13

Controlled Coin Card issuance and recovery

V1 CREDENTIAL AND PILOT

PURPOSE	Issue, reverify, suspend, replace, and recover pilot credentials through controlled operations.
USER VALUE	A recipient receives a maintained credential instead of a one-time static page.
STRATEGIC ROLE	Tests whether lifecycle maintenance is valuable and supportable before self-service issuance.
AGGREGATE MATURITY	Mixed child state — 3 Defined or specified; 1 Partially implemented.
CURRENT AUTHORIZATION	Mixed child authorization — 3 Ready but not queued; 1 Decision required
MAJOR DEPENDENCIES	Wallet challenge, entitlement, namespace, audit history, support, and compromise procedures.
EXIT EVIDENCE	The founder can operate every lifecycle event from a rehearsed runbook without improvisation.
CHILD RECORD IDS	CC-38, CC-39, CC-40, CC-41
NEXT AUTHORIZED WORK PACKAGE	WP-06

PC - 14

V1 governing decisions and release boundaries

V1 CREDENTIAL AND PILOT

PURPOSE	Ratify signed-record, security, data, custody, entitlement, screening, and credential policies.
USER VALUE	Pilot users receive one coherent product whose behavior matches its stated boundaries.
STRATEGIC ROLE	Prevents implementation from outrunning authority, privacy, or legal decisions.
AGGREGATE MATURITY	Mixed child state — 10 Defined or specified; 1 Partially implemented.
CURRENT AUTHORIZATION	Mixed child authorization — 8 Ready but not queued; 2 Decision required; 1 Legally gated
MAJOR DEPENDENCIES	Founder decisions, counsel determinations where required, source authority, and release criteria.
EXIT EVIDENCE	Every governing question has a dated decision, owner, tests, and hard deployment gate.
CHILD RECORD IDS	V1-01, V1-02, V1-03, V1-04, V1-05, V1-06, V1-07, V1-08, V1-09, V1-10, V1-11
NEXT AUTHORIZED WORK PACKAGE	WP-03 then WP-04

PC - 15 V1 pilot operations and incident readiness		V1 CREDENTIAL AND PILOT
PURPOSE	Rehearse issuance, lifecycle, support, uncertainty, incidents, rollback, and findings.	
USER VALUE	Pilot users receive consistent help and truthful status when normal execution breaks.	
STRATEGIC ROLE	Makes the pilot an operable service rather than a founder-controlled demo.	
AGGREGATE MATURITY	Mixed child state — 7 Defined or specified; 2 Partially implemented.	
CURRENT AUTHORIZATION	Mixed child authorization — 9 Ready but not queued	
MAJOR DEPENDENCIES	Approved policies, runbooks, evidence store, administrative controls, and rehearsal environment.	
EXIT EVIDENCE	All critical paths and failures are rehearsed, findings are dispositioned, and communications are ready.	
CHILD RECORD IDS	V1-12, V1-13, V1-14, V1-15, V1-16, V1-17, V1-18, V1-19, V1-20	
NEXT AUTHORIZED WORK PACKAGE	WP-04 then WP-06	

PC - 16 V1 customer and commercial evidence		V1 CREDENTIAL AND PILOT
PURPOSE	Collect qualified interviews, offers, placements, real payments, and a final disposition.	
USER VALUE	The product advances only when it solves a real workflow for genuine users.	
STRATEGIC ROLE	Replaces founder intuition and sunk cost with explicit continue, narrow, pivot, or stop evidence.	
AGGREGATE MATURITY	Mixed child state — 6 Defined or specified.	
CURRENT AUTHORIZATION	Mixed child authorization — 6 Evidence-gated	
MAJOR DEPENDENCIES	Approved evidence boundaries, qualified cohort, offer, issued credentials, and pilot readiness.	
EXIT EVIDENCE	Reviewed customer evidence supports an explicit V1 disposition without bypassing binding gates.	
CHILD RECORD IDS	V1-21, V1-22, V1-23, V1-24, V1-25, V1-26	
NEXT AUTHORIZED WORK PACKAGE	WP-07 then WP-08	

CAPABILITY GROUP

V2 foundation and core

6 parent capabilities

PC - 17

V2 authentication, tenant, and authorization foundation

V2 FOUNDATION AND CORE

PURPOSE	Create secure accounts, workspaces, authorization, sessions, and audit logs.
USER VALUE	An operator can maintain private payment records without exposing another customer's data.
STRATEGIC ROLE	Enables paid workspaces without weakening wallet self-custody.
AGGREGATE MATURITY	Mixed child state — 8 Defined or specified.
CURRENT AUTHORIZATION	Mixed child authorization — 8 Evidence-gated
MAJOR DEPENDENCIES	Positive V1 disposition, threat model, stable object ownership, and administrative controls.
EXIT EVIDENCE	Isolation, recovery, authorization, session, and audit tests pass before customer data is stored.
CHILD RECORD IDS	G0-01, G0-02, G0-03, G0-04, G0-05, G0-06, G0-07, G0-08
NEXT AUTHORIZED WORK PACKAGE	V2 Gate 0

PC - 18

V2 data, privacy, backup, and recovery foundation

V2 FOUNDATION AND CORE

PURPOSE	Classify, minimize, retain, export, delete, back up, and recover private customer data.
USER VALUE	Customers understand and control eligible data while their operational records remain durable.
STRATEGIC ROLE	Preserves the lightweight trust position as ImplicitEx becomes an account platform.
AGGREGATE MATURITY	Mixed child state — 11 Defined or specified.
CURRENT AUTHORIZATION	Mixed child authorization — 11 Evidence-gated
MAJOR DEPENDENCIES	Positive V1 disposition, data-flow map, counsel where required, and tenant model.
EXIT EVIDENCE	Deletion/export work, restoration is rehearsed, and disclosure matches actual collection.
CHILD RECORD IDS	G0-09, G0-10, G0-11, G0-12, G0-13, G0-14, G0-15, G0-16, G0-17, G0-18, G0-19
NEXT AUTHORIZED WORK PACKAGE	V2 Gate 0

PC - 19 Billing, entitlement, onboarding, and unit economics		V2 FOUNDATION AND CORE
PURPOSE	Sell a predictable paid workspace and bounded setup service with known support margin.	
USER VALUE	The operator can buy the service they receive without an unexplained sender toll.	
STRATEGIC ROLE	Tests the focused-challenger business model independently of the deployed 1% fee.	
AGGREGATE MATURITY	Mixed child state — 5 Defined or specified.	
CURRENT AUTHORIZATION	Mixed child authorization — 5 Evidence-gated	
MAJOR DEPENDENCIES	Positive V1 paid signal, Gate 0, billing-data separation, support process, and cost instrumentation.	
EXIT EVIDENCE	Billing lifecycle works, setup produces independent use, and cohort gross margin is positive.	
CHILD RECORD IDS	V2C-01, V2C-02, V2C-03, V2C-25, V2C-26	
NEXT AUTHORIZED WORK PACKAGE	V2 Core	

PC - 20 Signed payment requests and frozen execution intent		V2 FOUNDATION AND CORE
PURPOSE	Authenticate amount, purpose, route, expiry, and request identity through wallet handoff.	
USER VALUE	A payer receives one coherent instruction instead of separate address and amount messages.	
STRATEGIC ROLE	Creates the core request layer above commodity stablecoin movement.	
AGGREGATE MATURITY	Mixed child state — 10 Defined or specified.	
CURRENT AUTHORIZATION	Mixed child authorization — 10 Evidence-gated	
MAJOR DEPENDENCIES	V1 signed-record ratification, Gate 0, Coin Card authority, canonical schema, and safe links.	
EXIT EVIDENCE	The request shown, signed, submitted, and preserved is byte-consistent and replay-safe.	
CHILD RECORD IDS	V2C-04, V2C-05, V2C-06, V2C-07, V2C-08, V2C-09, V2C-10, V2C-11, V2C-12, V2C-13	
NEXT AUTHORIZED WORK PACKAGE	V2 Core	

PC - 21 Authoritative matching, watcher, and reconciliation		V2 FOUNDATION AND CORE
PURPOSE	Verify known submissions and distinguish authoritative, suggested, and uncertain matches.	
USER VALUE	The operator knows which obligation was actually paid and which cases require review.	
STRATEGIC ROLE	Transforms raw chain transfers into evidence-derived payment operations.	
AGGREGATE MATURITY	Mixed child state — 8 Defined or specified.	
CURRENT AUTHORIZATION	Mixed child authorization — 8 Evidence-gated	
MAJOR DEPENDENCIES	Captured transaction hash, minimal watcher, receipt/event verification, idempotency, and reorg handling.	
EXIT EVIDENCE	All match labels derive from provenance; amount plus address is never authoritative.	
CHILD RECORD IDS	V2C-14, V2C-15, V2C-16, V2C-17, V2C-18, V2C-19, V2C-20, V2C-21	
NEXT AUTHORIZED WORK PACKAGE	V2 Core	

PC - 22 Request-linked evidence, search, and export		V2 FOUNDATION AND CORE
PURPOSE	Preserve a portable request-to-settlement artifact and make records searchable/exportable.	
USER VALUE	Operators and third parties can retrieve, inspect, and reuse understandable payment records.	
STRATEGIC ROLE	Provides ongoing administrative value beyond a one-time transfer.	
AGGREGATE MATURITY	Mixed child state — 3 Defined or specified.	
CURRENT AUTHORIZATION	Mixed child authorization — 3 Evidence-gated	
MAJOR DEPENDENCIES	Verified matching, stable objects, tenant authorization, safe search, and formula-safe export.	
EXIT EVIDENCE	Every result and export row traces to authoritative evidence and survives independent verification.	
CHILD RECORD IDS	V2C-22, V2C-23, V2C-24	
NEXT AUTHORIZED WORK PACKAGE	V2 Core	

CAPABILITY GROUP

V2 expansion

2 parent capabilities

PC - 23

V2 EXPANSION

Retention and repeat-payment tools

PURPOSE	Reduce repeated setup and help operators manage recurring, partial, excess, duplicate, and open-amount workflows.
USER VALUE	The operator spends less time reconstructing obligations and investigating exceptions.
STRATEGIC ROLE	Adds retention only after V2 Core reveals the highest repeated-work blocker.
AGGREGATE MATURITY	Mixed child state — 11 Defined or specified.
CURRENT AUTHORIZATION	Mixed child authorization — 11 Evidence-gated
MAJOR DEPENDENCIES	Stable V2 records, privacy approval, observed repeated pain, and one-at-a-time selection.
EXIT EVIDENCE	The selected tool measurably improves retention, completion, or support without creating new ambiguity.
CHILD RECORD IDS	V2E-01, V2E-02, V2E-03, V2E-04, V2E-05, V2E-06, V2E-07, V2E-08, V2E-15, V2E-16, V2E-17
NEXT AUTHORIZED WORK PACKAGE	V2 Expansion

PC - 24

V2 EXPANSION

Analytics, presentation, and bounded verification claims

PURPOSE	Add privacy-bounded insight, curated presentation, and exact social/domain control claims.
USER VALUE	Operators can understand use and present trustworthy context without enterprise machinery.
STRATEGIC ROLE	Creates paid retention and identity value after demand, without arbitrary customization or identity overclaiming.
AGGREGATE MATURITY	Mixed child state — 6 Defined or specified.
CURRENT AUTHORIZATION	Mixed child authorization — 6 Evidence-gated
MAJOR DEPENDENCIES	V2 Core, PII approval, claim provenance, accessibility, expiry, and correction paths.
EXIT EVIDENCE	Every metric and claim has a source and every presentation preserves signed payment facts.
CHILD RECORD IDS	V2E-09, V2E-10, V2E-11, V2E-12, V2E-13, V2E-14
NEXT AUTHORIZED WORK PACKAGE	V2 Expansion

CAPABILITY GROUP

V3 experiments

6 parent capabilities

PC - 25

Bounded operational intelligence

V3 EXPERIMENTS

PURPOSE	Provide factual search, exception explanations, and draft actions linked to evidence.
USER VALUE	Operators spend less time translating records into safe next steps.
STRATEGIC ROLE	Tests premium administrative value without granting AI financial authority.
AGGREGATE MATURITY	Mixed child state — 4 Defined or specified.
CURRENT AUTHORIZATION	Mixed child authorization — 4 Evidence-gated
MAJOR DEPENDENCIES	Reliable V2 records, repeated analysis pain, tenant isolation, evaluation set, and provenance.
EXIT EVIDENCE	Material answers cite source records and no generated output can move funds or make unsupported claims.
CHILD RECORD IDS	V3W-02, V3W-03, V3W-04, V3W-05
NEXT AUTHORIZED WORK PACKAGE	V3 workflow experiment

PC - 26

Controlled payer scheduling and approvals

V3 EXPERIMENTS

PURPOSE	Prepare scheduled or team-reviewed payments while preserving final wallet authorization.
USER VALUE	Payers can organize consequential payments without surrendering control.
STRATEGIC ROLE	Tests the separate payer-side controlled-payment business after payee-side retention.
AGGREGATE MATURITY	Mixed child state — 3 Defined or specified.
CURRENT AUTHORIZATION	Mixed child authorization — 3 Evidence-gated
MAJOR DEPENDENCIES	Named payer demand, stable V2 records, role model, wallet revalidation, and Safe review where used.
EXIT EVIDENCE	Real workflows complete with fresh approval, full audit history, and no ImplicitEx initiation authority.
CHILD RECORD IDS	V3W-01, V3W-06, V3W-07
NEXT AUTHORIZED WORK PACKAGE	V3 workflow experiment

PC - 27 Embedded, QR, and POS request access		V3 EXPERIMENTS
PURPOSE	Deliver authenticated requests through embeds, return flows, QR, and in-person presentation.	
USER VALUE	Payers can enter a clear verified flow from the context where payment begins.	
STRATEGIC ROLE	Tests distribution channels only after signed request integrity is proven.	
AGGREGATE MATURITY	Mixed child state — 4 Defined or specified.	
CURRENT AUTHORIZATION	Mixed child authorization — 4 Evidence-gated	
MAJOR DEPENDENCIES	V2 requests, origin/URL controls, browser/mobile testing, watcher status, and placement demand.	
EXIT EVIDENCE	The selected channel improves completion without hiding signed terms or settlement state.	
CHILD RECORD IDS	V3A-01, V3A-02, V3A-03, V3A-04	
NEXT AUTHORIZED WORK PACKAGE	V3 access experiment	

PC - 28 Recipient, naming, fiat-display, and wallet access		V3 EXPERIMENTS
PURPOSE	Reduce repeat-recipient, address, denomination, and wallet-access friction.	
USER VALUE	Payers can recognize and reselect a destination while still verifying the actual route.	
STRATEGIC ROLE	Tests measured access blockers without confusing convenience with identity.	
AGGREGATE MATURITY	Mixed child state — 5 Defined or specified.	
CURRENT AUTHORIZATION	Mixed child authorization — 5 Evidence-gated	
MAJOR DEPENDENCIES	V2 history, current route verification, privacy boundaries, trusted data sources, and wallet demand.	
EXIT EVIDENCE	The selected experiment improves completion and never bypasses the full review screen.	
CHILD RECORD IDS	V3A-05, V3A-06, V3A-07, V3A-08, V3A-15	
NEXT AUTHORIZED WORK PACKAGE	V3 access experiment	

PC - 29 Gas abstraction and smart-account controls		V3 EXPERIMENTS
PURPOSE	Remove gas-token friction through a bounded, audited account/paymaster model.	
USER VALUE	A qualified payer can complete a USDC payment without separately acquiring gas.	
STRATEGIC ROLE	Tests a high-leverage funnel fix only after its actual attrition is measured.	
AGGREGATE MATURITY	Mixed child state — 3 Defined or specified.	
CURRENT AUTHORIZATION	Mixed child authorization — 3 Evidence-gated	
MAJOR DEPENDENCIES	Measured gas blocker, current wallet review, authority model, audit, abuse controls, and economics.	
EXIT EVIDENCE	A bounded pilot improves completion with positive economics and no unilateral ImplicitEx authority.	
CHILD RECORD IDS	V3A-09, V3A-10, V3A-11	
NEXT AUTHORIZED WORK PACKAGE	V3 access experiment	

PC - 30 Licensed-partner fiat on-ramp access		V3 EXPERIMENTS
PURPOSE	Let users acquire USDC through a licensed provider that delivers to their wallet.	
USER VALUE	A payer can enter the supported workflow without ImplicitEx receiving fiat.	
STRATEGIC ROLE	Closes a measured access gap while preserving the partner and custody boundary.	
AGGREGATE MATURITY	Mixed child state — 3 Defined or specified.	
CURRENT AUTHORIZATION	Mixed child authorization — 3 Evidence-gated	
MAJOR DEPENDENCIES	Acquisition evidence, provider diligence, counsel, redirect integrity, disclosure, and support routing.	
EXIT EVIDENCE	A controlled corridor pilot has transparent fees/KYC and verified direct-to-wallet delivery.	
CHILD RECORD IDS	V3A-12, V3A-13, V3A-14	
NEXT AUTHORIZED WORK PACKAGE	V3 access experiment	

CAPABILITY GROUP

Legal and risk controls

2 parent capabilities

PC - 31

Address-risk and sanctions operations

LEGAL AND RISK CONTROLS

PURPOSE	Determine and operate proportionate address-risk or sanctions controls.
USER VALUE	Users and partners receive calibrated checks and a defined exception path.
STRATEGIC ROLE	Protects legal/partner viability without making unsupported safety claims.
AGGREGATE MATURITY	Mixed child state — 8 Defined or specified.
CURRENT AUTHORIZATION	Mixed child authorization — 8 Legally gated
MAJOR DEPENDENCIES	Actual product flow, counsel determination, provider/source policy, privacy, and support capacity.
EXIT EVIDENCE	Required controls, freshness, outage, appeal, logging, and UI agree and pass release tests.
CHILD RECORD IDS	RISK-01, RISK-02, RISK-03, RISK-04, RISK-05, RISK-06, RISK-07, RISK-08
NEXT AUTHORIZED WORK PACKAGE	WP-04 or later legal gate

PC - 32

Legal release and maintenance governance

LEGAL AND RISK CONTROLS

PURPOSE	Trigger renewed counsel review and keep product, legal pages, tests, and jurisdiction claims synchronized.
USER VALUE	Customers receive an accurately described service within supported availability.
STRATEGIC ROLE	Separates internal research from legal clearance and makes legal maintenance operational.
AGGREGATE MATURITY	Mixed child state — 4 Defined or specified.
CURRENT AUTHORIZATION	Mixed child authorization — 1 Ready but not queued; 2 Decision required; 1 Legally gated
MAJOR DEPENDENCIES	Legal Development Hierarchy, product facts, counsel triggers, page inventory, and release checklist.
EXIT EVIDENCE	Every affected release records the required determination and cross-surface agreement.
CHILD RECORD IDS	RISK-09, RISK-10, RISK-11, RISK-12
NEXT AUTHORIZED WORK PACKAGE	WP-03 then WP-04

CAPABILITY GROUP

Longer-horizon doors

6 parent capabilities

PC - 33

Platform APIs, teams, checkout, and recovery infrastructure

LONGER-HORIZON DOORS

PURPOSE	Open stable workflows to customer systems, teams, webhooks, checkout, and stronger recovery.
USER VALUE	Businesses can integrate or collaborate when the lightweight manual workflow no longer suffices.
STRATEGIC ROLE	Preserves platform doors without prematurely accepting their permanent support burden.
AGGREGATE MATURITY	Mixed child state — 9 Concept only.
CURRENT AUTHORIZATION	Mixed child authorization — 9 Deferred
MAJOR DEPENDENCIES	Stable V2 objects, inbound paid demand, versioning, auth, watcher/indexer need, and support capacity.
EXIT EVIDENCE	A selected door has named customers, compatibility evidence, security review, and sustainable support.
CHILD RECORD IDS	LH-03, LH-04, LH-05, LH-06, LH-07, LH-08, LH-09, LH-28, LH-29
NEXT AUTHORIZED WORK PACKAGE	Longer-horizon door

PC - 34

Advanced scheduled, recurring, batch, and split payments

LONGER-HORIZON DOORS

PURPOSE	Apply bounded rules to repeated or multi-recipient payments.
USER VALUE	Payers can organize consequential obligations with less repetitive work.
STRATEGIC ROLE	Preserves higher-value controlled-payment options behind explicit authority and audit gates.
AGGREGATE MATURITY	Mixed child state — 4 Concept only.
CURRENT AUTHORIZATION	Mixed child authorization — 1 Legally gated; 3 Deferred
MAJOR DEPENDENCIES	Named paid demand, audited contract/module architecture, revocation, recovery, and counsel.
EXIT EVIDENCE	The selected workflow proves value without custody, generic allowances, or ambiguous initiation authority.
CHILD RECORD IDS	LH-01, LH-02, LH-10, LH-11
NEXT AUTHORIZED WORK PACKAGE	Longer-horizon door

PC - 35 Business integrations, analysis, white label, and incentives		LONGER-HORIZON DOORS
PURPOSE	Extend proven operations into selected accounting, invoicing, analysis, partner-brand, or pricing workflows.	
USER VALUE	Operators gain one demanded adjacent capability without adopting an enterprise suite.	
STRATEGIC ROLE	Preserves monetization doors while protecting narrow scope and shared-core economics.	
AGGREGATE MATURITY	Mixed child state — 6 Concept only.	
CURRENT AUTHORIZATION	Mixed child authorization — 1 Legally gated; 5 Deferred	
MAJOR DEPENDENCIES	Named paid demand, stable core, partner/legal review where needed, and margin evidence.	
EXIT EVIDENCE	One selected capability produces repeat paid use without custom forks or unsupported claims.	
CHILD RECORD IDS	LH-12, LH-13, LH-14, LH-15, LH-22, LH-23	
NEXT AUTHORIZED WORK PACKAGE	Longer-horizon door	

PC - 36 Portable naming, creator tools, and discovery		LONGER-HORIZON DOORS
PURPOSE	Add portable names, plugins, directory discovery, goals, and social proof for validated segments.	
USER VALUE	Recipients can distribute and contextualize payments where their customers already are.	
STRATEGIC ROLE	Preserves creator/network options behind namespace, privacy, moderation, and demand gates.	
AGGREGATE MATURITY	Mixed child state — 5 Concept only.	
CURRENT AUTHORIZATION	Mixed child authorization — 5 Deferred	
MAJOR DEPENDENCIES	Segment traction, namespace policy, platform maintenance, moderation capacity, and privacy review.	
EXIT EVIDENCE	A selected door shows measurable acquisition or conversion value with supportable abuse controls.	
CHILD RECORD IDS	LH-16, LH-17, LH-18, LH-19, LH-20	
NEXT AUTHORIZED WORK PACKAGE	Longer-horizon door	

PC - 37 Regulated off-ramp, corridor, and card partnerships		LONGER-HORIZON DOORS
PURPOSE	Connect self-custodial stablecoin workflows to licensed cash-out or spending partners.	
USER VALUE	Eligible users can use stablecoin value beyond the wallet through a named regulated provider.	
STRATEGIC ROLE	Preserves the remittance/spend endgame without crossing the custody line internally.	
AGGREGATE MATURITY	Mixed child state — 3 Concept only.	
CURRENT AUTHORIZATION	Mixed child authorization — 2 Legally gated; 1 Deferred	
MAJOR DEPENDENCIES	Proven volume, corridor demand, partner diligence, counsel, transparent economics, and support.	
EXIT EVIDENCE	A partner-operated pilot works in a defined market with no ImplicitEx custody or issuer claim.	
CHILD RECORD IDS	LH-21, LH-26, LH-27	
NEXT AUTHORIZED WORK PACKAGE	Longer-horizon door	

PC - 38 Native mobile and agent access		LONGER-HORIZON DOORS
PURPOSE	Offer deeper device or machine access only when the PWA/API is a proven constraint.	
USER VALUE	Qualified users or systems gain a more direct interaction path.	
STRATEGIC ROLE	Keeps emerging access options visible without creating speculative codebases.	
AGGREGATE MATURITY	Mixed child state — 2 Concept only.	
CURRENT AUTHORIZATION	Mixed child authorization — 2 Deferred	
MAJOR DEPENDENCIES	Measured access blocker, current platform/standard review, authority model, budget, and paid demand.	
EXIT EVIDENCE	The selected path solves a named limitation with safe authorization and sustainable maintenance.	
CHILD RECORD IDS	LH-24, LH-25	
NEXT AUTHORIZED WORK PACKAGE	Longer-horizon door	

CAPABILITY GROUP

Horizontal expansion

2 parent capabilities

PC - 39

Stablecoin asset expansion

HORIZONTAL EXPANSION

PURPOSE	Add individually approved stablecoins through a delistable asset registry.
USER VALUE	Customers can use the stablecoin their proven workflow already requires.
STRATEGIC ROLE	Expands coverage only after USDC vertical value is established.
AGGREGATE MATURITY	Mixed child state — 6 Concept only.
CURRENT AUTHORIZATION	Mixed child authorization — 6 Evidence-gated
MAJOR DEPENDENCIES	Paid asset demand, current issuer/legal facts, registry foundation, liquidity, tests, and support.
EXIT EVIDENCE	Each asset passes an independent release matrix and can be disabled without breaking history.
CHILD RECORD IDS	HX-01, HX-02, HX-03, HX-04, HX-05, HX-06
NEXT AUTHORIZED WORK PACKAGE	Horizontal expansion

PC - 40

Chain, cross-chain, and wallet expansion

HORIZONTAL EXPANSION

PURPOSE	Add selected chains, native cross-chain paths, embedded wallets, and their operating controls.
USER VALUE	Customers can use proven workflows from the networks and wallets they already use.
STRATEGIC ROLE	Expands reach only after the payment-operations proposition retains on one chain.
AGGREGATE MATURITY	Mixed child state — 6 Concept only.
CURRENT AUTHORIZATION	Mixed child authorization — 4 Evidence-gated; 1 Legally gated; 1 Deferred
MAJOR DEPENDENCIES	Named paid demand, per-chain security/operations, custody review, release matrix, and support.
EXIT EVIDENCE	Each selected platform has full execution, evidence, observability, rollback, and support parity.
CHILD RECORD IDS	HX-07, HX-08, HX-09, HX-10, HX-11, HX-12
NEXT AUTHORIZED WORK PACKAGE	Horizontal expansion

CAPABILITY GROUP

Commercial evidence

2 parent capabilities

PC - 41

Buyer, segment, retention, and sequencing evidence

COMMERCIAL EVIDENCE

PURPOSE	Validate the independent-operator buyer, payee-first wedge, retention, and vertical-first sequence.
USER VALUE	Product effort stays concentrated on a workflow real customers repeatedly value.
STRATEGIC ROLE	Prevents user counts, competitor imitation, or horizontal breadth from replacing commercial evidence.
AGGREGATE MATURITY	Mixed child state — 1 Concept only; 3 Defined or specified; 2 Approved governing record.
CURRENT AUTHORIZATION	Mixed child authorization — 4 Ready but not queued; 1 Evidence-gated; 1 Deferred
MAJOR DEPENDENCIES	Qualified customer records, current competitor facts, retention events, and separate payer/payee cohorts.
EXIT EVIDENCE	Repeated paid behavior supports the chosen segment and an explicit next-phase decision.
CHILD RECORD IDS	COM-01, COM-02, COM-10, COM-12, COM-13, COM-14
NEXT AUTHORIZED WORK PACKAGE	WP-07 then WP-08

PC - 42

Pricing, revenue, refunds, and support economics

COMMERCIAL EVIDENCE

PURPOSE	Test understandable prices and prove the service remains supportable.
USER VALUE	The buyer knows what service they purchased and is not charged for hidden or commodity value.
STRATEGIC ROLE	Makes lower price an economic advantage rather than a race to the bottom.
AGGREGATE MATURITY	Mixed child state — 8 Defined or specified.
CURRENT AUTHORIZATION	Mixed child authorization — 1 Ready but not queued; 3 Decision required; 4 Evidence-gated
MAJOR DEPENDENCIES	Defined service bundle, billing evidence, fee/refund policy, revenue records, and support time.
EXIT EVIDENCE	Paid conversion, retention, realized revenue, and positive margin support the selected model.
CHILD RECORD IDS	COM-03, COM-04, COM-05, COM-06, COM-07, COM-08, COM-09, COM-11
NEXT AUTHORIZED WORK PACKAGE	WP-07

03

AUTHORITATIVE IMPLEMENTATION DETAIL

259 detailed roadmap records

The complete register of components, controls, processes, decisions, commercial experiments, and expansion doors. Every record preserves its maturity, authorization, dependencies, boundaries, stop rule, evidence locator, and next action.

IMPLEMENTATION GROUP

Command and governance

7 detailed records

GOV-01 Comprehensive roadmap record inventory		GOVERNANCE DECISION	DEFINED OR SPECIFIED	ACTIVE CHANGE
PC-01 — Roadmap and founder control system				
RECORD CLASS	Governance decision			
PARENT CAPABILITY	PC-01 — Roadmap and founder control system			
AREA / PHASE / SIDE / TYPE	Governance / V1 / internal / decision system			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Active change			
PURPOSE	Preserve the big picture while detailed work is underway; gives the founder one place to see why each implementation exists, how it is gated, and when to continue, pivot, or stop.			
PARENT USER VALUE	The founder can see what matters now without losing the governing plan.			
PARENT STRATEGIC ROLE	Turns documentation into a bounded decision system rather than another backlog.			
STRATEGIC-ROLE TAGS	Governance			
CURRENT IMPLEMENTATION	Revision 6 and the capability register provide the strategy.			
REMAINING WORK	This draft expands them into implementation-level records. Founder review, status correction, coverage audit, and final information architecture remain.			
DEPENDENCIES	Must agree with the master roadmap, canonical trust contracts, repository evidence, and the last 24 hours of decisions.			
ENTRY GATE	This is the only active work package during normalization.			
COMPLETION EVIDENCE	Complete when every material implementation is represented, source-linked, conservatively statused, and approved by the founder.			
COMMERCIAL HYPOTHESIS	This is operational infrastructure, not a customer feature.			
BOUNDARY	Stop expanding the inventory when additional detail no longer changes a decision or next action.			
STOP RULE	Stop expanding the inventory when additional detail no longer changes a decision or next action.			
SOURCE / EVIDENCE LOCATOR	Master roadmap, capability register, repository, and this conversation.			
NEXT ACTION	founder reviews this inventory through the local, uncommitted projection before committed or publishable HTML/PDF work.			

GOV - 02

Master roadmap Revision 6

GOVERNANCE DECISION

APPROVED GOVERNING RECORD

DEFERRED

PC-01 — Roadmap and founder control system	
RECORD CLASS	Governance decision
PARENT CAPABILITY	PC-01 — Roadmap and founder control system
AREA / PHASE / SIDE / TYPE	Governance / all phases / internal / governing strategy
IMPLEMENTATION MATURITY	Approved governing record
WORK AUTHORIZATION	Deferred
PURPOSE	Controls buyer, sequence, pricing hypotheses, release gates, custody boundary, exclusions, and kill criteria.
PARENT USER VALUE	The founder can see what matters now without losing the governing plan.
PARENT STRATEGIC ROLE	Turns documentation into a bounded decision system rather than another backlog.
STRATEGIC-ROLE TAGS	Governance
CURRENT IMPLEMENTATION	Approved and committed at `ec78178`; it remains intentionally strategic rather than implementation-complete.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Any change to release scope, custody, pricing bands, binding gates, or sequence requires an explicit roadmap revision and evidence review.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Any change to release scope, custody, pricing bands, binding gates, or sequence requires an explicit roadmap revision and evidence review.
COMMERCIAL HYPOTHESIS	Protects the \$25,000 objective from feature drift.
BOUNDARY	Do not rewrite it merely to accommodate an implementation already built.
STOP RULE	Do not rewrite it merely to accommodate an implementation already built.
SOURCE / EVIDENCE LOCATOR	`docs/product/product-commercial-roadmap-2026-07-30.md`; commit `ec78178`; `docs/operations/evidence/product-commercial-roadmap-revision-6-final-review-2026-07-30.md`.
NEXT ACTION	none unless this inventory exposes a genuine contradiction.
REVISION-QUALIFIED EVIDENCE LINKS commit ec78178 docs/product/product-commercial-roadmap-2026-07-30.md @ ec78178 docs/operations/evidence/product-commercial-roadmap-revision-6-final-review-2026-07-30.md @ ec78178	

60V - 03

V1 Execution Checklist

OPERATIONAL PROCESS

RELEASE-EVIDENCED

DEFERRED

PC-01 — Roadmap and founder control system	
RECORD CLASS	Operational process
PARENT CAPABILITY	PC-01 — Roadmap and founder control system
AREA / PHASE / SIDE / TYPE	Operations / V1 / internal / operating worksheet
IMPLEMENTATION MATURITY	Release-evidenced
WORK AUTHORIZATION	Deferred
PURPOSE	Converts V1 gates into a printable and browser-local checklist without replacing the comprehensive roadmap.
PARENT USER VALUE	The founder can see what matters now without losing the governing plan.
PARENT STRATEGIC ROLE	Turns documentation into a bounded decision system rather than another backlog.
STRATEGIC-ROLE TAGS	Governance
CURRENT IMPLEMENTATION	Live HTML, 32 local-only checklist items, and a clean five-page PDF at `6bf1608`; public by deliberate founder classification. It remains intentionally narrow.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Must stay synchronized with V1 gate decisions. The PDF must ignore browser-local state and reproduce from committed source.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Must stay synchronized with V1 gate decisions. The PDF must ignore browser-local state and reproduce from committed source.
COMMERCIAL HYPOTHESIS	No direct revenue role.
BOUNDARY	Do not expand it into a second roadmap; link it from the future comprehensive page.
STOP RULE	Do not expand it into a second roadmap; link it from the future comprehensive page.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/v1-execution.html`; `app-web/frontend/public/js/v1-execution.js`; commit `6bf1608`.
NEXT ACTION	none.
REVISION-QUALIFIED EVIDENCE LINKS commit 6bf1608 app-web/frontend/public/v1-execution.html @ 6bf1608 app-web/frontend/public/js/v1-execution.js @ 6bf1608	

60V - 04

Canonical repository integration

OPERATIONAL PROCESS

DEFINED OR SPECIFIED

NEXT AUTHORIZED

PC-02 — Canonical source and release governance	
RECORD CLASS	Operational process
PARENT CAPABILITY	PC-02 — Canonical source and release governance
AREA / PHASE / SIDE / TYPE	Production governance / V1 / internal / source authority
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Next authorized
PURPOSE	Ensure future deployments cannot erase the roadmap artifact or silently select one of two divergent Coin Card implementations.
PARENT USER VALUE	Customers receive the intended verified build and can rely on rollback discipline.
PARENT STRATEGIC ROLE	Prevents silent source divergence from invalidating payment and trust evidence.
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Support/operations
CURRENT IMPLEMENTATION	`origin/main` is canonical, but production was deployed from `6bf1608`. The histories diverge 17/79 and the merge preview identifies 15 payment-critical conflicts.
REMAINING WORK	A dedicated integration branch, conflict resolution, full release evidence, and canonical deployment record remain.
DEPENDENCIES	Requires an explicit integration plan; exact conflict disposition; complete Coin Card, portal, and artifact suites; deployed-tree comparison; clean rebuild; and production smoke.
ENTRY GATE	Founder approval of this normalized inventory.
COMPLETION EVIDENCE	Complete when canonical `main` contains the approved combined tree and the live deployment identifies that commit.
COMMERCIAL HYPOTHESIS	Prevents operational rollback and contradictory source authority.
BOUNDARY	Never resolve conflicts by automatically choosing one branch across security-sensitive files.
STOP RULE	Never resolve conflicts by automatically choosing one branch across security-sensitive files.
SOURCE / EVIDENCE LOCATOR	Git topology: `origin/main` at `2cb9237`; deployed branch `docs/product-commercial-roadmap-rev6` at `6bf1608`; merge base `9f4f2d`; 17/79 divergent commits and 15 previewed conflicts as audited 2026-07-30.
NEXT ACTION	separate evidence-controlled integration task; not part of inventory drafting.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 origin/main @ 2cb9237 merge base 9f4f2d	

60V-05 Legal Development Hierarchy		GOVERNANCE DECISION	DEFINED OR SPECIFIED	DECISION REQUIRED
PC-02 — Canonical source and release governance				
RECORD CLASS	Governance decision			
PARENT CAPABILITY	PC-02 — Canonical source and release governance			
AREA / PHASE / SIDE / TYPE	Legal governance / V1 onward / internal / release authority			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Decision required			
PURPOSE	Distinguish internal product analysis, comparative research, counsel-dependent determinations, reversible internal implementation, deployment clearance, and recurring legal maintenance.			
PARENT USER VALUE	Customers receive the intended verified build and can rely on rollback discipline.			
PARENT STRATEGIC ROLE	Prevents silent source divergence from invalidating payment and trust evidence.			
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Support/operations			
CURRENT IMPLEMENTATION	The roadmap contains substantive legal boundaries, but the authority/release hierarchy has not been adopted in the operating or attorney-review doctrine.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Requires a concise internal doctrine, counsel-trigger list, deployment gate, and agreement among product behavior, legal pages, procedures, and tests.			
ENTRY GATE	The named governing decision is ratified and recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Requires a concise internal doctrine, counsel-trigger list, deployment gate, and agreement among product behavior, legal pages, procedures, and tests.			
COMMERCIAL HYPOTHESIS	Allows reversible research without confusing it with legal clearance.			
BOUNDARY	No affected capability may become public, monetized, collect unapproved data, or gain financial authority before its required determination.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap §§11–12 and attorney-review research brief.			
NEXT ACTION	add during the next legal-package session, not by reopening Revision 6.			

GOV - 06 Status and evidence discipline		GOVERNANCE DECISION APPROVED GOVERNING RECORD READY BUT NOT QUEUED
PC-02 — Canonical source and release governance		
RECORD CLASS	Governance decision	
PARENT CAPABILITY	PC-02 — Canonical source and release governance	
AREA / PHASE / SIDE / TYPE	Governance / all phases / internal / completion control	
IMPLEMENTATION MATURITY	Approved governing record	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Prevent “specified,” “coded,” “tested,” “deployed,” and “customer-validated” from collapsing into one checkbox.	
PARENT USER VALUE	Customers receive the intended verified build and can rely on rollback discipline.	
PARENT STRATEGIC ROLE	Prevents silent source divergence from invalidating payment and trust evidence.	
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Support/operations	
CURRENT IMPLEMENTATION	Roadmap definition-of-complete and threshold classes exist; older documents still use inconsistent status language.	
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.	
DEPENDENCIES	Every future roadmap record and release evidence must use the controlled status vocabulary and identify the evidence class.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Every future roadmap record and release evidence must use the controlled status vocabulary and identify the evidence class.	
COMMERCIAL HYPOTHESIS	Protects against false progress and sunk-cost continuation.	
BOUNDARY	Downgrade status whenever evidence is missing or contradictory.	
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.	
SOURCE / EVIDENCE LOCATOR	This normalized inventory; `docs/product/product-commercial-roadmap-2026-07-30.md` §§12 and 15.	
NEXT ACTION	apply this vocabulary to this inventory; do not rewrite historical evidence.	

GOV - 07

Deployment evidence and rollback doctrine

OPERATIONAL PROCESS

RELEASE-EVIDENCED

READY BUT NOT QUEUED

PC-02 — Canonical source and release governance	
RECORD CLASS	Operational process
PARENT CAPABILITY	PC-02 — Canonical source and release governance
AREA / PHASE / SIDE / TYPE	Production operations / existing / internal / release control
IMPLEMENTATION MATURITY	Release-evidenced
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Make every production change traceable, reversible, and verifiable on the actual custom domain.
PARENT USER VALUE	Customers receive the intended verified build and can rely on rollback discipline.
PARENT STRATEGIC ROLE	Prevents silent source divergence from invalidating payment and trust evidence.
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Support/operations
CURRENT IMPLEMENTATION	Firebase predeploy gates, deploy checklists, production smoke records, rollback procedures, and artifact hash checks exist.
REMAINING WORK	The production branch/commit identity is not yet canonical because of GOV-04.
DEPENDENCIES	Clean source state, full required suite, exact target/project, live route and header checks, release record, and rollback path.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Clean source state, full required suite, exact target/project, live route and header checks, release record, and rollback path.
COMMERCIAL HYPOTHESIS	Reliability and trust infrastructure.
BOUNDARY	Stop any deploy when the source commit, target, authority, or rollback state is ambiguous.
STOP RULE	Stop any deploy when the source commit, target, authority, or rollback state is ambiguous.
SOURCE / EVIDENCE LOCATOR	`firebase.json`; `docs/operations/evidence/gate5-public-launch-2026-06-18.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	incorporate canonical-branch identity after GOV-04.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - docs/operations/evidence/gate5-public-launch-2026-06-18.md @ 6bf1608	

IMPLEMENTATION GROUP

Existing foundation

34 detailed records

FND - 01

Polygon USDC transfer contract

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-03 — Non-custodial transfer contract and fee controls	
RECORD CLASS	Component
PARENT CAPABILITY	PC-03 — Non-custodial transfer contract and fee controls
AREA / PHASE / SIDE / TYPE	Transfer rail / existing / both / smart contract
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Execute a deterministic wallet-to-contract-to-wallet USDC payment without ImplicitEx custody; supplies the proven rail beneath payment operations.
PARENT USER VALUE	A payer can authorize a deterministic transfer with explicit fee and asset limits.
PARENT STRATEGIC ROLE	Supplies the proven execution rail beneath the payment-operations product.
STRATEGIC-ROLE TAGS	Execution; Trust; Security/assurance
CURRENT IMPLEMENTATION	Hardened Polygon mainnet contract is deployed, source-verified, Safe-owned, and exercised through controlled live transfer. It remains a reference execution route, not the complete product.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Verified deployment manifest, contract tests, pause authority, fee and treasury configuration, explorer evidence, and production smoke.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Verified deployment manifest, contract tests, pause authority, fee and treasury configuration, explorer evidence, and production smoke.
COMMERCIAL HYPOTHESIS	Supports current 1% experiment but does not justify it alone.
BOUNDARY	Never market the contract as custody, recovery, protection, or differentiation by itself.
STOP RULE	Never market the contract as custody, recovery, protection, or differentiation by itself.
SOURCE / EVIDENCE LOCATOR	`app-web/contracts/implicitex_transfer.sol`; `app-web/frontend/public/js/ix-execution.js`; `docs/operations/evidence/gate4-mainnet-controlled-smoke-2026-06-15.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintenance and security fixes only unless V1 requires a change.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

app-web/contracts/implicitex_transfer.sol @ 6bf1608

app-web/frontend/public/js/ix-execution.js @ 6bf1608

- [docs/operations/evidence/gate4-mainnet-controlled-smoke-2026-06-15.md @ 6bf1608](#)

FND - 02

Deployed 1% fee routing

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-03 — Non-custodial transfer contract and fee controls	
RECORD CLASS	Component
PARENT CAPABILITY	PC-03 — Non-custodial transfer contract and fee controls
AREA / PHASE / SIDE / TYPE	Transfer rail / existing / sender / contract policy
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Route the configured platform fee while delivering the requested principal to the recipient.
PARENT USER VALUE	A payer can authorize a deterministic transfer with explicit fee and asset limits.
PARENT STRATEGIC ROLE	Supplies the proven execution rail beneath the payment-operations product.
STRATEGIC-ROLE TAGS	Execution; Trust; Security/assurance
CURRENT IMPLEMENTATION	Contract charges 100 basis points with no absolute contract cap. Product-market alignment and long-term payer are unproven.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Exact integer math, allowance for total debit, verified treasury split, customer disclosure, and live policy reconciliation.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Exact integer math, allowance for total debit, verified treasury split, customer disclosure, and live policy reconciliation.
COMMERCIAL HYPOTHESIS	Pricing hypothesis, not doctrine.
BOUNDARY	Stop defending the fee through invented features if qualified customers bypass it or the value accrues to the recipient instead.
STOP RULE	Stop defending the fee through invented features if qualified customers bypass it or the value accrues to the recipient instead.
SOURCE / EVIDENCE LOCATOR	`app-web/contracts/implicitex_transfer.sol`; `app-web/frontend/public/js/ix-execution.js`; `docs/operations/evidence/gate4-mainnet-controlled-smoke-2026-06-15.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	collect separate fee-response evidence during V1/V2; no contract change authorized.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

app-web/contracts/implicitex_transfer.sol @ 6bf1608

app-web/frontend/public/js/ix-execution.js @ 6bf1608

docs/operations/evidence/gate4-mainnet-controlled-smoke-2026-06-15.md @ 6bf1608

FND - 03		COMPONENT	PRODUCTION-VERIFIED
250 USDC interface limit		DEFERRED	
PC-03 — Non-custodial transfer contract and fee controls			
RECORD CLASS	Component		
PARENT CAPABILITY	PC-03 — Non-custodial transfer contract and fee controls		
AREA / PHASE / SIDE / TYPE	Transfer risk control / existing / sender / client policy		
IMPLEMENTATION MATURITY	Production-verified		
WORK AUTHORIZATION	Deferred		
PURPOSE	Bound soft-launch exposure and make the maximum currently reachable fee 2.50 USDC.		
PARENT USER VALUE	A payer can authorize a deterministic transfer with explicit fee and asset limits.		
PARENT STRATEGIC ROLE	Supplies the proven execution rail beneath the payment-operations product.		
STRATEGIC-ROLE TAGS	Execution; Trust; Security/assurance		
CURRENT IMPLEMENTATION	Portal enforcement and disclosures exist; the contract itself is not limited to 250 USDC.		
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.		
DEPENDENCIES	Authenticated execution policy, amount validation, client regression tests, and consistent customer copy.		
ENTRY GATE	A later governing roadmap decision explicitly opens this work.		
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Authenticated execution policy, amount validation, client regression tests, and consistent customer copy.		
COMMERCIAL HYPOTHESIS	This is a risk and launch control, not a market size claim.		
BOUNDARY	Do not raise the limit before fee-policy, support, legal, and production evidence gates pass.		
STOP RULE	Do not raise the limit before fee-policy, support, legal, and production evidence gates pass.		
SOURCE / EVIDENCE LOCATOR	`app-web/contracts/implicitex_transfer.sol`; `app-web/frontend/public/js/ix-execution.js`; `docs/operations/evidence/gate4-mainnet-controlled-smoke-2026-06-15.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.		
NEXT ACTION	none.		
REVISION-QUALIFIED EVIDENCE LINKS			
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/contracts/implicitex_transfer.sol @ 6bf1608 - app-web/frontend/public/js/ix-execution.js @ 6bf1608 - docs/operations/evidence/gate4-mainnet-controlled-smoke-2026-06-15.md @ 6bf1608			

FND - 04 Future 10 USDC absolute fee ceiling		COMPONENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-03 — Non-custodial transfer contract and fee controls				
RECORD CLASS	Component			
PARENT CAPABILITY	PC-03 — Non-custodial transfer contract and fee controls			
AREA / PHASE / SIDE / TYPE	Pricing/contract policy / later / both / contract change			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Prevent fee growth from becoming disproportionate if supported payment limits exceed 1,000 USDC.			
PARENT USER VALUE	A payer can authorize a deterministic transfer with explicit fee and asset limits.			
PARENT STRATEGIC ROLE	Supplies the proven execution rail beneath the payment-operations product.			
STRATEGIC-ROLE TAGS	Execution; Trust; Security/assurance			
CURRENT IMPLEMENTATION	Policy and gate are documented; no contract-level ceiling is deployed.			
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.			
DEPENDENCIES	Customer pricing evidence, revised contract design, audit, deployment, interface/live-policy agreement, and migration plan.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Customer pricing evidence, revised contract design, audit, deployment, interface/live-policy agreement, and migration plan.			
COMMERCIAL HYPOTHESIS	Do not confuse it with current behavior.			
BOUNDARY	Do not change the contract before the paying party and pricing mechanism are known.			
STOP RULE	Do not confuse it with current behavior.			
SOURCE / EVIDENCE LOCATOR	Fee constitution and roadmap §9.			
NEXT ACTION	none.			

FND - 05

Asset and chain allowlist

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-03 — Non-custodial transfer contract and fee controls	
RECORD CLASS	Component
PARENT CAPABILITY	PC-03 — Non-custodial transfer contract and fee controls
AREA / PHASE / SIDE / TYPE	Execution configuration / existing / both / route control
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Prevent arbitrary-token and wrong-chain execution while keeping each route independently controllable.
PARENT USER VALUE	A payer can authorize a deterministic transfer with explicit fee and asset limits.
PARENT STRATEGIC ROLE	Supplies the proven execution rail beneath the payment-operations product.
STRATEGIC-ROLE TAGS	Execution; Trust; Security/assurance
CURRENT IMPLEMENTATION	Polygon USDC is configured and narrow. A generalized delistable asset registry is specified for horizontal expansion but not needed for V1.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Exact contract addresses, decimals, chain ID, executor, pause status, RPC, and route-specific tests.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Exact contract addresses, decimals, chain ID, executor, pause status, RPC, and route-specific tests.
COMMERCIAL HYPOTHESIS	Breadth is not value without workflow demand.
BOUNDARY	Never permit a user-supplied token contract.
STOP RULE	Never permit a user-supplied token contract.
SOURCE / EVIDENCE LOCATOR	`app-web/contracts/implicitex_transfer.sol`; `app-web/frontend/public/js/ix-execution.js`; `docs/operations/evidence/gate4-mainnet-controlled-smoke-2026-06-15.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintain Polygon USDC only.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 app-web/contracts/implicitex_transfer.sol @ 6bf1608 app-web/frontend/public/js/ix-execution.js @ 6bf1608 docs/operations/evidence/gate4-mainnet-controlled-smoke-2026-06-15.md @ 6bf1608	

FND - 06

Transfer enablement and pause gates

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-03 — Non-custodial transfer contract and fee controls	
RECORD CLASS	Component
PARENT CAPABILITY	PC-03 — Non-custodial transfer contract and fee controls
AREA / PHASE / SIDE / TYPE	Execution control / existing / both / release safety
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Permit controlled opening, closing, and contract-pause recognition without ambiguous execution state.
PARENT USER VALUE	A payer can authorize a deterministic transfer with explicit fee and asset limits.
PARENT STRATEGIC ROLE	Supplies the proven execution rail beneath the payment-operations product.
STRATEGIC-ROLE TAGS	Execution; Trust; Security/assurance
CURRENT IMPLEMENTATION	Global/per-chain enablement, paused-contract checks, controlled smoke, and closure evidence exist.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Explicit config, onchain pause read, safe UI state, deploy evidence, and no stale cache.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Explicit config, onchain pause read, safe UI state, deploy evidence, and no stale cache.
COMMERCIAL HYPOTHESIS	Reliability control.
BOUNDARY	A closed gate must never appear executable; an open gate requires explicit release authority.
STOP RULE	A closed gate must never appear executable; an open gate requires explicit release authority.
SOURCE / EVIDENCE LOCATOR	`app-web/contracts/implicitex_transfer.sol`; `app-web/frontend/public/js/ix-execution.js`; `docs/operations/evidence/gate4-mainnet-controlled-smoke-2026-06-15.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintenance only.
REVISION-QUALIFIED EVIDENCE LINKS - docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/contracts/implicitex_transfer.sol @ 6bf1608 - app-web/frontend/public/js/ix-execution.js @ 6bf1608 - docs/operations/evidence/gate4-mainnet-controlled-smoke-2026-06-15.md @ 6bf1608	

FND - 07

Injected-wallet connection

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-04 — Wallet access and execution continuity	
RECORD CLASS	Component
PARENT CAPABILITY	PC-04 — Wallet access and execution continuity
AREA / PHASE / SIDE / TYPE	Wallet access / existing / payer / client integration
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Let a user retain key control and use an installed EIP-1193 wallet for authorization.
PARENT USER VALUE	The payer can use a supported wallet without silent context drift.
PARENT STRATEGIC ROLE	Keeps wallet authorization as the custody boundary while broadening access.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance
CURRENT IMPLEMENTATION	Connection, disconnection, account observation, and mobile MetaMask flows are implemented and smoke-tested.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Explicit user initiation, provider continuity, account/chain checks, rejection handling, and no passive connection.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Explicit user initiation, provider continuity, account/chain checks, rejection handling, and no passive connection.
COMMERCIAL HYPOTHESIS	Access feature, not a paid service.
BOUNDARY	Never imply ImplicitEx controls or can recover the wallet.
STOP RULE	Never imply ImplicitEx controls or can recover the wallet.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/wallet.js`; `app-web/frontend/public/js/walletconnect-provider.js`; `app-web/tests/frontend/ix-execution-authorized-path.test.js`; `docs/operations/evidence/walletconnect-regression-2026-06-14.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintenance only.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

app-web/frontend/public/js/wallet.js @ 6bf1608

app-web/frontend/public/js/walletconnect-provider.js @ 6bf1608

app-web/tests/frontend/ix-execution-authorized-path.test.js @ 6bf1608

docs/operations/evidence/walletconnect-regression-2026-06-14.md @ 6bf1608

FND - 08

WalletConnect/Reown connection

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-04 — Wallet access and execution continuity	
RECORD CLASS	Component
PARENT CAPABILITY	PC-04 — Wallet access and execution continuity
AREA / PHASE / SIDE / TYPE	Wallet access / existing / payer / client integration
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Broaden mobile and non-injected wallet access while preserving self-custody.
PARENT USER VALUE	The payer can use a supported wallet without silent context drift.
PARENT STRATEGIC ROLE	Keeps wallet authorization as the custody boundary while broadening access.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance
CURRENT IMPLEMENTATION	Lazy-loaded provider, explicit session teardown, privacy-first refresh behavior, wrong-network handling, and regression tests exist.
REMAINING WORK	Library-side relay noise and broader wallet smoke remain documented caveats.
DEPENDENCIES	Project configuration, vendored dependency integrity, provider identity, cancellation, session expiry, and supported-wallet production smoke.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Project configuration, vendored dependency integrity, provider identity, cancellation, session expiry, and supported-wallet production smoke.
COMMERCIAL HYPOTHESIS	Necessary access parity; not a product thesis.
BOUNDARY	Stop adding wallet vendors when support/test cost exceeds observed abandonment.
STOP RULE	Stop adding wallet vendors when support/test cost exceeds observed abandonment.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/wallet.js`; `app-web/frontend/public/js/walletconnect-provider.js`; `app-web/tests/frontend/ix-execution-authorized-path.test.js`; `docs/operations/evidence/walletconnect-regression-2026-06-14.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintain; add wallet-specific smoke only when demanded.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 app-web/frontend/public/js/wallet.js @ 6bf1608 app-web/frontend/public/js/walletconnect-provider.js @ 6bf1608 app-web/tests/frontend/ix-execution-authorized-path.test.js @ 6bf1608 docs/operations/evidence/walletconnect-regression-2026-06-14.md @ 6bf1608	

FND - 09

Provider continuity

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-04 — Wallet access and execution continuity	
RECORD CLASS	Component
PARENT CAPABILITY	PC-04 — Wallet access and execution continuity
AREA / PHASE / SIDE / TYPE	Execution security / existing / payer / runtime invariant
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Ensure the provider that supplied authorization context is the provider used for live execution.
PARENT USER VALUE	The payer can use a supported wallet without silent context drift.
PARENT STRATEGIC ROLE	Keeps wallet authorization as the custody boundary while broadening access.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance
CURRENT IMPLEMENTATION	Provider snapshots, injected/WalletConnect mismatch rejection, session-expiry handling, and one-shot proof consumption are implemented and heavily tested.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	Immutable authorization proof, live provider comparison, no automatic fallback, and failure before any state-changing RPC.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Immutable authorization proof, live provider comparison, no automatic fallback, and failure before any state-changing RPC.
COMMERCIAL HYPOTHESIS	Reduces invisible execution drift.
BOUNDARY	Any bypass or automatic provider substitution is a release blocker.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/wallet.js`; `app-web/frontend/public/js/walletconnect-provider.js`; `app-web/tests/frontend/ix-execution-authorized-path.test.js`; `docs/operations/evidence/walletconnect-regression-2026-06-14.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve through canonical integration.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 app-web/frontend/public/js/wallet.js @ 6bf1608 app-web/frontend/public/js/walletconnect-provider.js @ 6bf1608 app-web/tests/frontend/ix-execution-authorized-path.test.js @ 6bf1608 docs/operations/evidence/walletconnect-regression-2026-06-14.md @ 6bf1608	

FND - 10

Account and chain TOCTOU checks

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-04 — Wallet access and execution continuity	
RECORD CLASS	Component
PARENT CAPABILITY	PC-04 — Wallet access and execution continuity
AREA / PHASE / SIDE / TYPE	Execution security / existing / payer / runtime invariant
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Stop a payment when wallet account or network changes between review and execution.
PARENT USER VALUE	The payer can use a supported wallet without silent context drift.
PARENT STRATEGIC ROLE	Keeps wallet authorization as the custody boundary while broadening access.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance
CURRENT IMPLEMENTATION	Account and chain snapshots, live re-reads, explicit drift results, and pre-write blocking tests exist.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	Provider continuity, pinned execution plan, one-shot authorization, and no transaction before equality.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Provider continuity, pinned execution plan, one-shot authorization, and no transaction before equality.
COMMERCIAL HYPOTHESIS	Core trust control.
BOUNDARY	Any drift that can reach `eth_sendTransaction` blocks release.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/wallet.js`; `app-web/frontend/public/js/walletconnect-provider.js`; `app-web/tests/frontend/ix-execution-authorized-path.test.js`; `docs/operations/evidence/walletconnect-regression-2026-06-14.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve through canonical integration.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/frontend/public/js/wallet.js @ 6bf1608 - app-web/frontend/public/js/walletconnect-provider.js @ 6bf1608 - app-web/tests/frontend/ix-execution-authorized-path.test.js @ 6bf1608 - docs/operations/evidence/walletconnect-regression-2026-06-14.md @ 6bf1608	

FND - 11

Transfer preflight

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-05 — Transfer preflight, dispatch, and transaction state	
RECORD CLASS	Component
PARENT CAPABILITY	PC-05 — Transfer preflight, dispatch, and transaction state
AREA / PHASE / SIDE / TYPE	Payment execution / existing / payer / validation
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Detect wrong network, paused route, invalid address, below/above limits, insufficient balance, and required allowance before execution.
PARENT USER VALUE	The payer knows what will happen and whether retrying is safe.
PARENT STRATEGIC ROLE	Makes the commodity rail dependable enough to support managed payment workflows.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance; Support/operations
CURRENT IMPLEMENTATION	Preview, configured-chain, pause, amount, balance, and refreshed-preflight logic are implemented and tested.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Authenticated route policy, live chain reads, deterministic amount parsing, and honest unavailable states.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Authenticated route policy, live chain reads, deterministic amount parsing, and honest unavailable states.
COMMERCIAL HYPOTHESIS	Necessary reliability, not sufficient differentiation.
BOUNDARY	Never describe checks as insurance or a guarantee.
STOP RULE	Never describe checks as insurance or a guarantee.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/ix-execution.js`; `app-web/frontend/public/js/transfer-status.js`; `app-web/tests/frontend/ix-execution.test.js`; `docs/testing/transfer-edge-case-rehearsal.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintenance only.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

app-web/frontend/public/js/ix-execution.js @ 6bf1608

app-web/frontend/public/js/transfer-status.js @ 6bf1608

app-web/tests/frontend/ix-execution.test.js @ 6bf1608

docs/testing/transfer-edge-case-rehearsal.md @ 6bf1608

FND - 12

Exact amount, fee, and allowance calculation

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-05 — Transfer preflight, dispatch, and transaction state	
RECORD CLASS	Component
PARENT CAPABILITY	PC-05 — Transfer preflight, dispatch, and transaction state
AREA / PHASE / SIDE / TYPE	Payment execution / existing / payer / deterministic calculation
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Show and authorize the same principal, fee, and total debit that the contract will execute.
PARENT USER VALUE	The payer knows what will happen and whether retrying is safe.
PARENT STRATEGIC ROLE	Makes the commodity rail dependable enough to support managed payment workflows.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance; Support/operations
CURRENT IMPLEMENTATION	BigInt/atomic math, 1% basis-point calculation, transfer-only or approve-then-transfer planning, and pinned totals are implemented and live-smoked.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Token decimals, live allowance, fee policy, exact calldata, and cross-surface parity.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Token decimals, live allowance, fee policy, exact calldata, and cross-surface parity.
COMMERCIAL HYPOTHESIS	Avoids misleading fee or approval display.
BOUNDARY	Any parallel floating-point or surface-owned fee calculation is prohibited.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/ix-execution.js`; `app-web/frontend/public/js/transfer-status.js`; `app-web/tests/frontend/ix-execution.test.js`; `docs/testing/transfer-edge-case-rehearsal.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve as single authority.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 app-web/frontend/public/js/ix-execution.js @ 6bf1608 app-web/frontend/public/js/transfer-status.js @ 6bf1608 app-web/tests/frontend/ix-execution.test.js @ 6bf1608 docs/testing/transfer-edge-case-rehearsal.md @ 6bf1608	

FND - 13

Approval and transfer dispatch

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-05 — Transfer preflight, dispatch, and transaction state	
RECORD CLASS	Component
PARENT CAPABILITY	PC-05 — Transfer preflight, dispatch, and transaction state
AREA / PHASE / SIDE / TYPE	Payment execution / existing / payer / wallet writes
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Execute the exact approved plan through one controlled authority rather than surface-specific wallet calls.
PARENT USER VALUE	The payer knows what will happen and whether retrying is safe.
PARENT STRATEGIC ROLE	Makes the commodity rail dependable enough to support managed payment workflows.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance; Support/operations
CURRENT IMPLEMENTATION	`IX_EXECUTION` owns approval and `transferWithFee`; rejection and no-retry behavior are tested.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Authorization proof, provider continuity, TOCTOU checks, pinned calldata, and transaction receipt.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Authorization proof, provider continuity, TOCTOU checks, pinned calldata, and transaction receipt.
COMMERCIAL HYPOTHESIS	Execution rail only.
BOUNDARY	No new surface may issue fund-moving RPC independently.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/ix-execution.js`; `app-web/frontend/public/js/transfer-status.js`; `app-web/tests/frontend/ix-execution.test.js`; `docs/testing/transfer-edge-case-rehearsal.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve through branch integration.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

app-web/frontend/public/js/ix-execution.js @ 6bf1608

app-web/frontend/public/js/transfer-status.js @ 6bf1608

app-web/tests/frontend/ix-execution.test.js @ 6bf1608

docs/testing/transfer-edge-case-rehearsal.md @ 6bf1608

FND - 14

Confirmation and finality observation

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-05 — Transfer preflight, dispatch, and transaction state	
RECORD CLASS	Component
PARENT CAPABILITY	PC-05 — Transfer preflight, dispatch, and transaction state
AREA / PHASE / SIDE / TYPE	Settlement observation / existing / both / receipt polling
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Distinguish submitted from confirmed and present a defensible final outcome.
PARENT USER VALUE	The payer knows what will happen and whether retrying is safe.
PARENT STRATEGIC ROLE	Makes the commodity rail dependable enough to support managed payment workflows.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance; Support/operations
CURRENT IMPLEMENTATION	Receipt polling, successful status, explorer links, and finality language exist. V2 still needs a server-side minimal watcher for durable known-submission matching.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Transaction hash, RPC/provider observation, receipt status, confirmation policy, and chain truth.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Transaction hash, RPC/provider observation, receipt status, confirmation policy, and chain truth.
COMMERCIAL HYPOTHESIS	Foundation for payment meaning.
BOUNDARY	Never call “submitted” paid or encourage unsafe retry while outcome is unknown.
STOP RULE	Never call “submitted” paid or encourage unsafe retry while outcome is unknown.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/ix-execution.js`; `app-web/frontend/public/js/transfer-status.js`; `app-web/tests/frontend/ix-execution.test.js`; `docs/testing/transfer-edge-case-rehearsal.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintain locally; server watcher remains V2-gated.
REVISION-QUALIFIED EVIDENCE LINKS - docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/frontend/public/js/ix-execution.js @ 6bf1608 - app-web/frontend/public/js/transfer-status.js @ 6bf1608 - app-web/tests/frontend/ix-execution.test.js @ 6bf1608 - docs/testing/transfer-edge-case-rehearsal.md @ 6bf1608	

FND - 15

Uncertain-outcome handling

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-05 — Transfer preflight, dispatch, and transaction state	
RECORD CLASS	Component
PARENT CAPABILITY	PC-05 — Transfer preflight, dispatch, and transaction state
AREA / PHASE / SIDE / TYPE	Exception handling / existing / payer / failure-state control
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Tell a user when broadcast may have occurred but confirmation is not known, preserving evidence and preventing unsafe retry.
PARENT USER VALUE	The payer knows what will happen and whether retrying is safe.
PARENT STRATEGIC ROLE	Makes the commodity rail dependable enough to support managed payment workflows.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance; Support/operations
CURRENT IMPLEMENTATION	Interrupted/unknown receipt states, recovery copy, persistence, and explorer guidance are implemented.
REMAINING WORK	Cross-device durable recovery remains outside the current local model.
DEPENDENCIES	Broadcast-state distinction, hash preservation when available, non-weakening `fundsMoved`, and explicit retry rules.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Broadcast-state distinction, hash preservation when available, non-weakening `fundsMoved`, and explicit retry rules.
COMMERCIAL HYPOTHESIS	Operational clarity, not reimbursement.
BOUNDARY	Any failure path that silently returns to “ready” after possible broadcast is a release blocker.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/ix-execution.js`; `app-web/frontend/public/js/transfer-status.js`; `app-web/tests/frontend/ix-execution.test.js`; `docs/testing/transfer-edge-case-rehearsal.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve; extend only through V2 watcher design.

REVISION-QUALIFIED EVIDENCE LINKS

- docs/product-commercial-roadmap-rev6 @ 6bf1608
- app-web/frontend/public/js/ix-execution.js @ 6bf1608
- app-web/frontend/public/js/transfer-status.js @ 6bf1608
- app-web/tests/frontend/ix-execution.test.js @ 6bf1608
- docs/testing/transfer-edge-case-rehearsal.md @ 6bf1608

FND - 16

Local receipt store and rehydration

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-06 — Local receipt, proof, and activity foundation	
RECORD CLASS	Component
PARENT CAPABILITY	PC-06 — Local receipt, proof, and activity foundation
AREA / PHASE / SIDE / TYPE	Evidence / existing / payer / browser persistence
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Preserve transaction state, metadata, and outcome across refresh without creating a customer account.
PARENT USER VALUE	The user can understand and retrieve a payment beyond an explorer hash.
PARENT STRATEGIC ROLE	Provides the present evidence base that V2 will extend into request-linked operations.
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Payer usability
CURRENT IMPLEMENTATION	LocalStorage receipt lifecycle, active cleanup, history, purpose/reference/memo preservation, and rehydration rules are implemented.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Schema version, immutable facts, source stamping, terminal-state rules, and storage-failure tolerance.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Schema version, immutable facts, source stamping, terminal-state rules, and storage-failure tolerance.
COMMERCIAL HYPOTHESIS	Useful foundation but device-bound and not V2 records.
BOUNDARY	Never imply cloud backup or cross-device availability.
STOP RULE	Never imply cloud backup or cross-device availability.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/receipt-store.js`; `app-web/frontend/public/js/proof-packet.js`; `app-web/tests/frontend/receipt-transfer-only-lifecycle.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintenance; V2 storage waits for Gate 0.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

app-web/frontend/public/js/receipt-store.js @ 6bf1608

app-web/frontend/public/js/proof-packet.js @ 6bf1608

app-web/tests/frontend/receipt-transfer-only-lifecycle.test.js @ 6bf1608

FND - 17

Local proof packet

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-06 — Local receipt, proof, and activity foundation	
RECORD CLASS	Component
PARENT CAPABILITY	PC-06 — Local receipt, proof, and activity foundation
AREA / PHASE / SIDE / TYPE	Evidence / existing / both / portable artifact
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Turn a receipt and observed chain facts into a downloadable record instead of an isolated transaction hash.
PARENT USER VALUE	The user can understand and retrieve a payment beyond an explorer hash.
PARENT STRATEGIC ROLE	Provides the present evidence base that V2 will extend into request-linked operations.
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Payer usability
CURRENT IMPLEMENTATION	Proof packet generation and download exist.
REMAINING WORK	Request binding, route-lineage authority, independent validation, signing-time authentication, and formula-safe export remain incomplete at the product level.
DEPENDENCIES	Receipt schema, chain truth, Coin Card authority, fact/inference separation, and refresh/provider tests.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Receipt schema, chain truth, Coin Card authority, fact/inference separation, and refresh/provider tests.
COMMERCIAL HYPOTHESIS	Candidate evidence value; not enough alone to justify pricing.
BOUNDARY	Stop expanding proof complexity if customers do not use or care about it.
STOP RULE	Stop expanding proof complexity if customers do not use or care about it.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/receipt-store.js`; `app-web/frontend/public/js/proof-packet.js`; `app-web/tests/frontend/receipt-transfer-only-lifecycle.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 route-version hardening only.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/frontend/public/js/receipt-store.js @ 6bf1608 - app-web/frontend/public/js/proof-packet.js @ 6bf1608 - app-web/tests/frontend/receipt-transfer-only-lifecycle.test.js @ 6bf1608	

FND - 18

Local activity and recipient context

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-06 — Local receipt, proof, and activity foundation	
RECORD CLASS	Component
PARENT CAPABILITY	PC-06 — Local receipt, proof, and activity foundation
AREA / PHASE / SIDE / TYPE	Payment history / existing / payer / browser view
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Let a user revisit recent receipts and recipient context without rescanning the chain.
PARENT USER VALUE	The user can understand and retrieve a payment beyond an explorer hash.
PARENT STRATEGIC ROLE	Provides the present evidence base that V2 will extend into request-linked operations.
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Payer usability
CURRENT IMPLEMENTATION	Local receipt history and recipient-context lookup exist. It is not authoritative business history, tenant-isolated cloud storage, or broad wallet history.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	Receipt integrity, local privacy, deduplication, and clear device-bound copy.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Receipt integrity, local privacy, deduplication, and clear device-bound copy.
COMMERCIAL HYPOTHESIS	Foundation for later searchable activity.
BOUNDARY	Do not promote it as V2 matching or accounting.
STOP RULE	Do not promote it as V2 matching or accounting.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/receipt-store.js`; `app-web/frontend/public/js/proof-packet.js`; `app-web/tests/frontend/receipt-transfer-only-lifecycle.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintenance.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 app-web/frontend/public/js/receipt-store.js @ 6bf1608 app-web/frontend/public/js/proof-packet.js @ 6bf1608 app-web/tests/frontend/receipt-transfer-only-lifecycle.test.js @ 6bf1608	

FND - 19

Modular portal shell and progressive disclosure

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-07 — Modular portal, PWA, hosting, and build identity	
RECORD CLASS	Component
PARENT CAPABILITY	PC-07 — Modular portal, PWA, hosting, and build identity
AREA / PHASE / SIDE / TYPE	Portal / existing / both / interaction architecture
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Keep the default payment task legible while allowing deeper network, verification, receipt, and evidence surfaces.
PARENT USER VALUE	Users see the right tool and status without becoming lost in a crowded dashboard.
PARENT STRATEGIC ROLE	Creates the expandable portal shell while preserving mobile access and deployment truth.
STRATEGIC-ROLE TAGS	Distribution/access; Governance; Support/operations
CURRENT IMPLEMENTATION	Distinct transfer/network/verification modules, intent-based projection, layout controls, responsive shell, and regression tests exist. The shared V2 object model and full summary/detail/action/evidence workspaces do not.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	One state authority, no hidden payment facts, responsive navigation, and cross-view consistency.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: One state authority, no hidden payment facts, responsive navigation, and cross-view consistency.
COMMERCIAL HYPOTHESIS	Enables a powerful but simple workspace.
BOUNDARY	Reject panels that expose data without advancing a customer task.
STOP RULE	Reject panels that expose data without advancing a customer task.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/portal-index.html`; `app-web/tests/browser/portal-coordinator-regression.test.js`; `app-web/tests/browser/portal-install-intent.test.js`; `firebase.json`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintenance in V1; object work remains V2-gated.
REVISION-QUALIFIED EVIDENCE LINKS - docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/frontend/public/portal-index.html @ 6bf1608 - app-web/tests/browser/portal-coordinator-regression.test.js @ 6bf1608 - app-web/tests/browser/portal-install-intent.test.js @ 6bf1608	

FND - 20

PWA, install, and responsive mobile surface

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-07 — Modular portal, PWA, hosting, and build identity	
RECORD CLASS	Component
PARENT CAPABILITY	PC-07 — Modular portal, PWA, hosting, and build identity
AREA / PHASE / SIDE / TYPE	Access / existing / both / distribution shell
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Make the portal usable and installable on phones without immediately funding native applications.
PARENT USER VALUE	Users see the right tool and status without becoming lost in a crowded dashboard.
PARENT STRATEGIC ROLE	Creates the expandable portal shell while preserving mobile access and deployment truth.
STRATEGIC-ROLE TAGS	Distribution/access; Governance; Support/operations
CURRENT IMPLEMENTATION	Manifest, install intent, mobile/iPad layouts, mobile-wallet smoke, and responsive tests exist.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Secure HTTPS, valid manifest, safe-area behavior, wallet compatibility, and no horizontal overflow.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Secure HTTPS, valid manifest, safe-area behavior, wallet compatibility, and no horizontal overflow.
COMMERCIAL HYPOTHESIS	PWA-first preserves founder capacity.
BOUNDARY	Native work remains closed unless a platform limitation blocks retained paid users.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/portal-index.html`; `app-web/tests/browser/portal-coordinator-regression.test.js`; `app-web/tests/browser/portal-install-intent.test.js`; `firebase.json`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintenance only.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 app-web/frontend/public/portal-index.html @ 6bf1608 app-web/tests/browser/portal-coordinator-regression.test.js @ 6bf1608 app-web/tests/browser/portal-install-intent.test.js @ 6bf1608	

FND - 21

Firestore hosting, security headers, and custom domains

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-07 — Modular portal, PWA, hosting, and build identity	
RECORD CLASS	Component
PARENT CAPABILITY	PC-07 — Modular portal, PWA, hosting, and build identity
AREA / PHASE / SIDE / TYPE	Delivery / existing / both / infrastructure
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Serve the main site, portal, and Coin Card surfaces with explicit targets, CSP, cache, framing, and domain rules.
PARENT USER VALUE	Users see the right tool and status without becoming lost in a crowded dashboard.
PARENT STRATEGIC ROLE	Creates the expandable portal shell while preserving mobile access and deployment truth.
STRATEGIC-ROLE TAGS	Distribution/access; Governance; Support/operations
CURRENT IMPLEMENTATION	Multi-site Firestore configuration, production target, custom domains, CSP, HSTS, no-cache rules, and deploy smoke exist.
REMAINING WORK	Canonical branch identity remains unresolved under GOV-04.
DEPENDENCIES	Correct Firestore project and target, header validation, domain smoke, predeploy gate, and rollback.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Correct Firestore project and target, header validation, domain smoke, predeploy gate, and rollback.
COMMERCIAL HYPOTHESIS	Foundational reliability.
BOUNDARY	Stop deployment if the target project or source tree is ambiguous.
STOP RULE	Stop deployment if the target project or source tree is ambiguous.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/portal-index.html`; `app-web/tests/browser/portal-coordinator-regression.test.js`; `app-web/tests/browser/portal-install-intent.test.js`; `firebase.json`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve; integrate canonical history.
REVISION-QUALIFIED EVIDENCE LINKS - docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/frontend/public/portal-index.html @ 6bf1608 - app-web/tests/browser/portal-coordinator-regression.test.js @ 6bf1608 - app-web/tests/browser/portal-install-intent.test.js @ 6bf1608	

FND - 22

Production build identity

COMPONENT

PARTIALLY IMPLEMENTED

READY BUT NOT QUEUED

PC-07 — Modular portal, PWA, hosting, and build identity	
RECORD CLASS	Component
PARENT CAPABILITY	PC-07 — Modular portal, PWA, hosting, and build identity
AREA / PHASE / SIDE / TYPE	Delivery / existing / internal / diagnostics
IMPLEMENTATION MATURITY	Partially implemented
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Let support and production verification identify the exact build serving a user.
PARENT USER VALUE	Users see the right tool and status without becoming lost in a crowded dashboard.
PARENT STRATEGIC ROLE	Creates the expandable portal shell while preserving mobile access and deployment truth.
STRATEGIC-ROLE TAGS	Distribution/access; Governance; Support/operations
CURRENT IMPLEMENTATION	Portal build-info generation and Settings surface exist at `b664563`.
REMAINING WORK	The main-site deployment does not regenerate it and the current live planning deploy therefore carries stale build metadata.
DEPENDENCIES	One canonical production branch, build generation for every relevant target, immutable commit/time fields, and live smoke.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: One canonical production branch, build generation for every relevant target, immutable commit/time fields, and live smoke.
COMMERCIAL HYPOTHESIS	Reduces diagnosis time and deployment ambiguity.
BOUNDARY	Stale identity must never be treated as release proof.
STOP RULE	Stale identity must never be treated as release proof.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/portal-index.html`; `app-web/tests/browser/portal-coordinator-regression.test.js`; `app-web/tests/browser/portal-install-intent.test.js`; `firebase.json`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	resolve during GOV-04 integration.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/frontend/public/portal-index.html @ 6bf1608 - app-web/tests/browser/portal-coordinator-regression.test.js @ 6bf1608 - app-web/tests/browser/portal-install-intent.test.js @ 6bf1608	

FND - 23

Architecture and transaction-flow evidence page

COMPONENT

PRODUCTION-VERIFIED

DEFERRED

PC-07 — Modular portal, PWA, hosting, and build identity	
RECORD CLASS	Component
PARENT CAPABILITY	PC-07 — Modular portal, PWA, hosting, and build identity
AREA / PHASE / SIDE / TYPE	Trust documentation / existing / both / public evidence
IMPLEMENTATION MATURITY	Production-verified
WORK AUTHORIZATION	Deferred
PURPOSE	Explain architecture, authority, and observed transaction flow to reviewers without substituting claims for evidence.
PARENT USER VALUE	Users see the right tool and status without becoming lost in a crowded dashboard.
PARENT STRATEGIC ROLE	Creates the expandable portal shell while preserving mobile access and deployment truth.
STRATEGIC-ROLE TAGS	Distribution/access; Governance; Support/operations
CURRENT IMPLEMENTATION	Generated public page, screenshots, proof packets, predeploy regeneration, and hash-preserving checks exist.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Canonical source, generated artifact parity, public-safe content, and release gate.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Canonical source, generated artifact parity, public-safe content, and release gate.
COMMERCIAL HYPOTHESIS	Supports trust and partner review; not a customer workflow.
BOUNDARY	Keep it evidence-based and remove stale implementation claims.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/portal-index.html`; `app-web/tests/browser/portal-coordinator-regression.test.js`; `app-web/tests/browser/portal-install-intent.test.js`; `firebase.json`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintenance.

REVISION-QUALIFIED EVIDENCE LINKS

- docs/product-commercial-roadmap-rev6 @ 6bf1608
- app-web/frontend/public/portal-index.html @ 6bf1608
- app-web/tests/browser/portal-coordinator-regression.test.js @ 6bf1608
- app-web/tests/browser/portal-install-intent.test.js @ 6bf1608

OBJ - 01

Stable object identity and history

COMPONENT

DEFINED OR SPECIFIED

DECISION REQUIRED

PC-08 — Shared payment-object and portal model	
RECORD CLASS	Component
PARENT CAPABILITY	PC-08 — Shared payment-object and portal model
AREA / PHASE / SIDE / TYPE	Product architecture / V1 → V2 / both / shared model
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Decision required
PURPOSE	Give every profile, contact, card, request, transfer, receipt, template, schedule, and exception a stable ID, state machine, authority source, and history.
PARENT USER VALUE	The same payment remains understandable across summary, detail, action, and evidence views.
PARENT STRATEGIC ROLE	Prevents the suite from becoming disconnected applications or contradictory records.
STRATEGIC-ROLE TAGS	Governance; Payee operations; Evidence
CURRENT IMPLEMENTATION	Several existing objects have local or Coin Card IDs, but there is no ratified product-wide identity/relationship model.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	Signed-record ratification, V2 tenant model, public/private data separation, and explicit mutation rules.
ENTRY GATE	The named governing decision is ratified and recorded.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Signed-record ratification, V2 tenant model, public/private data separation, and explicit mutation rules.
COMMERCIAL HYPOTHESIS	Prevents the suite from becoming disconnected tools.
BOUNDARY	Do not introduce a second authoritative status for the same payment.
STOP RULE	Do not introduce a second authoritative status for the same payment.
SOURCE / EVIDENCE LOCATOR	Roadmap portal doctrine.
NEXT ACTION	define only the V1 relationships needed for credential/evidence; full model waits for V2 Gate 0.

OBJ - 02 Business profile		COMPONENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-08 — Shared payment-object and portal model				
RECORD CLASS	Component			
PARENT CAPABILITY	PC-08 — Shared payment-object and portal model			
AREA / PHASE / SIDE / TYPE	Workspace / V2 / payee / customer object			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Hold operator presentation, preferences, approved claims, and billing context without confusing the profile with legal identity.			
PARENT USER VALUE	The same payment remains understandable across summary, detail, action, and evidence views.			
PARENT STRATEGIC ROLE	Prevents the suite from becoming disconnected applications or contradictory records.			
STRATEGIC-ROLE TAGS	Governance; Payee operations; Evidence			
CURRENT IMPLEMENTATION	Coin Card presentation fields exist.			
REMAINING WORK	Authenticated profile, private preferences, billing relationship, and claim history do not.			
DEPENDENCIES	V1 demand, V2 Gate 0, authoritative field ownership, retention, and claim definitions.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1 demand, V2 Gate 0, authoritative field ownership, retention, and claim definitions.			
COMMERCIAL HYPOTHESIS	Supports recipient-paid workspace tiers.			
BOUNDARY	No unsupported “identity verified” language.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Product definition and portal doctrine.			
NEXT ACTION	none before V2 Gate 0.			

OBJ - 03 Contact or recipient record		COMPONENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-08 — Shared payment-object and portal model				
RECORD CLASS	Component			
PARENT CAPABILITY	PC-08 — Shared payment-object and portal model			
AREA / PHASE / SIDE / TYPE	Workspace / V2 Expansion / both / counterparty object			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Preserve useful counterparty context without searching messages or implying verified identity.			
PARENT USER VALUE	The same payment remains understandable across summary, detail, action, and evidence views.			
PARENT STRATEGIC ROLE	Prevents the suite from becoming disconnected applications or contradictory records.			
STRATEGIC-ROLE TAGS	Governance; Payee operations; Evidence			
CURRENT IMPLEMENTATION	Local recipient context exists.			
REMAINING WORK	Tenant-scoped contacts, provenance, update history, and privacy controls do not.			
DEPENDENCIES	V2 Core use, Gate 0, three customers naming the problem, and one active expansion slot.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2 Core use, Gate 0, three customers naming the problem, and one active expansion slot.			
COMMERCIAL HYPOTHESIS	Retention/convenience value.			
BOUNDARY	Stop if users rely on wallet/ENS contacts and do not revisit ImplicitEx records.			
STOP RULE	Stop if users rely on wallet/ENS contacts and do not revisit ImplicitEx records.			
SOURCE / EVIDENCE LOCATOR	Capability register.			
NEXT ACTION	none.			

OBJ - 04

Coin Card object

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-08 — Shared payment-object and portal model	
RECORD CLASS	Component
PARENT CAPABILITY	PC-08 — Shared payment-object and portal model
AREA / PHASE / SIDE / TYPE	Payment identity / V1 / payee / public/private object
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Provide the persistent payment identity that requests, route history, and evidence can reference.
PARENT USER VALUE	The same payment remains understandable across summary, detail, action, and evidence views.
PARENT STRATEGIC ROLE	Prevents the suite from becoming disconnected applications or contradictory records.
STRATEGIC-ROLE TAGS	Governance; Payee operations; Evidence
CURRENT IMPLEMENTATION	Card IDs, manifests, lifecycle records, presentation, and active demo cards exist.
REMAINING WORK	Controlled customer issuance and ratified public/private administration do not.
DEPENDENCIES	Complete Coin Card trust stack, namespace policy, wallet challenge, lifecycle operations, and Gate 1A.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Complete Coin Card trust stack, namespace policy, wallet challenge, lifecycle operations, and Gate 1A.
COMMERCIAL HYPOTHESIS	Seed object for the workspace.
BOUNDARY	Stop treating it as a standalone business if users value only appearance or generic links.
STOP RULE	Stop treating it as a standalone business if users value only appearance or generic links.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/portal-index.html`; `app-web/tests/frontend/portal-surface-registry.test.js`; `app-web/tests/frontend/portal-view-projection.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 trust ratification and issuance gate.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 app-web/frontend/public/portal-index.html @ 6bf1608 app-web/tests/frontend/portal-surface-registry.test.js @ 6bf1608 app-web/tests/frontend/portal-view-projection.test.js @ 6bf1608	

OBJ - 05 Payment request object		COMPONENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-08 — Shared payment-object and portal model				
RECORD CLASS	Component			
PARENT CAPABILITY	PC-08 — Shared payment-object and portal model			
AREA / PHASE / SIDE / TYPE	Payment operations / V2 Core / payee / signed object			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Freeze amount, purpose, reference, destination, asset, chain, issue time, and expiry into one request.			
PARENT USER VALUE	The same payment remains understandable across summary, detail, action, and evidence views.			
PARENT STRATEGIC ROLE	Prevents the suite from becoming disconnected applications or contradictory records.			
STRATEGIC-ROLE TAGS	Governance; Payee operations; Evidence			
CURRENT IMPLEMENTATION	Receipt metadata and Coin Card intent concepts exist; no V2 request record family or lifecycle is implemented.			
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.			
DEPENDENCIES	V1 signed-record ratification, V2 Gate 0, canonical amounts, request ID, lifecycle, and URL safety.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1 signed-record ratification, V2 Gate 0, canonical amounts, request ID, lifecycle, and URL safety.			
COMMERCIAL HYPOTHESIS	Candidate anchor for paid small-operator workflow.			
BOUNDARY	Stop if Request/free invoicing already satisfies the target user.			
STOP RULE	Stop if Request/free invoicing already satisfies the target user.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 and capability register.			
NEXT ACTION	none until V1 exit and Gate 0.			

OBJ - 06

Transfer object

COMPONENT

PARTIALLY IMPLEMENTED

READY BUT NOT QUEUED

PC-08 — Shared payment-object and portal model	
RECORD CLASS	Component
PARENT CAPABILITY	PC-08 — Shared payment-object and portal model
AREA / PHASE / SIDE / TYPE	Payment operations / existing → V2 / both / execution object
IMPLEMENTATION MATURITY	Partially implemented
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Preserve authorization and chain execution state separately from the business request it may satisfy.
PARENT USER VALUE	The same payment remains understandable across summary, detail, action, and evidence views.
PARENT STRATEGIC ROLE	Prevents the suite from becoming disconnected applications or contradictory records.
STRATEGIC-ROLE TAGS	Governance; Payee operations; Evidence
CURRENT IMPLEMENTATION	Local receipts contain execution state and evidence.
REMAINING WORK	Durable tenant-scoped transfer objects and request relationships do not.
DEPENDENCIES	V2 Gate 0, transaction-hash capture, watcher, idempotency, and chain-truth precedence.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2 Gate 0, transaction-hash capture, watcher, idempotency, and chain-truth precedence.
COMMERCIAL HYPOTHESIS	Connects commodity execution to payment meaning.
BOUNDARY	Never infer request authority from amount and address alone.
STOP RULE	Never infer request authority from amount and address alone.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/portal-index.html`; `app-web/tests/frontend/portal-surface-registry.test.js`; `app-web/tests/frontend/portal-view-projection.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintain local state; durable model waits for V2.
REVISION-QUALIFIED EVIDENCE LINKS - docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/frontend/public/portal-index.html @ 6bf1608 - app-web/tests/frontend/portal-surface-registry.test.js @ 6bf1608 - app-web/tests/frontend/portal-view-projection.test.js @ 6bf1608	

OBJ - 07

Receipt or evidence object

COMPONENT

PARTIALLY IMPLEMENTED

READY BUT NOT QUEUED

PC-08 — Shared payment-object and portal model	
RECORD CLASS	Component
PARENT CAPABILITY	PC-08 — Shared payment-object and portal model
AREA / PHASE / SIDE / TYPE	Evidence / V1 → V2 / both / portable record
IMPLEMENTATION MATURITY	Partially implemented
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Join request, route authority, authorization context, execution, and settlement into an independently inspectable payment record.
PARENT USER VALUE	The same payment remains understandable across summary, detail, action, and evidence views.
PARENT STRATEGIC ROLE	Prevents the suite from becoming disconnected applications or contradictory records.
STRATEGIC-ROLE TAGS	Governance; Payee operations; Evidence
CURRENT IMPLEMENTATION	Local receipt, proof packet, and sealed Transaction Evidence contracts exist.
REMAINING WORK	Complete request binding and production v2 evidence authentication do not.
DEPENDENCIES	Coin Card authority, transaction evidence runtime, V2 request family, watcher, and export policy.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Coin Card authority, transaction evidence runtime, V2 request family, watcher, and export policy.
COMMERCIAL HYPOTHESIS	Supports records, disputes, matching, and bookkeeper use.
BOUNDARY	Stop deep cryptographic expansion if customers do not use the artifact or its distinction.
STOP RULE	Stop deep cryptographic expansion if customers do not use the artifact or its distinction.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/portal-index.html`; `app-web/tests/frontend/portal-surface-registry.test.js`; `app-web/tests/frontend/portal-view-projection.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 route-version preservation.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/frontend/public/portal-index.html @ 6bf1608 - app-web/tests/frontend/portal-surface-registry.test.js @ 6bf1608 - app-web/tests/frontend/portal-view-projection.test.js @ 6bf1608	

OBJ - 08 Template or schedule object		COMPONENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-08 — Shared payment-object and portal model				
RECORD CLASS	Component			
PARENT CAPABILITY	PC-08 — Shared payment-object and portal model			
AREA / PHASE / SIDE / TYPE	Payment preparation / V2 Expansion → V3 / payer / reusable instruction			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Remember repeat instructions and timing while preserving fresh wallet authorization.			
PARENT USER VALUE	The same payment remains understandable across summary, detail, action, and evidence views.			
PARENT STRATEGIC ROLE	Prevents the suite from becoming disconnected applications or contradictory records.			
STRATEGIC-ROLE TAGS	Governance; Payee operations; Evidence			
CURRENT IMPLEMENTATION	No authenticated template/schedule object exists.			
REMAINING WORK	Repeat metadata can only be reconstructed from local history.			
DEPENDENCIES	V2 Core repeated use, Gate 0, cancellation, route revalidation, timezone rules, and duplicate prevention.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2 Core repeated use, Gate 0, cancellation, route revalidation, timezone rules, and duplicate prevention.			
COMMERCIAL HYPOTHESIS	Retention hypothesis.			
BOUNDARY	It must never become an automatic pull under the current authority model.			
STOP RULE	It must never become an automatic pull under the current authority model.			
SOURCE / EVIDENCE LOCATOR	Capability register and scheduled authority table.			
NEXT ACTION	none.			

OBJ - 09 Exception object		COMPONENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-08 — Shared payment-object and portal model				
RECORD CLASS	Component			
PARENT CAPABILITY	PC-08 — Shared payment-object and portal model			
AREA / PHASE / SIDE / TYPE	Payment operations / V2 Core → Expansion / payee / review object			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Represent unmatched, failed, expired, cancelled, uncertain, and later partial/excessive/duplicate-suspect states as operator work rather than raw transaction anomalies.			
PARENT USER VALUE	The same payment remains understandable across summary, detail, action, and evidence views.			
PARENT STRATEGIC ROLE	Prevents the suite from becoming disconnected applications or contradictory records.			
STRATEGIC-ROLE TAGS	Governance; Payee operations; Evidence			
CURRENT IMPLEMENTATION	Local execution errors exist.			
REMAINING WORK	Tenant-scoped exception records, correction history, assignment, and evidence links do not.			
DEPENDENCIES	V2 Gate 0, deterministic matching, status taxonomy, idempotency, and operator authorization.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2 Gate 0, deterministic matching, status taxonomy, idempotency, and operator authorization.			
COMMERCIAL HYPOTHESIS	Core administrative value only if users revisit and resolve the queue.			
BOUNDARY	Stop if it becomes a passive dashboard.			
STOP RULE	Stop if it becomes a passive dashboard.			
SOURCE / EVIDENCE LOCATOR	V2 matching architecture and capability register.			
NEXT ACTION	exact V2 Core exceptions only after Gate 0.			

OBJ - 10

Summary, detail, action, and evidence projections

COMPONENT

PARTIALLY IMPLEMENTED

READY BUT NOT QUEUED

PC-08 — Shared payment-object and portal model	
RECORD CLASS	Component
PARENT CAPABILITY	PC-08 — Shared payment-object and portal model
AREA / PHASE / SIDE / TYPE	Portal architecture / V2 / both / view system
IMPLEMENTATION MATURITY	Partially implemented
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Let the same authoritative object stay simple by default and expand into the depth needed for review or action.
PARENT USER VALUE	The same payment remains understandable across summary, detail, action, and evidence views.
PARENT STRATEGIC ROLE	Prevents the suite from becoming disconnected applications or contradictory records.
STRATEGIC-ROLE TAGS	Governance; Payee operations; Evidence
CURRENT IMPLEMENTATION	Portal projection/visibility contracts and multiple transfer surfaces exist.
REMAINING WORK	Product-object projections are not yet defined.
DEPENDENCIES	OBJ-01, authoritative state, responsive behavior, and no hidden security-critical facts.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: OBJ-01, authoritative state, responsive behavior, and no hidden security-critical facts.
COMMERCIAL HYPOTHESIS	Enables the “organized beast” without overwhelming users.
BOUNDARY	Reject any view that creates a competing status source.
STOP RULE	Reject any view that creates a competing status source.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/portal-index.html`; `app-web/tests/frontend/portal-surface-registry.test.js`; `app-web/tests/frontend/portal-view-projection.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve existing shell; define new projections only with V2 tasks.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

app-web/frontend/public/portal-index.html @ 6bf1608

app-web/tests/frontend/portal-surface-registry.test.js @ 6bf1608

app-web/tests/frontend/portal-view-projection.test.js @ 6bf1608

OBJ - 11

Saved views, filters, columns, and curated layouts

COMPONENT

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-08 — Shared payment-object and portal model

RECORD CLASS	Component
PARENT CAPABILITY	PC-08 — Shared payment-object and portal model
AREA / PHASE / SIDE / TYPE	Portal customization / V2 Expansion / payee / preference system
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Adapt the workspace to an operator's task without arbitrary presentation code.
PARENT USER VALUE	The same payment remains understandable across summary, detail, action, and evidence views.
PARENT STRATEGIC ROLE	Prevents the suite from becoming disconnected applications or contradictory records.
STRATEGIC-ROLE TAGS	Governance; Payee operations; Evidence
CURRENT IMPLEMENTATION	A local columns/stacked portal layout exists.
REMAINING WORK	Tenant-scoped saved views, filters, and columns do not.
DEPENDENCIES	Gate 0, stable object schema, repeated use, one expansion slot, and cross-view status parity.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Gate 0, stable object schema, repeated use, one expansion slot, and cross-view status parity.
COMMERCIAL HYPOTHESIS	Potential retention value.
BOUNDARY	No arbitrary CSS, executable customization, or ability to hide payment facts.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap customization boundary.
NEXT ACTION	none.

IMPLEMENTATION GROUP

V1 credential and pilot

67 detailed records

CC - 01

Durable Coin Card ID

COMPONENT

IMPLEMENTED AND TESTED

DEFERRED

PC-09 — Coin Card identity, manifest, and key authority	
RECORD CLASS	Component
PARENT CAPABILITY	PC-09 — Coin Card identity, manifest, and key authority
AREA / PHASE / SIDE / TYPE	Payment identity / V1 / payee / identifier
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Deferred
PURPOSE	Keep a card's cryptographic and historical identity stable even when a human-readable route changes.
PARENT USER VALUE	A payer can verify which signed payment credential was actually published.
PARENT STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Durable IDs exist in registry paths, manifests, and active demo cards.
REMAINING WORK	Customer issuance governance remains gated.
DEPENDENCIES	Unique immutable ID, registry/manifest equality, collision tests, and preservation through alias changes.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Unique immutable ID, registry/manifest equality, collision tests, and preservation through alias changes.
COMMERCIAL HYPOTHESIS	Trust foundation, not a paid feature by itself.
BOUNDARY	Never make a handle the sole durable identity.
STOP RULE	Never make a handle the sole durable identity.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_MANIFEST_SCHEMA_V1.md`; `docs/product/coin-card/COIN_CARD_SIGNED_MANIFEST_ENVELOPE_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-signing-generator.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve during V1 issuance.

REVISION-QUALIFIED EVIDENCE LINKS

<

CC - 02

Revocable handle and canonical route

COMPONENT

PARTIALLY IMPLEMENTED

READY BUT NOT QUEUED

PC-09 — Coin Card identity, manifest, and key authority	
RECORD CLASS	Component
PARENT CAPABILITY	PC-09 — Coin Card identity, manifest, and key authority
AREA / PHASE / SIDE / TYPE	Payment identity / V1 / payee / routing alias
IMPLEMENTATION MATURITY	Partially implemented
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Give a recipient a shareable route that can be suspended, renamed, redirected, or revoked without erasing history.
PARENT USER VALUE	A payer can verify which signed payment credential was actually published.
PARENT STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	`/card/<id-or-handle>` routing and active cards exist; canonical public handle policy, rename/redirect behavior, and customer operations are not ratified.
REMAINING WORK	Complete the unresolved end-to-end implementation and evidence conditions stated in this record.
DEPENDENCIES	CC-01, namespace policy, registry state, complaint handling, and historical evidence.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-01, namespace policy, registry state, complaint handling, and historical evidence.
COMMERCIAL HYPOTHESIS	Supports persistent identity.
BOUNDARY	Do not claim a handle is property, identity proof, or trademark ownership.
STOP RULE	Do not claim a handle is property, identity proof, or trademark ownership.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_MANIFEST_SCHEMA_V1.md`; `docs/product/coin-card/COIN_CARD_SIGNED_MANIFEST_ENVELOPE_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-signing-generator.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	lock V1 URL/alias rules.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

docs/product/coin-card/COIN_CARD_MANIFEST_SCHEMA_V1.md @ 6bf1608

docs/product/coin-card/COIN_CARD_SIGNED_MANIFEST_ENVELOPE_CONTRACT_V1.md @ 6bf1608

app-web/tests/frontend/coin-card-signing-generator.test.js @ 6bf1608

CC - 03

Namespace governance

COMPONENT

DEFINED OR SPECIFIED

READY BUT NOT QUEUED

PC-09 — Coin Card identity, manifest, and key authority	
RECORD CLASS	Component
PARENT CAPABILITY	PC-09 — Coin Card identity, manifest, and key authority
AREA / PHASE / SIDE / TYPE	Payment identity / V1 / payee / governance policy
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Prevent phishing, platform confusion, impersonation, and unsupportable username disputes.
PARENT USER VALUE	A payer can verify which signed payment credential was actually published.
PARENT STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Reserved-name categories and revocable-alias doctrine are defined in the roadmap.
REMAINING WORK	Actual policy, initial reserve set, evidence process, and operator runbook remain.
DEPENDENCIES	Trademark/impersonation terms, status model, complaint route, admin authority, and audit history.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Trademark/impersonation terms, status model, complaint route, admin authority, and audit history.
COMMERCIAL HYPOTHESIS	Enables controlled public identity without building global trademark adjudication.
BOUNDARY	Begin with a small high-risk reserve set and reactive enforcement.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap §6 namespace policy.
NEXT ACTION	ratify before first external embed.

CC - 04

Wallet-control challenge

COMPONENT

DEFINED OR SPECIFIED

READY BUT NOT QUEUED

PC-09 — Coin Card identity, manifest, and key authority	
RECORD CLASS	Component
PARENT CAPABILITY	PC-09 — Coin Card identity, manifest, and key authority
AREA / PHASE / SIDE / TYPE	Payment identity / V1 / payee / control evidence
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Establish that the applicant controlled the wallet assigned to the issued payment route at a recorded time.
PARENT USER VALUE	A payer can verify which signed payment credential was actually published.
PARENT STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	A wallet-ownership proof boundary exists in staging; Gate 1A explicitly prohibits treating it as a production issuance path.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	Gate 1A closure, challenge nonce, domain binding, expiry, replay prevention, verification record, and production smoke.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Gate 1A closure, challenge nonce, domain binding, expiry, replay prevention, verification record, and production smoke.
COMMERCIAL HYPOTHESIS	Supports the narrow claim `WALLET CONTROL CONFIRMED`; never claim legal identity or ongoing control forever.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Supports the narrow claim `WALLET CONTROL CONFIRMED`; never claim legal identity or ongoing control forever.
SOURCE / EVIDENCE LOCATOR	wallet proof runtime, V1 roadmap, Gate 1A evidence.
NEXT ACTION	resolve Gate 1A before genuine issuance.

CC - 05

Coin Card manifest schema

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-09 — Coin Card identity, manifest, and key authority	
RECORD CLASS	Component
PARENT CAPABILITY	PC-09 — Coin Card identity, manifest, and key authority
AREA / PHASE / SIDE / TYPE	Trust architecture / V1 / both / signed data contract
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Define the exact card, route, asset, chain, amount policy, validity, protected assets, and key metadata entering verification.
PARENT USER VALUE	A payer can verify which signed payment credential was actually published.
PARENT STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Normative schema, fixtures, manifest JSON, proof tooling, and runtime verification exist.
REMAINING WORK	V1 claim/field ratification and canonical branch reconciliation remain.
DEPENDENCIES	Closed schema, canonical serialization, atomic values, environment/domain fields, mutation tests, and signed production artifacts.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Closed schema, canonical serialization, atomic values, environment/domain fields, mutation tests, and signed production artifacts.
COMMERCIAL HYPOTHESIS	Foundation for independently inspectable payment identity.
BOUNDARY	Do not add fields simply because data is available.
STOP RULE	Do not add fields simply because data is available.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_MANIFEST_SCHEMA_V1.md`; `docs/product/coin-card/COIN_CARD_SIGNED_MANIFEST_ENVELOPE_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-signing-generator.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 signed-record ratification.
REVISION-QUALIFIED EVIDENCE LINKS	
docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_MANIFEST_SCHEMA_V1.md @ 6bf1608 docs/product/coin-card/COIN_CARD_SIGNED_MANIFEST_ENVELOPE_CONTRACT_V1.md @ 6bf1608 app-web/tests/frontend/coin-card-signing-generator.test.js @ 6bf1608	

CC - 06

Canonical serialization

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-09 — Coin Card identity, manifest, and key authority	
RECORD CLASS	Component
PARENT CAPABILITY	PC-09 — Coin Card identity, manifest, and key authority
AREA / PHASE / SIDE / TYPE	Trust architecture / V1 / both / cryptographic primitive
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Ensure every signer and verifier derives identical bytes from the same record.
PARENT USER VALUE	A payer can verify which signed payment credential was actually published.
PARENT STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Canonical JSON contracts, deterministic fixtures, generator tests, and signed artifacts exist.
REMAINING WORK	Product-wide reuse policy and V1 ratification remain.
DEPENDENCIES	Closed input types, duplicate/cyclic/shared-reference rejection, Unicode/number rules, and cross-runtime vectors.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Closed input types, duplicate/cyclic/shared-reference rejection, Unicode/number rules, and cross-runtime vectors.
COMMERCIAL HYPOTHESIS	Invisible trust infrastructure.
BOUNDARY	Never invent a second ad hoc canonicalization for payment requests.
STOP RULE	Never invent a second ad hoc canonicalization for payment requests.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_MANIFEST_SCHEMA_V1.md`; `docs/product/coin-card/COIN_CARD_SIGNED_MANIFEST_ENVELOPE_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-signing-generator.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	ratify as the first ImplicitEx-wide signed-record primitive.
REVISION-QUALIFIED EVIDENCE LINKS	
docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_MANIFEST_SCHEMA_V1.md @ 6bf1608 docs/product/coin-card/COIN_CARD_SIGNED_MANIFEST_ENVELOPE_CONTRACT_V1.md @ 6bf1608 app-web/tests/frontend/coin-card-signing-generator.test.js @ 6bf1608	

CC - 07

Verification-domain and record-type separation

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-09 — Coin Card identity, manifest, and key authority	
RECORD CLASS	Component
PARENT CAPABILITY	PC-09 — Coin Card identity, manifest, and key authority
AREA / PHASE / SIDE / TYPE	Trust architecture / V1 / both / cryptographic policy
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Prevent a valid signature for one environment, record family, or authority from being replayed as another.
PARENT USER VALUE	A payer can verify which signed payment credential was actually published.
PARENT STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Signature/envelope contracts bind schema, usage, environment, and key policy.
REMAINING WORK	A product-wide signed-record constitution has not yet ratified all future families.
DEPENDENCIES	Explicit domain, record type, version, environment, intended verifier, and negative cross-family tests.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Explicit domain, record type, version, environment, intended verifier, and negative cross-family tests.
COMMERCIAL HYPOTHESIS	Enables future requests without weakening Coin Card authority.
BOUNDARY	Unknown domains and schemas fail closed.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_MANIFEST_SCHEMA_V1.md`; `docs/product/coin-card/COIN_CARD_SIGNED_MANIFEST_ENVELOPE_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-signing-generator.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	include in V1 ratification decision.
REVISION-QUALIFIED EVIDENCE LINKS	
docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_MANIFEST_SCHEMA_V1.md @ 6bf1608 docs/product/coin-card/COIN_CARD_SIGNED_MANIFEST_ENVELOPE_CONTRACT_V1.md @ 6bf1608 app-web/tests/frontend/coin-card-signing-generator.test.js @ 6bf1608	

CC - 08

Manifest signing

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-09 — Coin Card identity, manifest, and key authority	
RECORD CLASS	Component
PARENT CAPABILITY	PC-09 — Coin Card identity, manifest, and key authority
AREA / PHASE / SIDE / TYPE	Trust architecture / V1 / both / issuance control
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Authenticate the immutable record ImplicitEx issued rather than trusting mutable presentation data.
PARENT USER VALUE	A payer can verify which signed payment credential was actually published.
PARENT STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Ed25519/JWS signing generator, abstract signer interface, signed production artifacts, and tests exist.
REMAINING WORK	Customer issuance, production signer operations, and compromise runbook remain gated.
DEPENDENCIES	Canonical bytes, authorized key, protected signing environment, issuance audit, independent verification, and key-rotation procedure.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Canonical bytes, authorized key, protected signing environment, issuance audit, independent verification, and key-rotation procedure.
COMMERCIAL HYPOTHESIS	Supports verifiable route claims.
BOUNDARY	Never expose private signing material to the browser or repository.
STOP RULE	Never expose private signing material to the browser or repository.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_MANIFEST_SCHEMA_V1.md`; `docs/product/coin-card/COIN_CARD_SIGNED_MANIFEST_ENVELOPE_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-signing-generator.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	ratify signer operating procedure.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - docs/product/coin-card/COIN_CARD_MANIFEST_SCHEMA_V1.md @ 6bf1608 - docs/product/coin-card/COIN_CARD_SIGNED_MANIFEST_ENVELOPE_CONTRACT_V1.md @ 6bf1608 - app-web/tests/frontend/coin-card-signing-generator.test.js @ 6bf1608	

CC - 09

Trusted public-key source

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-09 — Coin Card identity, manifest, and key authority	
RECORD CLASS	Component
PARENT CAPABILITY	PC-09 — Coin Card identity, manifest, and key authority
AREA / PHASE / SIDE / TYPE	Trust architecture / V1 / both / key authority
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Let verifiers discover which public key and usage were authorized for an issuance period.
PARENT USER VALUE	A payer can verify which signed payment credential was actually published.
PARENT STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Protected trusted-key source, resolver, usage rules, and browser tests exist.
REMAINING WORK	Canonical integration and customer-issuance operating evidence remain.
DEPENDENCIES	Immutable key ID, allowed usages, activation/retirement time, integrity protection, and fail-closed lookup.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Immutable key ID, allowed usages, activation/retirement time, integrity protection, and fail-closed lookup.
COMMERCIAL HYPOTHESIS	Required for independent verification.
BOUNDARY	Never silently replace key material beneath an existing key ID.
STOP RULE	Never silently replace key material beneath an existing key ID.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_TRUSTED_KEY_SOURCE_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-trusted-key-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-bundle-verification.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 ratification and operating runbook.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - docs/product/coin-card/COIN_CARD_TRUSTED_KEY_SOURCE_CONTRACT_V1.md @ 6bf1608 - app-web/tests/frontend/coin-card-trusted-key-resolution.test.js @ 6bf1608 - app-web/tests/frontend/coin-card-lifecycle-bundle-verification.test.js @ 6bf1608	

CC - 10

Signing-key rotation and retirement

COMPONENT

PARTIALLY IMPLEMENTED

READY BUT NOT QUEUED

PC-09 — Coin Card identity, manifest, and key authority	
RECORD CLASS	Component
PARENT CAPABILITY	PC-09 — Coin Card identity, manifest, and key authority
AREA / PHASE / SIDE / TYPE	Trust operations / V1 / both / lifecycle control
IMPLEMENTATION MATURITY	Partially implemented
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Rotate active keys without invalidating legitimate historical records and respond to compromise.
PARENT USER VALUE	A payer can verify which signed payment credential was actually published.
PARENT STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Rotation infrastructure and trusted-key temporal schemas exist across divergent branches; routine rotation, emergency revocation, historical verification, and live drill are not demonstrated in one canonical production tree.
REMAINING WORK	Complete the unresolved end-to-end implementation and evidence conditions stated in this record.
DEPENDENCIES	GOV-04, protected root of trust, activation/retirement policy, compromise classification, reissuance rules, and rehearsal.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: GOV-04, protected root of trust, activation/retirement policy, compromise classification, reissuance rules, and rehearsal.
COMMERCIAL HYPOTHESIS	Business-continuity trust control.
BOUNDARY	No customer issuance before a workable compromise path exists.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_TRUSTED_KEY_SOURCE_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-trusted-key-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-bundle-verification.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	reconcile during canonical integration, then rehearse in V1.
REVISION-QUALIFIED EVIDENCE LINKS	
docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_TRUSTED_KEY_SOURCE_CONTRACT_V1.md @ 6bf1608 app-web/tests/frontend/coin-card-trusted-key-resolution.test.js @ 6bf1608 app-web/tests/frontend/coin-card-lifecycle-bundle-verification.test.js @ 6bf1608	

CC - 11

Signed registry record

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-09 — Coin Card identity, manifest, and key authority	
RECORD CLASS	Component
PARENT CAPABILITY	PC-09 — Coin Card identity, manifest, and key authority
AREA / PHASE / SIDE / TYPE	Trust architecture / V1 / both / current-state publication
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Publish authenticated current route and execution facts separately from mutable visual presentation.
PARENT USER VALUE	A payer can verify which signed payment credential was actually published.
PARENT STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Registry schemas, signed lifecycle/registry publication fixtures, active card records, and executable-record validation exist.
REMAINING WORK	Controlled customer publication and private admin authority remain.
DEPENDENCIES	Manifest/registry identity, publication key, atomic bundle, rollback rules, and production operations.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Manifest/registry identity, publication key, atomic bundle, rollback rules, and production operations.
COMMERCIAL HYPOTHESIS	Supplies current authority.
BOUNDARY	A registry record may not create facts absent from the signed source.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_TRUSTED_KEY_SOURCE_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-trusted-key-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-bundle-verification.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 ratification and issuance rehearsal.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_TRUSTED_KEY_SOURCE_CONTRACT_V1.md @ 6bf1608 app-web/tests/frontend/coin-card-trusted-key-resolution.test.js @ 6bf1608 app-web/tests/frontend/coin-card-lifecycle-bundle-verification.test.js @ 6bf1608	

CC - 12

Registry bundle authentication and atomicity

COMPONENT

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-09 — Coin Card identity, manifest, and key authority	
RECORD CLASS	Component
PARENT CAPABILITY	PC-09 — Coin Card identity, manifest, and key authority
AREA / PHASE / SIDE / TYPE	Trust architecture / V1 / both / collection verification
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Prevent one malformed, unauthenticated, or incoherent entry from being selectively ignored inside lifecycle state.
PARENT USER VALUE	A payer can verify which signed payment credential was actually published.
PARENT STRATEGIC ROLE	Turns a public destination into a cryptographically bounded payment credential.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Atomic bundle verification, hostile-input tests, and private proof predicates exist.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	Trusted keys, record authentication, wrapper invariants, coherent ordering, and one verification instant.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Trusted keys, record authentication, wrapper invariants, coherent ordering, and one verification instant.
COMMERCIAL HYPOTHESIS	Fail-closed foundation.
BOUNDARY	Any partial-success behavior is prohibited.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_TRUSTED_KEY_SOURCE_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-trusted-key-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-bundle-verification.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve through integration and V1 smoke.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_TRUSTED_KEY_SOURCE_CONTRACT_V1.md @ 6bf1608 app-web/tests/frontend/coin-card-trusted-key-resolution.test.js @ 6bf1608 app-web/tests/frontend/coin-card-lifecycle-bundle-verification.test.js @ 6bf1608	

CC - 13

Lifecycle administration and publication authority

CONTROL

DEFINED OR SPECIFIED

DECISION REQUIRED

PC-10 — Coin Card lifecycle and route authority

RECORD CLASS	Control
PARENT CAPABILITY	PC-10 — Coin Card lifecycle and route authority
AREA / PHASE / SIDE / TYPE	Trust governance / V1 / both / administrative authority
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Decision required
PURPOSE	Define who may issue, suspend, revoke, supersede, replace, and publish card lifecycle facts.
PARENT USER VALUE	A payer can tell whether the route is presently authorized and how it changed.
PARENT STRATEGIC ROLE	Adds route lineage and revocation evidence beyond a simple mutable name.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Normative authority contracts exist; production roles, least privilege, evidence retention, and operator procedures are not ratified for the pilot.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	Admin role separation, authenticated publication, audit record, incident authority, and runbooks.
ENTRY GATE	The named governing decision is ratified and recorded.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Admin role separation, authenticated publication, audit record, incident authority, and runbooks.
COMMERCIAL HYPOTHESIS	Makes revocation operational rather than a marketing claim.
BOUNDARY	No undocumented administrative override.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Lifecycle Registry Authority contract.
NEXT ACTION	lock V1 authority before controlled issuance.

CC - 14

Lifecycle record authentication

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-10 — Coin Card lifecycle and route authority	
RECORD CLASS	Control
PARENT CAPABILITY	PC-10 — Coin Card lifecycle and route authority
AREA / PHASE / SIDE / TYPE	Trust architecture / V1 / both / signed-state validation
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Prove that lifecycle state came from authorized publication and was not altered.
PARENT USER VALUE	A payer can tell whether the route is presently authorized and how it changed.
PARENT STRATEGIC ROLE	Adds route lineage and revocation evidence beyond a simple mutable name.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Canonical lifecycle record verification, semantics, negative tests, and signed bundle fixtures exist.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	Trusted key usage, canonical administration evidence, temporal fields, and signature encoding.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Trusted key usage, canonical administration evidence, temporal fields, and signature encoding.
COMMERCIAL HYPOTHESIS	Required for credible currentness.
BOUNDARY	Invalid or unavailable authentication blocks presentation/execution as specified.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-lifecycle-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-presentation.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 production-path confirmation.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md @ 6bf1608 app-web/tests/frontend/coin-card-lifecycle-resolution.test.js @ 6bf1608 app-web/tests/frontend/coin-card-lifecycle-presentation.test.js @ 6bf1608	

CC - 15

Lifecycle selection and lineage coherence

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-10 — Coin Card lifecycle and route authority	
RECORD CLASS	Control
PARENT CAPABILITY	PC-10 — Coin Card lifecycle and route authority
AREA / PHASE / SIDE / TYPE	Trust architecture / V1 / both / evidence selection
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Select the coherent record lineage for a card/manifest without trusting caller-supplied ordering or a fabricated proof.
PARENT USER VALUE	A payer can tell whether the route is presently authorized and how it changed.
PARENT STRATEGIC ROLE	Adds route lineage and revocation evidence beyond a simple mutable name.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Record selection, duplicate/conflict/gap checks, manifest-specific history, and private proof predicates are implemented.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	Authenticated bundle, stable positions, lineage links, and structural-conflict rejection.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Authenticated bundle, stable positions, lineage links, and structural-conflict rejection.
COMMERCIAL HYPOTHESIS	Foundation for route-history proof.
BOUNDARY	Any ambiguous lineage is unavailable, not guessed.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-lifecycle-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-presentation.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve through integration.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md @ 6bf1608 app-web/tests/frontend/coin-card-lifecycle-resolution.test.js @ 6bf1608 app-web/tests/frontend/coin-card-lifecycle-presentation.test.js @ 6bf1608	

CC - 16

Currentness and temporal resolution

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-10 — Coin Card lifecycle and route authority	
RECORD CLASS	Control
PARENT CAPABILITY	PC-10 — Coin Card lifecycle and route authority
AREA / PHASE / SIDE / TYPE	Trust architecture / V1 / both / lifecycle resolution
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Determine which authenticated record is effective at one verifier-owned instant.
PARENT USER VALUE	A payer can tell whether the route is presently authorized and how it changed.
PARENT STRATEGIC ROLE	Adds route lineage and revocation evidence beyond a simple mutable name.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Effective-from/until, future/past/gap/overlap handling and temporal status interpretation exist. Pilot validity policy is still a decision.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	Selected evidence, trusted time, skew policy, maximum lifetime, and immutable result.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Selected evidence, trusted time, skew policy, maximum lifetime, and immutable result.
COMMERCIAL HYPOTHESIS	Enables “valid through” claims.
BOUNDARY	Never let a caller choose verification time to revive an invalid route.
STOP RULE	Never let a caller choose verification time to revive an invalid route.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-lifecycle-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-presentation.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	ratify 90-day/actual pilot validity policy.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md @ 6bf1608 - app-web/tests/frontend/coin-card-lifecycle-resolution.test.js @ 6bf1608 - app-web/tests/frontend/coin-card-lifecycle-presentation.test.js @ 6bf1608	

CC - 17

Expiration

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-10 — Coin Card lifecycle and route authority	
RECORD CLASS	Control
PARENT CAPABILITY	PC-10 — Coin Card lifecycle and route authority
AREA / PHASE / SIDE / TYPE	Credential lifecycle / V1 / both / status behavior
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Force time-bounded trust and reverification instead of treating wallet control as permanent.
PARENT USER VALUE	A payer can tell whether the route is presently authorized and how it changed.
PARENT STRATEGIC ROLE	Adds route lineage and revocation evidence beyond a simple mutable name.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Expired state is modeled, copied, and blocked in tests. Issuance validity, warning window, renewal/reverification, and pilot operations are not ratified.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	CC-16, validity policy, presentation copy, execution block, and reissue procedure.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-16, validity policy, presentation copy, execution block, and reissue procedure.
COMMERCIAL HYPOTHESIS	Supports maintained credentials; do not use expiry solely to manufacture billing pressure.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Supports maintained credentials; do not use expiry solely to manufacture billing pressure.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-lifecycle-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-presentation.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	validity decision and runbook.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md @ 6bf1608

app-web/tests/frontend/coin-card-lifecycle-resolution.test.js @ 6bf1608

app-web/tests/frontend/coin-card-lifecycle-presentation.test.js @ 6bf1608

CC - 18

Suspension

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-10 — Coin Card lifecycle and route authority	
RECORD CLASS	Control
PARENT CAPABILITY	PC-10 — Coin Card lifecycle and route authority
AREA / PHASE / SIDE / TYPE	Credential lifecycle / V1 / both / temporary control
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Temporarily block payment while a security, billing, or policy issue is reviewed without deleting evidence.
PARENT USER VALUE	A payer can tell whether the route is presently authorized and how it changed.
PARENT STRATEGIC ROLE	Adds route lineage and revocation evidence beyond a simple mutable name.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Suspended lifecycle outcomes and blocked presentation exist in tests.
REMAINING WORK	Authority, reason codes, support copy, appeal, and live rehearsal remain.
DEPENDENCIES	CC-13, audit record, fail-closed registry, public/private reason separation, and unsuspend policy.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-13, audit record, fail-closed registry, public/private reason separation, and unsuspend policy.
COMMERCIAL HYPOTHESIS	Operational trust control.
BOUNDARY	Do not imply funds are frozen; only the ImplicitEx route is disabled.
STOP RULE	Do not imply funds are frozen; only the ImplicitEx route is disabled.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-lifecycle-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-presentation.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 suspension runbook.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md @ 6bf1608 - app-web/tests/frontend/coin-card-lifecycle-resolution.test.js @ 6bf1608 - app-web/tests/frontend/coin-card-lifecycle-presentation.test.js @ 6bf1608	

CC - 19

Revocation

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-10 — Coin Card lifecycle and route authority	
RECORD CLASS	Control
PARENT CAPABILITY	PC-10 — Coin Card lifecycle and route authority
AREA / PHASE / SIDE / TYPE	Credential lifecycle / V1 / both / terminal control
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Permanently disable a compromised, abusive, or withdrawn credential while preserving historical proof.
PARENT USER VALUE	A payer can tell whether the route is presently authorized and how it changed.
PARENT STRATEGIC ROLE	Adds route lineage and revocation evidence beyond a simple mutable name.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Revoked states, runtime blocking, and registry schema exist.
REMAINING WORK	Customer proof, administrative case record, reason codes, and live rehearsal remain.
DEPENDENCIES	CC-13, incident authority, immutable history, support procedure, and payment block.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-13, incident authority, immutable history, support procedure, and payment block.
COMMERCIAL HYPOTHESIS	Central route-management value.
BOUNDARY	Never delete the signed historical record as the revocation mechanism.
STOP RULE	Never delete the signed historical record as the revocation mechanism.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-lifecycle-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-presentation.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 revocation rehearsal.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md @ 6bf1608

app-web/tests/frontend/coin-card-lifecycle-resolution.test.js @ 6bf1608

app-web/tests/frontend/coin-card-lifecycle-presentation.test.js @ 6bf1608

CC - 20

Replacement and supersession

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-10 — Coin Card lifecycle and route authority	
RECORD CLASS	Control
PARENT CAPABILITY	PC-10 — Coin Card lifecycle and route authority
AREA / PHASE / SIDE / TYPE	Credential lifecycle / V1 / payee / lineage transition
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Move to a new manifest or card while proving the old route is no longer current.
PARENT USER VALUE	A payer can tell whether the route is presently authorized and how it changed.
PARENT STRATEGIC ROLE	Adds route lineage and revocation evidence beyond a simple mutable name.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Superseded/replaced states and lineage contracts exist.
REMAINING WORK	Customer workflow, redirect rules, prior-payer notice, and live rehearsal do not.
DEPENDENCIES	Coherent lineage, registry update, immutable old record, new wallet proof, and fail-closed old execution.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Coherent lineage, registry update, immutable old record, new wallet proof, and fail-closed old execution.
COMMERCIAL HYPOTHESIS	Stronger than ordinary current resolution only if users value history.
BOUNDARY	Do not redirect silently without visible status.
STOP RULE	Do not redirect silently without visible status.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-lifecycle-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-presentation.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 replacement runbook.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md @ 6bf1608 - app-web/tests/frontend/coin-card-lifecycle-resolution.test.js @ 6bf1608 - app-web/tests/frontend/coin-card-lifecycle-presentation.test.js @ 6bf1608	

CC - 21

Rollback and stale-registry protection

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-10 — Coin Card lifecycle and route authority	
RECORD CLASS	Control
PARENT CAPABILITY	PC-10 — Coin Card lifecycle and route authority
AREA / PHASE / SIDE / TYPE	Trust architecture / V1 / both / anti-rollback control
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Prevent an older but authentically signed registry bundle from reviving a revoked or superseded route.
PARENT USER VALUE	A payer can tell whether the route is presently authorized and how it changed.
PARENT STRATEGIC ROLE	Adds route lineage and revocation evidence beyond a simple mutable name.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Registry version/current-head constraints, maximum lifetime, and rollback-blocking tests exist.
REMAINING WORK	Live stale-CDN/rollback drill and canonical integration remain.
DEPENDENCIES	Monotonic registry identity, signed head, trusted time, cache policy, and degraded unavailable state.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Monotonic registry identity, signed head, trusted time, cache policy, and degraded unavailable state.
COMMERCIAL HYPOTHESIS	Essential to current-route authority.
BOUNDARY	Any accepted rollback is a critical release blocker.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-lifecycle-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-presentation.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	include in V1 failure rehearsal.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md @ 6bf1608 - app-web/tests/frontend/coin-card-lifecycle-resolution.test.js @ 6bf1608 - app-web/tests/frontend/coin-card-lifecycle-presentation.test.js @ 6bf1608	

CC - 22

Lifecycle presentation promotion

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-10 — Coin Card lifecycle and route authority	
RECORD CLASS	Control
PARENT CAPABILITY	PC-10 — Coin Card lifecycle and route authority
AREA / PHASE / SIDE / TYPE	Trust UI / V1 / payer / presentation gate
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Permit trusted card presentation only from a genuine resolved lifecycle result, while keeping execution separately unauthorized.
PARENT USER VALUE	A payer can tell whether the route is presently authorized and how it changed.
PARENT STRATEGIC ROLE	Adds route lineage and revocation evidence beyond a simple mutable name.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Exclusive promotion, private proof predicate, blocked outcome copy, and immutable results are implemented.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	Authenticated selection and resolution, exact status mapping, no caller-created lookalikes, and runtime test.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Authenticated selection and resolution, exact status mapping, no caller-created lookalikes, and runtime test.
COMMERCIAL HYPOTHESIS	Prevents a visual “verified” badge from becoming execution authority.
BOUNDARY	Any parallel UI trust path is prohibited.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-lifecycle-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-presentation.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md @ 6bf1608

app-web/tests/frontend/coin-card-lifecycle-resolution.test.js @ 6bf1608

app-web/tests/frontend/coin-card-lifecycle-presentation.test.js @ 6bf1608

CC - 23

Verification-state copy and display contract

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-10 — Coin Card lifecycle and route authority	
RECORD CLASS	Control
PARENT CAPABILITY	PC-10 — Coin Card lifecycle and route authority
AREA / PHASE / SIDE / TYPE	Trust UI / V1 / payer / user-visible states
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Show authenticated, expired, suspended, revoked, superseded, invalid, and unavailable states honestly.
PARENT USER VALUE	A payer can tell whether the route is presently authorized and how it changed.
PARENT STRATEGIC ROLE	Adds route lineage and revocation evidence beyond a simple mutable name.
STRATEGIC-ROLE TAGS	Trust; Evidence; Security/assurance
CURRENT IMPLEMENTATION	Copy contract and runtime states exist.
REMAINING WORK	Full-address access, public reason framing, and live failure-path review remain.
DEPENDENCIES	Lifecycle outcome, signed payload display, no reconstructed facts, accessible copy, and payment block.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Lifecycle outcome, signed payload display, no reconstructed facts, accessible copy, and payment block.
COMMERCIAL HYPOTHESIS	Makes trust legible.
BOUNDARY	Never collapse “signature valid” into “current route valid” or “person verified. ”
STOP RULE	Never collapse “signature valid” into “current route valid” or “person verified.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-lifecycle-resolution.test.js`; `app-web/tests/frontend/coin-card-lifecycle-presentation.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 structured copy review.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

docs/product/coin-card/COIN_CARD_LIFECYCLE_REGISTRY_CONTRACT_V1.md @ 6bf1608

app-web/tests/frontend/coin-card-lifecycle-resolution.test.js @ 6bf1608

app-web/tests/frontend/coin-card-lifecycle-presentation.test.js @ 6bf1608

CC - 24

Coin Card execution authorization

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-11 — Coin Card execution authorization and evidence verification	
RECORD CLASS	Control
PARENT CAPABILITY	PC-11 — Coin Card execution authorization and evidence verification
AREA / PHASE / SIDE / TYPE	Execution security / V1 / payer / authorization gate
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Require the conjunction of verified manifest, current lifecycle, and current wallet/execution facts before allowing a transfer.
PARENT USER VALUE	The payer can review the exact authorized route and a third party can verify what settled.
PARENT STRATEGIC ROLE	Creates the portable chain of evidence around execution without promising insurance.
STRATEGIC-ROLE TAGS	Execution; Evidence; Trust; Security/assurance
CURRENT IMPLEMENTATION	Three-input gate, exclusive authorization result, pinned plan, one-shot consumption, and firewall tests exist.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	CC-22, provider/account/chain snapshot, exact route, balance, policy, and no alternative execution path.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-22, provider/account/chain snapshot, exact route, balance, policy, and no alternative execution path.
COMMERCIAL HYPOTHESIS	Core trust architecture.
BOUNDARY	Any surface that can bypass the authorization proof blocks release.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_EXECUTION_AUTHORIZATION_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-execution-authorization.test.js`; `app-web/tests/frontend/coin-card-provider-continuity.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve through integration and V1 smoke.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - docs/product/coin-card/COIN_CARD_EXECUTION_AUTHORIZATION_CONTRACT_V1.md @ 6bf1608 - app-web/tests/frontend/coin-card-execution-authorization.test.js @ 6bf1608 - app-web/tests/frontend/coin-card-provider-continuity.test.js @ 6bf1608	

CC - 25

Replay prevention and one-shot authorization

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-11 — Coin Card execution authorization and evidence verification	
RECORD CLASS	Control
PARENT CAPABILITY	PC-11 — Coin Card execution authorization and evidence verification
AREA / PHASE / SIDE / TYPE	Execution security / V1 / payer / replay control
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Prevent a valid execution proof from authorizing a second or altered wallet write.
PARENT USER VALUE	The payer can review the exact authorized route and a third party can verify what settled.
PARENT STRATEGIC ROLE	Creates the portable chain of evidence around execution without promising insurance.
STRATEGIC-ROLE TAGS	Execution; Evidence; Trust; Security/assurance
CURRENT IMPLEMENTATION	Private proof identity, permanent consumption after authorized attempts, and second-call failure tests exist.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	Immutable proof, pinned facts, consumption before relevant failure exits, and no cloning.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Immutable proof, pinned facts, consumption before relevant failure exits, and no cloning.
COMMERCIAL HYPOTHESIS	Security invariant.
BOUNDARY	Any reusable proof is a critical blocker.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_EXECUTION_AUTHORIZATION_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-execution-authorization.test.js`; `app-web/tests/frontend/coin-card-provider-continuity.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_EXECUTION_AUTHORIZATION_CONTRACT_V1.md @ 6bf1608 app-web/tests/frontend/coin-card-execution-authorization.test.js @ 6bf1608 app-web/tests/frontend/coin-card-provider-continuity.test.js @ 6bf1608	

CC - 26

Coin Card provider/account/chain continuity

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-11 — Coin Card execution authorization and evidence verification	
RECORD CLASS	Control
PARENT CAPABILITY	PC-11 — Coin Card execution authorization and evidence verification
AREA / PHASE / SIDE / TYPE	Execution security / V1 / payer / TOCTOU control
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Bind Coin Card review to the exact live provider, account, and chain used to execute.
PARENT USER VALUE	The payer can review the exact authorized route and a third party can verify what settled.
PARENT STRATEGIC ROLE	Creates the portable chain of evidence around execution without promising insurance.
STRATEGIC-ROLE TAGS	Execution; Evidence; Trust; Security/assurance
CURRENT IMPLEMENTATION	Injected/WalletConnect happy paths, mismatch, disconnect, account drift, chain drift, and rejection tests exist.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	CC-24, provider snapshot, one-shot proof, live equality reads, and no write on mismatch.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-24, provider snapshot, one-shot proof, live equality reads, and no write on mismatch.
COMMERCIAL HYPOTHESIS	Prevents execution-context substitution.
BOUNDARY	Any automatic provider retry is prohibited.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_EXECUTION_AUTHORIZATION_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-execution-authorization.test.js`; `app-web/tests/frontend/coin-card-provider-continuity.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve in canonical merge.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_EXECUTION_AUTHORIZATION_CONTRACT_V1.md @ 6bf1608 app-web/tests/frontend/coin-card-execution-authorization.test.js @ 6bf1608 app-web/tests/frontend/coin-card-provider-continuity.test.js @ 6bf1608	

CC - 27

Execution interface descriptor

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-11 — Coin Card execution authorization and evidence verification	
RECORD CLASS	Control
PARENT CAPABILITY	PC-11 — Coin Card execution authorization and evidence verification
AREA / PHASE / SIDE / TYPE	Evidence authority / V1 / both / content-addressed execution contract
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Bind evidence to the exact deployed code, ABI, fee policy, calldata, revert behavior, and emitted event rather than a token symbol or UI constant.
PARENT USER VALUE	The payer can review the exact authorized route and a third party can verify what settled.
PARENT STRATEGIC ROLE	Creates the portable chain of evidence around execution without promising insurance.
STRATEGIC-ROLE TAGS	Execution; Evidence; Trust; Security/assurance
CURRENT IMPLEMENTATION	Sealed normative contract, deterministic fixtures, tests, and runtime content verification exist.
REMAINING WORK	Canonical branch integration and complete live evidence generation remain.
DEPENDENCIES	Deployed bytecode identity, chain/contract policy, selector/event decoding, and replay-binding fields.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Deployed bytecode identity, chain/contract policy, selector/event decoding, and replay-binding fields.
COMMERCIAL HYPOTHESIS	Makes portable proof meaningful.
BOUNDARY	Never infer execution authority from display metadata.
STOP RULE	Never infer execution authority from display metadata.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_EXECUTION_AUTHORIZATION_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-execution-authorization.test.js`; `app-web/tests/frontend/coin-card-provider-continuity.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 evidence-path verification.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_EXECUTION_AUTHORIZATION_CONTRACT_V1.md @ 6bf1608 app-web/tests/frontend/coin-card-execution-authorization.test.js @ 6bf1608 app-web/tests/frontend/coin-card-provider-continuity.test.js @ 6bf1608	

CC - 28

Lifecycle/executable-registry identity equality

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-11 — Coin Card execution authorization and evidence verification	
RECORD CLASS	Control
PARENT CAPABILITY	PC-11 — Coin Card execution authorization and evidence verification
AREA / PHASE / SIDE / TYPE	Evidence authority / V1 / both / cross-record invariant
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Require executable registry facts to equal authenticated lifecycle identity rather than silently migrating or reinterpreting legacy values.
PARENT USER VALUE	The payer can review the exact authorized route and a third party can verify what settled.
PARENT STRATEGIC ROLE	Creates the portable chain of evidence around execution without promising insurance.
STRATEGIC-ROLE TAGS	Execution; Evidence; Trust; Security/assurance
CURRENT IMPLEMENTATION	Sealed schema, fixtures, migration boundary, runtime validation, and tests exist.
REMAINING WORK	Production V2 registry publication remains gated.
DEPENDENCIES	Authenticated lifecycle head, explicit reauthorization, equality checks, and no legacy inference.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Authenticated lifecycle head, explicit reauthorization, equality checks, and no legacy inference.
COMMERCIAL HYPOTHESIS	Prevents trusted presentation from pointing to untrusted execution.
BOUNDARY	Any mismatch blocks payment.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_EXECUTION_AUTHORIZATION_CONTRACT_V1.md`; `app-web/tests/frontend/coin-card-execution-authorization.test.js`; `app-web/tests/frontend/coin-card-provider-continuity.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve and validate active V1 records.
REVISION-QUALIFIED EVIDENCE LINKS - docs/product-commercial-roadmap-rev6 @ 6bf1608 - docs/product/coin-card/COIN_CARD_EXECUTION_AUTHORIZATION_CONTRACT_V1.md @ 6bf1608 - app-web/tests/frontend/coin-card-execution-authorization.test.js @ 6bf1608 - app-web/tests/frontend/coin-card-provider-continuity.test.js @ 6bf1608	

CC - 29

Transaction Evidence v1 content validation

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-11 — Coin Card execution authorization and evidence verification	
RECORD CLASS	Control
PARENT CAPABILITY	PC-11 — Coin Card execution authorization and evidence verification
AREA / PHASE / SIDE / TYPE	Evidence / V1 / both / deterministic proof contract
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Reconcile authenticated card authority, frozen user intent, observed execution, policy, and settlement under one deterministic evidence schema.
PARENT USER VALUE	The payer can review the exact authorized route and a third party can verify what settled.
PARENT STRATEGIC ROLE	Creates the portable chain of evidence around execution without promising insurance.
STRATEGIC-ROLE TAGS	Execution; Evidence; Trust; Security/assurance
CURRENT IMPLEMENTATION	Sealed v1 contract, fixtures, content verifier, and tests exist. v1 cannot itself authenticate a signature because signing time and key ID are absent.
REMAINING WORK	Complete the named hardening, canonical integration, and production-evidence conditions before advancing maturity.
DEPENDENCIES	CC-27/28, intent snapshot, chain truth, strict compatibility, and deterministic rejection.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-27/28, intent snapshot, chain truth, strict compatibility, and deterministic rejection.
COMMERCIAL HYPOTHESIS	Foundation for evidence packets; not yet a complete independently authenticated artifact.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V1.md`; `docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V2.md`; `app-web/tests/frontend/coin-card-transaction-evidence-content-verification.test.js`; `app-web/tests/frontend/coin-card-transaction-evidence-signature-contract.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	use as V1 content baseline while accurately disclosing its signature limit.
REVISION-QUALIFIED EVIDENCE LINKS docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V1.md @ 6bf1608 docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V2.md @ 6bf1608 app-web/tests/frontend/coin-card-transaction-evidence-content-verification.test.js @ 6bf1608 app-web/tests/frontend/coin-card-transaction-evidence-signature-contract.test.js @ 6bf1608	

CC - 30

Transaction Evidence v2 signature authentication

CONTROL

PARTIALLY IMPLEMENTED

READY BUT NOT QUEUED

PC-11 — Coin Card execution authorization and evidence verification	
RECORD CLASS	Control
PARENT CAPABILITY	PC-11 — Coin Card execution authorization and evidence verification
AREA / PHASE / SIDE / TYPE	Evidence / V1 → V2 / both / signed proof contract
IMPLEMENTATION MATURITY	Partially implemented
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Add signed signing-time and key identity so a portable evidence packet can authenticate its evidence authority.
PARENT USER VALUE	The payer can review the exact authorized route and a third party can verify what settled.
PARENT STRATEGIC ROLE	Creates the portable chain of evidence around execution without promising insurance.
STRATEGIC-ROLE TAGS	Execution; Evidence; Trust; Security/assurance
CURRENT IMPLEMENTATION	V2 contract, trusted-key v2 contract, fixtures, and conformance tests are sealed. The canonical README states no production key, runtime resolver, content verifier, current source, or execution path implements the sealed unit.
REMAINING WORK	Complete the unresolved end-to-end implementation and evidence conditions stated in this record.
DEPENDENCIES	GOV-04, v2 trusted-key usage, signing service, resolver, runtime verifier, publication, and migration.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: GOV-04, v2 trusted-key usage, signing service, resolver, runtime verifier, publication, and migration.
COMMERCIAL HYPOTHESIS	Stronger independent proof only if V1/V2 users value it.
BOUNDARY	Do not mislabel v1 packets as signature-authenticated.
STOP RULE	Do not mislabel v1 packets as signature-authenticated.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V1.md`; `docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V2.md`; `app-web/tests/frontend/coin-card-transaction-evidence-content-verification.test.js`; `app-web/tests/frontend/coin-card-transaction-evidence-signature-contract.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	gap decision during signed-record ratification; no implementation expansion without V1 evidence.
REVISION-QUALIFIED EVIDENCE LINKS	
docs/product-commercial-roadmap-rev6 @ 6bf1608 docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V1.md @ 6bf1608 docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V2.md @ 6bf1608 app-web/tests/frontend/coin-card-transaction-evidence-content-verification.test.js @ 6bf1608 app-web/tests/frontend/coin-card-transaction-evidence-signature-contract.test.js @ 6bf1608	

CC - 31

Governing route-version preservation

CONTROL

DEFINED OR SPECIFIED

READY BUT NOT QUEUED

PC-11 — Coin Card execution authorization and evidence verification	
RECORD CLASS	Control
PARENT CAPABILITY	PC-11 — Coin Card execution authorization and evidence verification
AREA / PHASE / SIDE / TYPE	Evidence / V1 / both / payment-time lineage
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Preserve the exact route revision and lifecycle authority that governed a payment, even after later route change.
PARENT USER VALUE	The payer can review the exact authorized route and a third party can verify what settled.
PARENT STRATEGIC ROLE	Creates the portable chain of evidence around execution without promising insurance.
STRATEGIC-ROLE TAGS	Execution; Evidence; Trust; Security/assurance
CURRENT IMPLEMENTATION	Lineage contracts and receipt/proof foundations exist.
REMAINING WORK	The live complete payment packet has not yet demonstrated the signed governing route through a customer payment.
DEPENDENCIES	CC-15/16/27/29, immutable transaction-time snapshot, settlement, and third-party verification.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-15/16/27/29, immutable transaction-time snapshot, settlement, and third-party verification.
COMMERCIAL HYPOTHESIS	Central surviving distinction.
BOUNDARY	Narrow or stop if customers never use lineage in reconciliation, dispute, or route-change workflows.
STOP RULE	Narrow or stop if customers never use lineage in reconciliation, dispute, or route-change workflows.
SOURCE / EVIDENCE LOCATOR	Capability register route lineage record.
NEXT ACTION	build and test the smallest V1 route-preserving packet.

CC - 32

Fail-closed unavailable state

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-11 — Coin Card execution authorization and evidence verification	
RECORD CLASS	Control
PARENT CAPABILITY	PC-11 — Coin Card execution authorization and evidence verification
AREA / PHASE / SIDE / TYPE	Trust runtime / V1 / payer / failure policy
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Block payment when registry, key, schema, signature, lifecycle, or authority cannot be established.
PARENT USER VALUE	The payer can review the exact authorized route and a third party can verify what settled.
PARENT STRATEGIC ROLE	Creates the portable chain of evidence around execution without promising insurance.
STRATEGIC-ROLE TAGS	Execution; Evidence; Trust; Security/assurance
CURRENT IMPLEMENTATION	Unavailable/unknown/invalid outcomes and execution blocking are extensively tested.
REMAINING WORK	Live registry/network outage rehearsal and customer copy review remain.
DEPENDENCIES	No cached-success fallback, explicit state, full-address visibility, support guidance, and zero writes.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: No cached-success fallback, explicit state, full-address visibility, support guidance, and zero writes.
COMMERCIAL HYPOTHESIS	Trust boundary.
BOUNDARY	Availability pressure may not weaken authorization.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V1.md`; `docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V2.md`; `app-web/tests/frontend/coin-card-transaction-evidence-content-verification.test.js`; `app-web/tests/frontend/coin-card-transaction-evidence-signature-contract.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	V1 outage drill.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V1.md @ 6bf1608

docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V2.md @ 6bf1608

app-web/tests/frontend/coin-card-transaction-evidence-content-verification.test.js @ 6bf1608

app-web/tests/frontend/coin-card-transaction-evidence-signature-contract.test.js @ 6bf1608

CC - 33

Independent verifier

CONTROL

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-11 — Coin Card execution authorization and evidence verification	
RECORD CLASS	Control
PARENT CAPABILITY	PC-11 — Coin Card execution authorization and evidence verification
AREA / PHASE / SIDE / TYPE	Evidence / V1 / both / verification tool
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Let a third party validate signed card and lifecycle evidence without trusting mutable ImplicitEx presentation.
PARENT USER VALUE	The payer can review the exact authorized route and a third party can verify what settled.
PARENT STRATEGIC ROLE	Creates the portable chain of evidence around execution without promising insurance.
STRATEGIC-ROLE TAGS	Execution; Evidence; Trust; Security/assurance
CURRENT IMPLEMENTATION	Browser/runtime verification modules and local production-artifact smoke exist.
REMAINING WORK	A separately usable verifier package, public test vectors, and external-party verification evidence remain.
DEPENDENCIES	Canonical artifacts, trusted key source, no live-response authority, clear result taxonomy, and offline/independent test.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Canonical artifacts, trusted key source, no live-response authority, clear result taxonomy, and offline/independent test.
COMMERCIAL HYPOTHESIS	Supports portability.
BOUNDARY	Stop overbuilding if users only need ordinary current route resolution.
STOP RULE	Stop overbuilding if users only need ordinary current route resolution.
SOURCE / EVIDENCE LOCATOR	`docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V1.md`; `docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V2.md`; `app-web/tests/frontend/coin-card-transaction-evidence-content-verification.test.js`; `app-web/tests/frontend/coin-card-transaction-evidence-signature-contract.test.js`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	define and run V1 independent-verifier acceptance.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V1.md @ 6bf1608

docs/product/coin-card/COIN_CARD_TRANSACTION_EVIDENCE_CONTRACT_V2.md @ 6bf1608

app-web/tests/frontend/coin-card-transaction-evidence-content-verification.test.js @ 6bf1608

app-web/tests/frontend/coin-card-transaction-evidence-signature-contract.test.js @ 6bf1608

CC - 34

Hosted Coin Card

CAPABILITY

RELEASE-EVIDENCED

DEFERRED

PC-12 — Hosted Coin Card presentation and handoff	
RECORD CLASS	Capability
PARENT CAPABILITY	PC-12 — Hosted Coin Card presentation and handoff
AREA / PHASE / SIDE / TYPE	Payment identity / V1 / both / customer surface
IMPLEMENTATION MATURITY	Release-evidenced
WORK AUTHORIZATION	Deferred
PURPOSE	Present a complete payment credential and execution flow at one stable route.
PARENT USER VALUE	Recipients can share one destination and payers can enter a clear review flow.
PARENT STRATEGIC ROLE	Provides the distribution surface for the controlled V1 credential pilot.
STRATEGIC-ROLE TAGS	Distribution/access; Trust; Payer usability
CURRENT IMPLEMENTATION	Live `/card/antoine` and demo card, responsive execution shell, QR presentation, and browser production smoke exist. Controlled external recipients and full lifecycle operations do not.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Entire verified trust stack, route registry, execution authority, failure states, and production smoke.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Entire verified trust stack, route registry, execution authority, failure states, and production smoke.
COMMERCIAL HYPOTHESIS	Primary V1 placement object.
BOUNDARY	A demo is not pilot adoption.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/card/`; `app-web/tests/browser/coin-card-production-artifact.test.js`; `docs/operations/evidence/coincard-existing-portal-handoff-2026-06-29.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	controlled issuance after binding V1 gates.

REVISION-QUALIFIED EVIDENCE LINKS

docs/product-commercial-roadmap-rev6 @ 6bf1608

app-web/frontend/public/card/ @ 6bf1608

app-web/tests/browser/coin-card-production-artifact.test.js @ 6bf1608

docs/operations/evidence/coincard-existing-portal-handoff-2026-06-29.md @ 6bf1608

CC - 35

Static iframe/embed surface

CAPABILITY

PARTIALLY IMPLEMENTED

READY BUT NOT QUEUED

PC-12 — Hosted Coin Card presentation and handoff	
RECORD CLASS	Capability
PARENT CAPABILITY	PC-12 — Hosted Coin Card presentation and handoff
AREA / PHASE / SIDE / TYPE	Distribution / V1 / payee / embed
IMPLEMENTATION MATURITY	Partially implemented
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Let recipients place the persistent payment identity on an existing site without arbitrary script injection.
PARENT USER VALUE	Recipients can share one destination and payers can enter a clear review flow.
PARENT STRATEGIC ROLE	Provides the distribution surface for the controlled V1 credential pilot.
STRATEGIC-ROLE TAGS	Distribution/access; Trust; Payer usability
CURRENT IMPLEMENTATION	Card paths permit framing and prior handoff/embed work exists.
REMAINING WORK	Real external placement, CSP compatibility, resize behavior, and stale/revoked embed smoke remain.
DEPENDENCIES	Stable route, frame-safe CSP, fail-closed lifecycle, full-address access, and external-site evidence.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Stable route, frame-safe CSP, fail-closed lifecycle, full-address access, and external-site evidence.
COMMERCIAL HYPOTHESIS	Distribution mechanism for V1 placement.
BOUNDARY	Stop if target operators only share links and do not embed.
STOP RULE	Stop if target operators only share links and do not embed.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/card/`; `app-web/tests/browser/coin-card-production-artifact.test.js`; `docs/operations/evidence/coincard-existing-portal-handoff-2026-06-29.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	define static embed acceptance and place with pilot.
REVISION-QUALIFIED EVIDENCE LINKS	
- docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/frontend/public/card/ @ 6bf1608 - app-web/tests/browser/coin-card-production-artifact.test.js @ 6bf1608 - docs/operations/evidence/coincard-existing-portal-handoff-2026-06-29.md @ 6bf1608	

CC - 36

Coin Card-to-portal handoff

CAPABILITY

IMPLEMENTED AND TESTED

READY BUT NOT QUEUED

PC-12 — Hosted Coin Card presentation and handoff	
RECORD CLASS	Capability
PARENT CAPABILITY	PC-12 — Hosted Coin Card presentation and handoff
AREA / PHASE / SIDE / TYPE	Access / existing / payer / intake adapter
IMPLEMENTATION MATURITY	Implemented and tested
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Carry card identity and optional amount into the existing portal without duplicating wallet or transfer logic.
PARENT USER VALUE	Recipients can share one destination and payers can enter a clear review flow.
PARENT STRATEGIC ROLE	Provides the distribution surface for the controlled V1 credential pilot.
STRATEGIC-ROLE TAGS	Distribution/access; Trust; Payer usability
CURRENT IMPLEMENTATION	Safe URL intake, registry recipient authority, hostile `to=` rejection, no auto-connect/execute, and staging smoke exist.
REMAINING WORK	Failure-state and broader wallet smoke remain incomplete, and later direct Coin Card execution may supersede portions.
DEPENDENCIES	Verified registry, safe deep link, explicit user action, failure states, and current product flow decision.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Verified registry, safe deep link, explicit user action, failure states, and current product flow decision.
COMMERCIAL HYPOTHESIS	Coordination aid, not a second portal.
BOUNDARY	Never accept recipient authority from URL query parameters.
STOP RULE	Never accept recipient authority from URL query parameters.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/card/`; `app-web/tests/browser/coin-card-production-artifact.test.js`; `docs/operations/evidence/coincard-existing-portal-handoff-2026-06-29.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	preserve only if V1 selected flow still uses it.
REVISION-QUALIFIED EVIDENCE LINKS - docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/frontend/public/card/ @ 6bf1608 - app-web/tests/browser/coin-card-production-artifact.test.js @ 6bf1608 - docs/operations/evidence/coincard-existing-portal-handoff-2026-06-29.md @ 6bf1608	

CC - 37

Coin Card QR presentation

CAPABILITY

RELEASE-EVIDENCED

DEFERRED

PC-12 — Hosted Coin Card presentation and handoff

RECORD CLASS	Capability
PARENT CAPABILITY	PC-12 — Hosted Coin Card presentation and handoff
AREA / PHASE / SIDE / TYPE	Access / existing / payee / identity handoff
IMPLEMENTATION MATURITY	Release-evidenced
WORK AUTHORIZATION	Deferred
PURPOSE	Present a canonical card URL for another device without embedding mutable payment amount or recipient facts.
PARENT USER VALUE	Recipients can share one destination and payers can enter a clear review flow.
PARENT STRATEGIC ROLE	Provides the distribution surface for the controlled V1 credential pilot.
STRATEGIC-ROLE TAGS	Distribution/access; Trust; Payer usability
CURRENT IMPLEMENTATION	Verified-only lazy QR library loading, integrity attestation, canonical URL, decode tests, focus behavior, and revoked-state blocking exist. Signed payment-request QR belongs to later V3.
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.
DEPENDENCIES	Verified card, integrity-checked QR dependency, no amount/query recipient, and decode equality.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Verified card, integrity-checked QR dependency, no amount/query recipient, and decode equality.
COMMERCIAL HYPOTHESIS	Useful identity distribution, not unique payment-request value.
BOUNDARY	Do not conflate it with V3 QR/POS requests.
STOP RULE	Do not conflate it with V3 QR/POS requests.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/card/`; `app-web/tests/browser/coin-card-production-artifact.test.js`; `docs/operations/evidence/coincard-existing-portal-handoff-2026-06-29.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	maintenance.

REVISION-QUALIFIED EVIDENCE LINKS

- docs/product-commercial-roadmap-rev6 @ 6bf1608
- app-web/frontend/public/card/ @ 6bf1608
- app-web/tests/browser/coin-card-production-artifact.test.js @ 6bf1608
- docs/operations/evidence/coincard-existing-portal-handoff-2026-06-29.md @ 6bf1608

CC - 38 Controlled issuance workflow		OPERATIONAL PROCESS DEFINED OR SPECIFIED READY BUT NOT QUEUED
PC-13 — Controlled Coin Card issuance and recovery		
RECORD CLASS	Operational process	
PARENT CAPABILITY	PC-13 — Controlled Coin Card issuance and recovery	
AREA / PHASE / SIDE / TYPE	Pilot operations / V1 / payee / administrative workflow	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Issue a manually approved, time-limited credential through repeatable evidence-backed steps.	
PARENT USER VALUE	A recipient receives a maintained credential instead of a one-time static page.	
PARENT STRATEGIC ROLE	Tests whether lifecycle maintenance is valuable and supportable before self-service issuance.	
STRATEGIC-ROLE TAGS	Trust; Payee operations; Support/operations; Security/assurance	
CURRENT IMPLEMENTATION	Provisioning/signing tooling and demo artifacts exist.	
REMAINING WORK	Approved-cohort intake, production wallet proof, entitlement, namespace review, exact issuance checklist, retained evidence, and rehearsal remain.	
DEPENDENCIES	CC-03/04/08/10/13, Gate 1A, validity decision, private case record, and live verification.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-03/04/08/10/13, Gate 1A, validity decision, private case record, and live verification.	
COMMERCIAL HYPOTHESIS	V1 market test.	
BOUNDARY	No public self-service or implied free tier.	
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.	
SOURCE / EVIDENCE LOCATOR	V1 issuance sequence and provisioning scripts.	
NEXT ACTION	close Gate 1A and ratify issuance authority.	

CC - 39

Reverification

OPERATIONAL PROCESS

DEFINED OR SPECIFIED

DECISION REQUIRED

PC-13 — Controlled Coin Card issuance and recovery

RECORD CLASS	Operational process
PARENT CAPABILITY	PC-13 — Controlled Coin Card issuance and recovery
AREA / PHASE / SIDE / TYPE	Credential operations / V1 / payee / recurring control proof
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Decision required
PURPOSE	Refresh wallet-control and route evidence before a credential becomes stale.
PARENT USER VALUE	A recipient receives a maintained credential instead of a one-time static page.
PARENT STRATEGIC ROLE	Tests whether lifecycle maintenance is valuable and supportable before self-service issuance.
STRATEGIC-ROLE TAGS	Trust; Payee operations; Support/operations; Security/assurance
CURRENT IMPLEMENTATION	Expiration/currentness primitives exist; interval, warning, challenge reuse prohibition, customer communication, and renewed manifest/lifecycle flow are not ratified.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	CC-04/16/17, validity policy, new challenge, new immutable version, and historical preservation.
ENTRY GATE	The named governing decision is ratified and recorded.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-04/16/17, validity policy, new challenge, new immutable version, and historical preservation.
COMMERCIAL HYPOTHESIS	Supports maintained credential value.
BOUNDARY	Reverification must be security-driven, not artificial churn.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	V1 roadmap validity hypothesis.
NEXT ACTION	decide before first issuance.

CC - 40 Compromise recovery		OPERATIONAL PROCESS DEFINED OR SPECIFIED READY BUT NOT QUEUED
PC-13 — Controlled Coin Card issuance and recovery		
RECORD CLASS	Operational process	
PARENT CAPABILITY	PC-13 — Controlled Coin Card issuance and recovery	
AREA / PHASE / SIDE / TYPE	Credential operations / V1 / payee / incident workflow	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Respond when recipient wallet, signing key, admin account, route, or served content may be compromised.	
PARENT USER VALUE	A recipient receives a maintained credential instead of a one-time static page.	
PARENT STRATEGIC ROLE	Tests whether lifecycle maintenance is valuable and supportable before self-service issuance.	
STRATEGIC-ROLE TAGS	Trust; Payee operations; Support/operations; Security/assurance	
CURRENT IMPLEMENTATION	Lifecycle controls and general incident doctrine exist.	
REMAINING WORK	Scenario-specific detection, authority, suspend/revoke/reissue sequence, communications, and rehearsal remain.	
DEPENDENCIES	CC-10/18/19/20, security contacts, evidence preservation, rollback, and post-incident verification.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-10/18/19/20, security contacts, evidence preservation, rollback, and post-incident verification.	
COMMERCIAL HYPOTHESIS	Operational trust value.	
BOUNDARY	Recovery means route/credential administration, never recovery of customer funds.	
STOP RULE	Recovery means route/credential administration, never recovery of customer funds.	
SOURCE / EVIDENCE LOCATOR	security review requirements and V1 runbooks.	
NEXT ACTION	draft and rehearse before pilot.	

CC - 41

Issuance and lifecycle audit history

OPERATIONAL PROCESS

PARTIALLY IMPLEMENTED

READY BUT NOT QUEUED

PC-13 — Controlled Coin Card issuance and recovery	
RECORD CLASS	Operational process
PARENT CAPABILITY	PC-13 — Controlled Coin Card issuance and recovery
AREA / PHASE / SIDE / TYPE	Credential operations / V1 / both / audit record
IMPLEMENTATION MATURITY	Partially implemented
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Preserve who issued, changed, suspended, revoked, replaced, or republished a credential and on what evidence.
PARENT USER VALUE	A recipient receives a maintained credential instead of a one-time static page.
PARENT STRATEGIC ROLE	Tests whether lifecycle maintenance is valuable and supportable before self-service issuance.
STRATEGIC-ROLE TAGS	Trust; Payee operations; Support/operations; Security/assurance
CURRENT IMPLEMENTATION	Signed records and repository evidence preserve some history.
REMAINING WORK	Private administrative case references, reason codes, actor authority, and a searchable lifecycle audit do not.
DEPENDENCIES	CC-13, minimal V1 data policy, access control, immutable public facts/private notes split, and retention.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-13, minimal V1 data policy, access control, immutable public facts/private notes split, and retention.
COMMERCIAL HYPOTHESIS	Necessary for credible support and disputes; avoid collecting detailed accusations publicly.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`app-web/docs/product/coin-card/COIN_CARD_WALLET_OWNERSHIP_API_V1.md`; `app-web/backend/functions/test/wallet-challenge.test.js`; `docs/product/coin-card/README.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	define minimal pilot audit record.

REVISION-QUALIFIED EVIDENCE LINKS

- docs/product-commercial-roadmap-rev6 @ 6bf1608
- app-web/docs/product/coin-card/COIN_CARD_WALLET_OWNERSHIP_API_V1.md @ 6bf1608
- app-web/backend/functions/test/wallet-challenge.test.js @ 6bf1608
- docs/product/coin-card/README.md @ 6bf1608

V1 - 01 Signed-record stack ratification		GOVERNANCE DECISION
		DEFINED OR SPECIFIED
		READY BUT NOT QUEUED
PC-14 — V1 governing decisions and release boundaries		
RECORD CLASS	Governance decision	
PARENT CAPABILITY	PC-14 — V1 governing decisions and release boundaries	
AREA / PHASE / SIDE / TYPE	Product authority / V1 / both / architecture decision	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Confirm the existing Coin Card contracts actually support the V1 claim before adding or redesigning trust infrastructure.	
PARENT USER VALUE	Pilot users receive one coherent product whose behavior matches its stated boundaries.	
PARENT STRATEGIC ROLE	Prevents implementation from outrunning authority, privacy, or legal decisions.	
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Trust	
CURRENT IMPLEMENTATION	A deep normative stack and extensive tests exist; gaps across v1/v2 evidence authority, production key operations, route packet, and canonical branches must be listed and accepted or scheduled.	
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.	
DEPENDENCIES	Canonical contract inventory, claims matrix, runtime mapping, gap disposition, and no parallel authority.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Canonical contract inventory, claims matrix, runtime mapping, gap disposition, and no parallel authority.	
COMMERCIAL HYPOTHESIS	Enables V1 trust without architecture theater.	
BOUNDARY	Stop adding cryptography when it no longer changes a customer or release decision.	
STOP RULE	Stop adding cryptography when it no longer changes a customer or release decision.	
SOURCE / EVIDENCE LOCATOR	Coin Card README/contracts and roadmap §6.	
NEXT ACTION	write one ratification record with accepted V1 claim and explicit gaps.	

V1 - 02

Gate 1A production dependency closure

CONTROL

DEFINED OR SPECIFIED

READY BUT NOT QUEUED

PC-14 — V1 governing decisions and release boundaries	
RECORD CLASS	Control
PARENT CAPABILITY	PC-14 — V1 governing decisions and release boundaries
AREA / PHASE / SIDE / TYPE	Production security / V1 / payee / release gate
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Remove or resolve the staging-only dependency exception that prohibits genuine wallet-control issuance.
PARENT USER VALUE	Pilot users receive one coherent product whose behavior matches its stated boundaries.
PARENT STRATEGIC ROLE	Prevents implementation from outrunning authority, privacy, or legal decisions.
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Trust
CURRENT IMPLEMENTATION	The exception is deliberately fail-closed and the release suite recognizes it; production resolution is not recorded.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	Approved replacement or removal, dependency review, tests, production smoke, and updated release evidence.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Approved replacement or removal, dependency review, tests, production smoke, and updated release evidence.
COMMERCIAL HYPOTHESIS	Binding gate.
BOUNDARY	Customer interest cannot authorize bypass.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	roadmap security section and Gate 1A runtime/evidence.
NEXT ACTION	isolate the exact exception and close it before pilot issuance.

V1 - 03

Structured production security review

CONTROL

DEFINED OR SPECIFIED

READY BUT NOT QUEUED

PC-14 — V1 governing decisions and release boundaries	
RECORD CLASS	Control
PARENT CAPABILITY	PC-14 — V1 governing decisions and release boundaries
AREA / PHASE / SIDE / TYPE	Security / V1 / both / release assessment
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Evaluate custody, authority, contracts, signed records, Firebase, dependencies, delivery, failure states, and operations as one pilot system.
PARENT USER VALUE	Pilot users receive one coherent product whose behavior matches its stated boundaries.
PARENT STRATEGIC ROLE	Prevents implementation from outrunning authority, privacy, or legal decisions.
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Trust
CURRENT IMPLEMENTATION	Numerous focused tests and architecture packets exist; the roadmap-required consolidated Fable review, finding register, and final disposition are not complete.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	V1-01, exact production tree, threat model, severity/exploitability, reproduction, remediation, regression test, owner, and disposition.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1-01, exact production tree, threat model, severity/exploitability, reproduction, remediation, regression test, owner, and disposition.
COMMERCIAL HYPOTHESIS	Binding release control.
BOUNDARY	Any unresolved critical/high finding blocks genuine issuance.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap §11 security review.
NEXT ACTION	conduct after canonical source and Gate 1A scope are known.

V1 - 04

Administrative-account hardening

CONTROL

DEFINED OR SPECIFIED

DECISION REQUIRED

PC-14 — V1 governing decisions and release boundaries	
RECORD CLASS	Control
PARENT CAPABILITY	PC-14 — V1 governing decisions and release boundaries
AREA / PHASE / SIDE / TYPE	Security operations / V1 / internal / account control
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Decision required
PURPOSE	Reduce takeover risk across registrar, DNS, GitHub, Firebase, signing, and deployment authorities.
PARENT USER VALUE	Pilot users receive one coherent product whose behavior matches its stated boundaries.
PARENT STRATEGIC ROLE	Prevents implementation from outrunning authority, privacy, or legal decisions.
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Trust
CURRENT IMPLEMENTATION	Required hardware-backed MFA posture is documented; a dated account inventory, owner/recovery map, enforcement evidence, and break-glass procedure are not present in the reviewed evidence.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	Account enumeration, hardware keys where supported, least privilege, recovery protection, audit contacts, and verification screenshots/records stored privately.
ENTRY GATE	The named governing decision is ratified and recorded.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Account enumeration, hardware keys where supported, least privilege, recovery protection, audit contacts, and verification screenshots/records stored privately.
COMMERCIAL HYPOTHESIS	Binding security gate.
BOUNDARY	Do not publish sensitive recovery details in public documentation.
STOP RULE	Do not publish sensitive recovery details in public documentation.
SOURCE / EVIDENCE LOCATOR	V1 gate and security review scope.
NEXT ACTION	perform a private admin-control audit.

V1 - 05

Served-content integrity tripwire

CONTROL

PARTIALLY IMPLEMENTED

READY BUT NOT QUEUED

PC-14 — V1 governing decisions and release boundaries	
RECORD CLASS	Control
PARENT CAPABILITY	PC-14 — V1 governing decisions and release boundaries
AREA / PHASE / SIDE / TYPE	Delivery security / V1 / payer / monitoring control
IMPLEMENTATION MATURITY	Partially implemented
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Detect when production serves altered payment-critical JavaScript, manifests, keys, or card artifacts.
PARENT USER VALUE	Pilot users receive one coherent product whose behavior matches its stated boundaries.
PARENT STRATEGIC ROLE	Prevents implementation from outrunning authority, privacy, or legal decisions.
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Trust
CURRENT IMPLEMENTATION	Predeploy manifest hashes and integrity proof tooling protect source/release artifacts; a continuously or independently observed live-content tripwire, alert path, and incident response are not demonstrated.
REMAINING WORK	Complete the unresolved end-to-end implementation and evidence conditions stated in this record.
DEPENDENCIES	Protected asset manifest, live-domain fetch, expected hash authority, alert destination, false-positive handling, and rollback rehearsal.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Protected asset manifest, live-domain fetch, expected hash authority, alert destination, false-positive handling, and rollback rehearsal.
COMMERCIAL HYPOTHESIS	Trust infrastructure.
BOUNDARY	A local predeploy check alone is not served-content monitoring.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	`firebase.json`; `app-web/frontend/public/v1-execution.html`; `docs/product/product-commercial-roadmap-2026-07-30.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	define minimal live tripwire and alert.
REVISION-QUALIFIED EVIDENCE LINKS - docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/frontend/public/v1-execution.html @ 6bf1608 - docs/product/product-commercial-roadmap-2026-07-30.md @ 6bf1608	

V1 - 06 Minimal V1 data classification, PII, and retention boundary		GOVERNANCE DECISION
		DEFINED OR SPECIFIED
		READY BUT NOT QUEUED
PC-14 — V1 governing decisions and release boundaries		
RECORD CLASS	Governance decision	
PARENT CAPABILITY	PC-14 — V1 governing decisions and release boundaries	
AREA / PHASE / SIDE / TYPE	Privacy / V1 / both / data policy	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Limit pilot collection to what issuance, support, evidence, security, and customer learning actually need.	
PARENT USER VALUE	Pilot users receive one coherent product whose behavior matches its stated boundaries.	
PARENT STRATEGIC ROLE	Prevents implementation from outrunning authority, privacy, or legal decisions.	
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Trust	
CURRENT IMPLEMENTATION	Roadmap data classes and local-first principles exist; exact pilot fields, purpose, access, retention, deletion, and evidence consent are not approved.	
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.	
DEPENDENCIES	Issuance/evidence workflow, public/private split, legal review triggers, secure storage, and pilot notice.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Issuance/evidence workflow, public/private split, legal review triggers, secure storage, and pilot notice.	
COMMERCIAL HYPOTHESIS	Binding privacy control.	
BOUNDARY	Do not collect email, identity documents, analytics, or support detail “for later. ”	
STOP RULE	Do not collect email, identity documents, analytics, or support detail “for later.	
SOURCE / EVIDENCE LOCATOR	Roadmap PII posture.	
NEXT ACTION	approve a field-level V1 data table before cohort intake.	

V1 - 07 Custody tripwire publication		GOVERNANCE DECISION
		DEFINED OR SPECIFIED
		READY BUT NOT QUEUED
PC-14 — V1 governing decisions and release boundaries		
RECORD CLASS	Governance decision	
PARENT CAPABILITY	PC-14 — V1 governing decisions and release boundaries	
AREA / PHASE / SIDE / TYPE	Authority governance / V1 / both / design stop control	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Give product and engineering explicit conditions that stop design before ImplicitEx gains control over funds.	
PARENT USER VALUE	Pilot users receive one coherent product whose behavior matches its stated boundaries.	
PARENT STRATEGIC ROLE	Prevents implementation from outrunning authority, privacy, or legal decisions.	
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Trust	
CURRENT IMPLEMENTATION	The roadmap lists twelve tripwires; an internal operational checklist and owner/escalation path are not separately published.	
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.	
DEPENDENCIES	Legal Development Hierarchy, architecture review template, and release signoff.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Legal Development Hierarchy, architecture review template, and release signoff.	
COMMERCIAL HYPOTHESIS	Master company boundary.	
BOUNDARY	Triggering a tripwire requires written legal and architecture review, not clever naming.	
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.	
SOURCE / EVIDENCE LOCATOR	Roadmap §11.	
NEXT ACTION	ratify as internal release doctrine.	

V1 - 08 Address-screening counsel determination		GOVERNANCE DECISION	DEFINED OR SPECIFIED	LEGALLY GATED
PC-14 — V1 governing decisions and release boundaries				
RECORD CLASS	Governance decision			
PARENT CAPABILITY	PC-14 — V1 governing decisions and release boundaries			
AREA / PHASE / SIDE / TYPE	Legal/compliance / V1 / both / conditional release control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Legally gated			
PURPOSE	Determine whether the actual controlled V1 flow requires sanctions screening or another address control.			
PARENT USER VALUE	Pilot users receive one coherent product whose behavior matches its stated boundaries.			
PARENT STRATEGIC ROLE	Prevents implementation from outrunning authority, privacy, or legal decisions.			
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Trust			
CURRENT IMPLEMENTATION	Risk category and later control design are documented; no counsel determination for the final V1 flow is recorded.			
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.			
DEPENDENCIES	Exact user flow, jurisdictions, control/intervention facts, service claims, counsel analysis, and written disposition.			
ENTRY GATE	The required counsel or formal legal determination is recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Exact user flow, jurisdictions, control/intervention facts, service claims, counsel analysis, and written disposition.			
COMMERCIAL HYPOTHESIS	If required, screening becomes a binding V1 gate.			
BOUNDARY	It may never be marketed as a “safe address” guarantee.			
STOP RULE	It may never be marketed as a “safe address” guarantee.			
SOURCE / EVIDENCE LOCATOR	Roadmap V1 gate and conditional release record.			
NEXT ACTION	include in fintech counsel package before first genuine payment.			

V1 - 09 Controlled pilot entitlement		GOVERNANCE DECISION	DEFINED OR SPECIFIED	DECISION REQUIRED
PC-14 — V1 governing decisions and release boundaries				
RECORD CLASS	Governance decision			
PARENT CAPABILITY	PC-14 — V1 governing decisions and release boundaries			
AREA / PHASE / SIDE / TYPE	Pilot operations / V1 / payee / access control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Decision required			
PURPOSE	Limit credential issuance to approved, time-bounded pilot participants without prematurely building billing/accounts.			
PARENT USER VALUE	Pilot users receive one coherent product whose behavior matches its stated boundaries.			
PARENT STRATEGIC ROLE	Prevents implementation from outrunning authority, privacy, or legal decisions.			
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Trust			
CURRENT IMPLEMENTATION	Manual/time-limited concept exists.			
REMAINING WORK	Authoritative entitlement record, actor, start/end, extension, suspension, and evidence fields do not.			
DEPENDENCIES	Minimal V1 data policy, issuance authority, validity policy, and private admin record.			
ENTRY GATE	The named governing decision is ratified and recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Minimal V1 data policy, issuance authority, validity policy, and private admin record.			
COMMERCIAL HYPOTHESIS	Fees may be selectively waived; this is not a public free tier.			
BOUNDARY	Do not add general account infrastructure to solve V1.			
STOP RULE	Do not add general account infrastructure to solve V1.			
SOURCE / EVIDENCE LOCATOR	Roadmap V1 scope.			
NEXT ACTION	define the smallest manual entitlement record.			

V1 - 10 Manual cohort qualification and approval		OPERATIONAL PROCESS
		DEFINED OR SPECIFIED
		READY BUT NOT QUEUED
PC-14 — V1 governing decisions and release boundaries		
RECORD CLASS	Operational process	
PARENT CAPABILITY	PC-14 — V1 governing decisions and release boundaries	
AREA / PHASE / SIDE / TYPE	Customer operations / V1 / payee / pilot selection	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Recruit people with recent, observable stablecoin-payment behavior rather than random users or founder-created demos.	
PARENT USER VALUE	Pilot users receive one coherent product whose behavior matches its stated boundaries.	
PARENT STRATEGIC ROLE	Prevents implementation from outrunning authority, privacy, or legal decisions.	
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Trust	
CURRENT IMPLEMENTATION	Qualification criteria and interview questions exist; cohort list, approval record, contact evidence, and consent are absent.	
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.	
DEPENDENCIES	V1-06/09, behavior-based recruiting, clear pilot offer, and record retention permission.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1-06/09, behavior-based recruiting, clear pilot offer, and record retention permission.	
COMMERCIAL HYPOTHESIS	Produces meaningful product evidence.	
BOUNDARY	Stop broad outreach if candidates do not have an imminent genuine transaction.	
STOP RULE	Stop broad outreach if candidates do not have an imminent genuine transaction.	
SOURCE / EVIDENCE LOCATOR	Roadmap §§3 and 13.	
NEXT ACTION	assemble the first qualified candidate list after data boundary approval.	

V1 - 11

Credential validity and reverification interval

GOVERNANCE DECISION

DEFINED OR SPECIFIED

READY BUT NOT QUEUED

PC-14 — V1 governing decisions and release boundaries

RECORD CLASS	Governance decision
PARENT CAPABILITY	PC-14 — V1 governing decisions and release boundaries
AREA / PHASE / SIDE / TYPE	Credential policy / V1 / payee / lifecycle decision
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Bound how long wallet-control and route evidence remain current.
PARENT USER VALUE	Pilot users receive one coherent product whose behavior matches its stated boundaries.
PARENT STRATEGIC ROLE	Prevents implementation from outrunning authority, privacy, or legal decisions.
STRATEGIC-ROLE TAGS	Governance; Security/assurance; Trust
CURRENT IMPLEMENTATION	Ninety days is the initial hypothesis; actual period, warning window, early reverify trigger, grace, and expired-card behavior are not ratified.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	CC-16/17/39, pilot operating capacity, security rationale, and tested lifecycle copy.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-16/17/39, pilot operating capacity, security rationale, and tested lifecycle copy.
COMMERCIAL HYPOTHESIS	Maintained value without artificial renewal pressure.
BOUNDARY	Change only with evidence and documented reason.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap V1.
NEXT ACTION	ratify before first manifest.

V1 - 12 Issuance runbook and rehearsal		OPERATIONAL PROCESS
		DEFINED OR SPECIFIED
		READY BUT NOT QUEUED
PC-15 — V1 pilot operations and incident readiness		
RECORD CLASS	Operational process	
PARENT CAPABILITY	PC-15 — V1 pilot operations and incident readiness	
AREA / PHASE / SIDE / TYPE	Pilot operations / V1 / payee / runbook	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Make issuance repeatable from approval through wallet proof, signing, publication, independent verification, and retained evidence.	
PARENT USER VALUE	Pilot users receive consistent help and truthful status when normal execution breaks.	
PARENT STRATEGIC ROLE	Makes the pilot an operable service rather than a founder-controlled demo.	
STRATEGIC-ROLE TAGS	Support/operations; Security/assurance; Governance	
CURRENT IMPLEMENTATION	Tooling and conceptual issuance sequence exist.	
REMAINING WORK	Production prerequisites and rehearsal do not.	
DEPENDENCIES	V1-01/02/06/09/11 and CC-38; complete rehearsal with a non-customer fixture and second-person/evidence verification where possible.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1-01/02/06/09/11 and CC-38; complete rehearsal with a non-customer fixture and second-person/evidence verification where possible.	
COMMERCIAL HYPOTHESIS	Prevents founder improvisation.	
BOUNDARY	No genuine credential before rehearsal passes.	
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.	
SOURCE / EVIDENCE LOCATOR	V1 checklist and signing tooling.	
NEXT ACTION	draft after Gate 1A plan is known.	

V1 - 13

Suspension runbook

OPERATIONAL PROCESS

DEFINED OR SPECIFIED

READY BUT NOT QUEUED

PC-15 — V1 pilot operations and incident readiness

RECORD CLASS	Operational process
PARENT CAPABILITY	PC-15 — V1 pilot operations and incident readiness
AREA / PHASE / SIDE / TYPE	Pilot operations / V1 / both / runbook
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Temporarily disable a card with clear authority, evidence, payer copy, customer contact, and restoration criteria.
PARENT USER VALUE	Pilot users receive consistent help and truthful status when normal execution breaks.
PARENT STRATEGIC ROLE	Makes the pilot an operable service rather than a founder-controlled demo.
STRATEGIC-ROLE TAGS	Support/operations; Security/assurance; Governance
CURRENT IMPLEMENTATION	Runtime state exists; procedure and rehearsal do not.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	CC-13/18/41, private case record, reason codes, support copy, and live-like drill.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-13/18/41, private case record, reason codes, support copy, and live-like drill.
COMMERCIAL HYPOTHESIS	Operability gate.
BOUNDARY	Suspension blocks the ImplicitEx route, not customer funds.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	V1 scope and lifecycle contracts.
NEXT ACTION	author with lifecycle runbook set.

V1 - 14

Revocation runbook

OPERATIONAL PROCESS

DEFINED OR SPECIFIED

READY BUT NOT QUEUED

PC-15 — V1 pilot operations and incident readiness

RECORD CLASS	Operational process
PARENT CAPABILITY	PC-15 — V1 pilot operations and incident readiness
AREA / PHASE / SIDE / TYPE	Pilot operations / V1 / both / runbook
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Permanently disable a route while preserving prior evidence and supporting the cardholder/payer.
PARENT USER VALUE	Pilot users receive consistent help and truthful status when normal execution breaks.
PARENT STRATEGIC ROLE	Makes the pilot an operable service rather than a founder-controlled demo.
STRATEGIC-ROLE TAGS	Support/operations; Security/assurance; Governance
CURRENT IMPLEMENTATION	Runtime state exists; authority, proof threshold, notification, record, and rehearsal do not.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	CC-13/19/41, incident policy, public/private reason split, and old-route execution smoke.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-13/19/41, incident policy, public/private reason split, and old-route execution smoke.
COMMERCIAL HYPOTHESIS	Key maintained-credential value.
BOUNDARY	Never delete history as revocation.
STOP RULE	Never delete history as revocation.
SOURCE / EVIDENCE LOCATOR	V1 scope.
NEXT ACTION	author with lifecycle runbook set.

V1 - 15

Replacement and supersession runbook

OPERATIONAL PROCESS

DEFINED OR SPECIFIED

READY BUT NOT QUEUED

PC-15 — V1 pilot operations and incident readiness

RECORD CLASS	Operational process
PARENT CAPABILITY	PC-15 — V1 pilot operations and incident readiness
AREA / PHASE / SIDE / TYPE	Pilot operations / V1 / payee / runbook
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Replace wallet or route once while retaining public identity and showing the old version is no longer current.
PARENT USER VALUE	Pilot users receive consistent help and truthful status when normal execution breaks.
PARENT STRATEGIC ROLE	Makes the pilot an operable service rather than a founder-controlled demo.
STRATEGIC-ROLE TAGS	Support/operations; Security/assurance; Governance
CURRENT IMPLEMENTATION	Runtime lineage primitives exist.
REMAINING WORK	Operator sequence, new proof, redirects, notice, and rehearsal do not.
DEPENDENCIES	CC-20/31/39, new wallet proof, immutable old record, and payer-facing status.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-20/31/39, new wallet proof, immutable old record, and payer-facing status.
COMMERCIAL HYPOTHESIS	Tests route-lineage value.
BOUNDARY	Do not silently mutate a signed manifest.
STOP RULE	Do not silently mutate a signed manifest.
SOURCE / EVIDENCE LOCATOR	V1 scope and lineage contracts.
NEXT ACTION	author and drill.

V1 - 16 Compromise response workflow		OPERATIONAL PROCESS
		DEFINED OR SPECIFIED
		READY BUT NOT QUEUED
PC-15 — V1 pilot operations and incident readiness		
RECORD CLASS	Operational process	
PARENT CAPABILITY	PC-15 — V1 pilot operations and incident readiness	
AREA / PHASE / SIDE / TYPE	Security operations / V1 / both / incident runbook	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Coordinate suspension, revocation, replacement, evidence preservation, communication, and recovery after a suspected compromise.	
PARENT USER VALUE	Pilot users receive consistent help and truthful status when normal execution breaks.	
PARENT STRATEGIC ROLE	Makes the pilot an operable service rather than a founder-controlled demo.	
STRATEGIC-ROLE TAGS	Support/operations; Security/assurance; Governance	
CURRENT IMPLEMENTATION	General ingredients exist.	
REMAINING WORK	Scenario matrix and rehearsed response do not.	
DEPENDENCIES	CC-40, V1-04/05, incident roles, severity, detection, and rollback.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: CC-40, V1-04/05, incident roles, severity, detection, and rollback.	
COMMERCIAL HYPOTHESIS	Protects the credential service, not customer principal.	
BOUNDARY	Never promise recovery of funds.	
STOP RULE	Never promise recovery of funds.	
SOURCE / EVIDENCE LOCATOR	Roadmap security scope.	
NEXT ACTION	build after lifecycle authority is ratified.	

V1 - 17 Support workflow		OPERATIONAL PROCESS DEFINED OR SPECIFIED READY BUT NOT QUEUED
PC-15 — V1 pilot operations and incident readiness		
RECORD CLASS	Operational process	
PARENT CAPABILITY	PC-15 — V1 pilot operations and incident readiness	
AREA / PHASE / SIDE / TYPE	Customer operations / V1 / both / service procedure	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Handle issuance questions, route status, wallet confusion, payment state, and evidence requests consistently.	
PARENT USER VALUE	Pilot users receive consistent help and truthful status when normal execution breaks.	
PARENT STRATEGIC ROLE	Makes the pilot an operable service rather than a founder-controlled demo.	
STRATEGIC-ROLE TAGS	Support/operations; Security/assurance; Governance	
CURRENT IMPLEMENTATION	FAQ, failure copy, and founder knowledge exist.	
REMAINING WORK	Pilot intake, identity/control verification for support actions, response templates, escalation, and time tracking do not.	
DEPENDENCIES	V1 data boundary, lifecycle runbooks, incident escalation, and support evidence log.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1 data boundary, lifecycle runbooks, incident escalation, and support evidence log.	
COMMERCIAL HYPOTHESIS	Measures whether \$9–\$49 economics can work.	
BOUNDARY	Simplify or raise price if custom support dominates.	
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.	
SOURCE / EVIDENCE LOCATOR	Roadmap unit economics and V1 checklist.	
NEXT ACTION	define pilot support categories and time capture.	

V1 - 18

Uncertain-payment support procedure

OPERATIONAL PROCESS

PARTIALLY IMPLEMENTED

READY BUT NOT QUEUED

PC-15 — V1 pilot operations and incident readiness	
RECORD CLASS	Operational process
PARENT CAPABILITY	PC-15 — V1 pilot operations and incident readiness
AREA / PHASE / SIDE / TYPE	Customer operations / V1 / payer / exception procedure
IMPLEMENTATION MATURITY	Partially implemented
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Help a user determine what is known, what must be checked, and whether retry is unsafe after an interrupted flow.
PARENT USER VALUE	Pilot users receive consistent help and truthful status when normal execution breaks.
PARENT STRATEGIC ROLE	Makes the pilot an operable service rather than a founder-controlled demo.
STRATEGIC-ROLE TAGS	Support/operations; Security/assurance; Governance
CURRENT IMPLEMENTATION	Product states and copy exist; operator investigation steps, evidence request, escalation, and communication are not rehearsed.
REMAINING WORK	Complete the unresolved end-to-end implementation and evidence conditions stated in this record.
DEPENDENCIES	FND-15, chain/provider checks, support boundary, and no principal guarantee.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: FND-15, chain/provider checks, support boundary, and no principal guarantee.
COMMERCIAL HYPOTHESIS	Service value around execution.
BOUNDARY	Never tell a user to retry until prior broadcast is excluded.
STOP RULE	Never tell a user to retry until prior broadcast is excluded.
SOURCE / EVIDENCE LOCATOR	`app-web/frontend/public/js/transfer-status.js`; `docs/testing/transfer-edge-case-rehearsal.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	rehearse one submitted-but-unconfirmed scenario.
REVISION-QUALIFIED EVIDENCE LINKS - docs/product-commercial-roadmap-rev6 @ 6bf1608 - app-web/frontend/public/js/transfer-status.js @ 6bf1608 - docs/testing/transfer-edge-case-rehearsal.md @ 6bf1608	

V1 - 19

Incident, rollback, and customer-communication workflow

OPERATIONAL PROCESS

PARTIALLY IMPLEMENTED

READY BUT NOT QUEUED

PC-15 — V1 pilot operations and incident readiness	
RECORD CLASS	Operational process
PARENT CAPABILITY	PC-15 — V1 pilot operations and incident readiness
AREA / PHASE / SIDE / TYPE	Production operations / V1 / both / incident system
IMPLEMENTATION MATURITY	Partially implemented
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Detect, contain, roll back, verify, and communicate a production issue without ad hoc decisions.
PARENT USER VALUE	Pilot users receive consistent help and truthful status when normal execution breaks.
PARENT STRATEGIC ROLE	Makes the pilot an operable service rather than a founder-controlled demo.
STRATEGIC-ROLE TAGS	Support/operations; Security/assurance; Governance
CURRENT IMPLEMENTATION	Deployment rollback doctrine exists.
REMAINING WORK	Coin Card/registry-specific incident roles, customer template, evidence preservation, and joint rehearsal remain.
DEPENDENCIES	GOV-07, V1-04/05/16, contact tree, known-good release, and post-incident verification.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: GOV-07, V1-04/05/16, contact tree, known-good release, and post-incident verification.
COMMERCIAL HYPOTHESIS	Binding operability gate.
BOUNDARY	Do not activate pilot when rollback or communication authority is unknown.
STOP RULE	Do not activate pilot when rollback or communication authority is unknown.
SOURCE / EVIDENCE LOCATOR	`firebase.json`; `docs/operations/evidence/gate5-public-launch-2026-06-18.md`; branch `docs/product-commercial-roadmap-rev6` at `6bf1608`.
NEXT ACTION	merge into one V1 incident rehearsal.
REVISION-QUALIFIED EVIDENCE LINKS - docs/product-commercial-roadmap-rev6 @ 6bf1608 - docs/operations/evidence/gate5-public-launch-2026-06-18.md @ 6bf1608	

V1 - 20 Production security finding register		OPERATIONAL PROCESS
		DEFINED OR SPECIFIED
		READY BUT NOT QUEUED
PC-15 — V1 pilot operations and incident readiness		
RECORD CLASS	Operational process	
PARENT CAPABILITY	PC-15 — V1 pilot operations and incident readiness	
AREA / PHASE / SIDE / TYPE	Security operations / V1 / internal / evidence system	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Track each finding through severity, exploitability, impact, remediation, regression test, owner, and disposition.	
PARENT USER VALUE	Pilot users receive consistent help and truthful status when normal execution breaks.	
PARENT STRATEGIC ROLE	Makes the pilot an operable service rather than a founder-controlled demo.	
STRATEGIC-ROLE TAGS	Support/operations; Security/assurance; Governance	
CURRENT IMPLEMENTATION	Many isolated test results exist.	
REMAINING WORK	One consolidated V1 finding register does not.	
DEPENDENCIES	V1-03 review, stable scope, private evidence storage, and closure criteria.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1-03 review, stable scope, private evidence storage, and closure criteria.	
COMMERCIAL HYPOTHESIS	Binding gate for critical/high findings.	
BOUNDARY	“Known” is not the same as “accepted. ”	
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.	
SOURCE / EVIDENCE LOCATOR	Roadmap security review schema.	
NEXT ACTION	create as part of V1-03, not before.	

V1 - 21 Qualified workflow interviews		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-16 — V1 customer and commercial evidence				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-16 — V1 customer and commercial evidence			
AREA / PHASE / SIDE / TYPE	Customer evidence / V1 / payee-first / research operation			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Establish whether independent operators have the route, matching, evidence, and operating problem before expanding.			
PARENT USER VALUE	The product advances only when it solves a real workflow for genuine users.			
PARENT STRATEGIC ROLE	Replaces founder intuition and sunk cost with explicit continue, narrow, pivot, or stop evidence.			
STRATEGIC-ROLE TAGS	Revenue; Payee operations; Governance			
CURRENT IMPLEMENTATION	Fifteen payee-side/five payer-side target and interview guide exist.			
REMAINING WORK	Completed interview records do not.			
DEPENDENCIES	Qualified behavior, data consent, separate cohort analysis, last-real-payment reconstruction, and next-action request.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Qualified behavior, data consent, separate cohort analysis, last-real-payment reconstruction, and next-action request.			
COMMERCIAL HYPOTHESIS	At least five of twenty should show repeated pain and commit to a pilot action as working evidence.			
BOUNDARY	Otherwise change segment or thesis.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap §13/15.			
NEXT ACTION	begin after V1-06 defines the evidence record.			

V1 - 22 Qualified pilot offer and price presentation		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-16 — V1 customer and commercial evidence				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-16 — V1 customer and commercial evidence			
AREA / PHASE / SIDE / TYPE	Commercial evidence / V1 / payee / offer operation			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Test willingness to place and later pay without creating a public free tier or hiding the price hypothesis.			
PARENT USER VALUE	The product advances only when it solves a real workflow for genuine users.			
PARENT STRATEGIC ROLE	Replaces founder intuition and sunk cost with explicit continue, narrow, pivot, or stop evidence.			
STRATEGIC-ROLE TAGS	Revenue; Payee operations; Governance			
CURRENT IMPLEMENTATION	Price bands and selective waiver doctrine exist.			
REMAINING WORK	Exact pilot list price, waiver criteria, included service, and offer script do not.			
DEPENDENCIES	V1 claim/scope, support boundary, candidate qualification, and price-response logging.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1 claim/scope, support boundary, candidate qualification, and price-response logging.			
COMMERCIAL HYPOTHESIS	A waiver is an explicit experiment, not “free forever.			
BOUNDARY	” Do not discount to manufacture demand.			
STOP RULE	” Do not discount to manufacture demand.			
SOURCE / EVIDENCE LOCATOR	Roadmap §§2 and 9.			
NEXT ACTION	set the V1 offer before outreach.			

V1 - 23

Qualified-offer and placement tracking

COMMERCIAL EXPERIMENT

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-16 — V1 customer and commercial evidence

RECORD CLASS	Commercial experiment
PARENT CAPABILITY	PC-16 — V1 customer and commercial evidence
AREA / PHASE / SIDE / TYPE	Market evidence / V1 / payee / pilot metric
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Know whether recipients will actually place and share a credential, not merely praise the idea.
PARENT USER VALUE	The product advances only when it solves a real workflow for genuine users.
PARENT STRATEGIC ROLE	Replaces founder intuition and sunk cost with explicit continue, narrow, pivot, or stop evidence.
STRATEGIC-ROLE TAGS	Revenue; Payee operations; Governance
CURRENT IMPLEMENTATION	Thresholds are defined.
REMAINING WORK	Prospect-level offer, response, placement, reason, and evidence records do not.
DEPENDENCIES	V1-06/10/22, unambiguous qualification, placement definition, and source link.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1-06/10/22, unambiguous qualification, placement definition, and source link.
COMMERCIAL HYPOTHESIS	Ten placed cards and five placements from no more than fifty offers are working thresholds.
BOUNDARY	Fewer than five after fifty stops expansion and triggers re-interview.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap V1 gate/kill criterion.
NEXT ACTION	create the controlled tracker before first offer.

V1 - 24 Genuine third-party payment evidence		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-16 — V1 customer and commercial evidence				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-16 — V1 customer and commercial evidence			
AREA / PHASE / SIDE / TYPE	Customer evidence / V1 / both / adoption metric			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Prove cards participate in real customer-originated payments rather than demos or founder-created traffic.			
PARENT USER VALUE	The product advances only when it solves a real workflow for genuine users.			
PARENT STRATEGIC ROLE	Replaces founder intuition and sunk cost with explicit continue, narrow, pivot, or stop evidence.			
STRATEGIC-ROLE TAGS	Revenue; Payee operations; Governance			
CURRENT IMPLEMENTATION	Controlled live transfers and demo cards exist, but no evidence in this roadmap cycle shows three distinct pilot cards receiving genuine third-party payments.			
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.			
DEPENDENCIES	Genuine issued cards, counsel screening decision, production security, consent, chain receipt, and customer context.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Genuine issued cards, counsel screening decision, production security, consent, chain receipt, and customer context.			
COMMERCIAL HYPOTHESIS	At least three cards must receive genuine payments before billing expansion.			
BOUNDARY	If placed cards remain demos, investigate the use case.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	V1 gate.			
NEXT ACTION	none until issuance gates pass.			

V1 - 25 Pilot evidence repository		OPERATIONAL PROCESS	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-16 — V1 customer and commercial evidence				
RECORD CLASS	Operational process			
PARENT CAPABILITY	PC-16 — V1 customer and commercial evidence			
AREA / PHASE / SIDE / TYPE	Evidence operations / V1 / internal / controlled record store			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Keep interviews, offers, placements, payments, failures, support, price response, and decisions traceable.			
PARENT USER VALUE	The product advances only when it solves a real workflow for genuine users.			
PARENT STRATEGIC ROLE	Replaces founder intuition and sunk cost with explicit continue, narrow, pivot, or stop evidence.			
STRATEGIC-ROLE TAGS	Revenue; Payee operations; Governance			
CURRENT IMPLEMENTATION	Repository evidence conventions and a printable log exist.			
REMAINING WORK	Authoritative pilot store, access, naming, retention, and privacy do not.			
DEPENDENCIES	V1-06, stable record IDs, private/public split, backup, and source links.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1-06, stable record IDs, private/public split, backup, and source links.			
COMMERCIAL HYPOTHESIS	Converts anecdotes into decision evidence.			
BOUNDARY	Do not store excess identity or customer secrets in Git.			
STOP RULE	Do not store excess identity or customer secrets in Git.			
SOURCE / EVIDENCE LOCATOR	roadmap initial evidence program and V1 checklist.			
NEXT ACTION	choose the minimal private evidence store.			

V1 - 26

Evidence-based V1 disposition

GOVERNANCE DECISION

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-16 — V1 customer and commercial evidence

RECORD CLASS	Governance decision
PARENT CAPABILITY	PC-16 — V1 customer and commercial evidence
AREA / PHASE / SIDE / TYPE	Governance / V1 exit / internal / gate decision
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Decide to advance, continue evidence, narrow/change segment, or stop without letting sunk cost decide.
PARENT USER VALUE	The product advances only when it solves a real workflow for genuine users.
PARENT STRATEGIC ROLE	Replaces founder intuition and sunk cost with explicit continue, narrow, pivot, or stop evidence.
STRATEGIC-ROLE TAGS	Revenue; Payee operations; Governance
CURRENT IMPLEMENTATION	Binding gates, working thresholds, stop rules, and a signoff worksheet exist.
REMAINING WORK	Actual evidence does not.
DEPENDENCIES	All binding security/legal/authority/evidence gates plus reviewed placement, payment, customer, commercial, support, and failure records.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: All binding security/legal/authority/evidence gates plus reviewed placement, payment, customer, commercial, support, and failure records.
COMMERCIAL HYPOTHESIS	Working thresholds are not statistical proof.
BOUNDARY	Binding failures cannot be averaged away.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap V1 and §15.
NEXT ACTION	none until evidence program completes.

IMPLEMENTATION GROUP

V2 foundation and core

45 detailed records

G0-01

Authentication model

CONTROL

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-17 — V2 authentication, tenant, and authorization foundation

RECORD CLASS	Control
PARENT CAPABILITY	PC-17 — V2 authentication, tenant, and authorization foundation
AREA / PHASE / SIDE / TYPE	Account platform / V2 Gate 0 / payee / identity control
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Give each operator a secure, recoverable workspace identity without weakening wallet self-custody.
PARENT USER VALUE	An operator can maintain private payment records without exposing another customer's data.
PARENT STRATEGIC ROLE	Enables paid workspaces without weakening wallet self-custody.
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Payee operations
CURRENT IMPLEMENTATION	Wallet connection exists.
REMAINING WORK	A V2 account identity, credential policy, provider choice, and assurance model do not.
DEPENDENCIES	Positive V1 exit, threat model, privacy boundary, provider review, automated auth tests, and controlled recovery rehearsal.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Positive V1 exit, threat model, privacy boundary, provider review, automated auth tests, and controlled recovery rehearsal.
COMMERCIAL HYPOTHESIS	Enables paid workspaces and private records.
BOUNDARY	Authentication must never imply ImplicitEx controls the payment wallet.
STOP RULE	Authentication must never imply ImplicitEx controls the payment wallet.
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0.
NEXT ACTION	none before V1 disposition.

G0-02 Account recovery policy and workflow		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-17 — V2 authentication, tenant, and authorization foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-17 — V2 authentication, tenant, and authorization foundation			
AREA / PHASE / SIDE / TYPE	Account platform / V2 Gate 0 / payee / recovery control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Restore workspace access without an administrator being able to seize a wallet or silently replace a payee.			
PARENT USER VALUE	An operator can maintain private payment records without exposing another customer's data.			
PARENT STRATEGIC ROLE	Enables paid workspaces without weakening wallet self-custody.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Payee operations			
CURRENT IMPLEMENTATION	No V2 account-recovery system exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	G0-01, identity proof policy, recovery delays and notifications, route-change controls, abuse tests, and documented support procedure.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: G0-01, identity proof policy, recovery delays and notifications, route-change controls, abuse tests, and documented support procedure.			
COMMERCIAL HYPOTHESIS	Reduces account-loss support.			
BOUNDARY	Stop any design that lets recovery bypass Coin Card route authority.			
STOP RULE	Stop any design that lets recovery bypass Coin Card route authority.			
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0 and custody tripwires.			
NEXT ACTION	gated.			

G0 - 03 Tenant and workspace model		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-17 — V2 authentication, tenant, and authorization foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-17 — V2 authentication, tenant, and authorization foundation			
AREA / PHASE / SIDE / TYPE	Data architecture / V2 Gate 0 / payee / authoritative object model			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Define who owns profiles, requests, records, exports, and entitlements before data accumulates.			
PARENT USER VALUE	An operator can maintain private payment records without exposing another customer's data.			
PARENT STRATEGIC ROLE	Enables paid workspaces without weakening wallet self-custody.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Payee operations			
CURRENT IMPLEMENTATION	Shared product objects are proposed; tenant ownership and membership rules are not implemented.			
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.			
DEPENDENCIES	Object IDs, account model, lifecycle rules, migration plan, schema tests, and explicit ownership invariants.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Object IDs, account model, lifecycle rules, migration plan, schema tests, and explicit ownership invariants.			
COMMERCIAL HYPOTHESIS	Supports individual workspaces first.			
BOUNDARY	Do not smuggle team/enterprise complexity into the initial tenant.			
STOP RULE	Do not smuggle team/enterprise complexity into the initial tenant.			
SOURCE / EVIDENCE LOCATOR	Portal object doctrine and Gate 0.			
NEXT ACTION	gated.			

G0 - 04 Tenant isolation		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-17 — V2 authentication, tenant, and authorization foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-17 — V2 authentication, tenant, and authorization foundation			
AREA / PHASE / SIDE / TYPE	Security / V2 Gate 0 / payee / access boundary			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Prevent one customer from reading, changing, exporting, or inferring another customer's private records.			
PARENT USER VALUE	An operator can maintain private payment records without exposing another customer's data.			
PARENT STRATEGIC ROLE	Enables paid workspaces without weakening wallet self-custody.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Payee operations			
CURRENT IMPLEMENTATION	No V2 multitenant store exists.			
REMAINING WORK	Isolation policy, enforcement, negative tests, and review remain.			
DEPENDENCIES	G0-03, server-side enforcement, hostile cross-tenant test suite, logs, and security signoff.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: G0-03, server-side enforcement, hostile cross-tenant test suite, logs, and security signoff.			
COMMERCIAL HYPOTHESIS	A binding release gate.			
BOUNDARY	Any unresolved cross-tenant path blocks V2 deployment.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0.			
NEXT ACTION	gated.			

G0 - 05 Object-level authorization		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-17 — V2 authentication, tenant, and authorization foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-17 — V2 authentication, tenant, and authorization foundation			
AREA / PHASE / SIDE / TYPE	Security / V2 Gate 0 / payee / authorization control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Apply ownership and permitted actions to every private profile, request, receipt, contact, export, and setting.			
PARENT USER VALUE	An operator can maintain private payment records without exposing another customer's data.			
PARENT STRATEGIC ROLE	Enables paid workspaces without weakening wallet self-custody.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Payee operations			
CURRENT IMPLEMENTATION	Public Coin Card validation exists.			
REMAINING WORK	Private V2 authorization rules and enforcement do not.			
DEPENDENCIES	Tenant model, action matrix, centralized policy, denial tests for every object and mutation, and audit.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Tenant model, action matrix, centralized policy, denial tests for every object and mutation, and audit.			
COMMERCIAL HYPOTHESIS	Prevents insecure direct-object access.			
BOUNDARY	Front-end hiding never counts as authorization.			
STOP RULE	Front-end hiding never counts as authorization.			
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0.			
NEXT ACTION	gated.			

G0-06

Administrative access controls

CONTROL

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-17 — V2 authentication, tenant, and authorization foundation	
RECORD CLASS	Control
PARENT CAPABILITY	PC-17 — V2 authentication, tenant, and authorization foundation
AREA / PHASE / SIDE / TYPE	Security operations / V2 Gate 0 / internal / privileged-access control
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Bound founder/support access to customer records and make every exceptional action reviewable.
PARENT USER VALUE	An operator can maintain private payment records without exposing another customer's data.
PARENT STRATEGIC ROLE	Enables paid workspaces without weakening wallet self-custody.
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Payee operations
CURRENT IMPLEMENTATION	General MFA doctrine exists.
REMAINING WORK	Role separation, just-in-time access, emergency procedure, and privileged-action log do not.
DEPENDENCIES	Admin inventory, least privilege, MFA, access review, break-glass rehearsal, and immutable logs.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Admin inventory, least privilege, MFA, access review, break-glass rehearsal, and immutable logs.
COMMERCIAL HYPOTHESIS	Necessary for trust and privacy.
BOUNDARY	No shared admin credentials or undocumented record edits.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Gate 0 and operating doctrine.
NEXT ACTION	gated.

G0-07 Session security		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-17 — V2 authentication, tenant, and authorization foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-17 — V2 authentication, tenant, and authorization foundation			
AREA / PHASE / SIDE / TYPE	Account security / V2 Gate 0 / payee / session control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Keep authenticated workspace sessions from becoming a route or data takeover path.			
PARENT USER VALUE	An operator can maintain private payment records without exposing another customer's data.			
PARENT STRATEGIC ROLE	Enables paid workspaces without weakening wallet self-custody.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Payee operations			
CURRENT IMPLEMENTATION	Wallet-session controls exist.			
REMAINING WORK	Account-session expiry, revocation, device awareness, CSRF protection, and tests do not.			
DEPENDENCIES	Auth provider, cookie/token model, secure defaults, revocation tests, and security review.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Auth provider, cookie/token model, secure defaults, revocation tests, and security review.			
COMMERCIAL HYPOTHESIS	Protects paid workspace use.			
BOUNDARY	A workspace session must not silently authorize wallet transactions.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0.			
NEXT ACTION	gated.			

G0 - 08 Audit logging		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-17 — V2 authentication, tenant, and authorization foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-17 — V2 authentication, tenant, and authorization foundation			
AREA / PHASE / SIDE / TYPE	Evidence/security / V2 Gate 0 / internal and payee / immutable event record			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Explain who changed sensitive data, entitlements, routes, requests, and administrative state.			
PARENT USER VALUE	An operator can maintain private payment records without exposing another customer's data.			
PARENT STRATEGIC ROLE	Enables paid workspaces without weakening wallet self-custody.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Payee operations			
CURRENT IMPLEMENTATION	Coin Card build/evidence logs exist.			
REMAINING WORK	A private tenant/admin audit stream, retention, access, and export do not.			
DEPENDENCIES	Stable actor/object IDs, event taxonomy, tamper controls, privacy review, and incident replay test.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Stable actor/object IDs, event taxonomy, tamper controls, privacy review, and incident replay test.			
COMMERCIAL HYPOTHESIS	Supports disputes and support without claiming insurance.			
BOUNDARY	Do not log secrets or unnecessary PII.			
STOP RULE	Do not log secrets or unnecessary PII.			
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0.			
NEXT ACTION	gated.			

G0 - 09

Data classification

CONTROL

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-18 — V2 data, privacy, backup, and recovery foundation	
RECORD CLASS	Control
PARENT CAPABILITY	PC-18 — V2 data, privacy, backup, and recovery foundation
AREA / PHASE / SIDE / TYPE	Privacy/security / V2 Gate 0 / internal / governance control
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Classify public registry data, private business data, personal data, financial metadata, secrets, and evidence.
PARENT USER VALUE	Customers understand and control eligible data while their operational records remain durable.
PARENT STRATEGIC ROLE	Preserves the lightweight trust position as ImplicitEx becomes an account platform.
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations
CURRENT IMPLEMENTATION	V1 minimal-data decision is pending.
REMAINING WORK	The V2 classification matrix and handling rules do not exist.
DEPENDENCIES	V1-06, object inventory, storage-flow diagram, owners, handling controls, and review.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1-06, object inventory, storage-flow diagram, owners, handling controls, and review.
COMMERCIAL HYPOTHESIS	Enables proportionate security and honest disclosures.
BOUNDARY	Unclassified data cannot enter production.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0 and PII posture.
NEXT ACTION	gated.

G0-10 PII minimization		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-18 — V2 data, privacy, backup, and recovery foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-18 — V2 data, privacy, backup, and recovery foundation			
AREA / PHASE / SIDE / TYPE	Privacy / V2 Gate 0 / payee / collection boundary			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Collect only identity/contact data required for the selected paid workflow.			
PARENT USER VALUE	Customers understand and control eligible data while their operational records remain durable.			
PARENT STRATEGIC ROLE	Preserves the lightweight trust position as ImplicitEx becomes an account platform.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	Current portal is mostly local/stateless.			
REMAINING WORK	V2 field justification, optionality, redaction, and analytics boundaries remain.			
DEPENDENCIES	G0-09, purpose inventory, field-by-field necessity review, form tests, and privacy disclosure.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: G0-09, purpose inventory, field-by-field necessity review, form tests, and privacy disclosure.			
COMMERCIAL HYPOTHESIS	Preserves the lightweight trust position.			
BOUNDARY	“May be useful later” is not a collection purpose.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap open PII decision.			
NEXT ACTION	gated.			

G0 - 11 Retention and deletion policy		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-18 — V2 data, privacy, backup, and recovery foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-18 — V2 data, privacy, backup, and recovery foundation			
AREA / PHASE / SIDE / TYPE	Privacy operations / V2 Gate 0 / payee / lifecycle control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Define how long every private record, log, backup, and support artifact remains and when it is destroyed.			
PARENT USER VALUE	Customers understand and control eligible data while their operational records remain durable.			
PARENT STRATEGIC ROLE	Preserves the lightweight trust position as ImplicitEx becomes an account platform.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	No V2 retention schedule or deletion execution exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Classification, legal needs, evidence requirements, backup behavior, automated expiry, and test deletion.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Classification, legal needs, evidence requirements, backup behavior, automated expiry, and test deletion.			
COMMERCIAL HYPOTHESIS	Avoids indefinite liability while preserving promised evidence.			
BOUNDARY	Public chain data cannot be deleted; copy must say so.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0.			
NEXT ACTION	gated.			

G0 - 12

Customer data deletion

CONTROL

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-18 — V2 data, privacy, backup, and recovery foundation

RECORD CLASS	Control
PARENT CAPABILITY	PC-18 — V2 data, privacy, backup, and recovery foundation
AREA / PHASE / SIDE / TYPE	Account operations / V2 Gate 0 / payee / customer control
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Let a customer close the workspace and remove deletable private data predictably.
PARENT USER VALUE	Customers understand and control eligible data while their operational records remain durable.
PARENT STRATEGIC ROLE	Preserves the lightweight trust position as ImplicitEx becomes an account platform.
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations
CURRENT IMPLEMENTATION	No account-deletion workflow exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	G0-11, identity confirmation, grace/recovery policy, downstream deletion, backup handling, and end-to-end test.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: G0-11, identity confirmation, grace/recovery policy, downstream deletion, backup handling, and end-to-end test.
COMMERCIAL HYPOTHESIS	Required before collecting account data.
BOUNDARY	Never promise deletion of blockchain records or required evidence.
STOP RULE	Never promise deletion of blockchain records or required evidence.
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0.
NEXT ACTION	gated.

60 - 13 Customer data export		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-18 — V2 data, privacy, backup, and recovery foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-18 — V2 data, privacy, backup, and recovery foundation			
AREA / PHASE / SIDE / TYPE	Data portability / V2 Gate 0 / payee / customer control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Keep the focused challenger portable and reduce lock-in fears.			
PARENT USER VALUE	Customers understand and control eligible data while their operational records remain durable.			
PARENT STRATEGIC ROLE	Preserves the lightweight trust position as ImplicitEx becomes an account platform.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	Local receipt exports exist.			
REMAINING WORK	Complete workspace export schema, access controls, delivery, and tests do not.			
DEPENDENCIES	Object schemas, authorization, safe archive construction, audit event, and sample importable output.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Object schemas, authorization, safe archive construction, audit event, and sample importable output.			
COMMERCIAL HYPOTHESIS	Supports self-custodial/provider-neutral positioning.			
BOUNDARY	Export must not leak another tenant's data.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0.			
NEXT ACTION	gated.			

60 - 14 Backup system		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-18 — V2 data, privacy, backup, and recovery foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-18 — V2 data, privacy, backup, and recovery foundation			
AREA / PHASE / SIDE / TYPE	Reliability / V2 Gate 0 / internal / resilience control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Preserve private operational records against service or operator failure.			
PARENT USER VALUE	Customers understand and control eligible data while their operational records remain durable.			
PARENT STRATEGIC ROLE	Preserves the lightweight trust position as ImplicitEx becomes an account platform.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	Repository artifacts are versioned.			
REMAINING WORK	No V2 production-data backup architecture exists.			
DEPENDENCIES	Data map, encrypted storage, key/access policy, retention, monitoring, and successful scheduled backups.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Data map, encrypted storage, key/access policy, retention, monitoring, and successful scheduled backups.			
COMMERCIAL HYPOTHESIS	Supports durable records.			
BOUNDARY	A backup claim without a restoration test is not complete.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0.			
NEXT ACTION	gated.			

G0 - 15 Recovery testing		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-18 — V2 data, privacy, backup, and recovery foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-18 — V2 data, privacy, backup, and recovery foundation			
AREA / PHASE / SIDE / TYPE	Reliability / V2 Gate 0 / internal / operational proof			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Prove customer records and service can be restored within defined objectives.			
PARENT USER VALUE	Customers understand and control eligible data while their operational records remain durable.			
PARENT STRATEGIC ROLE	Preserves the lightweight trust position as ImplicitEx becomes an account platform.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	No V2 data-recovery exercise exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	G0-14, recovery objectives, isolated rehearsal, integrity comparison, timing, defects, and signoff.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: G0-14, recovery objectives, isolated rehearsal, integrity comparison, timing, defects, and signoff.			
COMMERCIAL HYPOTHESIS	Protects the promise of preserved records.			
BOUNDARY	Failed or untested recovery blocks launch.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0.			
NEXT ACTION	gated.			

G0 - 16 Account-platform incident response		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-18 — V2 data, privacy, backup, and recovery foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-18 — V2 data, privacy, backup, and recovery foundation			
AREA / PHASE / SIDE / TYPE	Security operations / V2 Gate 0 / internal / response system			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Detect, contain, investigate, notify, recover, and learn from account or data incidents.			
PARENT USER VALUE	Customers understand and control eligible data while their operational records remain durable.			
PARENT STRATEGIC ROLE	Preserves the lightweight trust position as ImplicitEx becomes an account platform.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	Release rollback doctrine exists.			
REMAINING WORK	V2 account/data incident severity, contacts, evidence, customer notice, and drills do not.			
DEPENDENCIES	Threat model, logs, admin controls, backup, communication templates, tabletop, and corrective actions.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Threat model, logs, admin controls, backup, communication templates, tabletop, and corrective actions.			
COMMERCIAL HYPOTHESIS	Required before private data launch.			
BOUNDARY	Do not imply principal-loss reimbursement.			
STOP RULE	Do not imply principal-loss reimbursement.			
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0 and operating doctrine.			
NEXT ACTION	gated.			

60 - 17 Billing-data separation		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-18 — V2 data, privacy, backup, and recovery foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-18 — V2 data, privacy, backup, and recovery foundation			
AREA / PHASE / SIDE / TYPE	Billing/security / V2 Gate 0 / payee / integration boundary			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Keep payment-card and regulated billing data with the billing provider while storing only required entitlements.			
PARENT USER VALUE	Customers understand and control eligible data while their operational records remain durable.			
PARENT STRATEGIC ROLE	Preserves the lightweight trust position as ImplicitEx becomes an account platform.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	No V2 billing integration exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Provider selection, data-flow map, signed webhooks, minimal customer IDs, deletion rules, and tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Provider selection, data-flow map, signed webhooks, minimal customer IDs, deletion rules, and tests.			
COMMERCIAL HYPOTHESIS	Enables subscriptions without becoming a card-data custodian.			
BOUNDARY	Never store raw card credentials.			
STOP RULE	Never store raw card credentials.			
SOURCE / EVIDENCE LOCATOR	V2 Core pricing and Gate 0.			
NEXT ACTION	gated.			

G0 - 18

Public-registry/private-record separation

CONTROL

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-18 — V2 data, privacy, backup, and recovery foundation	
RECORD CLASS	Control
PARENT CAPABILITY	PC-18 — V2 data, privacy, backup, and recovery foundation
AREA / PHASE / SIDE / TYPE	Data architecture / V2 Gate 0 / payee and public / trust boundary
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Keep independently verifiable Coin Card facts public while protecting customer operations, contacts, and notes.
PARENT USER VALUE	Customers understand and control eligible data while their operational records remain durable.
PARENT STRATEGIC ROLE	Preserves the lightweight trust position as ImplicitEx becomes an account platform.
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations
CURRENT IMPLEMENTATION	Public static artifacts exist.
REMAINING WORK	The V2 split, cross-links, cache rules, and access tests do not.
DEPENDENCIES	Classification, object model, public schema, private store, authorization, and privacy review.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Classification, object model, public schema, private store, authorization, and privacy review.
COMMERCIAL HYPOTHESIS	Preserves portable evidence without publishing business records.
BOUNDARY	Public objects must not contain hidden PII.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap Gate 0 and signed-record architecture.
NEXT ACTION	gated.

60 - 19 Privacy disclosure and consent surfaces		CONTROL	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-18 — V2 data, privacy, backup, and recovery foundation				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-18 — V2 data, privacy, backup, and recovery foundation			
AREA / PHASE / SIDE / TYPE	Legal/product / V2 Gate 0 / payee / release control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Make collection, use, retention, analytics, exports, and deletion understandable at the point they occur.			
PARENT USER VALUE	Customers understand and control eligible data while their operational records remain durable.			
PARENT STRATEGIC ROLE	Preserves the lightweight trust position as ImplicitEx becomes an account platform.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	Public legal copy exists for the present portal.			
REMAINING WORK	V2-specific disclosure, consent, versioning, and tests do not.			
DEPENDENCIES	Completed data map, counsel review where required, versioned copy, UI alignment, and release checklist.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Completed data map, counsel review where required, versioned copy, UI alignment, and release checklist.			
COMMERCIAL HYPOTHESIS	Honest disclosure supports trust but does not legalize unnecessary collection.			
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Legal Development Hierarchy and Gate 0.			
NEXT ACTION	gated.			

V2C-01 Billing and entitlement		OPERATIONAL PROCESS	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-19 — Billing, entitlement, onboarding, and unit economics				
RECORD CLASS	Operational process			
PARENT CAPABILITY	PC-19 — Billing, entitlement, onboarding, and unit economics			
AREA / PHASE / SIDE / TYPE	Commercial platform / V2 Core / payee / paid entitlement			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Charge the operator receiving the ongoing workspace value rather than taxing a sender for commodity movement.			
PARENT USER VALUE	The operator can buy the service they receive without an unexplained sender toll.			
PARENT STRATEGIC ROLE	Tests the focused-challenger business model independently of the deployed 1% fee.			
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Payee operations			
CURRENT IMPLEMENTATION	Pricing bands exist; provider, product, checkout, entitlement state, invoices, tax posture, and integration do not.			
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.			
DEPENDENCIES	Positive V1 paid signal, Gate 0, G0-17, signed webhooks, reconciliation, cancellation, and live controlled billing evidence.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Positive V1 paid signal, Gate 0, G0-17, signed webhooks, reconciliation, cancellation, and live controlled billing evidence.			
COMMERCIAL HYPOTHESIS	Test Individual \$9–\$19 and Small Operator \$25–\$49 bands; do not invent features to defend the deployed 1%.			
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.			
STOP RULE	Test Individual \$9–\$19 and Small Operator \$25–\$49 bands; do not invent features to defend the deployed 1%.			
SOURCE / EVIDENCE LOCATOR	Roadmap pricing doctrine.			
NEXT ACTION	gated.			

V2C - 02 Signed billing webhooks and idempotent entitlement changes		OPERATIONAL PROCESS	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-19 — Billing, entitlement, onboarding, and unit economics				
RECORD CLASS	Operational process			
PARENT CAPABILITY	PC-19 — Billing, entitlement, onboarding, and unit economics			
AREA / PHASE / SIDE / TYPE	Billing/security / V2 Core / payee / integration control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Keep access synchronized with verified provider events without duplicate grants or attacker-created entitlements.			
PARENT USER VALUE	The operator can buy the service they receive without an unexplained sender toll.			
PARENT STRATEGIC ROLE	Tests the focused-challenger business model independently of the deployed 1% fee.			
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Payee operations			
CURRENT IMPLEMENTATION	No billing webhook implementation exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	V2C-01, signature validation, replay defense, idempotency keys, event store, retry handling, and hostile tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-01, signature validation, replay defense, idempotency keys, event store, retry handling, and hostile tests.			
COMMERCIAL HYPOTHESIS	Prevents revenue leakage and wrongful access.			
BOUNDARY	Client-supplied "paid" state is never authoritative.			
STOP RULE	Client-supplied "paid" state is never authoritative.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Core.			
NEXT ACTION	gated.			

V2C - 03 Billing grace, cancellation, and downgrade handling		OPERATIONAL PROCESS	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-19 — Billing, entitlement, onboarding, and unit economics				
RECORD CLASS	Operational process			
PARENT CAPABILITY	PC-19 — Billing, entitlement, onboarding, and unit economics			
AREA / PHASE / SIDE / TYPE	Commercial operations / V2 Core / payee / lifecycle workflow			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Make failed payments and cancellation predictable without deleting evidence or trapping customers.			
PARENT USER VALUE	The operator can buy the service they receive without an unexplained sender toll.			
PARENT STRATEGIC ROLE	Tests the focused-challenger business model independently of the deployed 1% fee.			
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Payee operations			
CURRENT IMPLEMENTATION	Policy and implementation do not exist.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Entitlement state machine, notice copy, grace rules, read/export access, deletion policy, and scenario tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Entitlement state machine, notice copy, grace rules, read/export access, deletion policy, and scenario tests.			
COMMERCIAL HYPOTHESIS	Preserves support margin and trust.			
BOUNDARY	Downgrade must not corrupt public credential history.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Core.			
NEXT ACTION	gated.			

V2C-04 Fixed-amount signed payment request		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-20 — Signed payment requests and frozen execution intent				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-20 — Signed payment requests and frozen execution intent			
AREA / PHASE / SIDE / TYPE	Payment requests / V2 Core / payee / core product			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Turn a wallet destination plus a separately messaged amount into one authenticated payment instruction.			
PARENT USER VALUE	A payer receives one coherent instruction instead of separate address and amount messages.			
PARENT STRATEGIC ROLE	Creates the core request layer above commodity stablecoin movement.			
STRATEGIC-ROLE TAGS	Payee operations; Payer usability; Trust; Execution			
CURRENT IMPLEMENTATION	Coin Card trust primitives exist.			
REMAINING WORK	Request schema, signer, UI, verifier, storage, and execution binding do not.			
DEPENDENCIES	Signed-record constitution, Gate 0, Coin Card authority, test vectors, independent verification, and genuine request-launched payment.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Signed-record constitution, Gate 0, Coin Card authority, test vectors, independent verification, and genuine request-launched payment.			
COMMERCIAL HYPOTHESIS	Central value for independent operators.			
BOUNDARY	Do not call it unique; win on simplicity, self-custody, and evidence.			
STOP RULE	Do not call it unique; win on simplicity, self-custody, and evidence.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Core and capability register.			
NEXT ACTION	gated.			

V2C - 05 Request expiration		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-20 — Signed payment requests and frozen execution intent				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-20 — Signed payment requests and frozen execution intent			
AREA / PHASE / SIDE / TYPE	Payment requests / V2 Core / both / lifecycle control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Prevent stale terms from remaining executable and make due-time expectations explicit.			
PARENT USER VALUE	A payer receives one coherent instruction instead of separate address and amount messages.			
PARENT STRATEGIC ROLE	Creates the core request layer above commodity stablecoin movement.			
STRATEGIC-ROLE TAGS	Payee operations; Payer usability; Trust; Execution			
CURRENT IMPLEMENTATION	Coin Card temporal primitives exist.			
REMAINING WORK	Request expiry semantics and UI do not.			
DEPENDENCIES	V2C-04, authoritative time, boundary test vectors, fail-closed UI, and evidence preservation.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-04, authoritative time, boundary test vectors, fail-closed UI, and evidence preservation.			
COMMERCIAL HYPOTHESIS	Reduces ambiguity; expiry never erases the historical request.			
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.			
STOP RULE	Reduces ambiguity; expiry never erases the historical request.			
SOURCE / EVIDENCE LOCATOR	Signed-request specification.			
NEXT ACTION	gated.			

V2C - 06

Request ID, nonce, and replay rules

CAPABILITY

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-20 — Signed payment requests and frozen execution intent	
RECORD CLASS	Capability
PARENT CAPABILITY	PC-20 — Signed payment requests and frozen execution intent
AREA / PHASE / SIDE / TYPE	Payment requests/security / V2 Core / both / identity control
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Give every obligation a durable identity and prevent a signed instruction from being reused outside its rules.
PARENT USER VALUE	A payer receives one coherent instruction instead of separate address and amount messages.
PARENT STRATEGIC ROLE	Creates the core request layer above commodity stablecoin movement.
STRATEGIC-ROLE TAGS	Payee operations; Payer usability; Trust; Execution
CURRENT IMPLEMENTATION	Coin Card replay rules exist.
REMAINING WORK	Request IDs, uniqueness, consumption semantics, and tests do not.
DEPENDENCIES	V2C-04, canonical schema, collision policy, one-shot/reusable decision, and replay suite.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-04, canonical schema, collision policy, one-shot/reusable decision, and replay suite.
COMMERCIAL HYPOTHESIS	Enables reliable matching and duplicate warnings.
BOUNDARY	No amount-plus-address surrogate IDs.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap matching model.
NEXT ACTION	gated.

V2C - 07 Canonical atomic amounts and signed payment terms		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-20 — Signed payment requests and frozen execution intent				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-20 — Signed payment requests and frozen execution intent			
AREA / PHASE / SIDE / TYPE	Payment requests / V2 Core / both / integrity control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Ensure the payer sees and authorizes the exact asset, chain, recipient, amount, fee policy, purpose, and expiry.			
PARENT USER VALUE	A payer receives one coherent instruction instead of separate address and amount messages.			
PARENT STRATEGIC ROLE	Creates the core request layer above commodity stablecoin movement.			
STRATEGIC-ROLE TAGS	Payee operations; Payer usability; Trust; Execution			
CURRENT IMPLEMENTATION	Transfer atomic amount validation exists.			
REMAINING WORK	Request canonicalization, domain separation, and cross-runtime vectors do not.			
DEPENDENCIES	V2C-04, asset registry, serialization rules, mutation tests, and display-contract parity.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-04, asset registry, serialization rules, mutation tests, and display-contract parity.			
COMMERCIAL HYPOTHESIS	Makes the request evidence useful.			
BOUNDARY	Any change to bound terms invalidates the signature.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Signed-record architecture.			
NEXT ACTION	gated.			

V2C - 08 Purpose and reference fields		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-20 — Signed payment requests and frozen execution intent				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-20 — Signed payment requests and frozen execution intent			
AREA / PHASE / SIDE / TYPE	Payment administration / V2 Core / payee / business-context feature			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Convert a raw transfer into a named obligation that can be found and explained later.			
PARENT USER VALUE	A payer receives one coherent instruction instead of separate address and amount messages.			
PARENT STRATEGIC ROLE	Creates the core request layer above commodity stablecoin movement.			
STRATEGIC-ROLE TAGS	Payee operations; Payer usability; Trust; Execution			
CURRENT IMPLEMENTATION	Local memos exist in present transfer records.			
REMAINING WORK	Signed request purpose/reference schema and privacy controls do not.			
DEPENDENCIES	V2C-04/07, length/character constraints, private/public decision, display/export tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-04/07, length/character constraints, private/public decision, display/export tests.			
COMMERCIAL HYPOTHESIS	Core “record it” value.			
BOUNDARY	Warn if any field will become public or immutable.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap product thesis.			
NEXT ACTION	gated.			

V2C - 09 Request lifecycle		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-20 — Signed payment requests and frozen execution intent				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-20 — Signed payment requests and frozen execution intent			
AREA / PHASE / SIDE / TYPE	Payment requests / V2 Core / payee / state machine			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Represent draft, open, viewed, paid, expired, cancelled, failed, unmatched, and uncertain states consistently.			
PARENT USER VALUE	A payer receives one coherent instruction instead of separate address and amount messages.			
PARENT STRATEGIC ROLE	Creates the core request layer above commodity stablecoin movement.			
STRATEGIC-ROLE TAGS	Payee operations; Payer usability; Trust; Execution			
CURRENT IMPLEMENTATION	Coin Card lifecycle patterns exist.			
REMAINING WORK	Request state authority, transitions, UI, concurrency, and tests do not.			
DEPENDENCIES	Stable request IDs, watcher, matching model, cancellation authority, transition matrix, and event replay.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Stable request IDs, watcher, matching model, cancellation authority, transition matrix, and event replay.			
COMMERCIAL HYPOTHESIS	Gives operators an actionable inbox.			
BOUNDARY	Never infer paid solely from a browser redirect.			
STOP RULE	Never infer paid solely from a browser redirect.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Core.			
NEXT ACTION	gated.			

V2C - 10 Authenticated share link and safe URL handling		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-20 — Signed payment requests and frozen execution intent				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-20 — Signed payment requests and frozen execution intent			
AREA / PHASE / SIDE / TYPE	Distribution/security / V2 Core / both / request delivery			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Let a client open the intended request without trusting separately copied address, amount, and purpose.			
PARENT USER VALUE	A payer receives one coherent instruction instead of separate address and amount messages.			
PARENT STRATEGIC ROLE	Creates the core request layer above commodity stablecoin movement.			
STRATEGIC-ROLE TAGS	Payee operations; Payer usability; Trust; Execution			
CURRENT IMPLEMENTATION	Coin Card routes and handoff exist.			
REMAINING WORK	Request URL schema, signature envelope, parsing limits, tamper rejection, and tests do not.			
DEPENDENCIES	V2C-04/07, HTTPS, canonical parser, size limits, unknown-field behavior, and malicious URL suite.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-04/07, HTTPS, canonical parser, size limits, unknown-field behavior, and malicious URL suite.			
COMMERCIAL HYPOTHESIS	Reduces coordination work.			
BOUNDARY	A link is a carrier, not authority; signature verification remains mandatory.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Core and ERC-681 analysis.			
NEXT ACTION	gated.			

V2C - 11 ERC-681 wallet handoff		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-20 — Signed payment requests and frozen execution intent				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-20 — Signed payment requests and frozen execution intent			
AREA / PHASE / SIDE / TYPE	Interoperability / V2 Core / payer / wallet launch mechanism			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Use a standard wallet request format while ImplicitEx supplies authentication, lifecycle, and evidence.			
PARENT USER VALUE	A payer receives one coherent instruction instead of separate address and amount messages.			
PARENT STRATEGIC ROLE	Creates the core request layer above commodity stablecoin movement.			
STRATEGIC-ROLE TAGS	Payee operations; Payer usability; Trust; Execution			
CURRENT IMPLEMENTATION	Wallet dispatch exists.			
REMAINING WORK	Request-to-ERC-681 mapping, wallet compatibility matrix, amount-change detection, and fallback do not.			
DEPENDENCIES	V2C-10, supported-wallet tests, exact post-return validation, and no silent term mutation.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-10, supported-wallet tests, exact post-return validation, and no silent term mutation.			
COMMERCIAL HYPOTHESIS	Avoids proprietary wallet lock-in.			
BOUNDARY	ERC-681 itself does not prove intent integrity.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	ERC-681 and roadmap competitive teardown.			
NEXT ACTION	gated.			

V2C - 12 Frozen execution intent		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-20 — Signed payment requests and frozen execution intent				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-20 — Signed payment requests and frozen execution intent			
AREA / PHASE / SIDE / TYPE	Execution/security / V2 Core / payer / authorization boundary			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Freeze request ID, route version, exact terms, wallet/account/chain context, and expiry before dispatch.			
PARENT USER VALUE	A payer receives one coherent instruction instead of separate address and amount messages.			
PARENT STRATEGIC ROLE	Creates the core request layer above commodity stablecoin movement.			
STRATEGIC-ROLE TAGS	Payee operations; Payer usability; Trust; Execution			
CURRENT IMPLEMENTATION	Coin Card execution snapshots exist.			
REMAINING WORK	Request-aware execution intent, storage, return validation, and tests do not.			
DEPENDENCIES	V2C-04/07/09, Coin Card executable route, provider continuity, and mutation/TOCTOU suites.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-04/07/09, Coin Card executable route, provider continuity, and mutation/TOCTOU suites.			
COMMERCIAL HYPOTHESIS	Connects “requested” to “authorized.			
BOUNDARY	” Any material drift fails closed and requires a new review.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Matching architecture and Coin Card contract.			
NEXT ACTION	gated.			

V2C - 13

Transaction-hash capture and submission binding

CAPABILITY

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-20 — Signed payment requests and frozen execution intent

RECORD CLASS	Capability
PARENT CAPABILITY	PC-20 — Signed payment requests and frozen execution intent
AREA / PHASE / SIDE / TYPE	Matching/evidence / V2 Core / both / capture control
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Bind a request-launched submission to its transaction before confirmation.
PARENT USER VALUE	A payer receives one coherent instruction instead of separate address and amount messages.
PARENT STRATEGIC ROLE	Creates the core request layer above commodity stablecoin movement.
STRATEGIC-ROLE TAGS	Payee operations; Payer usability; Trust; Execution
CURRENT IMPLEMENTATION	Present portal captures hashes for local receipts.
REMAINING WORK	Authoritative server-side request/hash relation and disrupted-handoff handling do not.
DEPENDENCIES	V2C-12, authenticated write, idempotency, wallet/browser failure tests, and immutable event record.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-12, authenticated write, idempotency, wallet/browser failure tests, and immutable event record.
COMMERCIAL HYPOTHESIS	Enables authoritative matching.
BOUNDARY	If capture fails, label the relationship uncertain rather than guessing.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap authoritative matching model.
NEXT ACTION	gated.

V2C - 14 Minimal confirmation watcher		COMPONENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-21 — Authoritative matching, watcher, and reconciliation				
RECORD CLASS	Component			
PARENT CAPABILITY	PC-21 — Authoritative matching, watcher, and reconciliation			
AREA / PHASE / SIDE / TYPE	Chain operations / V2 Core / both / event service			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Confirm known submitted transactions without prematurely building a general chain indexer.			
PARENT USER VALUE	The operator knows which obligation was actually paid and which cases require review.			
PARENT STRATEGIC ROLE	Transforms raw chain transfers into evidence-derived payment operations.			
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Security/assurance			
CURRENT IMPLEMENTATION	Browser confirmation monitoring exists.			
REMAINING WORK	Durable backend queue, RPC redundancy, retry, finality, and alerting do not.			
DEPENDENCIES	V2C-13, chain/RPC policy, idempotent jobs, restart recovery, production monitoring, and chaos tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-13, chain/RPC policy, idempotent jobs, restart recovery, production monitoring, and chaos tests.			
COMMERCIAL HYPOTHESIS	Powers status and evidence.			
BOUNDARY	Remain narrow until external-transfer recovery or webhooks prove an indexer is needed.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 matching architecture.			
NEXT ACTION	gated.			

V2C - 15 Verified transaction receipt and event validation		COMPONENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-21 — Authoritative matching, watcher, and reconciliation				
RECORD CLASS	Component			
PARENT CAPABILITY	PC-21 — Authoritative matching, watcher, and reconciliation			
AREA / PHASE / SIDE / TYPE	Matching/security / V2 Core / both / authoritative verifier			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Prove that the captured transaction settled through the expected contract with the signed terms.			
PARENT USER VALUE	The operator knows which obligation was actually paid and which cases require review.			
PARENT STRATEGIC ROLE	Transforms raw chain transfers into evidence-derived payment operations.			
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Security/assurance			
CURRENT IMPLEMENTATION	Portal validates live transaction outcomes locally.			
REMAINING WORK	Watcher-side verification and durable results do not.			
DEPENDENCIES	V2C-14, ABI/version registry, and tests for sender, recipient, asset contract, chain, atomic amount, fee, transfer contract, success status, and emitted event.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-14, ABI/version registry, and tests for sender, recipient, asset contract, chain, atomic amount, fee, transfer contract, success status, and emitted event.			
COMMERCIAL HYPOTHESIS	Core evidence value.			
BOUNDARY	A hash or wallet success message alone is insufficient.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap matching model and transfer evidence contract.			
NEXT ACTION	gated.			

V2C - 16

Reorganization and finality handling

COMPONENT

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-21 — Authoritative matching, watcher, and reconciliation

RECORD CLASS	Component
PARENT CAPABILITY	PC-21 — Authoritative matching, watcher, and reconciliation
AREA / PHASE / SIDE / TYPE	Chain reliability / V2 Core / both / settlement state control
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Keep “paid” status accurate when chain observations change before finality.
PARENT USER VALUE	The operator knows which obligation was actually paid and which cases require review.
PARENT STRATEGIC ROLE	Transforms raw chain transfers into evidence-derived payment operations.
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Security/assurance
CURRENT IMPLEMENTATION	Confirmation-depth logic exists in the portal.
REMAINING WORK	Durable watcher reorg detection and status repair do not.
DEPENDENCIES	V2C-14/15, finality policy, block/hash tracking, reversal tests, notices, and evidence versioning.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-14/15, finality policy, block/hash tracking, reversal tests, notices, and evidence versioning.
COMMERCIAL HYPOTHESIS	Prevents false certainty.
BOUNDARY	Distinguish submitted, observed, confirmed, and final.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Existing transaction-state contract.
NEXT ACTION	gated.

V2C - 17 Idempotent event processing		COMPONENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-21 — Authoritative matching, watcher, and reconciliation				
RECORD CLASS	Component			
PARENT CAPABILITY	PC-21 — Authoritative matching, watcher, and reconciliation			
AREA / PHASE / SIDE / TYPE	Reliability / V2 Core / internal / processing control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Prevent retries, duplicate events, or restarts from creating duplicate matches or corrupted request state.			
PARENT USER VALUE	The operator knows which obligation was actually paid and which cases require review.			
PARENT STRATEGIC ROLE	Transforms raw chain transfers into evidence-derived payment operations.			
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Security/assurance			
CURRENT IMPLEMENTATION	No V2 backend processor exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Stable event IDs, atomic state transition, deduplication, replay tooling, concurrency and crash tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Stable event IDs, atomic state transition, deduplication, replay tooling, concurrency and crash tests.			
COMMERCIAL HYPOTHESIS	Protects records and support margin.			
BOUNDARY	Exactly-once claims require evidence; design for safe at-least-once delivery.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	V2 matching architecture.			
NEXT ACTION	gated.			

V2C - 18 Authoritative request-to-transaction match		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-21 — Authoritative matching, watcher, and reconciliation				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-21 — Authoritative matching, watcher, and reconciliation			
AREA / PHASE / SIDE / TYPE	Reconciliation / V2 Core / both / evidence relationship			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	State when ImplicitEx can prove a particular payment satisfied a particular request.			
PARENT USER VALUE	The operator knows which obligation was actually paid and which cases require review.			
PARENT STRATEGIC ROLE	Transforms raw chain transfers into evidence-derived payment operations.			
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Security/assurance			
CURRENT IMPLEMENTATION	Definition exists; persisted relationship, verifier, UI label, export, and proof packet do not.			
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.			
DEPENDENCIES	Valid signed request, frozen request ID, captured hash, V2C-15 verified event, and immutable relation.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Valid signed request, frozen request ID, captured hash, V2C-15 verified event, and immutable relation.			
COMMERCIAL HYPOTHESIS	Core “match” value.			
BOUNDARY	Amount plus address is never authoritative.			
STOP RULE	Amount plus address is never authoritative.			
SOURCE / EVIDENCE LOCATOR	Revision 5 matching model.			
NEXT ACTION	gated.			

V2C - 19 Suggested external-transfer match		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-21 — Authoritative matching, watcher, and reconciliation				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-21 — Authoritative matching, watcher, and reconciliation			
AREA / PHASE / SIDE / TYPE	Reconciliation / V2 Core / payee / assisted classification			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Help organize externally initiated transfers without pretending the request relationship is proven.			
PARENT USER VALUE	The operator knows which obligation was actually paid and which cases require review.			
PARENT STRATEGIC ROLE	Transforms raw chain transfers into evidence-derived payment operations.			
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Security/assurance			
CURRENT IMPLEMENTATION	No V2 matching engine or operator-confirmation UI exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Observed transfer source, bounded heuristics, candidate display, manual confirmation, provenance, and false-positive tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Observed transfer source, bounded heuristics, candidate display, manual confirmation, provenance, and false-positive tests.			
COMMERCIAL HYPOTHESIS	Convenience only; label “suggested” at every surface and never auto-promote ambiguous candidates.			
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.			
STOP RULE	Convenience only; label “suggested” at every surface and never auto-promote ambiguous candidates.			
SOURCE / EVIDENCE LOCATOR	Roadmap matching model.			
NEXT ACTION	gated.			

V2C - 20 Uncertain match and disrupted-handoff recovery		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-21 — Authoritative matching, watcher, and reconciliation				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-21 — Authoritative matching, watcher, and reconciliation			
AREA / PHASE / SIDE / TYPE	Reconciliation/support / V2 Core / both / exception state			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Preserve truth when a wallet/browser handoff loses the hash or verification cannot finish.			
PARENT USER VALUE	The operator knows which obligation was actually paid and which cases require review.			
PARENT STRATEGIC ROLE	Transforms raw chain transfers into evidence-derived payment operations.			
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Security/assurance			
CURRENT IMPLEMENTATION	Present portal has uncertain transaction states.			
REMAINING WORK	Request-aware recovery, operator workflow, and durable status do not.			
DEPENDENCIES	V2C-09/13/14, evidence collection, safe retry guidance, state transitions, and recovery tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-09/13/14, evidence collection, safe retry guidance, state transitions, and recovery tests.			
COMMERCIAL HYPOTHESIS	Avoids duplicate sends and false matches.			
BOUNDARY	Never coerce uncertainty into “paid” for a cleaner dashboard.			
STOP RULE	Never coerce uncertainty into “paid” for a cleaner dashboard.			
SOURCE / EVIDENCE LOCATOR	Roadmap matching model and existing failure contract.			
NEXT ACTION	gated.			

V2C - 21 Settlement and exception status model		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-21 — Authoritative matching, watcher, and reconciliation				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-21 — Authoritative matching, watcher, and reconciliation			
AREA / PHASE / SIDE / TYPE	Payment operations / V2 Core / payee / operational classification			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Distinguish exact, unmatched, failed, expired, cancelled, suggested, uncertain, and action-required outcomes.			
PARENT USER VALUE	The operator knows which obligation was actually paid and which cases require review.			
PARENT STRATEGIC ROLE	Transforms raw chain transfers into evidence-derived payment operations.			
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Security/assurance			
CURRENT IMPLEMENTATION	Definitions exist across roadmap and portal.			
REMAINING WORK	Authoritative V2 state model, UI, filters, and transition tests do not.			
DEPENDENCIES	V2C-09/18/19/20, event provenance, deterministic rules, and full scenario suite.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-09/18/19/20, event provenance, deterministic rules, and full scenario suite.			
COMMERCIAL HYPOTHESIS	Turns chain data into operational meaning.			
BOUNDARY	Avoid alarmist “risk” labels without evidence.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Core.			
NEXT ACTION	gated.			

V2C - 22 Request-to-settlement evidence packet		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-22 — Request-linked evidence, search, and export				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-22 — Request-linked evidence, search, and export			
AREA / PHASE / SIDE / TYPE	Evidence / V2 Core / both / portable artifact			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Join signed request, governing route, execution context, verified result, match classification, and provenance.			
PARENT USER VALUE	Operators and third parties can retrieve, inspect, and reuse understandable payment records.			
PARENT STRATEGIC ROLE	Provides ongoing administrative value beyond a one-time transfer.			
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Retention			
CURRENT IMPLEMENTATION	Coin Card transaction evidence and local proof packets exist.			
REMAINING WORK	Complete request-linked packet, schema, verifier, and export do not.			
DEPENDENCIES	V2C-12/15/18, signed schemas, key/version handling, independent validation, and cross-runtime fixtures.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-12/15/18, signed schemas, key/version handling, independent validation, and cross-runtime fixtures.			
COMMERCIAL HYPOTHESIS	Differentiates through portable evidence, not insurance.			
BOUNDARY	Never claim the packet proves off-chain identity or contract performance beyond recorded facts.			
STOP RULE	Never claim the packet proves off-chain identity or contract performance beyond recorded facts.			
SOURCE / EVIDENCE LOCATOR	Roadmap evidence-chain thesis.			
NEXT ACTION	gated.			

V2C - 23 Searchable payment activity		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-22 — Request-linked evidence, search, and export				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-22 — Request-linked evidence, search, and export			
AREA / PHASE / SIDE / TYPE	Payment operations / V2 Core / payee / retrieval surface			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Find payments by request, client, recipient, purpose, date, status, amount, and transaction hash.			
PARENT USER VALUE	Operators and third parties can retrieve, inspect, and reuse understandable payment records.			
PARENT STRATEGIC ROLE	Provides ongoing administrative value beyond a one-time transfer.			
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Retention			
CURRENT IMPLEMENTATION	Local activity UI exists.			
REMAINING WORK	Tenant-backed indexed search, authorization, pagination, and correctness tests do not.			
DEPENDENCIES	Gate 0, stable objects, lifecycle/status model, query limits, tenant isolation, and acceptance tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Gate 0, stable objects, lifecycle/status model, query limits, tenant isolation, and acceptance tests.			
COMMERCIAL HYPOTHESIS	Core ongoing workspace value.			
BOUNDARY	Do not add a general indexer merely to improve a small search set.			
STOP RULE	Do not add a general indexer merely to improve a small search set.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Core.			
NEXT ACTION	gated.			

V2C - 24 Formula-safe CSV export		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-22 — Request-linked evidence, search, and export				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-22 — Request-linked evidence, search, and export			
AREA / PHASE / SIDE / TYPE	Records / V2 Core / payee / portability feature			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Give operators useful bookkeeping records without pretending to calculate taxes or replace accounting.			
PARENT USER VALUE	Operators and third parties can retrieve, inspect, and reuse understandable payment records.			
PARENT STRATEGIC ROLE	Provides ongoing administrative value beyond a one-time transfer.			
STRATEGIC-ROLE TAGS	Evidence; Payee operations; Retention			
CURRENT IMPLEMENTATION	Local proof exports exist.			
REMAINING WORK	Canonical V2 columns, filters, encoding, formula-injection defense, and fixtures do not.			
DEPENDENCIES	V2C-21/22/23, data export authorization, spreadsheet safety tests, and sample reconciliation.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-21/22/23, data export authorization, spreadsheet safety tests, and sample reconciliation.			
COMMERCIAL HYPOTHESIS	High-value small-business output.			
BOUNDARY	Exclude tax advice and unsupported cost-basis calculations.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Core.			
NEXT ACTION	gated.			

V2C - 25 Assisted setup		OPERATIONAL PROCESS	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-19 — Billing, entitlement, onboarding, and unit economics				
RECORD CLASS	Operational process			
PARENT CAPABILITY	PC-19 — Billing, entitlement, onboarding, and unit economics			
AREA / PHASE / SIDE / TYPE	Customer operations / V2 Core / payee / onboarding service			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Use founder-level help as a focused challenger advantage while learning real workflows.			
PARENT USER VALUE	The operator can buy the service they receive without an unexplained sender toll.			
PARENT STRATEGIC ROLE	Tests the focused-challenger business model independently of the deployed 1% fee.			
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Payee operations			
CURRENT IMPLEMENTATION	Manual support ability exists.			
REMAINING WORK	Bounded offer, checklist, time budget, data handling, and outcome tracking do not.			
DEPENDENCIES	Paid pilot, support procedure, consent, time/cost log, successful customer setup, and reusable learnings.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Paid pilot, support procedure, consent, time/cost log, successful customer setup, and reusable learnings.			
COMMERCIAL HYPOTHESIS	May justify setup fees.			
BOUNDARY	Stop or productize work that becomes custom consulting or destroys margin.			
STOP RULE	Stop or productize work that becomes custom consulting or destroys margin.			
SOURCE / EVIDENCE LOCATOR	Roadmap pricing/customer-support doctrine.			
NEXT ACTION	gated.			

V2C - 26

Support and gross-margin measurement

COMMERCIAL EXPERIMENT

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-19 — Billing, entitlement, onboarding, and unit economics

RECORD CLASS	Commercial experiment
PARENT CAPABILITY	PC-19 — Billing, entitlement, onboarding, and unit economics
AREA / PHASE / SIDE / TYPE	Commercial operations / V2 Core / internal / economics instrumentation
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Prove low prices are sustainable after hosting, RPC, email, security, support, legal, and founder time.
PARENT USER VALUE	The operator can buy the service they receive without an unexplained sender toll.
PARENT STRATEGIC ROLE	Tests the focused-challenger business model independently of the deployed 1% fee.
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Payee operations
CURRENT IMPLEMENTATION	Cost categories and targets exist.
REMAINING WORK	Per-customer measurement, support tagging, cohort margin, and review do not.
DEPENDENCIES	V2C-01/25, cost allocation, usage records, support time, churn/retention, and monthly review.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-01/25, cost allocation, usage records, support time, churn/retention, and monthly review.
COMMERCIAL HYPOTHESIS	Price is an advantage, not a race to the bottom.
BOUNDARY	Raise, simplify, narrow, or stop if support economics fail.
STOP RULE	Raise, simplify, narrow, or stop if support economics fail.
SOURCE / EVIDENCE LOCATOR	Roadmap unit-economics gates.
NEXT ACTION	gated.

IMPLEMENTATION GROUP

V2 expansion

17 detailed records

V2E - 01		CAPABILITY	DEFINED OR SPECIFIED
Contacts and recipient records			EVIDENCE-GATED
PC-23 — Retention and repeat-payment tools			
RECORD CLASS	Capability		
PARENT CAPABILITY	PC-23 — Retention and repeat-payment tools		
AREA / PHASE / SIDE / TYPE	Relationships / V2 Expansion / both / convenience feature		
IMPLEMENTATION MATURITY	Defined or specified		
WORK AUTHORIZATION	Evidence-gated		
PURPOSE	Reuse known parties with context and verified routes instead of reconstructing instructions.		
PARENT USER VALUE	The operator spends less time reconstructing obligations and investigating exceptions.		
PARENT STRATEGIC ROLE	Adds retention only after V2 Core reveals the highest repeated-work blocker.		
STRATEGIC-ROLE TAGS	Retention; Payee operations; Payer usability		
CURRENT IMPLEMENTATION	Local recipient context exists.		
REMAINING WORK	Private contacts, merge/update rules, permissions, and import/export do not.		
DEPENDENCIES	G0, OBJ-03, route verification, duplicate handling, privacy tests, and repeated-use evidence.		
ENTRY GATE	The customer or operating evidence stated in this record is present.		
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: G0, OBJ-03, route verification, duplicate handling, privacy tests, and repeated-use evidence.		
COMMERCIAL HYPOTHESIS	Retention feature.		
BOUNDARY	Never imply a saved label verifies legal identity.		
STOP RULE	Never imply a saved label verifies legal identity.		
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Expansion.		
NEXT ACTION	gated.		

V2E - 02 Request templates		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-23 — Retention and repeat-payment tools				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-23 — Retention and repeat-payment tools			
AREA / PHASE / SIDE / TYPE	Payment preparation / V2 Expansion / payee / workflow feature			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Reuse common request terms without copying an old signed request.			
PARENT USER VALUE	The operator spends less time reconstructing obligations and investigating exceptions.			
PARENT STRATEGIC ROLE	Adds retention only after V2 Core reveals the highest repeated-work blocker.			
STRATEGIC-ROLE TAGS	Retention; Payee operations; Payer usability			
CURRENT IMPLEMENTATION	No V2 template system exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	V2 Core requests, template versioning, fresh ID/nonce generation, edit review, and acceptance tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2 Core requests, template versioning, fresh ID/nonce generation, edit review, and acceptance tests.			
COMMERCIAL HYPOTHESIS	Saves repeat work.			
BOUNDARY	A template is never executable authority and never reuses a prior signature.			
STOP RULE	A template is never executable authority and never reuses a prior signature.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Expansion.			
NEXT ACTION	gated.			

V2E - 03 Manual reminders		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-23 — Retention and repeat-payment tools				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-23 — Retention and repeat-payment tools			
AREA / PHASE / SIDE / TYPE	Receivables / V2 Expansion / payee / workflow feature			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Help operators follow up on open or overdue requests without maintaining a separate spreadsheet.			
PARENT USER VALUE	The operator spends less time reconstructing obligations and investigating exceptions.			
PARENT STRATEGIC ROLE	Adds retention only after V2 Core reveals the highest repeated-work blocker.			
STRATEGIC-ROLE TAGS	Retention; Payee operations; Payer usability			
CURRENT IMPLEMENTATION	No reminder workflow exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Request lifecycle, customer context, reminder log, non-automated send action, and user testing.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Request lifecycle, customer context, reminder log, non-automated send action, and user testing.			
COMMERCIAL HYPOTHESIS	Supports “request it, receive it, record it.			
BOUNDARY	” Do not become a collections or harassment system.			
STOP RULE	” Do not become a collections or harassment system.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Expansion.			
NEXT ACTION	gated.			

V2E - 04 Email reminders and notifications		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-23 — Retention and repeat-payment tools				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-23 — Retention and repeat-payment tools			
AREA / PHASE / SIDE / TYPE	Notifications / V2 Expansion / both / communication service			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Deliver request and payment events outside the workspace when customers demonstrate the need.			
PARENT USER VALUE	The operator spends less time reconstructing obligations and investigating exceptions.			
PARENT STRATEGIC ROLE	Adds retention only after V2 Core reveals the highest repeated-work blocker.			
STRATEGIC-ROLE TAGS	Retention; Payee operations; Payer usability			
CURRENT IMPLEMENTATION	No approved V2 email collection, delivery, preference, unsubscribe, bounce, or privacy system exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	G0 data approval, lifecycle events, consent, delivery provider, abuse controls, and production evidence.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: G0 data approval, lifecycle events, consent, delivery provider, abuse controls, and production evidence.			
COMMERCIAL HYPOTHESIS	Useful retention layer; not active until PII posture is approved.			
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Expansion and G2 lineage.			
NEXT ACTION	gated.			

V2E - 05 Partial-payment handling		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-23 — Retention and repeat-payment tools				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-23 — Retention and repeat-payment tools			
AREA / PHASE / SIDE / TYPE	Reconciliation / V2 Expansion / payee / exception workflow			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Show what remains when a verified transfer is below the request amount.			
PARENT USER VALUE	The operator spends less time reconstructing obligations and investigating exceptions.			
PARENT STRATEGIC ROLE	Adds retention only after V2 Core reveals the highest repeated-work blocker.			
STRATEGIC-ROLE TAGS	Retention; Payee operations; Payer usability			
CURRENT IMPLEMENTATION	Exact settlement is V2 Core.			
REMAINING WORK	Partial allocation, multi-transfer relationship, UI, and evidence rules do not exist.			
DEPENDENCIES	Authoritative matches, atomic arithmetic, allocation rules, concurrency tests, and customer demand.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Authoritative matches, atomic arithmetic, allocation rules, concurrency tests, and customer demand.			
COMMERCIAL HYPOTHESIS	Adds business meaning.			
BOUNDARY	Do not silently mark an obligation paid in full.			
STOP RULE	Do not silently mark an obligation paid in full.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Expansion.			
NEXT ACTION	gated.			

V2E - 06 Overpayment handling		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-23 — Retention and repeat-payment tools				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-23 — Retention and repeat-payment tools			
AREA / PHASE / SIDE / TYPE	Reconciliation / V2 Expansion / payee / exception workflow			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Identify excess funds and preserve an explainable operator decision.			
PARENT USER VALUE	The operator spends less time reconstructing obligations and investigating exceptions.			
PARENT STRATEGIC ROLE	Adds retention only after V2 Core reveals the highest repeated-work blocker.			
STRATEGIC-ROLE TAGS	Retention; Payee operations; Payer usability			
CURRENT IMPLEMENTATION	No overpayment allocation, note, or resolution flow exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	V2 Core matches, amount arithmetic, operator confirmation, evidence update, and scenario tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2 Core matches, amount arithmetic, operator confirmation, evidence update, and scenario tests.			
COMMERCIAL HYPOTHESIS	Reduces investigation.			
BOUNDARY	ImplicitEx does not automatically refund or arbitrate the excess.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Expansion.			
NEXT ACTION	gated.			

V2E - 07 Duplicate-suspect detection		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-23 — Retention and repeat-payment tools				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-23 — Retention and repeat-payment tools			
AREA / PHASE / SIDE / TYPE	Reconciliation / V2 Expansion / both / deterministic warning			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Flag likely repeat payment of the same obligation before or after execution.			
PARENT USER VALUE	The operator spends less time reconstructing obligations and investigating exceptions.			
PARENT STRATEGIC ROLE	Adds retention only after V2 Core reveals the highest repeated-work blocker.			
STRATEGIC-ROLE TAGS	Retention; Payee operations; Payer usability			
CURRENT IMPLEMENTATION	Request IDs/replay rules are planned.			
REMAINING WORK	Candidate rules, thresholds, explanation, override, and tuning do not exist.			
DEPENDENCIES	V2 Core history, deterministic features, false-positive review, clear “suspect” copy, and usage evidence.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2 Core history, deterministic features, false-positive review, clear “suspect” copy, and usage evidence.			
COMMERCIAL HYPOTHESIS	Prevents avoidable work/loss.			
BOUNDARY	Warning fatigue or high false positives pauses rollout.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Expansion.			
NEXT ACTION	gated.			

V2E - 08 Advanced exception review		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-23 — Retention and repeat-payment tools				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-23 — Retention and repeat-payment tools			
AREA / PHASE / SIDE / TYPE	Payment operations / V2 Expansion / payee / review workspace			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Consolidate partial, excess, duplicate, uncertain, unmatched, and stale cases requiring action.			
PARENT USER VALUE	The operator spends less time reconstructing obligations and investigating exceptions.			
PARENT STRATEGIC ROLE	Adds retention only after V2 Core reveals the highest repeated-work blocker.			
STRATEGIC-ROLE TAGS	Retention; Payee operations; Payer usability			
CURRENT IMPLEMENTATION	V2 Core statuses are planned.			
REMAINING WORK	Queue, assignments, notes, resolution actions, and evidence history do not.			
DEPENDENCIES	Multiple observed exception types, stable status model, permissions, audit log, and resolution testing.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Multiple observed exception types, stable status model, permissions, audit log, and resolution testing.			
COMMERCIAL HYPOTHESIS	Valuable only after exception volume exists.			
BOUNDARY	Do not build an empty enterprise queue.			
STOP RULE	Do not build an empty enterprise queue.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Expansion.			
NEXT ACTION	gated.			

V2E - 09 Privacy-bounded analytics		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-24 — Analytics, presentation, and bounded verification claims				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-24 — Analytics, presentation, and bounded verification claims			
AREA / PHASE / SIDE / TYPE	Analytics / V2 Expansion / payee / retention insight			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Show useful request, payment, conversion, and volume patterns without covert surveillance.			
PARENT USER VALUE	Operators can understand use and present trustworthy context without enterprise machinery.			
PARENT STRATEGIC ROLE	Creates paid retention and identity value after demand, without arbitrary customization or identity overclaiming.			
STRATEGIC-ROLE TAGS	Retention; Trust; Payee operations			
CURRENT IMPLEMENTATION	Local/product instrumentation exists.			
REMAINING WORK	Tenant analytics definitions, aggregation, retention, disclosure, and tests do not.			
DEPENDENCIES	G0 privacy approval, stable events, minimum useful metrics, opt-out/consent where needed, and review.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: G0 privacy approval, stable events, minimum useful metrics, opt-out/consent where needed, and review.			
COMMERCIAL HYPOTHESIS	Paid retention feature.			
BOUNDARY	No public sender ranking or hidden behavioral profiling.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Expansion and Coin Card analytics caveat.			
NEXT ACTION	gated.			

V2E - 10 Curated card themes		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-24 — Analytics, presentation, and bounded verification claims				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-24 — Analytics, presentation, and bounded verification claims			
AREA / PHASE / SIDE / TYPE	Coin Card / V2 Expansion / payee / presentation feature			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Let operators fit the card to their work while keeping payment facts legible and trustworthy.			
PARENT USER VALUE	Operators can understand use and present trustworthy context without enterprise machinery.			
PARENT STRATEGIC ROLE	Creates paid retention and identity value after demand, without arbitrary customization or identity overclaiming.			
STRATEGIC-ROLE TAGS	Retention; Trust; Payee operations			
CURRENT IMPLEMENTATION	Branded demo presentation exists.			
REMAINING WORK	Theme tokens, curated catalog, contrast/security validation, and entitlement do not.			
DEPENDENCIES	Proven placement demand, presentation contract, accessibility, snapshot tests, and conversion signal.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Proven placement demand, presentation contract, accessibility, snapshot tests, and conversion signal.			
COMMERCIAL HYPOTHESIS	Possible paid identity value.			
BOUNDARY	Themes never override lifecycle state or signed payment facts.			
STOP RULE	Themes never override lifecycle state or signed payment facts.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Expansion.			
NEXT ACTION	gated.			

V2E - 11 Curated portal views and customization		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-24 — Analytics, presentation, and bounded verification claims				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-24 — Analytics, presentation, and bounded verification claims			
AREA / PHASE / SIDE / TYPE	Portal / V2 Expansion / payee / progressive-disclosure feature			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Let customers emphasize the views, fields, and filters they use without becoming lost in a universal cockpit.			
PARENT USER VALUE	Operators can understand use and present trustworthy context without enterprise machinery.			
PARENT STRATEGIC ROLE	Creates paid retention and identity value after demand, without arbitrary customization or identity overclaiming.			
STRATEGIC-ROLE TAGS	Retention; Trust; Payee operations			
CURRENT IMPLEMENTATION	Modular portal shell exists.			
REMAINING WORK	Saved layouts, role/task defaults, and guarded configuration do not.			
DEPENDENCIES	Stable shared objects, usability evidence, accessibility, migration rules, and reset-safe tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Stable shared objects, usability evidence, accessibility, migration rules, and reset-safe tests.			
COMMERCIAL HYPOTHESIS	Makes the “organized beast” usable.			
BOUNDARY	No arbitrary CSS, hidden fees, hidden recipients, or suppressed warnings.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Portal architecture doctrine.			
NEXT ACTION	gated.			

V2E - 12

Social-account control claims

CAPABILITY

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-24 — Analytics, presentation, and bounded verification claims

RECORD CLASS	Capability
PARENT CAPABILITY	PC-24 — Analytics, presentation, and bounded verification claims
AREA / PHASE / SIDE / TYPE	Verification / V2 Expansion / payee / graded evidence
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Show that a card operator controlled a named social account at a stated time.
PARENT USER VALUE	Operators can understand use and present trustworthy context without enterprise machinery.
PARENT STRATEGIC ROLE	Creates paid retention and identity value after demand, without arbitrary customization or identity overclaiming.
STRATEGIC-ROLE TAGS	Retention; Trust; Payee operations
CURRENT IMPLEMENTATION	No social challenge, evidence schema, expiry, reverification, or display exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Claim taxonomy, provider flow, signed attestation, expiry, revocation, and impersonation tests.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Claim taxonomy, provider flow, signed attestation, expiry, revocation, and impersonation tests.
COMMERCIAL HYPOTHESIS	Potential paid trust feature.
BOUNDARY	Never call social control legal-identity verification.
STOP RULE	Never call social control legal-identity verification.
SOURCE / EVIDENCE LOCATOR	Roadmap identity tiers.
NEXT ACTION	gated.

V2E - 13 Domain-control claims		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-24 — Analytics, presentation, and bounded verification claims				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-24 — Analytics, presentation, and bounded verification claims			
AREA / PHASE / SIDE / TYPE	Verification / V2 Expansion / payee / graded evidence			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Tie a payment credential to a domain the operator demonstrably controls.			
PARENT USER VALUE	Operators can understand use and present trustworthy context without enterprise machinery.			
PARENT STRATEGIC ROLE	Creates paid retention and identity value after demand, without arbitrary customization or identity overclaiming.			
STRATEGIC-ROLE TAGS	Retention; Trust; Payee operations			
CURRENT IMPLEMENTATION	Domain routing exists for ImplicitEx itself.			
REMAINING WORK	Customer DNS/file challenge, signed claim, expiry, and display do not.			
DEPENDENCIES	Verification protocol, rebinding/reassignment model, periodic recheck, and independent evidence.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Verification protocol, rebinding/reassignment model, periodic recheck, and independent evidence.			
COMMERCIAL HYPOTHESIS	Stronger business context without full KYB.			
BOUNDARY	Domain control is not organizational identity.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap verification capability.			
NEXT ACTION	gated.			

V2E - 14 Narrow verification badges		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-24 — Analytics, presentation, and bounded verification claims				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-24 — Analytics, presentation, and bounded verification claims			
AREA / PHASE / SIDE / TYPE	Verification / V2 Expansion / payee / trust presentation			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Summarize exactly which evidence ImplicitEx verified without making broad identity or safety claims.			
PARENT USER VALUE	Operators can understand use and present trustworthy context without enterprise machinery.			
PARENT STRATEGIC ROLE	Creates paid retention and identity value after demand, without arbitrary customization or identity overclaiming.			
STRATEGIC-ROLE TAGS	Retention; Trust; Payee operations			
CURRENT IMPLEMENTATION	Verification-state UI patterns exist.			
REMAINING WORK	Claim levels, badge copy, review, expiry, removal, appeal, and support do not.			
DEPENDENCIES	V2E-12/13 or other defined proof, legal copy review, lifecycle tests, and customer comprehension test.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2E-12/13 or other defined proof, legal copy review, lifecycle tests, and customer comprehension test.			
COMMERCIAL HYPOTHESIS	Possible paid upsell.			
BOUNDARY	Badge must name the verified fact and date; no “safe” or generic “verified person. ”			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap identity tiers and exclusions.			
NEXT ACTION	gated.			

V2 E - 15 Repeat-obligation preparation		CAPABILITY	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-23 — Retention and repeat-payment tools				
RECORD CLASS	Capability			
PARENT CAPABILITY	PC-23 — Retention and repeat-payment tools			
AREA / PHASE / SIDE / TYPE	Payment preparation / V2 Expansion / payer / workflow feature			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Recreate a recurring obligation for review without independently initiating a payment.			
PARENT USER VALUE	The operator spends less time reconstructing obligations and investigating exceptions.			
PARENT STRATEGIC ROLE	Adds retention only after V2 Core reveals the highest repeated-work blocker.			
STRATEGIC-ROLE TAGS	Retention; Payee operations; Payer usability			
CURRENT IMPLEMENTATION	No repeat-obligation system exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Templates, contacts, request history, fresh terms/signature, final wallet approval, and demand evidence.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Templates, contacts, request history, fresh terms/signature, final wallet approval, and demand evidence.			
COMMERCIAL HYPOTHESIS	Bridges to controlled payments.			
BOUNDARY	Do not market as automatic recurrence or retain open-ended token authority.			
STOP RULE	Do not market as automatic recurrence or retain open-ended token authority.			
SOURCE / EVIDENCE LOCATOR	Roadmap V2 Expansion and recurring boundary.			
NEXT ACTION	gated.			

V2E - 16

Open-amount or reusable request

CAPABILITY

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-23 — Retention and repeat-payment tools	
RECORD CLASS	Capability
PARENT CAPABILITY	PC-23 — Retention and repeat-payment tools
AREA / PHASE / SIDE / TYPE	Payment requests / V2 Expansion / payee / flexible-request feature
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Support tips, donations, or customer-entered amounts after fixed obligations are proven.
PARENT USER VALUE	The operator spends less time reconstructing obligations and investigating exceptions.
PARENT STRATEGIC ROLE	Adds retention only after V2 Core reveals the highest repeated-work blocker.
STRATEGIC-ROLE TAGS	Retention; Payee operations; Payer usability
CURRENT IMPLEMENTATION	Coin Card manifests model `OPEN_AMOUNT`.
REMAINING WORK	A V2 request lifecycle, payer-entered amount binding, reuse, matching, limits, abuse controls, and evidence behavior do not.
DEPENDENCIES	Fixed-request success, named use case, fresh per-payment execution intent, amount validation, matching rules, and genuine repeat use.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Fixed-request success, named use case, fresh per-payment execution intent, amount validation, matching rules, and genuine repeat use.
COMMERCIAL HYPOTHESIS	Distinct from a fixed signed request.
BOUNDARY	Never imply the recipient signed an amount chosen later by the payer.
STOP RULE	Never imply the recipient signed an amount chosen later by the payer.
SOURCE / EVIDENCE LOCATOR	Capability register V2 request scope.
NEXT ACTION	gated.

V2E - 17

Printable/downloadable receipt and evidence delivery

CAPABILITY

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-23 — Retention and repeat-payment tools	
RECORD CLASS	Capability
PARENT CAPABILITY	PC-23 — Retention and repeat-payment tools
AREA / PHASE / SIDE / TYPE	Records / V2 Expansion / both / document-delivery feature
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Give a client or operator a legible PDF/print artifact derived from the verifiable evidence packet.
PARENT USER VALUE	The operator spends less time reconstructing obligations and investigating exceptions.
PARENT STRATEGIC ROLE	Adds retention only after V2 Core reveals the highest repeated-work blocker.
STRATEGIC-ROLE TAGS	Retention; Payee operations; Payer usability
CURRENT IMPLEMENTATION	Local receipts/proof exports exist.
REMAINING WORK	V2 request-linked PDF schema, rendering, hash/provenance reference, delivery, and parity tests do not.
DEPENDENCIES	V2C-22, stable display contract, deterministic rendering, download safety, and customer demand.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-22, stable display contract, deterministic rendering, download safety, and customer demand.
COMMERCIAL HYPOTHESIS	Useful record, not a guarantee or tax document.
BOUNDARY	Email delivery additionally requires G0-approved contact data.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap receipt/export capabilities.
NEXT ACTION	gated.

IMPLEMENTATION GROUP

V3 experiments

22 detailed records

V3W-01

Scheduled payment preparation with final wallet approval

COMMERCIAL EXPERIMENT

DEFINED OR SPECIFIED

EVIDENCE-GATED

PC-26 — Controlled payer scheduling and approvals

RECORD CLASS	Commercial experiment
PARENT CAPABILITY	PC-26 — Controlled payer scheduling and approvals
AREA / PHASE / SIDE / TYPE	Controlled payments / V3 / payer / workflow experiment
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Prepare a payment at the right time while the user still reviews and signs the final wallet transaction.
PARENT USER VALUE	Payers can organize consequential payments without surrendering control.
PARENT STRATEGIC ROLE	Tests the separate payer-side controlled-payment business after payee-side retention.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance
CURRENT IMPLEMENTATION	Scheduling concepts exist.
REMAINING WORK	Scheduler, reminders, fresh-state validation, approval UX, records, and failure handling do not.
DEPENDENCIES	Repeated payer demand, V2 templates/contacts, data approval, no independent initiation, and real use.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Repeated payer demand, V2 templates/contacts, data approval, no independent initiation, and real use.
COMMERCIAL HYPOTHESIS	Tests payer-side value.
BOUNDARY	Stop if reminders alone do not change behavior or justify cost.
STOP RULE	Stop if reminders alone do not change behavior or justify cost.
SOURCE / EVIDENCE LOCATOR	Capability register scheduled preparation.
NEXT ACTION	gated.

V3W-02 Bounded operational intelligence		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-25 — Bounded operational intelligence				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-25 — Bounded operational intelligence			
AREA / PHASE / SIDE / TYPE	Intelligence / V3 / payee / advisory experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Explain verified records and exceptions without turning an LLM into payment authority.			
PARENT USER VALUE	Operators spend less time translating records into safe next steps.			
PARENT STRATEGIC ROLE	Tests premium administrative value without granting AI financial authority.			
STRATEGIC-ROLE TAGS	Payee operations; Evidence; Support/operations			
CURRENT IMPLEMENTATION	Deterministic warnings exist.			
REMAINING WORK	Evidence-bounded retrieval, answer provenance, refusal rules, evaluation, and UI do not.			
DEPENDENCIES	Stable V2 records, repeated analysis pain, evaluation set, citations, privacy approval, and no mutation.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Stable V2 records, repeated analysis pain, evaluation set, citations, privacy approval, and no mutation.			
COMMERCIAL HYPOTHESIS	Charge for work eliminated, not “AI.			
BOUNDARY	” Hallucination or unsupported advice pauses the experiment.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Capability register bounded intelligence.			
NEXT ACTION	gated.			

V3W-03 Evidence-linked factual search		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-25 — Bounded operational intelligence				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-25 — Bounded operational intelligence			
AREA / PHASE / SIDE / TYPE	Intelligence / V3 / payee / query experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Answer questions such as “which requests remain unpaid?” with links to authoritative records.			
PARENT USER VALUE	Operators spend less time translating records into safe next steps.			
PARENT STRATEGIC ROLE	Tests premium administrative value without granting AI financial authority.			
STRATEGIC-ROLE TAGS	Payee operations; Evidence; Support/operations			
CURRENT IMPLEMENTATION	Deterministic V2 search is planned.			
REMAINING WORK	Natural-language intent parsing, authorization, citations, and evaluation do not.			
DEPENDENCIES	V2C-23, bounded query grammar, source links, tenant tests, and measured time savings.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-23, bounded query grammar, source links, tenant tests, and measured time savings.			
COMMERCIAL HYPOTHESIS	Useful only if ordinary filters are insufficient.			
BOUNDARY	Never answer outside accessible evidence.			
STOP RULE	Never answer outside accessible evidence.			
SOURCE / EVIDENCE LOCATOR	Bounded intelligence doctrine.			
NEXT ACTION	gated.			

V3W-04 Exception explanation		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-25 — Bounded operational intelligence				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-25 — Bounded operational intelligence			
AREA / PHASE / SIDE / TYPE	Intelligence / V3 / both / explanation experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Translate deterministic uncertain, unmatched, partial, or failed states into clear next steps.			
PARENT USER VALUE	Operators spend less time translating records into safe next steps.			
PARENT STRATEGIC ROLE	Tests premium administrative value without granting AI financial authority.			
STRATEGIC-ROLE TAGS	Payee operations; Evidence; Support/operations			
CURRENT IMPLEMENTATION	Present portal has explicit failure copy.			
REMAINING WORK	V2 evidence-linked explanation generation and evaluation do not.			
DEPENDENCIES	Stable exception taxonomy, deterministic facts, approved action library, citation, and safety tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Stable exception taxonomy, deterministic facts, approved action library, citation, and safety tests.			
COMMERCIAL HYPOTHESIS	Improves support.			
BOUNDARY	It may explain evidence; it may not invent settlement facts, legal advice, or reimbursement.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap exception doctrine.			
NEXT ACTION	gated.			

V3W-05 Draft action preparation		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-25 — Bounded operational intelligence				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-25 — Bounded operational intelligence			
AREA / PHASE / SIDE / TYPE	Intelligence / V3 / payee / advisory workflow			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Prepare a reminder, reconciliation note, export, or payment draft for explicit human approval.			
PARENT USER VALUE	Operators spend less time translating records into safe next steps.			
PARENT STRATEGIC ROLE	Tests premium administrative value without granting AI financial authority.			
STRATEGIC-ROLE TAGS	Payee operations; Evidence; Support/operations			
CURRENT IMPLEMENTATION	No bounded action-draft system exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	V3W-02/04, allowlisted actions, preview, no silent execution, audit log, and human-approval tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V3W-02/04, allowlisted actions, preview, no silent execution, audit log, and human-approval tests.			
COMMERCIAL HYPOTHESIS	Saves administrative work.			
BOUNDARY	No payment, route, refund, or customer message is sent autonomously.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Companion doctrine and V3 experiment pool.			
NEXT ACTION	gated.			

V3W - 06 Preparer/reviewer workflow		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-26 — Controlled payer scheduling and approvals				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-26 — Controlled payer scheduling and approvals			
AREA / PHASE / SIDE / TYPE	Approvals / V3 / payer / small-team experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Let one person prepare a payment while the wallet authority reviews and signs.			
PARENT USER VALUE	Payers can organize consequential payments without surrendering control.			
PARENT STRATEGIC ROLE	Tests the separate payer-side controlled-payment business after payee-side retention.			
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance			
CURRENT IMPLEMENTATION	No V2 team/role platform exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Named team demand, G0 role model, immutable draft, reviewer comparison, audit trail, and live test.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Named team demand, G0 role model, immutable draft, reviewer comparison, audit trail, and live test.			
COMMERCIAL HYPOTHESIS	Possible higher tier.			
BOUNDARY	Do not build complex corporate RBAC or let the preparer obtain payment authority.			
STOP RULE	Do not build complex corporate RBAC or let the preparer obtain payment authority.			
SOURCE / EVIDENCE LOCATOR	Capability register team access.			
NEXT ACTION	gated.			

V3W-07 Safe-based approval integration		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-26 — Controlled payer scheduling and approvals				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-26 — Controlled payer scheduling and approvals			
AREA / PHASE / SIDE / TYPE	Approvals/integration / V3 / payer / partner experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Reuse established multisignature and spending-control infrastructure rather than inventing a treasury wallet.			
PARENT USER VALUE	Payers can organize consequential payments without surrendering control.			
PARENT STRATEGIC ROLE	Tests the separate payer-side controlled-payment business after payee-side retention.			
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance			
CURRENT IMPLEMENTATION	Safe has been competitively assessed.			
REMAINING WORK	No ImplicitEx integration exists.			
DEPENDENCIES	Customers already using Safe, exact integration scope, permission review, test Safe, transaction simulation, and partner/version monitoring.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Customers already using Safe, exact integration scope, permission review, test Safe, transaction simulation, and partner/version monitoring.			
COMMERCIAL HYPOTHESIS	Adds approval value without custody.			
BOUNDARY	ImplicitEx must not become an unnoticed privileged Safe module.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Capability register Safe/team doors.			
NEXT ACTION	gated.			

V3A - 01 Embedded payment-request flow		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-27 — Embedded, QR, and POS request access				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-27 — Embedded, QR, and POS request access			
AREA / PHASE / SIDE / TYPE	Distribution / V3 / payer / access experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Let a site present an authenticated ImplicitEx request without sending the payer through unrelated portal views.			
PARENT USER VALUE	Payers can enter a clear verified flow from the context where payment begins.			
PARENT STRATEGIC ROLE	Tests distribution channels only after signed request integrity is proven.			
STRATEGIC-ROLE TAGS	Distribution/access; Payer usability; Trust			
CURRENT IMPLEMENTATION	Static Coin Card embed exists.			
REMAINING WORK	Request embed, parent/child trust, CSP, sizing, completion callback, and tests do not.			
DEPENDENCIES	V2 signed requests, embed threat model, origin controls, browser matrix, and real placement evidence.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2 signed requests, embed threat model, origin controls, browser matrix, and real placement evidence.			
COMMERCIAL HYPOTHESIS	Improves distribution.			
BOUNDARY	Embedded surfaces must show signed terms and never authorize the wallet silently.			
STOP RULE	Embedded surfaces must show signed terms and never authorize the wallet silently.			
SOURCE / EVIDENCE LOCATOR	Capability register access pool.			
NEXT ACTION	gated.			

V3A - 02 Safe return-URL request flow		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-27 — Embedded, QR, and POS request access				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-27 — Embedded, QR, and POS request access			
AREA / PHASE / SIDE / TYPE	Distribution/security / V3 / payer / access experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Return a payer to the originating business after a verified request outcome.			
PARENT USER VALUE	Payers can enter a clear verified flow from the context where payment begins.			
PARENT STRATEGIC ROLE	Tests distribution channels only after signed request integrity is proven.			
STRATEGIC-ROLE TAGS	Distribution/access; Payer usability; Trust			
CURRENT IMPLEMENTATION	General portal return behavior exists.			
REMAINING WORK	Allowlisted, signed request return URLs, status payload, and open-redirect tests do not.			
DEPENDENCIES	V2 request schema, origin validation, user-visible destination, privacy policy, and hostile URL suite.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2 request schema, origin validation, user-visible destination, privacy policy, and hostile URL suite.			
COMMERCIAL HYPOTHESIS	Supports lightweight integrations.			
BOUNDARY	Never leak private evidence in query strings or trust an unsigned return URL.			
STOP RULE	Never leak private evidence in query strings or trust an unsigned return URL.			
SOURCE / EVIDENCE LOCATOR	Capability register embedded access.			
NEXT ACTION	gated.			

V3A - 03 Payment-request QR handoff		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-27 — Embedded, QR, and POS request access				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-27 — Embedded, QR, and POS request access			
AREA / PHASE / SIDE / TYPE	Mobile access / V3 / both / access experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Move authenticated request terms from a screen or printed surface into the payer's wallet flow.			
PARENT USER VALUE	Payers can enter a clear verified flow from the context where payment begins.			
PARENT STRATEGIC ROLE	Tests distribution channels only after signed request integrity is proven.			
STRATEGIC-ROLE TAGS	Distribution/access; Payer usability; Trust			
CURRENT IMPLEMENTATION	Coin Card identity QR exists.			
REMAINING WORK	Signed request QR, tamper-resistant confirmation, density limits, and scanning tests do not.			
DEPENDENCIES	V2C-10/11, visible recipient and address confirmation, mobile matrix, and real-use evidence.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2C-10/11, visible recipient and address confirmation, mobile matrix, and real-use evidence.			
COMMERCIAL HYPOTHESIS	Reduces mobile coordination.			
BOUNDARY	QR is a carrier, not proof; altered content must fail verification.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Capability register QR/POS.			
NEXT ACTION	gated.			

V3A - 04 POS presentation and settled state		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-27 — Embedded, QR, and POS request access				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-27 — Embedded, QR, and POS request access			
AREA / PHASE / SIDE / TYPE	In-person payments / V3 / both / access experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Turn a request into a full-screen in-person payment surface with unambiguous pending/confirmed state.			
PARENT USER VALUE	Payers can enter a clear verified flow from the context where payment begins.			
PARENT STRATEGIC ROLE	Tests distribution channels only after signed request integrity is proven.			
STRATEGIC-ROLE TAGS	Distribution/access; Payer usability; Trust			
CURRENT IMPLEMENTATION	Card QR and transaction status components exist.			
REMAINING WORK	POS mode, screen-lock behavior, watcher connection, and arrival feedback do not.			
DEPENDENCIES	V3A-03, V2 watcher, in-person demand, mobile testing, and genuine transaction observations.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V3A-03, V2 watcher, in-person demand, mobile testing, and genuine transaction observations.			
COMMERCIAL HYPOTHESIS	Potential micro-merchant access.			
BOUNDARY	Do not imply fiat conversion or guaranteed settlement.			
STOP RULE	Do not imply fiat conversion or guaranteed settlement.			
SOURCE / EVIDENCE LOCATOR	Capability register QR/POS.			
NEXT ACTION	gated.			

V3A - 05 Recent ImplicitEx recipients		COMMERCIAL EXPERIMENT
		DEFINED OR SPECIFIEDEVIDENCE-GATED
PC-28 — Recipient, naming, fiat-display, and wallet access		
RECORD CLASS	Commercial experiment	
PARENT CAPABILITY	PC-28 — Recipient, naming, fiat-display, and wallet access	
AREA / PHASE / SIDE / TYPE	Recipient access / V3 / payer / convenience experiment	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Evidence-gated	
PURPOSE	Repeat known ImplicitEx relationships without broad chain surveillance or raw-address re-entry.	
PARENT USER VALUE	Payers can recognize and reselect a destination while still verifying the actual route.	
PARENT STRATEGIC ROLE	Tests measured access blockers without confusing convenience with identity.	
STRATEGIC-ROLE TAGS	Payer usability; Distribution/access; Trust	
CURRENT IMPLEMENTATION	Local recipient context exists.	
REMAINING WORK	Request/card-aware recent list, route-currenttness recheck, and UX do not.	
DEPENDENCIES	Local or approved private history, Coin Card currenttness, duplicate rules, and repeat-use evidence.	
ENTRY GATE	The customer or operating evidence stated in this record is present.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Local or approved private history, Coin Card currenttness, duplicate rules, and repeat-use evidence.	
COMMERCIAL HYPOTHESIS	Improves return use.	
BOUNDARY	Never bypass route reverification because an address is “recent. ”	
STOP RULE	Never bypass route reverification because an address is “recent.	
SOURCE / EVIDENCE LOCATOR	Capability register recent recipients.	
NEXT ACTION	gated.	

V3A - 06 Device-local recipient labels		COMMERCIAL EXPERIMENT
		DEFINED OR SPECIFIEDEVIDENCE-GATED
PC-28 — Recipient, naming, fiat-display, and wallet access		
RECORD CLASS	Commercial experiment	
PARENT CAPABILITY	PC-28 — Recipient, naming, fiat-display, and wallet access	
AREA / PHASE / SIDE / TYPE	Recipient access / V3 / payer / local-only experiment	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Evidence-gated	
PURPOSE	Let a user attach familiar labels without requiring an account or publishing them.	
PARENT USER VALUE	Payers can recognize and reselect a destination while still verifying the actual route.	
PARENT STRATEGIC ROLE	Tests measured access blockers without confusing convenience with identity.	
STRATEGIC-ROLE TAGS	Payer usability; Distribution/access; Trust	
CURRENT IMPLEMENTATION	Browser-local storage patterns exist.	
REMAINING WORK	Label schema, backup warning, migration, deletion, and display do not.	
DEPENDENCIES	V3A-05, privacy copy, collision handling, device-loss disclosure, and usability testing.	
ENTRY GATE	The customer or operating evidence stated in this record is present.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V3A-05, privacy copy, collision handling, device-loss disclosure, and usability testing.	
COMMERCIAL HYPOTHESIS	Low-cost convenience, not identity evidence.	
BOUNDARY	Do not sync until Gate 0 data approval.	
STOP RULE	Do not sync until Gate 0 data approval.	
SOURCE / EVIDENCE LOCATOR	Roadmap A1 caveat.	
NEXT ACTION	gated.	

V3A - 07 ENS resolution with forward verification		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-28 — Recipient, naming, fiat-display, and wallet access				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-28 — Recipient, naming, fiat-display, and wallet access			
AREA / PHASE / SIDE / TYPE	Naming/interoperability / V3 / both / access experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Accept familiar ENS names while proving the resolved route and displaying the underlying address before execution.			
PARENT USER VALUE	Payers can recognize and reselect a destination while still verifying the actual route.			
PARENT STRATEGIC ROLE	Tests measured access blockers without confusing convenience with identity.			
STRATEGIC-ROLE TAGS	Payer usability; Distribution/access; Trust			
CURRENT IMPLEMENTATION	Coin Card handles exist.			
REMAINING WORK	ENS resolver, chain-aware records, caching, forward verification, error states, and tests do not.			
DEPENDENCIES	Demonstrated ENS demand, trusted provider/resolver, expiry policy, adverse cases, and production test.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Demonstrated ENS demand, trusted provider/resolver, expiry policy, adverse cases, and production test.			
COMMERCIAL HYPOTHESIS	Complement ENS rather than replace it.			
BOUNDARY	Resolution cannot establish legal identity.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Competitive teardown and capability register.			
NEXT ACTION	gated.			

V3A - 08 Fiat-equivalent display		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-28 — Recipient, naming, fiat-display, and wallet access				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-28 — Recipient, naming, fiat-display, and wallet access			
AREA / PHASE / SIDE / TYPE	Legibility / V3 / both / access experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Show approximate local-money context for stablecoin amounts without offering conversion.			
PARENT USER VALUE	Payers can recognize and reselect a destination while still verifying the actual route.			
PARENT STRATEGIC ROLE	Tests measured access blockers without confusing convenience with identity.			
STRATEGIC-ROLE TAGS	Payer usability; Distribution/access; Trust			
CURRENT IMPLEMENTATION	USDC amount display exists.			
REMAINING WORK	Price source, freshness, currency selection, stale-state handling, and disclosure do not.			
DEPENDENCIES	Qualified user demand, reliable source, timestamp/freshness policy, fallback, and accuracy tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Qualified user demand, reliable source, timestamp/freshness policy, fallback, and accuracy tests.			
COMMERCIAL HYPOTHESIS	Helps non-crypto comprehension.			
BOUNDARY	Label display-only estimates; ImplicitEx does not quote or execute FX.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap A6.			
NEXT ACTION	gated.			

V3A - 09 Gas abstraction		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-29 — Gas abstraction and smart-account controls				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-29 — Gas abstraction and smart-account controls			
AREA / PHASE / SIDE / TYPE	Wallet access / V3 / payer / access experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Remove the need to obtain a separate gas token when this is a measured completion blocker.			
PARENT USER VALUE	A qualified payer can complete a USDC payment without separately acquiring gas.			
PARENT STRATEGIC ROLE	Tests a high-leverage funnel fix only after its actual attrition is measured.			
STRATEGIC-ROLE TAGS	Payer usability; Execution; Security/assurance			
CURRENT IMPLEMENTATION	Native-gas transaction flow exists.			
REMAINING WORK	Account abstraction choice, sponsor policy, audited surface, monitoring, and UX do not.			
DEPENDENCIES	Measured gas-token attrition, current wallet capability review, counsel/security review, cost model, and live bounded pilot.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Measured gas-token attrition, current wallet capability review, counsel/security review, cost model, and live bounded pilot.			
COMMERCIAL HYPOTHESIS	Potentially high leverage.			
BOUNDARY	Do not adopt unaudited smart-account authority or economically unbounded sponsorship.			
STOP RULE	Do not adopt unaudited smart-account authority or economically unbounded sponsorship.			
SOURCE / EVIDENCE LOCATOR	Capability register gas abstraction.			
NEXT ACTION	gated.			

V3A - 10 Smart-account feasibility and authority model		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-29 — Gas abstraction and smart-account controls				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-29 — Gas abstraction and smart-account controls			
AREA / PHASE / SIDE / TYPE	Wallet architecture / V3 / payer / research experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Determine whether existing wallet or ERC-4337 infrastructure can improve access without key-share control.			
PARENT USER VALUE	A qualified payer can complete a USDC payment without separately acquiring gas.			
PARENT STRATEGIC ROLE	Tests a high-leverage funnel fix only after its actual attrition is measured.			
STRATEGIC-ROLE TAGS	Payer usability; Execution; Security/assurance			
CURRENT IMPLEMENTATION	Competitive concepts exist.			
REMAINING WORK	Provider comparison, authority diagram, upgrade/recovery risk, portability, and prototype do not.			
DEPENDENCIES	V3A-09 entry evidence, current primary-source review, counsel, threat model, and reversible test.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V3A-09 entry evidence, current primary-source review, counsel, threat model, and reversible test.			
COMMERCIAL HYPOTHESIS	Research input only.			
BOUNDARY	Reject architectures that give ImplicitEx unilateral signing or key-share control.			
STOP RULE	Reject architectures that give ImplicitEx unilateral signing or key-share control.			
SOURCE / EVIDENCE LOCATOR	Roadmap A9/A10.			
NEXT ACTION	gated.			

V3A - 11 Paymaster policy, controls, and economics		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-29 — Gas abstraction and smart-account controls				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-29 — Gas abstraction and smart-account controls			
AREA / PHASE / SIDE / TYPE	Gas operations / V3 / payer / service control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Bound who receives sponsored gas, for which calls, at what limits, and how abuse/costs are managed.			
PARENT USER VALUE	A qualified payer can complete a USDC payment without separately acquiring gas.			
PARENT STRATEGIC ROLE	Tests a high-leverage funnel fix only after its actual attrition is measured.			
STRATEGIC-ROLE TAGS	Payer usability; Execution; Security/assurance			
CURRENT IMPLEMENTATION	No paymaster exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Smart-account decision, allowlisted calls, quotas, simulation, abuse monitoring, cost/recovery model, and incident stop switch.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Smart-account decision, allowlisted calls, quotas, simulation, abuse monitoring, cost/recovery model, and incident stop switch.			
COMMERCIAL HYPOTHESIS	Sponsorship must improve conversion with positive unit economics.			
BOUNDARY	Never make a general transaction relay.			
STOP RULE	Never make a general transaction relay.			
SOURCE / EVIDENCE LOCATOR	Capability register gas abstraction.			
NEXT ACTION	gated.			

V3A - 12 Third-party fiat on-ramp		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-30 — Licensed-partner fiat on-ramp access				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-30 — Licensed-partner fiat on-ramp access			
AREA / PHASE / SIDE / TYPE	Access/partners / V3 / payer / partner experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Let a user acquire supported USDC through a licensed provider that delivers directly to the user's wallet.			
PARENT USER VALUE	A payer can enter the supported workflow without ImplicitEx receiving fiat.			
PARENT STRATEGIC ROLE	Closes a measured access gap while preserving the partner and custody boundary.			
STRATEGIC-ROLE TAGS	Distribution/access; Payer usability; Governance			
CURRENT IMPLEMENTATION	No partner selection or integration exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Measured acquisition blocker, corridor/state coverage, vendor diligence, counsel, redirect integrity, fee/KYC disclosure, support routing, and pilot evidence.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Measured acquisition blocker, corridor/state coverage, vendor diligence, counsel, redirect integrity, fee/KYC disclosure, support routing, and pilot evidence.			
COMMERCIAL HYPOTHESIS	Partner economics may supplement revenue.			
BOUNDARY	ImplicitEx never receives fiat or controls the purchased USDC.			
STOP RULE	ImplicitEx never receives fiat or controls the purchased USDC.			
SOURCE / EVIDENCE LOCATOR	Capability register on-ramp.			
NEXT ACTION	gated.			

V3A - 13 Partner redirect integrity		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-30 — Licensed-partner fiat on-ramp access				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-30 — Licensed-partner fiat on-ramp access			
AREA / PHASE / SIDE / TYPE	Partner security / V3 / payer / integration control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Ensure an on-ramp handoff cannot change wallet, asset, chain, amount, or return destination unnoticed.			
PARENT USER VALUE	A payer can enter the supported workflow without ImplicitEx receiving fiat.			
PARENT STRATEGIC ROLE	Closes a measured access gap while preserving the partner and custody boundary.			
STRATEGIC-ROLE TAGS	Distribution/access; Payer usability; Governance			
CURRENT IMPLEMENTATION	No on-ramp redirect implementation exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	V3A-12, signed/stateful handoff, allowlisted origins, nonce/expiry, return verification, and hostile redirect tests.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V3A-12, signed/stateful handoff, allowlisted origins, nonce/expiry, return verification, and hostile redirect tests.			
COMMERCIAL HYPOTHESIS	Protects access flow.			
BOUNDARY	Partner branding cannot obscure who performs KYC, conversion, or support.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Capability register partner controls.			
NEXT ACTION	gated.			

V3A - 14 Partner fee, KYC, coverage, and support disclosure		COMMERCIAL EXPERIMENT
		DEFINED OR SPECIFIEDEVIDENCE-GATED
PC-30 — Licensed-partner fiat on-ramp access		
RECORD CLASS	Commercial experiment	
PARENT CAPABILITY	PC-30 — Licensed-partner fiat on-ramp access	
AREA / PHASE / SIDE / TYPE	Partner operations / V3 / payer / disclosure control	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Evidence-gated	
PURPOSE	Show total expected cost, responsible provider, KYC step, availability, and problem-resolution path before handoff.	
PARENT USER VALUE	A payer can enter the supported workflow without ImplicitEx receiving fiat.	
PARENT STRATEGIC ROLE	Closes a measured access gap while preserving the partner and custody boundary.	
STRATEGIC-ROLE TAGS	Distribution/access; Payer usability; Governance	
CURRENT IMPLEMENTATION	General fee clarity exists.	
REMAINING WORK	Partner-specific live disclosures and coverage monitoring do not.	
DEPENDENCIES	V3A-12, provider terms/data, freshness owner, jurisdiction rules, copy review, and customer testing.	
ENTRY GATE	The customer or operating evidence stated in this record is present.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V3A-12, provider terms/data, freshness owner, jurisdiction rules, copy review, and customer testing.	
COMMERCIAL HYPOTHESIS	Prevents a “cheap” claim from hiding partner spreads.	
BOUNDARY	Pause corridors when provider facts are stale.	
STOP RULE	Pause corridors when provider facts are stale.	
SOURCE / EVIDENCE LOCATOR	Roadmap D1 and partner doctrine.	
NEXT ACTION	gated.	

V3A - 15 Direct Coinbase Wallet compatibility		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-28 — Recipient, naming, fiat-display, and wallet access				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-28 — Recipient, naming, fiat-display, and wallet access			
AREA / PHASE / SIDE / TYPE	Wallet access / V3 / payer / access experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Serve qualified users whose working wallet is Coinbase Wallet without requiring MetaMask.			
PARENT USER VALUE	Payers can recognize and reselect a destination while still verifying the actual route.			
PARENT STRATEGIC ROLE	Tests measured access blockers without confusing convenience with identity.			
STRATEGIC-ROLE TAGS	Payer usability; Distribution/access; Trust			
CURRENT IMPLEMENTATION	WalletConnect provides broader connectivity, but no explicit Coinbase Wallet production compatibility claim, deep-link matrix, continuity evidence, or support policy is recorded.			
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.			
DEPENDENCIES	Measured wallet demand, current Coinbase Wallet behavior, connect/dispatch/return/receipt tests on supported devices, and production evidence.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Measured wallet demand, current Coinbase Wallet behavior, connect/dispatch/return/receipt tests on supported devices, and production evidence.			
COMMERCIAL HYPOTHESIS	Wallet breadth responds to actual users.			
BOUNDARY	Do not publish support based only on a generic WalletConnect assumption.			
STOP RULE	Do not publish support based only on a generic WalletConnect assumption.			
SOURCE / EVIDENCE LOCATOR	Roadmap A10.			
NEXT ACTION	gated.			

IMPLEMENTATION GROUP

Legal and risk controls

12 detailed records

RISK - 01 Address-risk and sanctions-control determination		CONTROL	DEFINED OR SPECIFIED	LEGALLY GATED
PC-31 — Address-risk and sanctions operations				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-31 — Address-risk and sanctions operations			
AREA / PHASE / SIDE / TYPE	Legal/risk / V1 onward / both / counsel determination			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Legally gated			
PURPOSE	Define ImplicitEx's actual obligations and proportionate controls for the product flow and jurisdictions.			
PARENT USER VALUE	Users and partners receive calibrated checks and a defined exception path.			
PARENT STRATEGIC ROLE	Protects legal/partner viability without making unsupported safety claims.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	Risks are identified; written counsel conclusion, feature-by-feature trigger, and release treatment do not exist.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Actual architecture, authority map, markets, current legal sources, and attorney-reviewed determination.			
ENTRY GATE	The required counsel or formal legal determination is recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Actual architecture, authority map, markets, current legal sources, and attorney-reviewed determination.			
COMMERCIAL HYPOTHESIS	Protects enterprise and partner viability.			
BOUNDARY	Do not describe software as automatically exempt or screening as universal legal clearance.			
STOP RULE	Do not describe software as automatically exempt or screening as universal legal clearance.			
SOURCE / EVIDENCE LOCATOR	V1-08 and legal-status doctrine.			
NEXT ACTION	counsel gate.			

RISK - 02 Address-risk policy		CONTROL	DEFINED OR SPECIFIED	LEGALLY GATED
PC-31 — Address-risk and sanctions operations				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-31 — Address-risk and sanctions operations			
AREA / PHASE / SIDE / TYPE	Risk operations / conditional / both / governing policy			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Legally gated			
PURPOSE	State which addresses/events are checked, when, against what categories, and what outcomes follow.			
PARENT USER VALUE	Users and partners receive calibrated checks and a defined exception path.			
PARENT STRATEGIC ROLE	Protects legal/partner viability without making unsupported safety claims.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	No approved operational policy exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	RISK-01, provider/source design, false-positive path, privacy/logging, UX, tests, and owner.			
ENTRY GATE	The required counsel or formal legal determination is recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: RISK-01, provider/source design, false-positive path, privacy/logging, UX, tests, and owner.			
COMMERCIAL HYPOTHESIS	Supports trust and partner diligence.			
BOUNDARY	“Checked” must never mean “safe. ”			
STOP RULE	“Checked” must never mean “safe.			
SOURCE / EVIDENCE LOCATOR	Roadmap address-screening section.			
NEXT ACTION	gated.			

RISK - 03 Screening-provider evaluation		CONTROL	DEFINED OR SPECIFIED	LEGALLY GATED
PC-31 — Address-risk and sanctions operations				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-31 — Address-risk and sanctions operations			
AREA / PHASE / SIDE / TYPE	Vendor/risk / conditional / both / partner selection			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Legally gated			
PURPOSE	Compare coverage, source quality, latency, uptime, false positives, appeal support, retention, and cost.			
PARENT USER VALUE	Users and partners receive calibrated checks and a defined exception path.			
PARENT STRATEGIC ROLE	Protects legal/partner viability without making unsupported safety claims.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	Candidate vendor category exists.			
REMAINING WORK	Diligence and selection do not.			
DEPENDENCIES	RISK-01/02, representative test set, contract/privacy review, outage behavior, and cost model.			
ENTRY GATE	The required counsel or formal legal determination is recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: RISK-01/02, representative test set, contract/privacy review, outage behavior, and cost model.			
COMMERCIAL HYPOTHESIS	Buy only the control required and useful.			
BOUNDARY	Reject vendors whose data terms undermine privacy or support margin.			
STOP RULE	Reject vendors whose data terms undermine privacy or support margin.			
SOURCE / EVIDENCE LOCATOR	Roadmap A11.			
NEXT ACTION	gated.			

RISK - 04 Sanctions-source freshness controls		CONTROL	DEFINED OR SPECIFIED	LEGALLY GATED
PC-31 — Address-risk and sanctions operations				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-31 — Address-risk and sanctions operations			
AREA / PHASE / SIDE / TYPE	Risk operations / conditional / both / data-freshness control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Legally gated			
PURPOSE	Prevent stale sanctions or risk data from being presented as a current check.			
PARENT USER VALUE	Users and partners receive calibrated checks and a defined exception path.			
PARENT STRATEGIC ROLE	Protects legal/partner viability without making unsupported safety claims.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	No source monitor or freshness threshold exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	Selected sources/provider, timestamps, update SLA, monitor, stale-state UX, and outage drill.			
ENTRY GATE	The required counsel or formal legal determination is recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Selected sources/provider, timestamps, update SLA, monitor, stale-state UX, and outage drill.			
COMMERCIAL HYPOTHESIS	Required if checks become binding.			
BOUNDARY	Fail according to approved policy; never silently use stale data.			
STOP RULE	Fail according to approved policy; never silently use stale data.			
SOURCE / EVIDENCE LOCATOR	Legal maintenance doctrine.			
NEXT ACTION	gated.			

RISK - 05 False-positive handling and appeal		CONTROL	DEFINED OR SPECIFIED	LEGALLY GATED
PC-31 — Address-risk and sanctions operations				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-31 — Address-risk and sanctions operations			
AREA / PHASE / SIDE / TYPE	Risk/support / conditional / both / exception workflow			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Legally gated			
PURPOSE	Give legitimate users a documented path when screening or policy blocks a route.			
PARENT USER VALUE	Users and partners receive calibrated checks and a defined exception path.			
PARENT STRATEGIC ROLE	Protects legal/partner viability without making unsupported safety claims.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	No appeal intake, review authority, SLA, evidence, or decision log exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	RISK-02/03, privacy rules, reviewer authority, non-bypass controls, test cases, and support capacity.			
ENTRY GATE	The required counsel or formal legal determination is recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: RISK-02/03, privacy rules, reviewer authority, non-bypass controls, test cases, and support capacity.			
COMMERCIAL HYPOTHESIS	Necessary to control support harm.			
BOUNDARY	Support cannot override a legal block informally.			
STOP RULE	Support cannot override a legal block informally.			
SOURCE / EVIDENCE LOCATOR	Roadmap A11 caveats.			
NEXT ACTION	gated.			

RISK - 06 Screening-provider outage behavior		CONTROL	DEFINED OR SPECIFIED	LEGALLY GATED
PC-31 — Address-risk and sanctions operations				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-31 — Address-risk and sanctions operations			
AREA / PHASE / SIDE / TYPE	Reliability/risk / conditional / both / fail-state control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Legally gated			
PURPOSE	Define whether affected sends block, degrade, queue, or disclose unavailable screening.			
PARENT USER VALUE	Users and partners receive calibrated checks and a defined exception path.			
PARENT STRATEGIC ROLE	Protects legal/partner viability without making unsupported safety claims.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	No approved behavior exists.			
REMAINING WORK	The capability has no completed end-to-end implementation.			
DEPENDENCIES	RISK-01/02/03, risk appetite, cached-data rule, UX, operational alert, and outage test.			
ENTRY GATE	The required counsel or formal legal determination is recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: RISK-01/02/03, risk appetite, cached-data rule, UX, operational alert, and outage test.			
COMMERCIAL HYPOTHESIS	Avoids improvised production decisions.			
BOUNDARY	Behavior must match legal advice and customer copy.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap screening architecture.			
NEXT ACTION	gated.			

RISK - 07 Risk-check logging and retention		CONTROL	DEFINED OR SPECIFIED	LEGALLY GATED
PC-31 — Address-risk and sanctions operations				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-31 — Address-risk and sanctions operations			
AREA / PHASE / SIDE / TYPE	Privacy/risk / conditional / both / evidence control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Legally gated			
PURPOSE	Preserve only the check evidence needed for operations or obligations.			
PARENT USER VALUE	Users and partners receive calibrated checks and a defined exception path.			
PARENT STRATEGIC ROLE	Protects legal/partner viability without making unsupported safety claims.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	No approved data fields, access, retention, deletion, or disclosure exist.			
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.			
DEPENDENCIES	G0-09/11, RISK-02, counsel, secure store, access tests, and retention job.			
ENTRY GATE	The required counsel or formal legal determination is recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: G0-09/11, RISK-02, counsel, secure store, access tests, and retention job.			
COMMERCIAL HYPOTHESIS	Supports defensibility without building a surveillance archive.			
BOUNDARY	Minimize address attribution and vendor payloads.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	PII posture and screening policy.			
NEXT ACTION	gated.			

RISK - 08 Blocked/unavailable state UX		CONTROL	DEFINED OR SPECIFIED	LEGALLY GATED
PC-31 — Address-risk and sanctions operations				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-31 — Address-risk and sanctions operations			
AREA / PHASE / SIDE / TYPE	Risk/product / conditional / payer / fail-closed surface			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Legally gated			
PURPOSE	Explain blocked, review-required, unavailable, or stale-check states accurately and without defamatory claims.			
PARENT USER VALUE	Users and partners receive calibrated checks and a defined exception path.			
PARENT STRATEGIC ROLE	Protects legal/partner viability without making unsupported safety claims.			
STRATEGIC-ROLE TAGS	Security/assurance; Governance; Support/operations			
CURRENT IMPLEMENTATION	Generic portal blocking states exist.			
REMAINING WORK	Screening-specific reason codes, safe copy, appeal pointer, and tests do not.			
DEPENDENCIES	RISK-02/05/06, counsel copy, accessibility, no execution bypass, and comprehension test.			
ENTRY GATE	The required counsel or formal legal determination is recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: RISK-02/05/06, counsel copy, accessibility, no execution bypass, and comprehension test.			
COMMERCIAL HYPOTHESIS	Trust feature only if calibrated.			
BOUNDARY	Do not display criminal labels or overclaim database certainty.			
STOP RULE	Do not display criminal labels or overclaim database certainty.			
SOURCE / EVIDENCE LOCATOR	Roadmap risk UX.			
NEXT ACTION	gated.			

RISK - 09 Renewed counsel-review triggers		GOVERNANCE DECISION	DEFINED OR SPECIFIED	DECISION REQUIRED
PC-32 — Legal release and maintenance governance				
RECORD CLASS	Governance decision			
PARENT CAPABILITY	PC-32 — Legal release and maintenance governance			
AREA / PHASE / SIDE / TYPE	Legal governance / V1 onward / internal / change control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Decision required			
PURPOSE	Reopen legal review when authority, data, market, partner, asset, chain, automation, or product claims change.			
PARENT USER VALUE	Customers receive an accurately described service within supported availability.			
PARENT STRATEGIC ROLE	Separates internal research from legal clearance and makes legal maintenance operational.			
STRATEGIC-ROLE TAGS	Governance; Security/assurance			
CURRENT IMPLEMENTATION	Trigger categories are scattered.			
REMAINING WORK	A versioned trigger matrix, owner, and release checklist pointer remain.			
DEPENDENCIES	Legal Development Hierarchy, product inventory, counsel package, and enforced deployment checklist.			
ENTRY GATE	The named governing decision is ratified and recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Legal Development Hierarchy, product inventory, counsel package, and enforced deployment checklist.			
COMMERCIAL HYPOTHESIS	Lets engineering proceed behind hard gates without confusing research with clearance.			
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	GOV-05.			
NEXT ACTION	add in the future legal-package change.			

RISK - 10

Public legal-page/product/test synchronization

CONTROL

DEFINED OR SPECIFIED

READY BUT NOT QUEUED

PC-32 — Legal release and maintenance governance	
RECORD CLASS	Control
PARENT CAPABILITY	PC-32 — Legal release and maintenance governance
AREA / PHASE / SIDE / TYPE	Legal release / V1 onward / both / deployment gate
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Ensure legal pages, checkout copy, product behavior, registry behavior, procedures, and tests describe the same actual service.
PARENT USER VALUE	Customers receive an accurately described service within supported availability.
PARENT STRATEGIC ROLE	Separates internal research from legal clearance and makes legal maintenance operational.
STRATEGIC-ROLE TAGS	Governance; Security/assurance
CURRENT IMPLEMENTATION	Present legal pages and tests exist.
REMAINING WORK	The formal cross-surface release assertion and renewed-review triggers remain.
DEPENDENCIES	Feature facts, counsel determination where needed, copy inventory, automated assertions, and release signoff.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Feature facts, counsel determination where needed, copy inventory, automated assertions, and release signoff.
COMMERCIAL HYPOTHESIS	Contradiction blocks affected deployment.
BOUNDARY	Disclaimers cannot cure behavior outside the approved boundary.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Legal Development Hierarchy.
NEXT ACTION	include in V1 production-security/legal gate.

RISK - 11

“Last updated” and “Last legally reviewed” tracking

CONTROL

DEFINED OR SPECIFIED

DECISION REQUIRED

PC-32 — Legal release and maintenance governance	
RECORD CLASS	Control
PARENT CAPABILITY	PC-32 — Legal release and maintenance governance
AREA / PHASE / SIDE / TYPE	Legal maintenance / V1 onward / public/internal / freshness control
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Decision required
PURPOSE	Distinguish editorial change from an actual legal review and make maintenance visible.
PARENT USER VALUE	Customers receive an accurately described service within supported availability.
PARENT STRATEGIC ROLE	Separates internal research from legal clearance and makes legal maintenance operational.
STRATEGIC-ROLE TAGS	Governance; Security/assurance
CURRENT IMPLEMENTATION	Legal pages have ordinary version information.
REMAINING WORK	Separate legal-review metadata, cadence, owner, and stale alert do not.
DEPENDENCIES	Counsel process, page inventory, structured metadata, monitor, and release test.
ENTRY GATE	The named governing decision is ratified and recorded.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Counsel process, page inventory, structured metadata, monitor, and release test.
COMMERCIAL HYPOTHESIS	Prevents false freshness signals.
BOUNDARY	A date must not imply counsel reviewed a change when they did not.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Legal Development Hierarchy.
NEXT ACTION	legal-package task.

RISK - 12 Jurisdiction availability controls		CONTROL	DEFINED OR SPECIFIED	LEGALLY GATED
PC-32 — Legal release and maintenance governance				
RECORD CLASS	Control			
PARENT CAPABILITY	PC-32 — Legal release and maintenance governance			
AREA / PHASE / SIDE / TYPE	Legal/product / V1 onward / both / market-release control			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Legally gated			
PURPOSE	Limit features or partners where the actual product/legal analysis does not support availability.			
PARENT USER VALUE	Customers receive an accurately described service within supported availability.			
PARENT STRATEGIC ROLE	Separates internal research from legal clearance and makes legal maintenance operational.			
STRATEGIC-ROLE TAGS	Governance; Security/assurance			
CURRENT IMPLEMENTATION	General United States posture exists.			
REMAINING WORK	Feature-level jurisdiction matrix, enforcement, copy, and tests do not.			
DEPENDENCIES	Counsel conclusions, customer location rule, partner coverage, privacy impact, fail-state UX, and review.			
ENTRY GATE	The required counsel or formal legal determination is recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Counsel conclusions, customer location rule, partner coverage, privacy impact, fail-state UX, and review.			
COMMERCIAL HYPOTHESIS	Expand only where supportable.			
BOUNDARY	Do not use casual IP geolocation as a complete legal control.			
STOP RULE	Do not use casual IP geolocation as a complete legal control.			
SOURCE / EVIDENCE LOCATOR	Roadmap legal labels and partner gates.			
NEXT ACTION	gated.			

IMPLEMENTATION GROUP

Longer-horizon doors

29 detailed records

LH - 01

Preauthorized scheduled payments

EXPANSION DOOR

CONCEPT ONLY

LEGALLY GATED

PC-34 — Advanced scheduled, recurring, batch, and split payments	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-34 — Advanced scheduled, recurring, batch, and split payments
AREA / PHASE / SIDE / TYPE	Payment authority / later / payer / high-assurance door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Legally gated
PURPOSE	Execute bounded payments under recipient, amount, frequency, duration, and total limits set in advance.
PARENT USER VALUE	Payers can organize consequential obligations with less repetitive work.
PARENT STRATEGIC ROLE	Preserves higher-value controlled-payment options behind explicit authority and audit gates.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance
CURRENT IMPLEMENTATION	Concept only; authorization contract/module, revocation, audit, economics, security audit, and counsel review remain.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Proven final-approval demand, V3W-01 usage, smart-account/allowance decision, formal audit, and counsel.
ENTRY GATE	The required counsel or formal legal determination is recorded.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Proven final-approval demand, V3W-01 usage, smart-account/allowance decision, formal audit, and counsel.
COMMERCIAL HYPOTHESIS	Strong automation value.
BOUNDARY	Reject any model giving ImplicitEx independent or ambiguous control.
STOP RULE	Reject any model giving ImplicitEx independent or ambiguous control.
SOURCE / EVIDENCE LOCATOR	Capability register subscriptions.
NEXT ACTION	none.

LH - 02

Autonomous recurring execution

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-34 — Advanced scheduled, recurring, batch, and split payments	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-34 — Advanced scheduled, recurring, batch, and split payments
AREA / PHASE / SIDE / TYPE	Payment authority / later / payer / automation door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Execute valid recurring obligations without a contemporaneous wallet prompt.
PARENT USER VALUE	Payers can organize consequential obligations with less repetitive work.
PARENT STRATEGIC ROLE	Preserves higher-value controlled-payment options behind explicit authority and audit gates.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance
CURRENT IMPLEMENTATION	No implementation; it requires the entire LH-01 authority, keeper/module, security, recovery, and support system.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	Named paid demand unmet by final approval, audited authority, revocation proof, failure handling, and counsel clearance.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Named paid demand unmet by final approval, audited authority, revocation proof, failure handling, and counsel clearance.
COMMERCIAL HYPOTHESIS	Highest drainer/authority risk.
BOUNDARY	Do not use generic open-ended allowances or a unilateral ImplicitEx key.
STOP RULE	Do not use generic open-ended allowances or a unilateral ImplicitEx key.
SOURCE / EVIDENCE LOCATOR	Roadmap recurring-payment boundary.
NEXT ACTION	none.

LH - 03

Public API

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-33 — Platform APIs, teams, checkout, and recovery infrastructure	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-33 — Platform APIs, teams, checkout, and recovery infrastructure
AREA / PHASE / SIDE / TYPE	Platform / later / business / infrastructure door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Let customers create requests and read status from their own systems.
PARENT USER VALUE	Businesses can integrate or collaborate when the lightweight manual workflow no longer suffices.
PARENT STRATEGIC ROLE	Preserves platform doors without prematurely accepting their permanent support burden.
STRATEGIC-ROLE TAGS	Distribution/access; Payee operations; Governance
CURRENT IMPLEMENTATION	Internal product interfaces exist.
REMAINING WORK	Public auth, schemas, versioning, quotas, docs, support, and compatibility policy do not.
DEPENDENCIES	Repeated manual integration demand, stable V2 objects, tenant auth, abuse controls, and real customer use.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Repeated manual integration demand, stable V2 objects, tenant auth, abuse controls, and real customer use.
COMMERCIAL HYPOTHESIS	Potential business tier.
BOUNDARY	No API until the underlying workflow and version contract are stable.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Capability register merchant/API door.
NEXT ACTION	none.

LH - 04

SDK and verifier libraries

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-33 — Platform APIs, teams, checkout, and recovery infrastructure	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-33 — Platform APIs, teams, checkout, and recovery infrastructure
AREA / PHASE / SIDE / TYPE	Developer platform / later / business / integration door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Make request creation, verification, embeds, and evidence validation safer for integrators.
PARENT USER VALUE	Businesses can integrate or collaborate when the lightweight manual workflow no longer suffices.
PARENT STRATEGIC ROLE	Preserves platform doors without prematurely accepting their permanent support burden.
STRATEGIC-ROLE TAGS	Distribution/access; Payee operations; Governance
CURRENT IMPLEMENTATION	Internal JS libraries and fixtures exist.
REMAINING WORK	Supported packages, semantic versioning, release signing, docs, and maintenance do not.
DEPENDENCIES	LH-03 demand, stable protocol, cross-runtime vectors, published packages, sample integrations, and support.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: LH-03 demand, stable protocol, cross-runtime vectors, published packages, sample integrations, and support.
COMMERCIAL HYPOTHESIS	Distribution lever, not a vanity SDK.
BOUNDARY	Publish only primitives the company can maintain.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Capability register API/SDK.
NEXT ACTION	none.

LH - 05

Merchant webhooks

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-33 — Platform APIs, teams, checkout, and recovery infrastructure	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-33 — Platform APIs, teams, checkout, and recovery infrastructure
AREA / PHASE / SIDE / TYPE	Platform / later / business / event-integration door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Notify a customer system of verified request and settlement state changes.
PARENT USER VALUE	Businesses can integrate or collaborate when the lightweight manual workflow no longer suffices.
PARENT STRATEGIC ROLE	Preserves platform doors without prematurely accepting their permanent support burden.
STRATEGIC-ROLE TAGS	Distribution/access; Payee operations; Governance
CURRENT IMPLEMENTATION	Billing webhooks are planned.
REMAINING WORK	Merchant endpoint registration, signatures, retries, replay, logs, and docs do not exist.
DEPENDENCIES	V2 watcher/status, public API, stable events, delivery security, retry/replay tests, and paid demand.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2 watcher/status, public API, stable events, delivery security, retry/replay tests, and paid demand.
COMMERCIAL HYPOTHESIS	Supports hosted checkout/infrastructure.
BOUNDARY	Never emit “paid” before authoritative verification.
STOP RULE	Never emit “paid” before authoritative verification.
SOURCE / EVIDENCE LOCATOR	Capability register API/webhooks.
NEXT ACTION	none.

LH - 06

General chain indexer

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-33 — Platform APIs, teams, checkout, and recovery infrastructure	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-33 — Platform APIs, teams, checkout, and recovery infrastructure
AREA / PHASE / SIDE / TYPE	Chain infrastructure / later / internal / scaling door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Recover external events, support broad webhooks/notifications, and query history when the minimal watcher cannot.
PARENT USER VALUE	Businesses can integrate or collaborate when the lightweight manual workflow no longer suffices.
PARENT STRATEGIC ROLE	Preserves platform doors without prematurely accepting their permanent support burden.
STRATEGIC-ROLE TAGS	Distribution/access; Payee operations; Governance
CURRENT IMPLEMENTATION	Browser reads and a planned hash watcher cover narrow flows.
REMAINING WORK	Durable block ingestion, reorg replay, backfill, and ops do not.
DEPENDENCIES	Proven recovery/query need, chain scope, cost model, replay correctness, observability, and production load evidence.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Proven recovery/query need, chain scope, cost model, replay correctness, observability, and production load evidence.
COMMERCIAL HYPOTHESIS	Build once justified by consumers, not as speculative infrastructure.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap C1/G2 dependency.
NEXT ACTION	none.

LH - 07

Push and payment notifications

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-33 — Platform APIs, teams, checkout, and recovery infrastructure	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-33 — Platform APIs, teams, checkout, and recovery infrastructure
AREA / PHASE / SIDE / TYPE	Engagement / later / payee / notification door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Own the valuable “you got paid” moment and surface action-required exceptions.
PARENT USER VALUE	Businesses can integrate or collaborate when the lightweight manual workflow no longer suffices.
PARENT STRATEGIC ROLE	Preserves platform doors without prematurely accepting their permanent support burden.
STRATEGIC-ROLE TAGS	Distribution/access; Payee operations; Governance
CURRENT IMPLEMENTATION	PWA exists; notification subscriptions, event source, preferences, delivery, privacy, and support do not.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	Watcher or indexer, G0 PII, opt-in, reliable events, device/browser tests, and retention signal.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Watcher or indexer, G0 PII, opt-in, reliable events, device/browser tests, and retention signal.
COMMERCIAL HYPOTHESIS	Retention feature.
BOUNDARY	No spam, speculative alerts, or notification before verified state.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap G2.
NEXT ACTION	none.

LH - 08

Small-team access

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-33 — Platform APIs, teams, checkout, and recovery infrastructure	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-33 — Platform APIs, teams, checkout, and recovery infrastructure
AREA / PHASE / SIDE / TYPE	Accounts / later / payee/business / collaboration door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Let an owner, bookkeeper, or viewer share a workspace without sharing wallet credentials.
PARENT USER VALUE	Businesses can integrate or collaborate when the lightweight manual workflow no longer suffices.
PARENT STRATEGIC ROLE	Preserves platform doors without prematurely accepting their permanent support burden.
STRATEGIC-ROLE TAGS	Distribution/access; Payee operations; Governance
CURRENT IMPLEMENTATION	Single-user hypothesis governs.
REMAINING WORK	Membership, invitation, removal, ownership transfer, roles, and audit do not.
DEPENDENCIES	Multiple paying customers blocked by single-user access, G0, support capacity, and hostile auth tests.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Multiple paying customers blocked by single-user access, G0, support capacity, and hostile auth tests.
COMMERCIAL HYPOTHESIS	Potential higher tier.
BOUNDARY	Avoid enterprise RBAC and never confer wallet authority through a workspace role.
STOP RULE	Avoid enterprise RBAC and never confer wallet authority through a workspace role.
SOURCE / EVIDENCE LOCATOR	Capability register team access.
NEXT ACTION	none.

LH - 09

Owner, viewer, and preparer/reviewer roles

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-33 — Platform APIs, teams, checkout, and recovery infrastructure	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-33 — Platform APIs, teams, checkout, and recovery infrastructure
AREA / PHASE / SIDE / TYPE	Authorization / later / business / collaboration door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Separate record visibility, payment preparation, and final wallet authorization.
PARENT USER VALUE	Businesses can integrate or collaborate when the lightweight manual workflow no longer suffices.
PARENT STRATEGIC ROLE	Preserves platform doors without prematurely accepting their permanent support burden.
STRATEGIC-ROLE TAGS	Distribution/access; Payee operations; Governance
CURRENT IMPLEMENTATION	Role concepts exist; matrix, enforcement, UI, escalation, review, and audit do not.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	LH-08, V3W-06 demand, object-level authorization, negative tests, and live team use.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: LH-08, V3W-06 demand, object-level authorization, negative tests, and live team use.
COMMERCIAL HYPOTHESIS	Higher-tier control.
BOUNDARY	Role labels cannot bypass cryptographic wallet authorization.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap team/approval doors.
NEXT ACTION	none.

LH - 10

Batch payouts

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-34 — Advanced scheduled, recurring, batch, and split payments

RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-34 — Advanced scheduled, recurring, batch, and split payments
AREA / PHASE / SIDE / TYPE	Payouts / later / payer / controlled-payment door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Prepare and execute many verified obligations with less repeated work.
PARENT USER VALUE	Payers can organize consequential obligations with less repetitive work.
PARENT STRATEGIC ROLE	Preserves higher-value controlled-payment options behind explicit authority and audit gates.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance
CURRENT IMPLEMENTATION	Single transfer engine exists.
REMAINING WORK	CSV/list import, validation, screening decision, contract/sequence, recovery, and evidence do not.
DEPENDENCIES	Repeated business demand, recipient controls, per-item evidence, audit, failure recovery, and economics.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Repeated business demand, recipient controls, per-item evidence, audit, failure recovery, and economics.
COMMERCIAL HYPOTHESIS	Usage or higher-tier value.
BOUNDARY	Call it payouts, not payroll; never imply tax withholding.
STOP RULE	Call it payouts, not payroll; never imply tax withholding.
SOURCE / EVIDENCE LOCATOR	Capability register batch payouts.
NEXT ACTION	none.

LH - 11

Contract-level split payments

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-34 — Advanced scheduled, recurring, batch, and split payments

RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-34 — Advanced scheduled, recurring, batch, and split payments
AREA / PHASE / SIDE / TYPE	Smart contracts / later / payee / routing door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Split one incoming payment among approved wallets according to transparent rules.
PARENT USER VALUE	Payers can organize consequential obligations with less repetitive work.
PARENT STRATEGIC ROLE	Preserves higher-value controlled-payment options behind explicit authority and audit gates.
STRATEGIC-ROLE TAGS	Execution; Payer usability; Security/assurance
CURRENT IMPLEMENTATION	Current contract routes recipient plus fee.
REMAINING WORK	Per-card split config, update authority, lifecycle, audit, and recovery do not.
DEPENDENCIES	Named paid demand, governance model, new contract audit, immutable evidence, and counsel review.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Named paid demand, governance model, new contract audit, immutable evidence, and counsel review.
COMMERCIAL HYPOTHESIS	Differentiating trustless feature.
BOUNDARY	Do not sacrifice contract simplicity for speculative demand.
STOP RULE	Do not sacrifice contract simplicity for speculative demand.
SOURCE / EVIDENCE LOCATOR	Capability register split payments.
NEXT ACTION	none.

LH - 12

Accounting integration

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-35 — Business integrations, analysis, white label, and incentives

RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-35 — Business integrations, analysis, white label, and incentives
AREA / PHASE / SIDE / TYPE	Records/integration / later / payee / workflow door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Reduce re-entry of verified payment records into one selected accounting system.
PARENT USER VALUE	Operators gain one demanded adjacent capability without adopting an enterprise suite.
PARENT STRATEGIC ROLE	Preserves monetization doors while protecting narrow scope and shared-core economics.
STRATEGIC-ROLE TAGS	Revenue; Payee operations; Distribution/access
CURRENT IMPLEMENTATION	CSV is V2 Core; OAuth/app review, mapping, synchronization, errors, and maintenance do not exist.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Repeated export pain, one customer-backed provider choice, stable schema, sandbox and production sync.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Repeated export pain, one customer-backed provider choice, stable schema, sandbox and production sync.
COMMERCIAL HYPOTHESIS	Paid convenience.
BOUNDARY	Export first; no broad suite or tax/cost-basis claims.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Capability register accounting door.
NEXT ACTION	none.

LH - 13

Broader freelancer invoicing

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-35 — Business integrations, analysis, white label, and incentives	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-35 — Business integrations, analysis, white label, and incentives
AREA / PHASE / SIDE / TYPE	Receivables / later / payee / product door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Add line items, due dates, branding, recurrence, and status after simple requests prove insufficient.
PARENT USER VALUE	Operators gain one demanded adjacent capability without adopting an enterprise suite.
PARENT STRATEGIC ROLE	Preserves monetization doors while protecting narrow scope and shared-core economics.
STRATEGIC-ROLE TAGS	Revenue; Payee operations; Distribution/access
CURRENT IMPLEMENTATION	Fixed signed request is V2 Core.
REMAINING WORK	Full invoice object, document output, taxes, recurrence, and workflow do not.
DEPENDENCIES	Customers demanding invoice depth, competitor gap, bounded scope, real paid use, and support economics.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Customers demanding invoice depth, competitor gap, bounded scope, real paid use, and support economics.
COMMERCIAL HYPOTHESIS	Remain lightweight.
BOUNDARY	Do not recreate Request Finance or claim accounting/tax compliance.
STOP RULE	Do not recreate Request Finance or claim accounting/tax compliance.
SOURCE / EVIDENCE LOCATOR	Capability register invoicing.
NEXT ACTION	none.

LH - 14

Business verification and KYB partner

EXPANSION DOOR

CONCEPT ONLY

LEGALLY GATED

PC-35 — Business integrations, analysis, white label, and incentives

RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-35 — Business integrations, analysis, white label, and incentives
AREA / PHASE / SIDE / TYPE	Identity/compliance / later / payee / partner door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Legally gated
PURPOSE	Provide stronger organization evidence where social/domain control is inadequate.
PARENT USER VALUE	Operators gain one demanded adjacent capability without adopting an enterprise suite.
PARENT STRATEGIC ROLE	Preserves monetization doors while protecting narrow scope and shared-core economics.
STRATEGIC-ROLE TAGS	Revenue; Payee operations; Distribution/access
CURRENT IMPLEMENTATION	No KYB provider, policy, review, storage, badge, or support workflow exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Paid demand, counsel, vendor diligence, PII/G0 controls, exact claim language, expiry, and appeals.
ENTRY GATE	The required counsel or formal legal determination is recorded.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Paid demand, counsel, vendor diligence, PII/G0 controls, exact claim language, expiry, and appeals.
COMMERCIAL HYPOTHESIS	Potential premium trust feature.
BOUNDARY	Partner result must not become an unlimited “safe business” endorsement.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Capability register verification.
NEXT ACTION	none.

LH - 15

Transfer Analysis

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-35 — Business integrations, analysis, white label, and incentives	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-35 — Business integrations, analysis, white label, and incentives
AREA / PHASE / SIDE / TYPE	Intelligence/risk / later / payer / analysis door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Offer a bounded, separate analysis product using deterministic evidence and approved data.
PARENT USER VALUE	Operators gain one demanded adjacent capability without adopting an enterprise suite.
PARENT STRATEGIC ROLE	Preserves monetization doors while protecting narrow scope and shared-core economics.
STRATEGIC-ROLE TAGS	Revenue; Payee operations; Distribution/access
CURRENT IMPLEMENTATION	Preflight and warnings exist.
REMAINING WORK	Product scope, inputs, claims, provider data, evaluation, and pricing do not.
DEPENDENCIES	Distinct paid demand, counsel, data-rights review, calibrated results, false-positive process, and tests.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Distinct paid demand, counsel, data-rights review, calibrated results, false-positive process, and tests.
COMMERCIAL HYPOTHESIS	Separate instrument, not required portal clutter.
BOUNDARY	Never promise fraud prevention or principal protection.
STOP RULE	Never promise fraud prevention or principal protection.
SOURCE / EVIDENCE LOCATOR	Capability register Transfer Analysis door.
NEXT ACTION	none.

LH - 16

ENS or portable subnames

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-36 — Portable naming, creator tools, and discovery	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-36 — Portable naming, creator tools, and discovery
AREA / PHASE / SIDE / TYPE	Naming / later / payee / identity door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Make a Coin Card name portable into compatible wallets while retaining explicit route lineage and evidence.
PARENT USER VALUE	Recipients can distribute and contextualize payments where their customers already are.
PARENT STRATEGIC ROLE	Preserves creator/network options behind namespace, privacy, moderation, and demand gates.
STRATEGIC-ROLE TAGS	Distribution/access; Retention; Trust
CURRENT IMPLEMENTATION	Internal handles exist.
REMAINING WORK	Namespace model, issuer, gas, ownership, renewal, disputes, recovery, and wallet support do not.
DEPENDENCIES	ENS resolution demand, namespace governance, counsel/trademark policy, cost model, and pilot.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: ENS resolution demand, namespace governance, counsel/trademark policy, cost model, and pilot.
COMMERCIAL HYPOTHESIS	Potential paid identity benefit.
BOUNDARY	Do not duplicate ENS merely for novelty or imply name ownership is identity.
STOP RULE	Do not duplicate ENS merely for novelty or imply name ownership is identity.
SOURCE / EVIDENCE LOCATOR	Roadmap A2 and naming analysis.
NEXT ACTION	none.

LH - 17

CMS and commerce plugins

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-36 — Portable naming, creator tools, and discovery	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-36 — Portable naming, creator tools, and discovery
AREA / PHASE / SIDE / TYPE	Distribution / later / payee / integration door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Let nontechnical operators add payment requests/cards to WordPress, Shopify, or another proven channel.
PARENT USER VALUE	Recipients can distribute and contextualize payments where their customers already are.
PARENT STRATEGIC ROLE	Preserves creator/network options behind namespace, privacy, moderation, and demand gates.
STRATEGIC-ROLE TAGS	Distribution/access; Retention; Trust
CURRENT IMPLEMENTATION	Static embed exists; plugin packages, platform policy review, updates, security, store review, and support do not.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	Concentrated placement demand on one platform, stable embed/API, maintenance capacity, and live installs.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Concentrated placement demand on one platform, stable embed/API, maintenance capacity, and live installs.
COMMERCIAL HYPOTHESIS	Distribution lever.
BOUNDARY	Select one platform; stop if ecosystem maintenance overwhelms customer value.
STOP RULE	Select one platform; stop if ecosystem maintenance overwhelms customer value.
SOURCE / EVIDENCE LOCATOR	Capability register CMS plugins.
NEXT ACTION	none.

LH - 18

Opt-in directory

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-36 — Portable naming, creator tools, and discovery	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-36 — Portable naming, creator tools, and discovery
AREA / PHASE / SIDE / TYPE	Discovery / later / payee / network door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Help people discover participating cards and potentially create network value beyond isolated URLs.
PARENT USER VALUE	Recipients can distribute and contextualize payments where their customers already are.
PARENT STRATEGIC ROLE	Preserves creator/network options behind namespace, privacy, moderation, and demand gates.
STRATEGIC-ROLE TAGS	Distribution/access; Retention; Trust
CURRENT IMPLEMENTATION	Public cards exist; opt-in publication, search, moderation, reporting, ranking, sanctions policy, and terms do not.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	Meaningful card population, discovery demand, moderation capacity, legal/risk controls, and abuse pilot.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Meaningful card population, discovery demand, moderation capacity, legal/risk controls, and abuse pilot.
COMMERCIAL HYPOTHESIS	Potential acquisition/network feature.
BOUNDARY	Do not curate a directory before staffing its abuse surface.
STOP RULE	Do not curate a directory before staffing its abuse surface.
SOURCE / EVIDENCE LOCATOR	Capability register directory.
NEXT ACTION	none.

LH - 19

Creator goals and tipping presets

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-36 — Portable naming, creator tools, and discovery	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-36 — Portable naming, creator tools, and discovery
AREA / PHASE / SIDE / TYPE	Creator payments / later / payee / conversion door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Offer opt-in target progress and useful payment amounts for validated creator use cases.
PARENT USER VALUE	Recipients can distribute and contextualize payments where their customers already are.
PARENT STRATEGIC ROLE	Preserves creator/network options behind namespace, privacy, moderation, and demand gates.
STRATEGIC-ROLE TAGS	Distribution/access; Retention; Trust
CURRENT IMPLEMENTATION	Open/fixed amounts are planned.
REMAINING WORK	Goal data, denominators, reset, privacy, display, and experiments do not.
DEPENDENCIES	Creator segment traction, accurate chain/request data, opt-in, privacy, and measured conversion lift.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Creator segment traction, accurate chain/request data, opt-in, privacy, and measured conversion lift.
COMMERCIAL HYPOTHESIS	Creator-focused retention.
BOUNDARY	Do not let gamification obscure fees or create false urgency.
STOP RULE	Do not let gamification obscure fees or create false urgency.
SOURCE / EVIDENCE LOCATOR	Capability register goals/presets.
NEXT ACTION	none.

LH - 20

Supporter counts and public tallies

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-36 — Portable naming, creator tools, and discovery	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-36 — Portable naming, creator tools, and discovery
AREA / PHASE / SIDE / TYPE	Creator payments / later / public / social-proof door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Show opt-in support activity where it demonstrably helps creators.
PARENT USER VALUE	Recipients can distribute and contextualize payments where their customers already are.
PARENT STRATEGIC ROLE	Preserves creator/network options behind namespace, privacy, moderation, and demand gates.
STRATEGIC-ROLE TAGS	Distribution/access; Retention; Trust
CURRENT IMPLEMENTATION	No privacy-safe tally, deduplication, attribution, or display controls exist.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	LH-19 demand, privacy review, opt-in, address aggregation rules, accuracy tests, and customer evidence.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: LH-19 demand, privacy review, opt-in, address aggregation rules, accuracy tests, and customer evidence.
COMMERCIAL HYPOTHESIS	Never publish sender behavior by default or imply unique humans from wallet addresses.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Never publish sender behavior by default or imply unique humans from wallet addresses.
SOURCE / EVIDENCE LOCATOR	Roadmap B3 caveat.
NEXT ACTION	none.

LH - 21

Third-party off-ramp

EXPANSION DOOR

CONCEPT ONLY

LEGALLY GATED

PC-37 — Regulated off-ramp, corridor, and card partnerships

RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-37 — Regulated off-ramp, corridor, and card partnerships
AREA / PHASE / SIDE / TYPE	Access/partners / later / payee / regulated-partner door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Legally gated
PURPOSE	Let recipients convert USDC through a licensed partner to a supported bank or cash-out destination.
PARENT USER VALUE	Eligible users can use stablecoin value beyond the wallet through a named regulated provider.
PARENT STRATEGIC ROLE	Preserves the remittance/spend endgame without crossing the custody line internally.
STRATEGIC-ROLE TAGS	Distribution/access; Revenue; Governance
CURRENT IMPLEMENTATION	No partner, corridor, KYC handoff, status, fee, or support integration exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Repeated cash-out blocker, partner diligence, counsel, corridor coverage, transparent fees, and pilot.
ENTRY GATE	The required counsel or formal legal determination is recorded.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Repeated cash-out blocker, partner diligence, counsel, corridor coverage, transparent fees, and pilot.
COMMERCIAL HYPOTHESIS	Completes selected workflows through a partner.
BOUNDARY	ImplicitEx never receives funds or promises partner availability.
STOP RULE	ImplicitEx never receives funds or promises partner availability.
SOURCE / EVIDENCE LOCATOR	Capability register off-ramp.
NEXT ACTION	none.

LH - 22

White-label portal

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-35 — Business integrations, analysis, white label, and incentives	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-35 — Business integrations, analysis, white label, and incentives
AREA / PHASE / SIDE / TYPE	Platform/services / later / business / distribution door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Offer the payment workflow under a partner brand when bespoke revenue and volume justify support.
PARENT USER VALUE	Operators gain one demanded adjacent capability without adopting an enterprise suite.
PARENT STRATEGIC ROLE	Preserves monetization doors while protecting narrow scope and shared-core economics.
STRATEGIC-ROLE TAGS	Revenue; Payee operations; Distribution/access
CURRENT IMPLEMENTATION	Theming/hosting exist internally.
REMAINING WORK	Tenancy, contracts, branding boundaries, compliance allocation, deployment, and support do not.
DEPENDENCIES	Two or three qualified paid partners, stable platform, counsel, margin, no forks, and operational SLA.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Two or three qualified paid partners, stable platform, counsel, margin, no forks, and operational SLA.
COMMERCIAL HYPOTHESIS	Consulting plus platform revenue.
BOUNDARY	Decline custom forks or partners whose conduct creates unacceptable coupling.
STOP RULE	Decline custom forks or partners whose conduct creates unacceptable coupling.
SOURCE / EVIDENCE LOCATOR	Capability register white-label.
NEXT ACTION	none.

LH - 23

Activity-linked fee discounts

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-35 — Business integrations, analysis, white label, and incentives

RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-35 — Business integrations, analysis, white label, and incentives
AREA / PHASE / SIDE / TYPE	Pricing/rewards / later / both / commercial door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Reward paid activity with transparent fee discounts rather than passive yield.
PARENT USER VALUE	Operators gain one demanded adjacent capability without adopting an enterprise suite.
PARENT STRATEGIC ROLE	Preserves monetization doors while protecting narrow scope and shared-core economics.
STRATEGIC-ROLE TAGS	Revenue; Payee operations; Distribution/access
CURRENT IMPLEMENTATION	No rewards ledger, eligibility, economics, disclosure, abuse control, or legal analysis exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Stable pricing model, repeat volume, unit economics, counsel, deterministic rules, and experiment.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Stable pricing model, repeat volume, unit economics, counsel, deterministic rules, and experiment.
COMMERCIAL HYPOTHESIS	Must improve retention profitably.
BOUNDARY	Avoid token points, speculative value, or complexity that destroys price clarity.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Capability register activity rewards.
NEXT ACTION	none.

LH - 24

Native mobile application

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-38 — Native mobile and agent access

RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-38 — Native mobile and agent access
AREA / PHASE / SIDE / TYPE	Mobile / later / both / platform door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Add deeper wallet/device integration only when the PWA demonstrably blocks retention or access.
PARENT USER VALUE	Qualified users or systems gain a more direct interaction path.
PARENT STRATEGIC ROLE	Keeps emerging access options visible without creating speculative codebases.
STRATEGIC-ROLE TAGS	Distribution/access; Payer usability
CURRENT IMPLEMENTATION	Responsive PWA exists.
REMAINING WORK	Native codebase, store policy, release/security pipeline, deep links, and maintenance do not.
DEPENDENCIES	Mobile usage/retention data, explicit PWA limitation, current store-policy review, budget, and adoption.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Mobile usage/retention data, explicit PWA limitation, current store-policy review, budget, and adoption.
COMMERCIAL HYPOTHESIS	Distribution/retention lever.
BOUNDARY	Do not create a permanent second codebase for prestige.
STOP RULE	Do not create a permanent second codebase for prestige.
SOURCE / EVIDENCE LOCATOR	Capability register native mobile.
NEXT ACTION	none.

LH - 25

x402 or agent-access surface

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-38 — Native mobile and agent access	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-38 — Native mobile and agent access
AREA / PHASE / SIDE / TYPE	Protocol access / later / business / research door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Let authorized software agents request or pay for bounded services if a real market forms.
PARENT USER VALUE	Qualified users or systems gain a more direct interaction path.
PARENT STRATEGIC ROLE	Keeps emerging access options visible without creating speculative codebases.
STRATEGIC-ROLE TAGS	Distribution/access; Payer usability
CURRENT IMPLEMENTATION	No product scope, authority model, protocol integration, metering, abuse control, or customer exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Current standard verification, named paid workflow, API maturity, machine authorization, threat model, and counsel.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Current standard verification, named paid workflow, API maturity, machine authorization, threat model, and counsel.
COMMERCIAL HYPOTHESIS	Emerging option only.
BOUNDARY	Do not let an agent obtain broader financial authority than its principal explicitly granted.
STOP RULE	Do not let an agent obtain broader financial authority than its principal explicitly granted.
SOURCE / EVIDENCE LOCATOR	Capability register x402.
NEXT ACTION	none.

LH - 26

Remittance-corridor partnership

EXPANSION DOOR

CONCEPT ONLY

LEGALLY GATED

PC-37 — Regulated off-ramp, corridor, and card partnerships	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-37 — Regulated off-ramp, corridor, and card partnerships
AREA / PHASE / SIDE / TYPE	Partnerships / years 3–5 / both / corridor door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Legally gated
PURPOSE	Connect wallet settlement to licensed local bank-transfer or cash-pickup infrastructure.
PARENT USER VALUE	Eligible users can use stablecoin value beyond the wallet through a named regulated provider.
PARENT STRATEGIC ROLE	Preserves the remittance/spend endgame without crossing the custody line internally.
STRATEGIC-ROLE TAGS	Distribution/access; Revenue; Governance
CURRENT IMPLEMENTATION	No volume case, corridor selection, partner, compliance package, economics, or integration exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Proven corridor volume, partner diligence, counsel, AML/sanctions posture, support, and controlled launch.
ENTRY GATE	The required counsel or formal legal determination is recorded.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Proven corridor volume, partner diligence, counsel, AML/sanctions posture, support, and controlled launch.
COMMERCIAL HYPOTHESIS	Potential remittance endgame.
BOUNDARY	Treat each corridor as a distinct business/compliance program.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap D3.
NEXT ACTION	none.

LH - 27

Partner debit card

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-37 — Regulated off-ramp, corridor, and card partnerships	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-37 — Regulated off-ramp, corridor, and card partnerships
AREA / PHASE / SIDE / TYPE	Spending/partners / years 3–5 / payee / regulated-program door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Let eligible users spend stablecoin value through a card issued and operated by licensed partners.
PARENT USER VALUE	Eligible users can use stablecoin value beyond the wallet through a named regulated provider.
PARENT STRATEGIC ROLE	Preserves the remittance/spend endgame without crossing the custody line internally.
STRATEGIC-ROLE TAGS	Distribution/access; Revenue; Governance
CURRENT IMPLEMENTATION	No volume, program manager, issuer, KYC, economics, support, or integration exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Partner-required volume, retention evidence, counsel, program agreement, unit economics, and pilot.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Partner-required volume, retention evidence, counsel, program agreement, unit economics, and pilot.
COMMERCIAL HYPOTHESIS	Partner-only retention option.
BOUNDARY	Do not represent ImplicitEx as issuer or promise universal acceptance.
STOP RULE	Do not represent ImplicitEx as issuer or promise universal acceptance.
SOURCE / EVIDENCE LOCATOR	Roadmap D4.
NEXT ACTION	none.

LH - 28

Hosted checkout and payment button

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-33 — Platform APIs, teams, checkout, and recovery infrastructure	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-33 — Platform APIs, teams, checkout, and recovery infrastructure
AREA / PHASE / SIDE / TYPE	Merchant distribution / later / business / platform door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Let a merchant create a charge and direct a payer through a narrow ImplicitEx checkout or button.
PARENT USER VALUE	Businesses can integrate or collaborate when the lightweight manual workflow no longer suffices.
PARENT STRATEGIC ROLE	Preserves platform doors without prematurely accepting their permanent support burden.
STRATEGIC-ROLE TAGS	Distribution/access; Payee operations; Governance
CURRENT IMPLEMENTATION	Coin Card embeds and request concepts exist.
REMAINING WORK	Charge API, hosted session, merchant return, webhook, versioning, support, and integration docs do not.
DEPENDENCIES	Proven manual request workflow, inbound merchant demand, LH-03/05, stable charge IDs, security review, and live merchant use.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Proven manual request workflow, inbound merchant demand, LH-03/05, stable charge IDs, security review, and live merchant use.
COMMERCIAL HYPOTHESIS	Infrastructure expansion after product proof.
BOUNDARY	Do not compete on generic checkout parity before the lighter operator wedge retains.
STOP RULE	Do not compete on generic checkout parity before the lighter operator wedge retains.
SOURCE / EVIDENCE LOCATOR	Roadmap hosted checkout/API door.
NEXT ACTION	none.

LH - 29

Request-ID-emitting transfer contract

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-33 — Platform APIs, teams, checkout, and recovery infrastructure	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-33 — Platform APIs, teams, checkout, and recovery infrastructure
AREA / PHASE / SIDE / TYPE	Smart contracts/evidence / later / both / recovery architecture door
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Put a request/payment identifier in the execution event when browser hash capture is insufficient for authoritative cross-device recovery.
PARENT USER VALUE	Businesses can integrate or collaborate when the lightweight manual workflow no longer suffices.
PARENT STRATEGIC ROLE	Preserves platform doors without prematurely accepting their permanent support burden.
STRATEGIC-ROLE TAGS	Distribution/access; Payee operations; Governance
CURRENT IMPLEMENTATION	Current deployed event has no request ID.
REMAINING WORK	V2 uses frozen intent plus captured hash and a minimal watcher. New ABI, calldata, event, migration, audit, evidence schema, and deployment do not exist.
DEPENDENCIES	Demonstrated disrupted-handoff recovery failures, value exceeding migration risk, contract audit, backward verification, rollout, and live evidence.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Demonstrated disrupted-handoff recovery failures, value exceeding migration risk, contract audit, backward verification, rollout, and live evidence.
COMMERCIAL HYPOTHESIS	Do not replace a proven contract for architectural neatness.
BOUNDARY	Build only if real recovery evidence requires it.
STOP RULE	Do not replace a proven contract for architectural neatness.
SOURCE / EVIDENCE LOCATOR	Revision 5 matching architecture.
NEXT ACTION	none.

IMPLEMENTATION GROUP

Horizontal expansion

12 detailed records

HX - 01

Delistable asset registry

EXPANSION DOOR

CONCEPT ONLY

EVIDENCE-GATED

PC-39 — Stablecoin asset expansion	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-39 — Stablecoin asset expansion
AREA / PHASE / SIDE / TYPE	Asset architecture / later / both / safety foundation
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Add or disable a supported asset independently without breaking the portal or historical evidence.
PARENT USER VALUE	Customers can use the stablecoin their proven workflow already requires.
PARENT STRATEGIC ROLE	Expands coverage only after USDC vertical value is established.
STRATEGIC-ROLE TAGS	Execution; Distribution/access; Governance
CURRENT IMPLEMENTATION	Polygon USDC is statically allowlisted.
REMAINING WORK	Versioned metadata, enable/disable policy, evidence resolution, and tests do not.
DEPENDENCIES	Named second-asset demand, asset authority, decimals/contract provenance, lifecycle, rollback, and historical verifier tests.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Named second-asset demand, asset authority, decimals/contract provenance, lifecycle, rollback, and historical verifier tests.
COMMERCIAL HYPOTHESIS	Required before any second asset.
BOUNDARY	Never accept arbitrary ERC-20 addresses.
STOP RULE	Never accept arbitrary ERC-20 addresses.
SOURCE / EVIDENCE LOCATOR	Roadmap A7 and capability register.
NEXT ACTION	gated.

HX - 02

USDT support

EXPANSION DOOR

CONCEPT ONLY

EVIDENCE-GATED

PC-39 — Stablecoin asset expansion	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-39 — Stablecoin asset expansion
AREA / PHASE / SIDE / TYPE	Assets / later / both / horizontal expansion
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Serve corridors and operators whose actual stablecoin workflow centers on globally liquid USDT.
PARENT USER VALUE	Customers can use the stablecoin their proven workflow already requires.
PARENT STRATEGIC ROLE	Expands coverage only after USDC vertical value is established.
STRATEGIC-ROLE TAGS	Execution; Distribution/access; Governance
CURRENT IMPLEMENTATION	No USDT contract/UI/evidence/monitoring/legal implementation exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Qualified paid demand, current U.S./foreign-issuer analysis, chain selection, HX-01, full per-asset release suite, and support plan.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Qualified paid demand, current U.S./foreign-issuer analysis, chain selection, HX-01, full per-asset release suite, and support plan.
COMMERCIAL HYPOTHESIS	Demand-driven coverage, not speculation.
BOUNDARY	Delist safely if legal/issuer posture or operational risk changes.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap A7 and revised USDT analysis.
NEXT ACTION	gated.

HX - 03

USDT0 or U.S.-regulated Tether-product evaluation

EXPANSION DOOR

CONCEPT ONLY

EVIDENCE-GATED

PC-39 — Stablecoin asset expansion	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-39 — Stablecoin asset expansion
AREA / PHASE / SIDE / TYPE	Assets/research / later / both / product-selection gate
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Distinguish globally dominant USDT from separately issued or bridged Tether-branded products and choose on facts.
PARENT USER VALUE	Customers can use the stablecoin their proven workflow already requires.
PARENT STRATEGIC ROLE	Expands coverage only after USDC vertical value is established.
STRATEGIC-ROLE TAGS	Execution; Distribution/access; Governance
CURRENT IMPLEMENTATION	The strategic distinction is recorded; current network liquidity, issuer/legal status, wallet support, and demand review are not complete.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	Primary-source revalidation at decision time, counsel, customer evidence, asset registry, and test matrix.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Primary-source revalidation at decision time, counsel, customer evidence, asset registry, and test matrix.
COMMERCIAL HYPOTHESIS	Never treat brand similarity as identical issuer, redemption, regulatory, or technical risk.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Never treat brand similarity as identical issuer, redemption, regulatory, or technical risk.
SOURCE / EVIDENCE LOCATOR	Last-24-hours USDT/USAT correction.
NEXT ACTION	gated.

HX - 04

EURC support

EXPANSION DOOR

CONCEPT ONLY

EVIDENCE-GATED

PC-39 — Stablecoin asset expansion	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-39 — Stablecoin asset expansion
AREA / PHASE / SIDE / TYPE	Assets / later / both / horizontal expansion
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Support euro-denominated workflows where customers already transact in EURC.
PARENT USER VALUE	Customers can use the stablecoin their proven workflow already requires.
PARENT STRATEGIC ROLE	Expands coverage only after USDC vertical value is established.
STRATEGIC-ROLE TAGS	Execution; Distribution/access; Governance
CURRENT IMPLEMENTATION	No EURC implementation or customer evidence exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Named paid demand, legal/jurisdiction review, chain liquidity, HX-01, tests, monitoring, and support.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Named paid demand, legal/jurisdiction review, chain liquidity, HX-01, tests, monitoring, and support.
COMMERCIAL HYPOTHESIS	Opens euro corridors only when real workflows justify it; display equivalence is not FX conversion.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap A7.
NEXT ACTION	gated.

HX - 05

PYUSD support

EXPANSION DOOR

CONCEPT ONLY

EVIDENCE-GATED

PC-39 — Stablecoin asset expansion	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-39 — Stablecoin asset expansion
AREA / PHASE / SIDE / TYPE	Assets / later / both / horizontal expansion
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Serve customers explicitly requiring PYUSD within supported wallet/payment workflows.
PARENT USER VALUE	Customers can use the stablecoin their proven workflow already requires.
PARENT STRATEGIC ROLE	Expands coverage only after USDC vertical value is established.
STRATEGIC-ROLE TAGS	Execution; Distribution/access; Governance
CURRENT IMPLEMENTATION	No integration or demand evidence exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Paid demand, issuer/contract diligence, chain support, HX-01, release suite, and unit economics.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Paid demand, issuer/contract diligence, chain support, HX-01, release suite, and unit economics.
COMMERCIAL HYPOTHESIS	Do not add for logo breadth or issuer prestige.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Do not add for logo breadth or issuer prestige.
SOURCE / EVIDENCE LOCATOR	Roadmap A7.
NEXT ACTION	gated.

HX - 06

RLUSD support

EXPANSION DOOR

CONCEPT ONLY

EVIDENCE-GATED

PC-39 — Stablecoin asset expansion	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-39 — Stablecoin asset expansion
AREA / PHASE / SIDE / TYPE	Assets / later / both / horizontal expansion
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Serve customers explicitly requiring RLUSD where wallet, chain, and liquidity support are proven.
PARENT USER VALUE	Customers can use the stablecoin their proven workflow already requires.
PARENT STRATEGIC ROLE	Expands coverage only after USDC vertical value is established.
STRATEGIC-ROLE TAGS	Execution; Distribution/access; Governance
CURRENT IMPLEMENTATION	No integration or demand evidence exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Paid demand, issuer/contract diligence, chain support, HX-01, release suite, and support.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Paid demand, issuer/contract diligence, chain support, HX-01, release suite, and support.
COMMERCIAL HYPOTHESIS	Asset availability alone is not a customer proposition.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap A7.
NEXT ACTION	gated.

HX - 07

Base deployment

EXPANSION DOOR

CONCEPT ONLY

EVIDENCE-GATED

PC-40 — Chain, cross-chain, and wallet expansion	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-40 — Chain, cross-chain, and wallet expansion
AREA / PHASE / SIDE / TYPE	Chains / later / both / horizontal expansion
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Reduce fees and meet USDC users already active on Base.
PARENT USER VALUE	Customers can use proven workflows from the networks and wallets they already use.
PARENT STRATEGIC ROLE	Expands reach only after the payment-operations proposition retains on one chain.
STRATEGIC-ROLE TAGS	Execution; Distribution/access; Security/assurance
CURRENT IMPLEMENTATION	Polygon production path exists.
REMAINING WORK	Base contract, RPC, wallet, evidence, monitoring, deployment, and support do not.
DEPENDENCIES	Qualified Base demand, per-chain architecture, contract/security review, six-gate release, live evidence, and rollback.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Qualified Base demand, per-chain architecture, contract/security review, six-gate release, live evidence, and rollback.
COMMERCIAL HYPOTHESIS	Likely second chain, but only after vertical V2 value and demand.
BOUNDARY	Low fees alone do not justify scope multiplication.
STOP RULE	Low fees alone do not justify scope multiplication.
SOURCE / EVIDENCE LOCATOR	Roadmap A8.
NEXT ACTION	gated.

HX - 08

Ethereum deployment

EXPANSION DOOR

CONCEPT ONLY

EVIDENCE-GATED

PC-40 — Chain, cross-chain, and wallet expansion	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-40 — Chain, cross-chain, and wallet expansion
AREA / PHASE / SIDE / TYPE	Chains / later / both / horizontal expansion
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Serve high-liquidity Ethereum USDC workflows that accept higher gas costs.
PARENT USER VALUE	Customers can use proven workflows from the networks and wallets they already use.
PARENT STRATEGIC ROLE	Expands reach only after the payment-operations proposition retains on one chain.
STRATEGIC-ROLE TAGS	Execution; Distribution/access; Security/assurance
CURRENT IMPLEMENTATION	No production Ethereum deployment/evidence path exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Paid demand exceeding cost/complexity, chain-specific fee UX, deployment/security suite, and support.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Paid demand exceeding cost/complexity, chain-specific fee UX, deployment/security suite, and support.
COMMERCIAL HYPOTHESIS	Do not make Ethereum default for a cost-sensitive small-operator segment without evidence.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Do not make Ethereum default for a cost-sensitive small-operator segment without evidence.
SOURCE / EVIDENCE LOCATOR	Roadmap multi-chain doors.
NEXT ACTION	gated.

HX - 09

CCTP or native cross-chain USDC path

EXPANSION DOOR

CONCEPT ONLY

EVIDENCE-GATED

PC-40 — Chain, cross-chain, and wallet expansion	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-40 — Chain, cross-chain, and wallet expansion
AREA / PHASE / SIDE / TYPE	Cross-chain / later / both / interoperability expansion
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Let an authenticated request be paid from another supported chain using native issuer infrastructure.
PARENT USER VALUE	Customers can use proven workflows from the networks and wallets they already use.
PARENT STRATEGIC ROLE	Expands reach only after the payment-operations proposition retains on one chain.
STRATEGIC-ROLE TAGS	Execution; Distribution/access; Security/assurance
CURRENT IMPLEMENTATION	No attestation, burn/mint, recovery, finality, evidence, fee, or status system exists.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Two proven chain markets, current CCTP architecture, request semantics, pending-state UX, audits, and live recovery tests.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Two proven chain markets, current CCTP architecture, request semantics, pending-state UX, audits, and live recovery tests.
COMMERCIAL HYPOTHESIS	Only after separate chains succeed.
BOUNDARY	Do not hide cross-chain delay or describe it as an ordinary transfer.
STOP RULE	Do not hide cross-chain delay or describe it as an ordinary transfer.
SOURCE / EVIDENCE LOCATOR	Roadmap A8.
NEXT ACTION	gated.

HX - 10

Solana implementation

EXPANSION DOOR

CONCEPT ONLY

DEFERRED

PC-40 — Chain, cross-chain, and wallet expansion	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-40 — Chain, cross-chain, and wallet expansion
AREA / PHASE / SIDE / TYPE	Chains / later / both / platform expansion
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Serve demonstrated Solana stablecoin workflows after EVM demand and operating model are proven.
PARENT USER VALUE	Customers can use proven workflows from the networks and wallets they already use.
PARENT STRATEGIC ROLE	Expands reach only after the payment-operations proposition retains on one chain.
STRATEGIC-ROLE TAGS	Execution; Distribution/access; Security/assurance
CURRENT IMPLEMENTATION	No Solana program, wallet, transaction, evidence, or operations implementation exists; this is a new platform path.
REMAINING WORK	The capability has no completed end-to-end implementation.
DEPENDENCIES	Strong paid demand, dedicated architecture/security budget, wallet matrix, production evidence, support.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Strong paid demand, dedicated architecture/security budget, wallet matrix, production evidence, support.
COMMERCIAL HYPOTHESIS	Treat as a rewrite, not a port.
BOUNDARY	Defer unless demand materially exceeds EVM opportunity cost.
STOP RULE	Defer unless demand materially exceeds EVM opportunity cost.
SOURCE / EVIDENCE LOCATOR	Roadmap A8.
NEXT ACTION	none.

HX - 11

Embedded or passkey wallet

EXPANSION DOOR

CONCEPT ONLY

LEGALLY GATED

PC-40 — Chain, cross-chain, and wallet expansion	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-40 — Chain, cross-chain, and wallet expansion
AREA / PHASE / SIDE / TYPE	Wallet access / later / payer / horizontal access expansion
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Legally gated
PURPOSE	Reach users unwilling to install a conventional wallet while preserving clear self-custodial authority.
PARENT USER VALUE	Customers can use proven workflows from the networks and wallets they already use.
PARENT STRATEGIC ROLE	Expands reach only after the payment-operations proposition retains on one chain.
STRATEGIC-ROLE TAGS	Execution; Distribution/access; Security/assurance
CURRENT IMPLEMENTATION	Injected and WalletConnect paths exist.
REMAINING WORK	Provider, account recovery, key-share authority, portability, cost, and security do not.
DEPENDENCIES	Measured wallet attrition, vendor/counsel review, key-control diagram, recovery tests, data approval, and pilot.
ENTRY GATE	The required counsel or formal legal determination is recorded.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Measured wallet attrition, vendor/counsel review, key-control diagram, recovery tests, data approval, and pilot.
COMMERCIAL HYPOTHESIS	Reject any implementation that weakens the custody claim or creates opaque vendor lock-in.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Reject any implementation that weakens the custody claim or creates opaque vendor lock-in.
SOURCE / EVIDENCE LOCATOR	Roadmap A10.
NEXT ACTION	gated.

HX - 12

Multi-chain observability and release matrix

EXPANSION DOOR

CONCEPT ONLY

EVIDENCE-GATED

PC-40 — Chain, cross-chain, and wallet expansion	
RECORD CLASS	Expansion door
PARENT CAPABILITY	PC-40 — Chain, cross-chain, and wallet expansion
AREA / PHASE / SIDE / TYPE	Operations / later / internal / scaling foundation
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Evidence-gated
PURPOSE	Keep RPCs, contracts, assets, finality, evidence, monitoring, incidents, and deployments correct per chain.
PARENT USER VALUE	Customers can use proven workflows from the networks and wallets they already use.
PARENT STRATEGIC ROLE	Expands reach only after the payment-operations proposition retains on one chain.
STRATEGIC-ROLE TAGS	Execution; Distribution/access; Security/assurance
CURRENT IMPLEMENTATION	Polygon release discipline exists.
REMAINING WORK	Generalized chain registry, per-chain monitors, test matrix, alerts, and runbooks do not.
DEPENDENCIES	Authorized second chain, stable interface contracts, automated matrix, incident drills, and live verification.
ENTRY GATE	The customer or operating evidence stated in this record is present.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Authorized second chain, stable interface contracts, automated matrix, incident drills, and live verification.
COMMERCIAL HYPOTHESIS	Mandatory before calling the product multi-chain.
BOUNDARY	No chain ships as a UI toggle without operations parity.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap multi-chain caveat.
NEXT ACTION	gated.

IMPLEMENTATION GROUP

Commercial evidence

14 detailed records

COM - 01

Independent-operator buyer definition

COMMERCIAL EXPERIMENT

DEFINED OR SPECIFIED

READY BUT NOT QUEUED

PC-41 — Buyer, segment, retention, and sequencing evidence

RECORD CLASS	Commercial experiment
PARENT CAPABILITY	PC-41 — Buyer, segment, retention, and sequencing evidence
AREA / PHASE / SIDE / TYPE	Positioning / V1 / payee / market hypothesis
IMPLEMENTATION MATURITY	Defined or specified
WORK AUTHORIZATION	Ready but not queued
PURPOSE	Focus on a freelancer, creator, consultant, developer, or very small agency whose finance operation is still one person.
PARENT USER VALUE	Product effort stays concentrated on a workflow real customers repeatedly value.
PARENT STRATEGIC ROLE	Prevents user counts, competitor imitation, or horizontal breadth from replacing commercial evidence.
STRATEGIC-ROLE TAGS	Governance; Revenue; Retention
CURRENT IMPLEMENTATION	Working definition is approved.
REMAINING WORK	Qualified interviews and paid behavior have not validated it.
DEPENDENCIES	V1-21/22/23, observed stablecoin workflow, repeated pain, placement, genuine use, and payment.
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1-21/22/23, observed stablecoin workflow, repeated pain, placement, genuine use, and payment.
COMMERCIAL HYPOTHESIS	Narrow before expanding.
BOUNDARY	If Request's free layer or wallet/spreadsheet workflow is adequate, refine segment or job.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap buyer thesis.
NEXT ACTION	use in V1 recruitment.

COM-02 Payee-side-first product boundary		GOVERNANCE DECISION APPROVED GOVERNING RECORD READY BUT NOT QUEUED
PC-41 — Buyer, segment, retention, and sequencing evidence		
RECORD CLASS	Governance decision	
PARENT CAPABILITY	PC-41 — Buyer, segment, retention, and sequencing evidence	
AREA / PHASE / SIDE / TYPE	Product strategy / V1–V2 / payee / sequencing rule	
IMPLEMENTATION MATURITY	Approved governing record	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Build identity, requests, matching, records, and exports for the party receiving ongoing value before payer-side controls.	
PARENT USER VALUE	Product effort stays concentrated on a workflow real customers repeatedly value.	
PARENT STRATEGIC ROLE	Prevents user counts, competitor imitation, or horizontal breadth from replacing commercial evidence.	
STRATEGIC-ROLE TAGS	Governance; Revenue; Retention	
CURRENT IMPLEMENTATION	Governing decision exists; customer evidence remains.	
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.	
DEPENDENCIES	Payee-side cohort tracked separately, paid commitments, repeated use, and retention.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Payee-side cohort tracked separately, paid commitments, repeated use, and retention.	
COMMERCIAL HYPOTHESIS	Prevents two businesses from merging into an unfocused suite.	
BOUNDARY	Payer controls require a separate evidence gate.	
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.	
SOURCE / EVIDENCE LOCATOR	`docs/product/product-commercial-roadmap-2026-07-30.md`.	
NEXT ACTION	preserve in V1 evidence design.	

COM - 03 Individual monthly pricing experiment		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-42 — Pricing, revenue, refunds, and support economics				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-42 — Pricing, revenue, refunds, and support economics			
AREA / PHASE / SIDE / TYPE	Pricing / V2 / payee / commercial experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Test an affordable identity/request/records workspace below enterprise pricing.			
PARENT USER VALUE	The buyer knows what service they purchased and is not charged for hidden or commodity value.			
PARENT STRATEGIC ROLE	Makes lower price an economic advantage rather than a race to the bottom.			
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Governance			
CURRENT IMPLEMENTATION	Provisional \$9–\$19 monthly band exists.			
REMAINING WORK	Bundle, exact price, limits, billing, and evidence do not.			
DEPENDENCIES	V1 willingness to pay, V2 Core scope, V2C-01, conversion, retention, support, and margin.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1 willingness to pay, V2 Core scope, V2C-01, conversion, retention, support, and margin.			
COMMERCIAL HYPOTHESIS	Price is not the only thesis.			
BOUNDARY	Do not underprice support or call a temporary pilot waiver a free tier.			
STOP RULE	Do not underprice support or call a temporary pilot waiver a free tier.			
SOURCE / EVIDENCE LOCATOR	Roadmap pricing bands.			
NEXT ACTION	gated.			

COM - 04 Small-operator monthly pricing experiment		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-42 — Pricing, revenue, refunds, and support economics				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-42 — Pricing, revenue, refunds, and support economics			
AREA / PHASE / SIDE / TYPE	Pricing / V2 / payee / commercial experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Test a \$25–\$49 tier for operators needing more workflow and volume but no finance department.			
PARENT USER VALUE	The buyer knows what service they purchased and is not charged for hidden or commodity value.			
PARENT STRATEGIC ROLE	Makes lower price an economic advantage rather than a race to the bottom.			
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Governance			
CURRENT IMPLEMENTATION	Band exists; qualifying capabilities, usage limits, support level, billing, and evidence do not.			
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.			
DEPENDENCIES	V2 Core, repeated operational use, clear tier distinction, paid conversion, retention, and margin.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2 Core, repeated operational use, clear tier distinction, paid conversion, retention, and margin.			
COMMERCIAL HYPOTHESIS	Stay far below \$250 enterprise territory because ImplicitEx intentionally omits its machinery.			
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap pricing bands.			
NEXT ACTION	gated.			

COM - 05 Fixed managed-request fee experiment		COMMERCIAL EXPERIMENT
		DEFINED OR SPECIFIEDEVIDENCE-GATED
PC-42 — Pricing, revenue, refunds, and support economics		
RECORD CLASS	Commercial experiment	
PARENT CAPABILITY	PC-42 — Pricing, revenue, refunds, and support economics	
AREA / PHASE / SIDE / TYPE	Pricing / V2 / payee or payer / usage experiment	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Evidence-gated	
PURPOSE	Serve occasional users who reject a subscription but value a structured request/evidence event.	
PARENT USER VALUE	The buyer knows what service they purchased and is not charged for hidden or commodity value.	
PARENT STRATEGIC ROLE	Makes lower price an economic advantage rather than a race to the bottom.	
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Governance	
CURRENT IMPLEMENTATION	Concept exists; buyer, fee, inclusion, cap, billing, refund, and experiment do not.	
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.	
DEPENDENCIES	V2 Core, explicit service bundle, customer choice, completion records, fee objection and margin.	
ENTRY GATE	The customer or operating evidence stated in this record is present.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V2 Core, explicit service bundle, customer choice, completion records, fee objection and margin.	
COMMERCIAL HYPOTHESIS	Charge for managed work, not commodity transfer value.	
BOUNDARY	Do not make the sender subsidize hidden payee benefits.	
STOP RULE	Do not make the sender subsidize hidden payee benefits.	
SOURCE / EVIDENCE LOCATOR	Roadmap pricing hypotheses.	
NEXT ACTION	gated.	

COM - 06 Hybrid or included-volume pricing		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-42 — Pricing, revenue, refunds, and support economics				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-42 — Pricing, revenue, refunds, and support economics			
AREA / PHASE / SIDE / TYPE	Pricing / later V2 / payee / commercial experiment			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Combine a low workspace fee with included usage or bounded overage when behavior supports it.			
PARENT USER VALUE	The buyer knows what service they purchased and is not charged for hidden or commodity value.			
PARENT STRATEGIC ROLE	Makes lower price an economic advantage rather than a race to the bottom.			
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Governance			
CURRENT IMPLEMENTATION	Concept only; included unit, overage, metering, entitlement, disclosure, and economics do not.			
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.			
DEPENDENCIES	Subscription and usage data, support costs, customer comprehension, billing reliability, and margin.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Subscription and usage data, support costs, customer comprehension, billing reliability, and margin.			
COMMERCIAL HYPOTHESIS	Consider only when simpler pricing fails for a known reason; avoid a confusing miniature enterprise tariff.			
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap pricing doctrine.			
NEXT ACTION	gated.			

COM-07 Deployed 1% fee reassessment		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	DECISION REQUIRED
PC-42 — Pricing, revenue, refunds, and support economics				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-42 — Pricing, revenue, refunds, and support economics			
AREA / PHASE / SIDE / TYPE	Pricing/contract / V1–V2 / sender / legacy hypothesis			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Decision required			
PURPOSE	Decide whether the v1 contract fee remains, is capped/fixed, is absorbed by a subscription, or is replaced.			
PARENT USER VALUE	The buyer knows what service they purchased and is not charged for hidden or commodity value.			
PARENT STRATEGIC ROLE	Makes lower price an economic advantage rather than a race to the bottom.			
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Governance			
CURRENT IMPLEMENTATION	Contract charges uncapped 1%; portal reaches at most 2.50 USDC. No evidence shows it is the right suite-wide model.			
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.			
DEPENDENCIES	Paid workflow evidence, buyer/payer analysis, bypass behavior, fee objections, contract migration/security, and economics.			
ENTRY GATE	The named governing decision is ratified and recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Paid workflow evidence, buyer/payer analysis, bypass behavior, fee objections, contract migration/security, and economics.			
COMMERCIAL HYPOTHESIS	Do not build features merely to defend it or remove it merely to neutralize an objection.			
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.			
STOP RULE	Do not build features merely to defend it or remove it merely to neutralize an objection.			
SOURCE / EVIDENCE LOCATOR	Roadmap fee-state doctrine.			
NEXT ACTION	collect evidence only.			

COM - 08 ImplicitEx service-fee refund policy		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	DECISION REQUIRED
PC-42 — Pricing, revenue, refunds, and support economics				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-42 — Pricing, revenue, refunds, and support economics			
AREA / PHASE / SIDE / TYPE	Support/pricing / V1–V2 / both / bounded service policy			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Decision required			
PURPOSE	Define when ImplicitEx may refund its own fee if the promised service was not delivered.			
PARENT USER VALUE	The buyer knows what service they purchased and is not charged for hidden or commodity value.			
PARENT STRATEGIC ROLE	Makes lower price an economic advantage rather than a race to the bottom.			
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Governance			
CURRENT IMPLEMENTATION	Principal reimbursement is excluded.			
REMAINING WORK	A narrow fee-refund definition, authority, evidence, abuse limits, and accounting do not.			
DEPENDENCIES	Defined paid service, counsel/terms review, support procedure, logs, and tested cases.			
ENTRY GATE	The named governing decision is ratified and recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Defined paid service, counsel/terms review, support procedure, logs, and tested cases.			
COMMERCIAL HYPOTHESIS	A fee refund is not principal-loss protection, insurance, gas reimbursement, or transfer reversal.			
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.			
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.			
SOURCE / EVIDENCE LOCATOR	Roadmap reimbursement-language correction.			
NEXT ACTION	V1 support/legal decision if a fee is charged.			

COM - 09 \$25,000 revenue-objective dashboard		COMMERCIAL EXPERIMENT	DEFINED OR SPECIFIED	DECISION REQUIRED
PC-42 — Pricing, revenue, refunds, and support economics				
RECORD CLASS	Commercial experiment			
PARENT CAPABILITY	PC-42 — Pricing, revenue, refunds, and support economics			
AREA / PHASE / SIDE / TYPE	Business operations / V1–V2 / internal / objective tracking			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Decision required			
PURPOSE	Keep offer volume, paid conversions, realized revenue, refunds, support cost, and remaining gap visible.			
PARENT USER VALUE	The buyer knows what service they purchased and is not charged for hidden or commodity value.			
PARENT STRATEGIC ROLE	Makes lower price an economic advantage rather than a race to the bottom.			
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Governance			
CURRENT IMPLEMENTATION	Objective and strategic requirement exist.			
REMAINING WORK	Source data, dashboard/worksheet, cadence, and owner do not.			
DEPENDENCIES	Offer/billing records, recognized-revenue rule, refunds, costs, monthly review, and source links.			
ENTRY GATE	The named governing decision is ratified and recorded.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Offer/billing records, recognized-revenue rule, refunds, costs, monthly review, and source links.			
COMMERCIAL HYPOTHESIS	Revenue is evidence, not registrations.			
BOUNDARY	Do not count waived, founder-funded, or uncollected amounts.			
STOP RULE	Do not count waived, founder-funded, or uncollected amounts.			
SOURCE / EVIDENCE LOCATOR	Roadmap \$25,000 objective.			
NEXT ACTION	define with V1 offer tracker, without starting V2 billing.			

COM - 10 Retention and repeated-use measurement		COMMERCIAL EXPERIMENT
		DEFINED OR SPECIFIED
		READY BUT NOT QUEUED
PC-41 — Buyer, segment, retention, and sequencing evidence		
RECORD CLASS	Commercial experiment	
PARENT CAPABILITY	PC-41 — Buyer, segment, retention, and sequencing evidence	
AREA / PHASE / SIDE / TYPE	Customer evidence / V1–V2 / payee / adoption metric	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Distinguish one-time curiosity from a payment workspace customers depend on.	
PARENT USER VALUE	Product effort stays concentrated on a workflow real customers repeatedly value.	
PARENT STRATEGIC ROLE	Prevents user counts, competitor imitation, or horizontal breadth from replacing commercial evidence.	
STRATEGIC-ROLE TAGS	Governance; Revenue; Retention	
CURRENT IMPLEMENTATION	Working thresholds exist.	
REMAINING WORK	Cohort definitions, repeat-action events, reasons, and review do not.	
DEPENDENCIES	Qualified customers, privacy-approved event records, repeated placement/request/payment behavior, and interviews.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Qualified customers, privacy-approved event records, repeated placement/request/payment behavior, and interviews.	
COMMERCIAL HYPOTHESIS	Repeat voluntary use is stronger than a single paid test.	
BOUNDARY	Avoid vanity account counts.	
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.	
SOURCE / EVIDENCE LOCATOR	Roadmap working thresholds.	
NEXT ACTION	include in V1 evidence repository.	

COM - 11 Support-burden tracking		COMMERCIAL EXPERIMENT
		DEFINED OR SPECIFIED
		READY BUT NOT QUEUED
PC-42 — Pricing, revenue, refunds, and support economics		
RECORD CLASS	Commercial experiment	
PARENT CAPABILITY	PC-42 — Pricing, revenue, refunds, and support economics	
AREA / PHASE / SIDE / TYPE	Operations/economics / V1 onward / internal / cost metric	
IMPLEMENTATION MATURITY	Defined or specified	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Measure founder minutes, incident type, recurrence, resolution, and customer impact by capability.	
PARENT USER VALUE	The buyer knows what service they purchased and is not charged for hidden or commodity value.	
PARENT STRATEGIC ROLE	Makes lower price an economic advantage rather than a race to the bottom.	
STRATEGIC-ROLE TAGS	Revenue; Support/operations; Governance	
CURRENT IMPLEMENTATION	Support risks are described.	
REMAINING WORK	A consistent tracker and review cadence do not exist.	
DEPENDENCIES	Support workflow, privacy-safe case IDs, time categories, monthly review, and product-action linkage.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Support workflow, privacy-safe case IDs, time categories, monthly review, and product-action linkage.	
COMMERCIAL HYPOTHESIS	Low overhead is an advantage only if support stays bounded.	
BOUNDARY	Productize or remove recurrent bespoke work.	
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.	
SOURCE / EVIDENCE LOCATOR	Roadmap unit economics.	
NEXT ACTION	add before pilot support.	

COM - 12

Competitor and standards parity refresh

COMMERCIAL EXPERIMENT

CONCEPT ONLY

DEFERRED

PC-41 — Buyer, segment, retention, and sequencing evidence	
RECORD CLASS	Commercial experiment
PARENT CAPABILITY	PC-41 — Buyer, segment, retention, and sequencing evidence
AREA / PHASE / SIDE / TYPE	Market intelligence / all phases / internal / decision input
IMPLEMENTATION MATURITY	Concept only
WORK AUTHORIZATION	Deferred
PURPOSE	Revalidate Coinbase, Request, ENS, ERC-681, Safe, partner, wallet, and policy facts when choosing a capability.
PARENT USER VALUE	Product effort stays concentrated on a workflow real customers repeatedly value.
PARENT STRATEGIC ROLE	Prevents user counts, competitor imitation, or horizontal breadth from replacing commercial evidence.
STRATEGIC-ROLE TAGS	Governance; Revenue; Retention
CURRENT IMPLEMENTATION	July 2026 teardown exists; time-sensitive facts must be rechecked from primary sources at each relevant gate.
REMAINING WORK	Implement and validate the capability only when its work authorization permits it.
DEPENDENCIES	Named decision, current primary documentation, dated comparison, impact on scope, and source links.
ENTRY GATE	A later governing roadmap decision explicitly opens this work.
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Named decision, current primary documentation, dated comparison, impact on scope, and source links.
COMMERCIAL HYPOTHESIS	Competitors prove demand and table stakes; they are not a clause library or a substitute for customer evidence.
BOUNDARY	The record remains within the governing self-custody, data, security, and scope boundaries.
STOP RULE	Stop or defer if the stated boundary cannot be maintained or the required evidence fails.
SOURCE / EVIDENCE LOCATOR	Roadmap competitor matrix.
NEXT ACTION	none until decision.

COM - 13 Vertical-depth-before-horizontal-expansion rule		GOVERNANCE DECISION
		APPROVED GOVERNING RECORD
		READY BUT NOT QUEUED
PC-41 — Buyer, segment, retention, and sequencing evidence		
RECORD CLASS	Governance decision	
PARENT CAPABILITY	PC-41 — Buyer, segment, retention, and sequencing evidence	
AREA / PHASE / SIDE / TYPE	Strategy / all phases / internal / sequencing control	
IMPLEMENTATION MATURITY	Approved governing record	
WORK AUTHORIZATION	Ready but not queued	
PURPOSE	Make one USDC workflow comprehensive before multiplying assets, chains, and wallet variants.	
PARENT USER VALUE	Product effort stays concentrated on a workflow real customers repeatedly value.	
PARENT STRATEGIC ROLE	Prevents user counts, competitor imitation, or horizontal breadth from replacing commercial evidence.	
STRATEGIC-ROLE TAGS	Governance; Revenue; Retention	
CURRENT IMPLEMENTATION	Governing decision exists; enforcement depends on preserving HX gates in every planning/release artifact.	
REMAINING WORK	No active feature work is authorized; preserve and maintain the evidenced behavior unless a later gate opens a change.	
DEPENDENCIES	V1/V2 customer value, stable operations, named paid horizontal demand, and explicit opportunity-cost review.	
ENTRY GATE	The preceding critical-path package and all named dependencies are complete.	
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: V1/V2 customer value, stable operations, named paid horizontal demand, and explicit opportunity-cost review.	
COMMERCIAL HYPOTHESIS	Coverage does not create differentiation.	
BOUNDARY	Reject expansion whose main evidence is “the asset/chain is popular. ”	
STOP RULE	Reject expansion whose main evidence is “the asset/chain is popular.	
SOURCE / EVIDENCE LOCATOR	`docs/product/product-commercial-roadmap-2026-07-30.md`.	
NEXT ACTION	enforce.	

COM - 14 Payee-side versus payer-side business review		GOVERNANCE DECISION	DEFINED OR SPECIFIED	EVIDENCE-GATED
PC-41 — Buyer, segment, retention, and sequencing evidence				
RECORD CLASS	Governance decision			
PARENT CAPABILITY	PC-41 — Buyer, segment, retention, and sequencing evidence			
AREA / PHASE / SIDE / TYPE	Strategy / V2–V3 / both / market gate			
IMPLEMENTATION MATURITY	Defined or specified			
WORK AUTHORIZATION	Evidence-gated			
PURPOSE	Decide whether outbound controls form a second paid product rather than casually expanding the payee workspace.			
PARENT USER VALUE	Product effort stays concentrated on a workflow real customers repeatedly value.			
PARENT STRATEGIC ROLE	Prevents user counts, competitor imitation, or horizontal breadth from replacing commercial evidence.			
STRATEGIC-ROLE TAGS	Governance; Revenue; Retention			
CURRENT IMPLEMENTATION	Distinction is documented.			
REMAINING WORK	Separate payer evidence, offer, economics, and priority review do not exist.			
DEPENDENCIES	Successful payee core, payer-side interviews, repeated outbound pain, willingness to pay, and capacity.			
ENTRY GATE	The customer or operating evidence stated in this record is present.			
COMPLETION EVIDENCE	Completion requires the dependencies and evidence stated here: Successful payee core, payer-side interviews, repeated outbound pain, willingness to pay, and capacity.			
COMMERCIAL HYPOTHESIS	Do not combine two buyers before one wedge retains.			
BOUNDARY	Payer experiments remain separately labeled and measured.			
STOP RULE	Do not combine two buyers before one wedge retains.			
SOURCE / EVIDENCE LOCATOR	Roadmap buyer/payer analysis.			
NEXT ACTION	gated.			

04

STANDING “NO” REGISTER

30 explicit exclusions

These rows are not missing implementations. They protect the focused, wallet-neutral, self-custodial small-operator thesis and preserve founder capacity.

EX - 01 ImplicitEx custody		EXCLUDED
CONSIDERED VALUE	Smoother balances and managed settlement	
BOUNDARY	Holding or independently controlling customer value changes the company and risk posture	
REOPEN ONLY IF	A deliberate funded regulated-company decision with counsel, licenses, capital, staff, and new roadmap	

EX - 02 ImplicitEx-controlled wallet keys or key shares		EXCLUDED
CONSIDERED VALUE	Invisible wallet experience and automation	
BOUNDARY	Weakens self-custody and may create unilateral financial authority	
REOPEN ONLY IF	A separate counsel-reviewed custody strategy is explicitly approved	

EX - 03 Customer balances or pooled funds		EXCLUDED
CONSIDERED VALUE	Stored-value convenience and float	
BOUNDARY	Requires ledger, safeguarding, reconciliation, redemption, compliance, and insolvency controls	
REOPEN ONLY IF	Same deliberate regulated-company crossing as EX-01	

EX - 04 First-party fiat conversion		EXCLUDED
CONSIDERED VALUE	Seamless dollar-to-USDC experience	
BOUNDARY	ImplicitEx would receive/convert value rather than refer to a licensed partner	
REOPEN ONLY IF	A funded licensing strategy replaces the partner model	

EX - 05 Independent payment initiation by ImplicitEx		EXCLUDED
CONSIDERED VALUE	True automation	
BOUNDARY	Crosses the authority tripwire and creates security/drain risk	
REOPEN ONLY IF	A separately audited and counsel-cleared bounded authority model is approved	

EX - 06 Generic open-ended allowance pulls		EXCLUDED
CONSIDERED VALUE	Easy recurring collection	
BOUNDARY	Top drainer pattern; scope and revocation are too broad	
REOPEN ONLY IF	Never under the current architecture; bounded smart-account authorization is evaluated instead	

EX - 07**Human-arbitrated escrow****EXCLUDED**

CONSIDERED VALUE	Freelancer protection and dispute resolution
BOUNDARY	Control over release and dispute expectations change custody/operating risk
REOPEN ONLY IF	A separate funded, counsel-led escrow business is approved

EX - 08**First-party escrow generally****EXCLUDED**

CONSIDERED VALUE	Conditional settlement
BOUNDARY	Stuck funds, release authority, contract risk, and support burden exceed the thesis
REOPEN ONLY IF	Only a tightly bounded no-human-control design after named demand and counsel

EX - 09**Principal-loss guarantee or reimbursement****EXCLUDED**

CONSIDERED VALUE	Strong payer assurance
BOUNDARY	Becomes risk transfer/insurance-like and creates claims, reserves, fraud, and legal exposure
REOPEN ONLY IF	A licensed/partner-backed protection product with capital and counsel

EX - 10**Insurance product****EXCLUDED**

CONSIDERED VALUE	Transfer protection and confidence
BOUNDARY	Different regulated underwriting and claims business
REOPEN ONLY IF	A licensed insurance partner and separate approved product

EX - 11**Guaranteed, protected, risk-free, or insured payment claims****EXCLUDED**

CONSIDERED VALUE	Marketing reinsurance
BOUNDARY	Verification and evidence do not guarantee outcomes
REOPEN ONLY IF	Only when an actual legally reviewed protection product exists

EX - 12**Lending****EXCLUDED**

CONSIDERED VALUE	Yield or liquidity revenue
BOUNDARY	Credit, counterparty, collection, custody, disclosure, and securities risks are off-thesis
REOPEN ONLY IF	A separate funded regulated credit strategy

EX - 13

Credit or cash advances

EXCLUDED

CONSIDERED VALUE	Customer liquidity
BOUNDARY	Underwriting, collections, lending laws, capital, and loss reserves are outside scope
REOPEN ONLY IF	Same as EX-12

EX - 14

Passive stablecoin yield

EXCLUDED

CONSIDERED VALUE	Retention and spread revenue
BOUNDARY	Legally hostile/uncertain, requires additional asset risk, and contradicts boring-safe payments
REOPEN ONLY IF	Materially favorable enacted law plus counsel and a new risk thesis

EX - 15

Staking-as-a-service

EXCLUDED

CONSIDERED VALUE	Reward revenue
BOUNDARY	Off-thesis asset platform with enforcement, custody, and market-risk adjacency
REOPEN ONLY IF	A future company-level thesis change, not a feature request

EX - 16

ImplicitEx token

EXCLUDED

CONSIDERED VALUE	Fundraising and incentives
BOUNDARY	Turns users into speculators and contradicts flat, transparent, no-games trust
REOPEN ONLY IF	Clear enacted framework plus a user-serving need that survives hostile review

EX - 17

NFTs as a product direction

EXCLUDED

CONSIDERED VALUE	Membership, receipts, creator sales
BOUNDARY	Perception and complexity exceed utility for the target user
REOPEN ONLY IF	A sub-one-week isolated experiment with explicit customer demand

EX - 18

RWA or tokenized receivables

EXCLUDED

CONSIDERED VALUE	Invoice factoring and institutional upside
BOUNDARY	Squarely securities territory requiring partners, gating, and another company model
REOPEN ONLY IF	Funded, counsel-led year-4/5 program

EX - 19**First-party stablecoin issuance**

EXCLUDED

CONSIDERED VALUE	Reserve-spread economics
BOUNDARY	Requires issuer authorization, reserves, capital, redemption, examinations, and new company
REOPEN ONLY IF	Year-5-plus funded issuer strategy approved separately

EX - 20**Payroll compliance, withholding, or tax remittance**

EXCLUDED

CONSIDERED VALUE	Complete workforce-payments service
BOUNDARY	Employment, tax, reporting, jurisdiction, and support obligations exceed scope
REOPEN ONLY IF	Licensed partners and a separate approved product

EX - 21**Enterprise treasury replacement**

EXCLUDED

CONSIDERED VALUE	Large contracts and deep workflows
BOUNDARY	Multi-entity, procurement, SLAs, controls, and support exceed solo-founder capacity
REOPEN ONLY IF	Proven scale, team, capital, and new buyer strategy

EX - 22**Broad accounting suite or tax engine**

EXCLUDED

CONSIDERED VALUE	Complete financial records
BOUNDARY	Entrenched domain, tax judgment, API burden, and off-thesis complexity
REOPEN ONLY IF	Never as default; exports and one demanded integration remain the path

EX - 23**Unsupported identity-verification claims**

EXCLUDED

CONSIDERED VALUE	Stronger trust marketing
BOUNDARY	Wallet/social/domain control does not prove legal identity or safety
REOPEN ONLY IF	Exact evidence class, process, expiry, and counsel-approved claim exist

EX - 24**Arbitrary ERC-20 support**

EXCLUDED

CONSIDERED VALUE	Broad asset coverage
BOUNDARY	Unbounded token behavior, fraud, decimals, issuer, liquidity, and test matrix
REOPEN ONLY IF	Never; only individually approved registry assets

EX - 25**Arbitrary CSS or hidden payment facts**

EXCLUDED

CONSIDERED VALUE	Maximum customization
BOUNDARY	Enables scam lookalikes, broken accessibility, and obscured authority/fees
REOPEN ONLY IF	Never; curated themes and guarded views only

EX - 26**Customer-specific product forks**

EXCLUDED

CONSIDERED VALUE	Consulting revenue
BOUNDARY	Destroys one product, release discipline, and maintenance economics
REOPEN ONLY IF	Never by default; a white-label configuration must remain on the shared core

EX - 27**Consumer trading or speculative asset platform**

EXCLUDED

CONSIDERED VALUE	Larger crypto audience
BOUNDARY	Competes with wallets/exchanges and abandons payment-operations thesis
REOPEN ONLY IF	A future company thesis change

EX - 28**Public self-service Coin Card issuance in V1**

EXCLUDED

CONSIDERED VALUE	Fast user-count growth
BOUNDARY	Creates squatting, impersonation, moderation, and uncontrolled risk before validation
REOPEN ONLY IF	V1 gates pass and a later roadmap explicitly authorizes self-service

EX - 29**Public Free Coin Card tier as current policy**

EXCLUDED

CONSIDERED VALUE	Acquisition
BOUNDARY	Free can create abuse and unvalidated activity without economic evidence
REOPEN ONLY IF	A measurable acquisition/conversion job and approved controls

EX - 30**Broad directory moderation in V1/V2 Core**

EXCLUDED

CONSIDERED VALUE	Network/discovery
BOUNDARY	Creates unbounded fraud/content/sanctions labor before card demand exists
REOPEN ONLY IF	LH-18 opening conditions pass