

TurfTrack Operations Handbook

RAG Stress-Test Edition • Version 2.4 • September 2026

Purpose

This fictional handbook is designed as a realistic operational document for testing document question-answering systems. TurfTrack is presented as a multi-tenant sports venue management platform used by turf and facility operators to manage bookings, customers, pricing, payments, staff, and business reporting.

Document facts are intentionally distributed across pages. Some concepts use similar terminology while important details differ by section. This makes the document suitable for testing semantic retrieval, page-aware citations, thresholding, and refusal to answer when evidence is absent.

Core terminology

Term	Meaning
Venue	A business location managed in TurfTrack.
Field	A bookable playing area inside a venue.
Slot	A bookable time interval for a field.
Booking	A reservation connecting a customer, field, date, and slot.
Advance	The amount paid before the booking is considered financially secured.
Pay Later	A booking state where the customer is allowed to reserve without paying the required advance immediately.

Testing note

A correct RAG answer should rely on the relevant passages rather than merely matching keywords. When a question asks for a policy that is not present in this handbook, the assistant should explicitly state that the document does not provide the information.

1. Venue and Field Setup

A venue represents the operational account of a sports facility. A venue can contain multiple fields, and each field can have its own name, sport type, capacity, operating hours, and pricing configuration.

Field configuration

A field must have a unique name within its venue. Operators commonly use names such as Main Turf, Rooftop Field, Indoor Arena, or Training Ground. A field may be temporarily disabled without deleting its historical bookings.

Setting	Example	Operational effect
Field name	Main Turf	Shown to customers during booking.
Sport	Football	Used for field classification.
Slot length	60 minutes	Controls standard booking duration.
Buffer	10 minutes	Creates operational time between consecutive slots.
Status	Active	Allows future bookings.

Operating hours

Operating hours determine when normal slots can be generated. For example, a field configured from 8:00 AM to 11:00 PM may produce hourly slots from 8:00–9:00 AM through 10:00–11:00 PM. A 10-minute buffer does not extend the customer-facing booking duration; it reserves additional operational time between bookings.

A field can remain active while a particular date is blocked. Date-level blocking is intended for maintenance, tournaments, private events, or other exceptions.

Multi-venue isolation

TurfTrack is multi-tenant. Venue A must not be able to retrieve customers, bookings, fields, or financial records belonging to Venue B. Tenant isolation is an application-level requirement and should be enforced on every protected data access path.

2. Booking Lifecycle

A booking moves through several states during its lifecycle. The state describes the operational status, while payment status separately describes whether money has been received.

Booking state	Meaning	Can normally appear to customer?
PENDING	Created but awaiting required completion.	Yes
CONFIRMED	Required booking conditions have been satisfied.	Yes
COMPLETED	The booked time has passed and service was delivered.	Historical
CANCELLED	Booking was cancelled before completion.	Historical
EXPIRED	Booking was not completed within its allowed time window.	Historical

Important distinction: a CONFIRMED booking is not automatically equivalent to a FULLY_PAID booking. Payment state must be evaluated separately.

Slot protection

When two customers attempt to reserve the same slot at nearly the same time, the system must prevent both requests from successfully claiming it. The final booking operation should use an authoritative availability check rather than trusting the availability shown earlier in the customer interface.

A temporary payment or checkout hold can prevent another customer from taking a slot while the first customer completes payment. The hold should have an expiry so abandoned sessions do not permanently block inventory.

Cancellation example

A venue may configure a cancellation cutoff of 3 hours before the slot. If the slot begins at 8:00 PM, a cancellation requested after 5:00 PM may be outside the normal cancellation window. The exact business policy is configurable and should not be inferred from this example as a universal platform rule.

Operational warning

A customer may have a valid booking even when the payment record is partial. Staff should inspect both booking state and payment state before deciding whether a booking is financially settled.

3. Pricing and Slot Rules

TurfTrack supports pricing that can vary according to time periods. A venue may define different prices for daytime, evening, and night periods. These labels are configuration concepts rather than fixed universal clock ranges.

Period label	Example price	Example use
Day	■800	Lower-demand daytime slots.
Evening	■1,200	Peak after-work demand.
Night	■1,000	Late operating hours.

Price selection

When a customer selects a slot, the system should determine the applicable price from the field's active pricing configuration for that date and time. A promotion may change the payable amount without changing the field's base price.

Breaks and buffers

A break is an intentional unavailable interval. A buffer is operational time associated with transitions between bookable slots. For example, a venue could configure 60-minute playing slots with a 10-minute buffer. The customer-facing slot remains 60 minutes, while the venue receives additional time for cleanup or field preparation.

Pricing example

Suppose the Main Turf has a base evening price of ■1,200. A customer receives a ■200 promotional discount. The resulting booking amount is ■1,000 before any payment-method-specific charges. The discount does not mean the evening base price has become ■1,000.

Conflict handling

If two active pricing rules match the same slot, the application should use a deterministic priority rule. Operators should avoid overlapping rules unless the intended priority is documented.

4. Payment and Advance Policy

Payment records are associated with bookings but should be treated as their own financial objects. A booking can be confirmed with a partial advance, depending on the venue's configured policy.

Advance tiers

Tier	Illustrative requirement	Example on ■2,000 booking
25%	Customer pays one quarter.	■500
40%	Customer pays two fifths.	■800
50%	Customer pays half.	■1,000
70%	Customer pays seven tenths.	■1,400

These values are examples for this handbook and are not universal TurfTrack defaults.

Bangla QR workflow

For a Bangla QR payment flow, the customer is instructed to complete the payment and provide the required payment reference or verification information. The booking system should verify the amount and transaction identity before marking the expected payment as received.

A verification message may not always contain enough information to independently identify the payer. Therefore, the system should avoid assuming that a phone number appearing in a notification is proof of payer identity.

Duplicate amounts

Two customers can legitimately pay the same amount. Therefore, amount alone is not a safe transaction identifier. A robust verification process should use a unique transaction reference, invoice/cart identifier, or another provider-supported identifier in addition to the amount.

Settlement

Settlement is the process of transferring collected funds to the venue after applicable payment-method charges and platform adjustments. Settlement timing is a financial configuration and should not be confused with the moment a customer's booking becomes confirmed.

5. Customer and Player Management

TurfTrack maintains customer information to help venue operators understand repeat usage and booking history. A customer record may be associated with multiple bookings over time.

Field	Example	Notes
Name	Arif Hasan	Customer display name.
Phone	017XXXXXXXX	Used for operational communication.
Total bookings	18	Historical count.
Last booking	12 Sep 2026	Most recent recorded booking.
Outstanding	■600	Example unsettled amount.

Customer history

Booking history can help staff identify repeat customers, review previous cancellations, and understand usage patterns. However, historical frequency should not automatically be interpreted as customer loyalty, creditworthiness, or future demand.

Search behavior

A customer search by phone number should return records within the current venue's tenant boundary. A manager working for one venue must not receive a matching customer record from another venue simply because the phone number is identical.

Data quality

Operators should avoid creating duplicate customer records when the same person already exists. If a duplicate is discovered, the venue may need an administrative merge process. A merge should preserve booking history and avoid assigning historical bookings to the wrong tenant.

Privacy principle

Only information necessary for venue operations should be exposed to staff roles. A reporting screen does not automatically require access to every field available in a customer record.

6. Staff Roles and Permissions

TurfTrack separates responsibilities through role-based access control. Roles should be interpreted together with tenant boundaries.

Role	Typical capabilities
PLAYER	Create and manage own customer-facing booking activity.
MANAGER	Manage day-to-day venue operations, bookings, customers, and selected staff workflows.
OWNER	Manage venue configuration, business operations, financial information, and managers.
ADMIN	Perform authorized platform administration tasks.
SUPER_ADMIN	Perform higher-level platform administration across tenants.

Role does not replace tenant isolation

A user with an OWNER role for Venue A should still be unable to access Venue B's financial records. Authorization must evaluate both the user's role and the tenant/resource relationship.

Manager example

A manager may be allowed to reschedule a booking, update a player's contact information, and review the day's slot schedule. Whether the manager can modify settlement configuration depends on the venue's permission policy.

Security rule

The frontend should not be treated as the final security boundary. Hiding a button from a user interface does not prevent a client from manually sending an API request. Protected backend routes must validate authorization independently.

Auditability

Sensitive actions such as cancellation, refund approval, role changes, and financial adjustments should be traceable to an authenticated user where the platform's audit system supports it.

7. Analytics and Business Reporting

Analytics helps venue owners understand operational performance. Metrics should be defined precisely so that two reports do not use the same label for different calculations.

Metric	Definition
Gross booking value	Sum of booking prices before applicable deductions.
Collected advance	Amount actually recorded as received against bookings.
Outstanding balance	Booking amount not yet recorded as collected.
Completed bookings	Bookings whose lifecycle state is COMPLETED.
Cancellation count	Number of bookings marked CANCELLED in the selected period.

Example

During one day, a venue has five completed bookings priced at █1,000 each. The gross booking value for those bookings is █5,000. If customers paid █500 advances and the remaining balances have not been collected, collected advance is █2,500 and outstanding balance is █2,500, assuming no other payments.

Date ranges

Reports should use an explicit timezone and date-range convention. A booking near midnight can otherwise appear in different daily reports depending on the server timezone and venue timezone.

Operational interpretation

High booking volume does not necessarily mean high collected revenue. Similarly, high gross booking value does not necessarily mean high cash settlement. Operators should compare booking, payment, and settlement metrics rather than relying on a single dashboard number.

Example KPI comparison

Month	Bookings	Gross value	Collected advance
July	184	█176,800	█91,200
August	201	█194,400	█103,600
September	219	█208,800	█111,400

8. Operations, Exceptions, and Troubleshooting

The following scenarios are deliberately similar but have different causes. Support staff should identify the relevant state before choosing a resolution.

Scenario A: slot appears available but booking fails

Possible cause: another customer completed the booking between availability display and final submission. The correct behavior is to re-check authoritative availability and inform the customer that the slot is no longer available.

Scenario B: payment completed but booking remains pending

Possible cause: the payment provider callback or verification process has not yet been completed. Staff should verify the transaction rather than manually assuming payment from a customer screenshot alone.

Scenario C: upload succeeds but document is not searchable

Possible causes include failed text extraction, failed chunk creation, missing embeddings, or an indexing/database error. A document processing status should distinguish successful upload from successful processing.

Scenario D: customer sees another venue's document

This is a tenant-isolation incident. The application should immediately investigate authorization and resource filtering. Frontend route visibility is not sufficient protection.

Troubleshooting table

Symptom	First check
Upload button does nothing	Browser event handler and file input connection.
Upload returns 4xx/5xx	Frontend request payload, API URL, and backend response.
Document stuck processing	Processing logs and document processing status.
Relevant answer missing	Chunk content, embedding generation, similarity threshold, and retrieval limit.
Answer cites wrong page	Retrieved chunk page_number and source construction.

Do not silently hide failures. A visible error is preferable to displaying a successful-looking state when processing actually failed.

9. FAQ and Retrieval Test Facts

Frequently asked questions

Q: Does a confirmed booking always mean it is fully paid? A: No. Booking state and payment state are separate. A venue may allow a confirmed booking with only a partial advance.

Q: Does the handbook define fixed worldwide Day, Evening, and Night hours? A: No. The handbook says these are configurable period labels and gives illustrative examples rather than universal clock ranges.

Q: Can two customers pay the same amount? A: Yes. Therefore, amount alone should not be treated as a unique payment identifier.

Q: Can a frontend button alone enforce permissions? A: No. Backend authorization must independently validate protected requests.

Q: Does a field buffer increase the customer's playing time? A: No. A buffer is operational time associated with transitions; the example keeps the customer-facing slot at 60 minutes.

Known facts for retrieval evaluation

Fact	Expected answer
Example evening price	■1,200
Example Main Turf slot length	60 minutes
Example buffer	10 minutes
Example cancellation cutoff	3 hours before the slot, presented as a venue-configured example.
Example September bookings	219
Example September collected advance	■111,400
Example 50% advance on ■2,000	■1,000

Out-of-document questions

The following information is intentionally NOT specified anywhere in this handbook: the exact price of a TurfTrack subscription, the name of a real payment gateway account, the platform's production database password, the number of employees at a specific venue, and the exact API endpoint used by a particular deployment.

A grounded question-answering system should not invent these values. If asked, it should explain that the information is not available in the document.

End of handbook

This document is fictional and intended solely for testing document ingestion, chunking, embeddings, retrieval, source attribution, and grounded question answering.